

Sipariş Tar		08/06/	/2018	Sip	oariş	No	2018-	8159	Reviz	yon No			2	
Ma	mul	REINFORCING BAR MANUFACTURED TO AS/NZS 4671:2001, GRADE 500N												
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)		Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi	Boyar
496	Çubuk	AS/NZS 4671:2001	GR500N	12	N	12	52	192	0.888	2046			-	BLUE
496	Çubuk	AS/NZS 4671:2001	GR500N	16	N	12	52	108	1.58	2048			-	YELLO
496	Çubuk	AS/NZS 4671:2001	GR500N	20	N	10	26	84	2.47	2075			-	BLACK
496	Çubuk	AS/NZS 4671:2001	GR500N	20	N	12	26	68	2.47	2016			-	BLACK
496	Çubuk	AS/NZS 4671:2001	GR500N	24	N	10	26	58	3.55	2059			-	PURPI
496	Çubuk	AS/NZS 4671:2001	GR500N	24	N	12	26	48	3.55	2045			-	PURPI
497	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	135	192	0.888	1023			-	BLUE
497	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	135	108	1.58	1024			-	YELLO
499	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	175	192	0.888	1023			-	BLUE
499	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	175	108	1.58	1024			-	YELLO
502	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	135	192	0.888	1023			-	BLUE
502	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	135	108	1.58	1024			-	YELLO
506	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	54	192	0.888	1023			-	BLUE
506	Çubuk	AS/NZS 4671:2001	GR500N	12	N	9	26	256	0.888	2046			-	BLUE
506	Çubuk	AS/NZS 4671:2001	GR500N	16	N	12	104	108	1.58	2048			-	YELLO
506	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	108	108	1.58	1024			-	YELLO



					 [<u> </u>		"
F17	Cubul	AS/NZS 4671:2001	CDEOON	12	NI.	c	2.5	102	0.000	1022			BLUE
21/	Çubuk	46/1:2001	IGROUIN	12	IN	6	25	192	0.888	1023		[-]	BLUE
517	Çubuk	AS/NZS 4671:2001	GRSOON	16	N	6	25	108	1.58	1024			YELLOW
317	Çabak			10		, o	23	100	1.50	1024			
518	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	13	192	0.888	1023		_	BLUE
								132	0.000				
518	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	4	108	1.58	1024	 	_ 	YELLOW
		AS/NZS											
518	Çubuk	4671:2001	GR500N	20	N	6	8	68	2.47	1008		_	BLACK
		AS/NZS											
519	Çubuk	4671:2001	GR500N	16	N	6	26	108	1.58	1024		<u></u>	YELLOW
		AS/NZS											
520	Çubuk	4671:2001	GR500N	12	N	12	52	192	0.888	2046		ļ-	BLUE
		AS/NZS											
520	Çubuk	4671:2001	GR500N	16	Ν	12	52	108	1.58	2048	 	<u>_</u>	YELLOW
		AS/NZS											
528	Çubuk	4671:2001	GR500N	12	N	6	104	192	0.888	1023	 	-	BLUE
		AS/NZS											
531	Çubuk	4671:2001	GR500N	16	N	12	52	108	1.58	2048	 0	- -	YELLOW
		AS/NZS											
531	Çubuk	4671:2001	GR500N	20	N	12	130	68	2.47	2016	 	-	BLACK
		AS/NZS											
531	Çubuk	4671:2001	GR500N	24	N	12	104	48	3.55	2045		<u>-</u>	PURPLE
		AS/NZS											
531	Çubuk	4671:2001	GR500N	28	N	12	52	36	4.83	2087		_	WHITE
		AS/NZS											
538	Çubuk	4671:2001	GR500N	12	N	6	27	192	0.888	1023	 	- -	BLUE
		AS/NZS											
538	Çubuk	4671:2001	GR500N	16	N	6	54	108	1.58	1024	 	<u> </u>	YELLOW
		AS/NZS											
538	Çubuk	4671:2001	GR500N	20	N	9	26	90	2.47	2001	 	_ 	BLACK
		AS/NZS											
538	Çubuk	4671:2001	GR500N	20	N	12	52	68	2.47	2016		<u></u>	BLACK
		AS/NZS											
538	Çubuk	4671:2001	GR500N	24	N	9	78	65	3.55	2077	 	_	PURPLE
		AS/NZS											
538	Çubuk	4671:2001	GR500N	24	N	12	78	48	3.55	2045		<u> </u>	PURPLE



538	Çubuk	AS/NZS 4671:2001	GR500N	28	N	12	78	36	4.83	2087		-	WHITE
	Çubuk	AS/NZS 467		_0 12		6	108	192				-	BLUE
552	Çubuk	AS/NZS 467	GR500N	16	N	6	108	108	1.58	1024		_	YELLOW
332	Çubuk		GIIJOOIN	10			100	100	1.50	1024			1222000
EE4	Çubuk	AS/NZS 4671:2001	CDEOON	16	NI	8	26	81	1.58	1024			YELLOW
334	Çubuk	40/1.2001	GNOON	10	1 1		20	01	1.56	1024			ILLLOW
554	Çubuk	AS/NZS 4671:2001	GR500N	16	N	12	26	108	1.58	2048		-	YELLOW
554	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	26	108	1.58	1024		-	YELLOW
		AS/NZS											
554	Çubuk	4671:2001	GR500N	16	N	9	26	144	1.58	2048		-	YELLOW
		AS/NZS											
555	Çubuk	4671:2001	GR500N	12	N	6	50	192	0.888	1023		-	BLUE
		AS/NZS											
555	Çubuk	4671:2001	GR500N	16	N	6	34	108	1.58	1024		-	YELLOW
		AS/NZS											
555	Çubuk	4671:2001	GR500N	20	N	12	25	68	2.47	2016		-	BLACK
		AS/NZS									j		ű
555	Çubuk	4671:2001	GR500N	20	N	6	16	68	2.47	1008		-	BLACK
		A.C. /N.7.C									i		
555	Çubuk	AS/NZS 4671:2001	GR500N	24	N	12	25	48	3.55	2045		-	PURPLE
													Ų
556	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	38	192	0.888	1023		-	BLUE
	.												
556	Çubuk	AS/NZS 4671:2001	GR500N	16	N	6	12	108	1.58	1024		-	YELLOW
								100	1.50	102 .			1222011
557	Çubuk	AS/NZS 4671:2001	GR500N	12	N	6	17	192	0.888	1023			BLUE
337	Çubuk		GNOON	12	1 N			172	0.000	1023			DLOL
557	Çubuk	AS/NZS 4671:2001	CDEOON	20	NI	6	9	68	2.47	1008			BLACK
337	Çubuk	40/1.2001	GROUN	20	IN	U	3	UO	2.47	1000		-	BLACK
550		AS/NZS	CDECON	42		_	4.5	400	0.000	4022			D
558	Çubuk	4671:2001	GR500N	12	N	6	15	192	0.888	1023		-	BLUE
		AS/NZS					_						
558	Çubuk	4671:2001	GR500N	16	N	6	4	108	1.58	1024		-	YELLOW
		AS/NZS											
558	Çubuk	4671:2001	GR500N	20	N	6	7	68	2.47	1008	 6	-	BLACK
		AS/NZS											
559	Çubuk	4671:2001	GR500N	16	N	6	38	108	1.58	1024		-	YELLOW



		_		-	•				•				
EEO	Çubuk	AS/NZS 4671:2001	CRECON	20	N	6	14	68	2 47	1008			DIACK
229	Çubuk	40/1:2001	GROUUN	20	IN	D	14	08	2.47	1008		_	BLACK
		AS/NZS											
561	Çubuk	4671:2001	GR500N	12	N	6	108	192	0.888	1023		-	BLUE
		AS/NZS											
561	Çubuk	4671:2001	GR500N	16	N	6	108	108	1.58	1024		_	YELLOW
301	gaoan.								1.50	102.			
		AS/NZS											
562	Çubuk	4671:2001	GR500N	12	N	6	156	192	0.888	1023		-	BLUE
		AS/NZS											
562	Çubuk	4671:2001	GR500N	16	N	6	156	108	1.58	1024		-	YELLOW
		AS/NZS											
563	Çubuk	4671:2001	GR500N	12	N	6	15	192	0.888	1023		-	BLUE
		AS/NZS											
563	Çubuk	4671:2001	GR500N	16	N	6	11	108	1.58	1024		-	YELLOW
	30.00.1												
		AS/NZS											
564	Çubuk	4671:2001	GR500N	12	N	6	26	192	0.888	1023		-	BLUE
		AS/NZS											
564	Çubuk	4671:2001	GR500N	16	N	6	26	108	1.58	1024		_	YELLOW
	- Gaban							100	1.50				
		AS/NZS											
565	Çubuk	4671:2001	GR500N	12	N	6	15	192	0.888	1023		-	BLUE
		AS/NZS											
565	Çubuk	4671:2001	GR500N	16	N	6	11	108	1.58	1024		_	YELLOW
303	- Gabak	1071.2001						100	1.50	102-1			1222011
		AS/NZS											
566	Çubuk	4671:2001	GR500N	12	N	6	20	192	0.888	1023		-	BLUE
		AS/NZS											
566	Çubuk	4671:2001	GR500N	16	N	6	6	108	1.58	1024		_	YELLOW
	- Gaban							100	1.50				
		AS/NZS											
570	Çubuk	4671:2001	GR500N	12	N	6	7	192	0.888	1023		-	BLUE
		AS/NZS											
570	Çubuk	4671:2001	GR500N	24	N	6	15	48	3.55	1022		_	PURPLE
	30.00.1			_ ·					0.00				
		AS/NZS											
570	Çubuk	4671:2001	GR500N	28	N	6	4	36	4.83	1043		-	WHITE
													•••
plam Mik		3738											
	Tol % (Min ,	<u></u>											11
ıp. Miktar	Tol % (Min ,	<u>@</u>											ni
			-			+ 40 N	1M), 9M	l(40 /	+ 40 MM), 6M(40	/ + 0 MM)), 6M(40 /	
oy Tol (- /	+ MM)	+ 40 MM),	12M(40 /	+ 40 N	VIIVI)								
oat Tol (- /		, i										***************************************	u
ermin Baş-		20180831 -	20180831								***************************************	***************************************	
		Minimum											uī



Faturalama	Teorik
	MILLS STANDAR PACKING SUITABLE FOR OVERSEAS TRANSPORTATION
	12 METRE LENGTHS TIED WITH 7 WIRE ROD TIES
	10 METRE LENGTHS TIED WITH 7 WIRE ROD TIES
	9 METRE LENGTHS TIED WITH 7 WIRE ROD TIES
	6 METRE LENGTH TIED WITH 5 WIRE ROD TIES
Paketleme	
	EACH BUNDLE TO HAVE INDICATING: "DITH AUSTRALIA PTY. LTD." (AS IMPORTER) , PRODUCT,
	QUALITY/GRADE, LENGTH, PIECE COUNT, BUNDLE WEIGTH, HEAT NUMBER, P.O. NUMBER, LOT
	NO, MILLS NAME, ORIGIN, DESTINATION,
Etiket	
Gözetim	VITSAN
	*** PO NUMARALARI VE LOT NUMARALARI İÇİN TABLO EKTEDİR
	** HEM TEORIKTE HEM ACTUALDE MIKTAR TOLERASNLARINA UYULACAKTIR.
	***ALLOWABLE MASS TOLERANCE +/-4,5% IN ACCORDANCE WITH AS/NZS 4671:2001
	*** LENGTH TOLERANCE FOR 6M (-40/+0MM) (AIMING -30/+0MM)
	***LENGTH TOLERANCE FOR 12M (-40/+40MM)
	***LENGTH TOLERANCE FOR 10M (-40/+40MM)
	***LENGTH TOLERANCE FOR 9M (-40/+40MM)
	**** LOT 531, 555, 556 ACTUAL BAZDA OLACAKTIR. 531 LOT NUMARALI SİPARİŞTE ETİKETE, HER
	SIZE İÇİN EKTE BELİRTİLEN P.O NUMARALARI YAZILACAKTIR.
	*** BOYAMA ÇİFT TARAFLI YAPILACAKTIR.
	****LOT 496 - 497 - 499 - 502 - 506 - 517 - 518 - 519 - 520 - 531 - 538 - 555 - 556 ; EYLÜL AYININ
	İLK YARISINDA YÜKLENECEKTİR.
	****LOT 554 - 557- 558 - 559 - 561 - 562 - 563 - 564 - 565 - 566 - 570 ; EYLÜL AYININ 2. YARISINDA
	YÜKLENECEKTİR.
	****LOT 528 - 552 EKİM BAŞI YÜKLENECEKTİR. MALZEMELER İSTİFLENİRKEN YÜKLEME SIRASINA
	UYULACAKTIR.
Özel Şartlar	
Ülke	Avusturalya
Ekli Dosya	REVIZE.xlsx



Lot496:BRISBANE PORT, AUSTRALIA, Lot497:FREMANTLE PORT, AUSTRALIA, Lot499:SYDNEY PORT, AUSTRALIA, Lot502:MELBOURNE PORT, AUSTRALIA, Lot506:BRISBANE PORT, AUSTRALIA, Lot517:SYDNEY PORT, AUSTRALIA, Lot518:SYDNEY PORT, AUSTRALIA, Lot519:MELBOURNE PORT, AUSTRALIA, Lot520:FREMANTLE PORT, AUSTRALIA, Lot528:BRISBANE PORT, AUSTRALIA, Lot531:FREMANTLE PORT, AUSTRALIA, Lot538:MELBOURNE PORT, AUSTRALIA, Lot555:SYDNEY PORT, AUSTRALIA, Lot552:FREMANTLE PORT, AUSTRALIA, Lot5552:FREMANTLE PORT, AUSTRALIA, Lot555:SYDNEY PORT, AUSTRALIA, Lot556:SYDNEY PORT, AUSTRALIA, Lot558:MELBOURNE PORT, AUSTRALIA, Lot559:BRISBANE PORT, AUSTRALIA, Lot561:BRISBANE PORT, AUSTRALIA, Lot562:SYDNEY PORT, AUSTRALIA, Lot563:BRISBANE PORT, AUSTRALIA, Lot566:ADELAIDE PORT, AUSTRALIA, Lot566:ADELAIDE PORT, AUSTRALIA, Lot570:BRISBANE PORT, AUSTRALIA, Lot566:ADELAIDE PORT, AUSTRALIA, Lot570:BRISBANE PORT, AUSTRALIA

Boşaltma Limanı

496/20 - BLACK, 496/12 - BLUE, 496/24 - PURPLE, 496/16 - YELLOW, 497/12 - BLUE, 497/16 - YELLOW, 499/16 - YELLOW, 499/12 - BLUE, 502/12 - BLUE, 502/16 - YELLOW, 506/12 - BLUE, 506/16 - YELLOW, 517/16 - YELLOW, 517/12 - BLUE, 518/16 - YELLOW, 518/20 - BLACK, 518/12 - BLUE, 519/16 - YELLOW, 520/12 - BLUE, 520/16 - YELLOW, 528/12 - BLUE, 531/16 - YELLOW, 531/24 - PURPLE, 531/28 - WHITE, 531/20 - BLACK, 538/12 - BLUE, 538/28 - WHITE, 538/24 - PURPLE, 538/20 - BLACK, 538/16 - YELLOW, 552/16 - YELLOW, 552/12 - BLUE, 554/16 - YELLOW, 555/12 - BLUE, 555/20 - BLACK, 555/24 - PURPLE, 555/16 - YELLOW, 556/12 - BLUE, 556/16 - YELLOW, 559/20 - BLACK, 559/20 - BLACK, 558/20 - BLACK, 558/12 - BLUE, 562/16 - YELLOW, 562/12 - BLUE, 563/12 - BLUE, 563/16 - YELLOW, 564/16 - YELLOW, 564/12 - BLUE, 565/16 - YELLOW, 565/12 - BLUE, 566/16 - YELLOW, 566/12 - BLUE, 570/24 - PURPLE, 570/28 - WALLE

Boyama (Lot / Ebat)
Form No:

05.10.1 - 2 /

R - 3