

Mamul		PRIME NEWLY PRODUCED HOT ROLLED STEEL DEBARS STRAIGHT LENGTH												
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	=	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi	Boyam
	1 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	375							_
	1 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	700						_	
	1 Çubuk	ASTM A 615	GR 40	BN.5	N	20 FEET	275						_	_
	2 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	1160							-
	2 Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	70							
	2 Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	70						_	_
	2 Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	50						_	_
	3 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	70						_	
	3 Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	50							-
	3 Çubuk	ASTM A	GR 40	BN.4	N	20 FEET	400							-
	3 Çubuk	ASTM A	GR 60	BN.4	N	20 FEET	180	0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		_
	3 Çubuk	ASTM A	GR 60	BN.4	N	30 FEET	70							
	3 Çubuk	ASTM A	GR 40	BN.5	N	20 FEET	150							
	3 Çubuk	ASTM A	GR 60	BN.5	N	20 FEET	200							
	3 Çubuk	ASTM A	GR 60	BN.5	N	30 FEET	70		J. J			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		-
	3 Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	110						_	



						20						
3	Çubuk	ASTM A 615	GR 60	BN.6	N	30 FEET	50				_	_
	Çabak	013	GIV 00	DIV.0		1	30	 				
		ASTM A				20						
4	Çubuk	615	GR 60	BN.3	N	FEET	72	 			<u>-</u>	-
		ASTM A				20						
4	Çubuk	615	GR 40	BN.4	N	FEET	160				-	-
		ACTNA A				20						
4	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	330				_	-
	- Jacon							 		 		
		ASTM A				30						
4	Çubuk	615	GR 60	BN.4	N	FEET	25	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 	- - 	-
		ASTM A				40						
4	Çubuk	615	GR 60	BN.4	N	FEET	72				-	-
		ACTNA A				30		 				
4	Çubuk	ASTM A 615	GR 60	BN.5	N	30 FEET	24				_	_
	- Garan			J.11.5				 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 		
		ASTM A				20						
4	Çubuk	615	GR 60	BN.5	N	FEET	240	 		 	_ 	-
		ASTM A				40						
4	Çubuk	615	GR 60	BN.5	N	FEET	96				-	-
		ACTNA A				20						
4	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	115				_	-
	- Jacon							 		 		
		ASTM A				30						
4	Çubuk	615	GR 60	BN.6	N	FEET	24	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 	- - 	-
		ASTM A				40						
4	Çubuk	615	GR 60	BN.6	N	FEET	72				_	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.7	N	FEET	24				-	-
4	C. I I.	ASTM A	CD CO	DN 7	N.1	40 	2.4					
4	Çubuk	615	GR 60	BN.7	IN	FEET	24	 	,	 	_ 	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.8	N	FEET	24	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 	_	-
		ASTM A				40						
4	Çubuk	615	GR 60	BN.8	N	FEET	24				-	-
	Ō			· Č		4		 	D	 Ď	ф	
4	Çubuk	ASTM A	CD 60	חאים	NI	40 	2.4					
4	Z unnk	615	GR 60	BN.9	IN	FEET	24	 				-
		ASTM A				40						
5	Çubuk	615	GR 60	BN.3	N	FEET	150	 		 	_	-
		ASTM A				20						
5	Çubuk	615	GR 60	BN.3	N	FEET	200				-	-
§	ā							 	I	 ā	ā	I



			<u>.</u>						<u></u>	·		
	ASTM A		20									
5 Çubuk	615 GR 40	BN.4 N	FEET	200								
J. Çubuk	1013 101 40	DIV.4 IV	ILLI	200								
	ASTM A		20									
5 Çubuk	615 GR 60	BN.4 N	FEET	150					_	-		
	ā											
	ASTM A		40									
5 Çubuk	615 GR 60	BN.4 N	FEET	200					<u> </u>	_		
5011	ASTM A	5N 5 N	40	450								
5 Çubuk	615 GR 60	BN.5 N	FEET	150					[- [_ 		
	ASTM A		20									
5 Çubuk	615 GR 60	BN.5 N	FEET	300					_	_		
6 Çubuk	ASTM A 615 GR 40	BN.3 N	20 FE						_	_		
6 Çubuk	ASTM A 615 GR 60	BN.3 N	20 FE	<u> </u>						_		
6 Çubuk	ASTM A 615 GR 60	BN.3 N	40 FE							_		
6 Çubuk	ASTM A 61 GR 60	BN.4 N	20 FE							_		
				<u> </u>] - 			
6 Çubuk	ASTM A 615 GR 60	BN.4 N	40 FE] - [_ 		
6 Çubuk	ASTM A 615 GR 40	BN.4 N	20 FE						<u>-</u>	-		
6 Çubuk	ASTM A 611 GR 60	BN.5 N	40 FE						- -	-		
6 Çubuk	ASTM A 615 GR 60	BN.5 N	20 FE	ļ					- -	-		
6 Çubuk	ASTM A 615 GR 60	BN.6 N	20 FE	145					_	-		
	<u></u>											
Toplam Miktar (MT)	9250											
Top. Miktar Tol % (Min /	<u>(</u>											
Çap. Miktar Tol % (Min /	<u> </u>											
Boy Tol (- / + MM)	30 FEETM(-0 / + 50 N	MM), 20 FE	EETM(-0) / + 50 N	IM), 40 FEE	TM(-0 / + 1)	L00 MM)					
Ebat Tol (- / + MM)												
Termin Baş-Bit	20180731 - 20180731	I										
Faturalama		L 										
Paketleme	Teorik BUNDLE WEIGHT®MAX 2.5 MT											
Pakeueme	TWO TAGS PER BUN				S INICODNAA	TION!						
	MILL S NAME	NDLE WIIT	INE FO	LLOWING	INFORIVIA	HON:						
	ORIGIN											
	QUALITY											
	GRADE											
	SIZE											
	WEIGHT IN MT											
	LOT NO											
	HEAT NUMBER											
	DISCHARGE PORT											
	MADE IN TURKEY											
[tilest												
Etiket	NUTCANI											
Gözetim	-VITSAN											



	ALL MATERIAL TO BE NATURALLY AIR COOLED.
	MATERIAL PRODUCED FROM TEMPCOR/THERMAX OR OTHER WATER QUENCHING NOT ACCEPTABLE.
	*****AKREDİTİF GEREGİ KONSİMENTOLARDA EBAT BAZINDA MİKTAR VE BAG ADETLERİ GÖSTERİLMESİ
	GEREKTİĞİNDEN YÜKLEME BİTİSİNDEN 2 GÜN ÖNCE EBAT BAZINDA TEORIK
	MIKTAR VE BAG SAYILARININ İHRACAT DEPARTMANINA GECİLMESİ GEREKMEKTEDİR.
	*** MILL TESTLERDE ÇAPLAR INCH UZUNLUKLAR İSE FEET OLARAK YAZILACAKTIR.
	*** LIED LOT AVDI DENGE DOVANACAKTID
	*** HER LOT AYRI RENGE BOYANACAKTIR
Özel Şartlar	
Ülke	ABD
Ekli Dosya	
	Lot1:NOLA BARGES/USA, Lot2:NOLA BARGES/USA, Lot3:NOLA BARGES/USA, Lot4:NOLA BARGES/USA,
Boşaltma Limanı	Lot5:NOLA BARGES/USA, Lot6:HOUSTON/USA
Boyama (Lot / Ebat)	-

Form No:

05.10.1 - 2 /

R - 3