



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Sipariş Tar		05/05/2016		Sipariş No		2016-7223		Revizyon No		0			
Mamul		deformed steel bars & debar in coils											
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	Çubuk Sayısı	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi
1	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	545	150					-
1	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	455	150					-
1	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	270	96					-
1	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	90	68					-
2	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	905	150					-
2	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	455	150					-
3	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	180	266					-
3	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	365	150					-
3	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	635	150					-
3	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	180	96					-
4	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	180	150					-
4	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	1180	150					-
5	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	1360	150					-
6	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	545	150					-
6	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	815	96					-
7	Çubuk	ASTM A 615	GR 60	BN.10	N	50 FEET	45	24					-



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

7 Çubuk	ASTM A 615	GR 40	BN.3 N	20 FEET	200	266					-
7 Çubuk	ASTM A 615	GR 60	BN.3 N	40 FEET	850	266					-
7 Çubuk	ASTM A 615	GR 60	BN.3 N	20 FEET	850	266					-
7 Çubuk	ASTM A 615	GR 40	BN.4 N	20 FEET	200	150					-
7 Çubuk	ASTM A 615	GR 60	BN.4 N	50 FEET	70	150					-
7 Çubuk	ASTM A 615	GR 60	BN.4 N	40 FEET	850	150					-
7 Çubuk	ASTM A 615	GR 60	BN.4 N	20 FEET	850	150					-
7 Çubuk	ASTM A 615	GR 60	BN.5 N	50 FEET	45	96					-
7 Çubuk	ASTM A 615	GR 60	BN.5 N	40 FEET	525	96					-
7 Çubuk	ASTM A 615	GR 60	BN.5 N	20 FEET	525	96					-
7 Çubuk	ASTM A 615	GR 60	BN.6 N	50 FEET	70	68					-
7 Çubuk	ASTM A 615	GR 60	BN.6 N	40 FEET	525	68					-
7 Çubuk	ASTM A 615	GR 60	BN.6 N	20 FEET	325	68					-
7 Çubuk	ASTM A 615	GR 60	BN.7 N	50 FEET	25	49					-
7 Çubuk	ASTM A 615	GR 60	BN.7 N	40 FEET	130	49					-
7 Çubuk	ASTM A 615	GR 60	BN.8 N	50 FEET	25	38					-
7 Çubuk	ASTM A 615	GR 60	BN.8 N	40 FEET	135	38					-
7 Çubuk	ASTM A 615	GR 60	BN.9 N	40 FEET	150	30					-
7 Çubuk	ASTM A 615	GR 60	BN.9 N	50 FEET	25	30					-



8	Kangal	ASTM A 615	GR 60	BN.3	N	0	230						-
8	Kangal	ASTM A 615	GR 60	BN.4	N	0	190						-
Toplam Miktar (MT)		15000											
Top. Miktar Tol % (Min		-5/+5											
Çap. Miktar Tol % (Min		-5/+5											
Boy Tol (- / + MM)		20 FEETM(-0 / + 100 MM), 40 FEETM(-0 / + 100 MM), 50 FEETM(-0 / + 100 MM)											
Ebat Tol (- / + MM)													
Termin Baş-Bit		20160630 - 20160630											
Faturalama		Teorik											
Paketleme		-mill s standart packing in max 2,5 mts -two tags per bundle: Tag marking: Metal Partners Heat No. ASTM A615 Grade Size Length Destination : Bundle Wt Number of pieces											
Etiket													
Gözetim		-sgs -lot 1-2-3-4-5-6-7 faturalama teorik tonajdan lot 8 de ise gercek tonajdan yapılacaktır. *****yükleme bitiminde limana ve ihracat departmanına ayrıca teorik tonajların hesaplanıp geçilmesi gerekmektedir. *****boyama :Houston ve nola icin ayrı renkler olarak yapılacaktır. İkinci renk olarak da capa gore farklı renk boyanacaktır.. Yani her bundle da toplam iki renk olacak.											
Özel Şartlar													
Ülke		ABD											
Ekli Dosya													
Boşaltma Limanı		Lot1:NOLA(SEAONUS TERMINAL)NOLA USA, Lot2:NOLA(SEAONUS TERMINAL)NOLA USA, Lot3:NOLA(SEAONUS TERMINAL)NOLA USA, Lot4:NOLA(SEAONUS TERMINAL)NOLA USA, Lot5:NOLA(SEAONUS TERMINAL)NOLA USA, Lot6:NOLA(SEAONUS TERMINAL)NOLA USA, Lot7:inbesa terminal houston tx usa us, Lot8:houston (inbesa terminal)uas us											



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Boyama (Lot / Ebat)

05.10.1 -

1/BN.5 - - - color code each size and each port seperatly, 1/BN.4 - - color code each size and each port seperatly, 1/BN.4 - - - color code each size and each port seperatly, 1/BN.6 - - - color code each size and each port seperatly, 2/BN.4 - - - color code each size and each port seperatly, 2/BN.4 - - - color code each size and each port seperatly, 3/BN.3 - - - color code each size and each port seperatly, 3/BN.4 - - - color code each size and each port seperatly, 3/BN.5 - - - color code each size and each port seperatly, 4/BN.4 - - - color code each size and each port seperatly, 5/BN.4 - - - color code each size and each port seperatly, 6/BN.4 - - - color code each size and each port seperatly, 6/BN.5 - - - color code each size and each port seperatly, 7/BN.6 - - - color code each size and each port seperatly, 7/BN.9 - - - color code each size and each port seperatly, 7/BN.8 - - - color code each size and each port seperatly, 7/BN.5 - - - color code each size and each port seperatly, 7/BN.10 - - - color code each size and each port seperatly, 7/BN.8 - - - color code each size and each port seperatly, 7/BN.4 - - - color code each size and each port seperatly, 7/BN.7 - - - color code each size and each port seperatly, 7/BN.4 - - - color code each size and each port seperatly, 7/BN.3 - - - color code each size and each port seperatly, 8/BN.3 - - - color code each size and each port seperatly, 8/BN.4 - - - color code each size and each port seperatly,