

Mamul		PRIME NEWLY PRODUCED HOT ROLLED STEEL DEBARS STRAIGHT LENGTH													
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	≣	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi	Boyam	
	1 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	375								
	1 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	700						_		
	1 Çubuk	ASTM A 615	GR 40	BN.5	N	20 FEET	275							-	
	2 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	1160							_	
	2 Çubuk	ASTM A	GR 60	BN.4		20 FEET									
	2 Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	70								
	2 Çubuk	ASTM A	GR 60	BN.6	N	20 FEET	50		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	3 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	70						_	_	
	3 Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	50							-	
	3 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	400								
	3 Çubuk	ASTM A 615	GR 60	BN.4	N	30 FEET	70							-	
	3 Çubuk	ASTM A	GR 60	BN.4	N	20 FEET	180								
	3 Çubuk	ASTM A	GR 60	BN.5	N	20 FEET	200								
	3 Çubuk	ASTM A	GR 60	BN.5	N	30 FEET	70								
	3 Çubuk	ASTM A	GR 40	BN.5	N	20 FEET	150	, , , , , , , , , , , , , , , , , , ,	J. J			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	3 Çubuk	ASTM A 615	GR 60	BN.6	N	30 FEET	50						_	_	



2	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	110				_	_
	Çubuk	013	Janoo	DIV.O	14	1	110	 				
		ASTM A				20						
4	Çubuk	615	GR 60	BN.3	N	FEET	72	 			-	-
		ASTM A				20						
4	Çubuk	615	GR 40	BN.4	N	FEET	160	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.4	N	FEET	330				-	-
				.ā				 	,	 D		<u>i</u>
1	Çubuk	ASTM A 615	GR 60	BN.4	NI	40 FEET	72					
+ + + + + + + + + + + + + + + + + + +	Çubuk	013		DIV.4	IN	1 LL1	/ _	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
		ASTM A				30						
4	Çubuk	615	GR 60	BN.4	N	FEET	25	 		 	-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.5	N	FEET	240				-	-
		ASTM A				30		 				
4	Çubuk	615	GR 60	BN.5	N	FEET	24				-	-
								 		 B		i
4	Cubul	ASTM A	CD CO	DNE	N.I	40 5555	٥.					
4	Çubuk	615	GR 60	BN.5	IN	FEET	96	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.6	N	FEET	115	 		 	-	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.6	N	FEET	24				-	-
		ACTN 4 A				40						
4	Çubuk	ASTM A 615	GR 60	BN.6	N	40 FEET	72				_	_
	3 000K						,	 				
	6.1.1	ASTM A	60.60			40	2.4					
4	Çubuk	615	GR 60	BN.7	N	FEET	24	 			-	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.7	N	FEET	24	 		 	-	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.8	N	FEET	24				-	-
		A.C.T				40		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
1	Çubuk	ASTM A 615	GR 60	BN.8	N	40 FEET	24					
4	Zabak		_ ON 00	DIV.0	14	1 1	4	 	,	 D		
		ASTM A				40						
4	Çubuk	615	GR 60	BN.9	N	FEET	24			 	-	-
		ASTM A				20						
5	Çubuk	615	GR 40	BN.3	N	FEET	350	 	<u></u>	 	-	-
		ASTM A				40						
5	Çubuk	615	GR 60	BN.3	N	40 FEET	450				-	-
I				.i	i			 		 Ī		ł



	·····				3				3	·····				·······	
		ASTM A				20									
5	Çubuk	615	GR 60	BN.3	N	FEET	725						<u> </u>	-	
		ASTM A				20									
5	Çubuk	615	GR 60	BN.4	N	FEET	725						<u>_</u>	-	
		A CTN 4 A				40									
_		ASTM A			l	40									
5	Çubuk	615	GR 60	BN.4	N	FEET	500						[- [-	
		ACTN 4 A				20									
_	Cubul	ASTM A	CD 40	DN 4	N.	20	250								
5	Çubuk	615	GR 40	BN.4	IN	FEET	350			D			[- [-	
		ASTM A				20									
5	Çubuk	615	GR 60	BN.5	N	FEET	400								
	Çubuk	013	UN OU	טוע.	IN	ILLI	400]		
		ASTM A				40									
5	Çubuk	615	GR 60	BN.5	N	FEET	350						_	_	
	1 3 0 0 0 N	010			I	1	330			Ĭ		Ĭ	<u> </u>		
Toplom Mile	+o+ (NAT)	9250													
Toplam Mik															
<u> </u>	Tol % (Min /	<u></u>													
Çap. Miktar	Tol % (Min /	-5/+5 30 FEETM(-0 / + 50 MM), 20 FEETM(-0 / + 50 MM), 40 FEETM(-0 / + 100 MM)													
Boy Tol (- /	+ D4D4)	30 FEETM	(-0 / + 50 N	ИМ), 2	O FE	ETM(-0	/ + 50 M	IM), 40	FEETM(-0 / + 100	MM)				
Ebat Tol (- /															
<u> </u>		20490724 20490724													
Termin Baş-	ВІТ	20180731 - 20180731													
Faturalama		Teorik													
Paketleme		BUNDLE WEIGHT®MAX 2.5 MT													
		TWO TAGS PER BUNDLE WITH THE FOLLOWING INFORMATION:													
		MILL S NAME													
		ORIGIN													
		QUALITY													
		GRADE													
		SIZE													
		WEIGHT IN	MT												
		LOT NO													
		HEAT NUM	BER												
		DISCHARGE													
		MADE IN T	URKEY												
Etiket															
Gözetim		-VITSAN													



	ALL MATERIAL TO BE NATURALLY AIR COOLED.
	MATERIAL PRODUCED FROM TEMPCOR/THERMAX OR OTHER WATER QUENCHING NOT ACCEPTABLE.
	******AKREDİTİF GEREGİ KONSİMENTOLARDA EBAT BAZINDA MİKTAR VE BAG ADETLERİ GÖSTERİLMESİ
	GEREKTIGINDEN YÜKLEME BİTİSİNDEN 2 GÜN ÖNCE EBAT BAZINDA TEORIK
	MIKTAR VE BAG SAYILARININ İHRACAT DEPARTMANINA GECİLMESİ GEREKMEKTEDİR.
	*** MILL TESTLERDE ÇAPLAR INCH UZUNLUKLAR İSE FEET OLARAK YAZILACAKTIR.
	*** HER LOT AYRI RENGE BOYANACAKTIR
Özel Şartlar	
Ülke	ABD
Ekli Dosya	
	Lot1:NOLA BARGES/USA, Lot2:NOLA BARGES/USA, Lot3:NOLA BARGES/USA, Lot4:NOLA BARGES/USA,
Boşaltma Limanı	Lot5:HOUSTON/USA
Boyama (Lot / Ebat)	-
Form No:	

05.10.1 - 2 /

R - 3