

	DLIVIII Ç	•	
Sij	pariş Tar	3 BIL 30/05/	
	FORM	4U	
I	Mamul		
		·····	
Lot No	Mamul Tipi	Mamul Standart	
0	Kutuk	-	
Toplam N	liktar (MT)	3100	
Top. Mikt	ar Tol % (Min ,	0/0	
	ar Tol % (Min ,		
Boy Tol (- / + MM)	12M(-/+ MN	
/	/	•	

Ebat Tol (- / + MM) Termin Baş-Bit <u>20180330 - 201</u>



Faturalama	Ş _G B _{çek} DIRIM
Paketleme	11.1
	- KÜTÜK ÜZEI
	KOŞULLARINA
	DAYANIKLI SİLİI
Etiket	
Gözetim	-



%GHEDEF 0,06

%Si HEDEF: 0,8 %N HEDEF MA)

AYRICA;

%O: 100 PPM N %Zr: 0.02 MAX

%As: 0.02 MAX

%Ti+Zr: 0.15 M

- V 18097 SİPAF

- DÖKÜM DÖKÜ

Özel Şartlar

Ülke TEL ÇUBUK H.



Boşaltma Limanı

Boyama (Lot / Ebat) SARI KIRMIZI

Form No:

05.10.1 -

2/R-3



EORMI

Kütük Demir

Mamul Kalite	Çap	ND		Miktar (Ton)	
:	150x 150		12	3100	

1)

.80525





-0,07
0-0,86

FORMU

K: 80 ppm

ЛАХ


ΑX

RİŞLERİN ÜRETİMİNDE KULLANILACAKTIR.

ÜM KARIŞTIRILMADAN SEVK EDİLMELİDİR.

ADDEHANE





Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi
	2000			-

