

Sipariş Tar S BİL30/039 EUBWII Mamul Mamul Lot No Mamul Tipi Standart 0 Kutuk Toplam Miktar (MT) 3100 Top. Miktar Tol % (Min \dot{k} 0/0 Çap. Miktar Tol % (Min \dot{l} 0/0 Boy Tol (- / + MM) 12M(- / + MN

Ebat Tol (- / + MM)

Termin Baş-Bit 20180330 - 201



Faturalama	Ş _G B _{çlek} DIRIM
Paketleme	11.1
	- KÜTÜK ÜZEI
	KOŞULLARINA
	DAYANIKLI SİLİI
Etiket	
Gözetim	-



%GHEDEF 0,06

%Si HEDEF: 0,8 %N HEDEF MA)

AYRICA;

%O: 100 PPM N %Zr: 0.02 MAX

%As: 0.02 MAX

%Ti+Zr: 0.15 M

- V 18097 SİPAF

- DÖKÜM DÖKÜ

Özel Şartlar

Ülke TEL ÇUBUK H.



Boşaltma Limanı

Boyama (Lot / Ebat) SARI KIRMIZI

Form No:

05.10.1 -

2/R-3



EORM

Kütük Demir

Mamul Kalite	Çap	ND		Miktar (Ton)	Çubuk Sayısı
:	150x 150		12	3100	

1)

80525





-0,07
0-0,86

FORMU

K: 80 ppm

ЛАХ

ΑX

RİŞLERİN ÜRETİMİNDE KULLANILACAKTIR.

ÜM KARIŞTIRILMADAN SEVK EDİLMELİDİR.

ADDEHANE





Birim Ağırlık (KG)	Paket Ağırlığı (KG)	•	Hadde Tol Max	Rotor Tipi	
	2000			-	

