



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Sipariş Tar		20/02/2018				Sipariş No		2018-7916		Revizyon No		1	
Mamul		PRIME NEWLY PRODUCED HOT ROLLED STEEL DEBARS STRAIGHT LENGTH											
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	Çubuk Sayısı	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi
1	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	24						-
1	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	120						-
1	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	232						-
1	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	24						-
2	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	198						-
2	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	227						-
2	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	667						-
2	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	198						-
2	Çubuk	ASTM A 615	GR 60	BN.5	N	30 FEET	44						-
2	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	66						-
3	Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	48						-
3	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	208						-
3	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	72						-
3	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	236						-
3	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	236						-
4	Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	200						-



4 Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	400					-
4 Çubuk	ASTM A 615	GR 60	BN.3	N	40 FEET	200					-
4 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	300					-
4 Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	500					-
5 Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	88					-
5 Çubuk	ASTM A 615	GR 60	BN.3	N	40 FEET	175					-
5 Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	109					-
5 Çubuk	ASTM A 615	GR 60	BN.4	N	40 FEET	240					-
5 Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	88					-
5 Çubuk	ASTM A 615	GR 60	BN.5	N	40 FEET	131					-
5 Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	44					-
5 Çubuk	ASTM A 615	GR 60	BN.6	N	40 FEET	66					-
5 Çubuk	ASTM A 615	GR 60	BN.7	N	40 FEET	44					-
5 Çubuk	ASTM A 615	GR 60	BN.8	N	40 FEET	44					-
Toplam Miktar (MT) 5229											
Top. Miktar Tol % (Min -5/+5											
Çap. Miktar Tol % (Min -5/+5											
Boy Tol (- / + MM) 20 FEETM(-0 / + 50 MM), 30 FEETM(-0 / + 100 MM), 40 FEETM(-0 / + 100 MM)											
Ebat Tol (- / + MM)											
Termin Baş-Bit 20180220 - 20180220											
Faturalama Teorik											
Paketleme PACKING: IN BUNDLE-PACKING SUITABLE FOR OVERSEAS TRANSPORTATION. BUNDLE WEIGHT FOR LENGTH 20 , 30 AND 40 TO BE MAX 2.5MT. UNIFORM PIECE COUNTED BUNDLES SECURED FASTENED WITH AT LEAST 3 WIRE ROD AND/OR STEEL STRAPS (AT EACH END AND IN CENTER). EACH BUNDLE TO BE PRE-SLUNG WITH TWO (2) LIFTING LOOPS.											



DİLER DEMİR ÇELİK A.Ş DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Etiket	TO BE IN ENGLISH AND PER STANDARD ASTM A615 LATEST EDITION. EAVH BUNDLE TO HAVE 2 DURABLE TAGS, ONE ON EACH END,WITH THE FOLLOWING INFORMATION: QUALITY, SIZE, LENGTH, HEAT NUMBER, PIECE/BUNDLE, THEORETICAL BUNDLE WEIGHT, MADE IN TURKEY, DISCHARGING PORT, PRODUCER. A DIFFERENT COLOUR FOR EACH LOT AND EACH GRADE.
Gözetim	-VITSAN ALL MATERIAL TO BE NATURALLY AIR COOLED. MATERIAL PRODUCED FROM TEMPCOR/THERMAX OR OTHER WATER QUENCHING NOT ACCEPTABLE. *****AKREDİTİF GEREĞİ KONSİMENTOLARDA EBAT BAZINDA MİKTAR VE BAG ADETLERİ GÖSTERİLMESİ GEREKTİĞİNDEN YÜKLEME BİTİSİNDEN 2 GÜN ÖNCE EBAT BAZINDA TEORİK MİKTAR VE BAG SAYILARININ İHRACAT DEPARTMANINA GEÇİLMESİ GEREKMEKTEDİR.
Özel Şartlar	
Ülke	ABD
Ekli Dosya	
Boşaltma Limanı	Lot1:NEW ORLEANS,LA/USA, Lot2:NEW ORLEANS,LA/USA, Lot3:HOUSTON,TX/USA, Lot4:HOUSTON,TX/USA, Lot5:HOUSTON,TX/USA
Boyama (Lot / Ebat)	-

Form No:

05.10.1 -

2 / R - 3