

	DEIVIIK Ç	•	
Si _l	pariş Tar	Ş BİLDƏNİFY	IM
	EORM	4f1	
ا	Mamul		
		,	L
Lot No	Mamul Tipi	Mamul Standart	
0	Kutuk	-	
Toplam N	liktar (MT)	1600	
Top. Mikt	ar Tol % (Min ,	0/0	ı
	ar Tol % (Min ,		i
Boy Tol (- / + MM)	12M(-/+ MN	!
Ebat Tol (- / + MM)		

Termin Baş-Bit

20180507 - 201



Faturalama	Ş _G B _{çlek} DIRIM
Paketleme	11.1
	- KÜTÜK ÜZEI
	KOŞULLARINA
	DAYANIKLI SİLİI
Etiket	
Gözetim	-



%C HEDEF 0,06 %Si HEDEF: 0,8

%N HEDEF MA) AYRICA;

%O: 100 PPM N

%Zr: 0.02 MAX %As: 0.02 MAX

%Ti+7r: 0.15 M

- V18133 lot1-2

- DÖKÜM DÖKÜ

Özel Şartlar

Ülke TEL ÇUBUK H.

Ekli Dosya

Boşaltma Limanı



Form No:

05.10.1 -

2/R-3



EORM

Kütük Demir

Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	Çubuk Sayısı
:	150x 150		12	1600	

1)





-0,07
0-0,86

FORMU

K: 80 ppm

ЛАХ

ΑX

! SİPARİŞLERİN ÜRETİMİNDE KULLANILACAKTIR.

ÜM KARIŞTIRILMADAN SEVK EDİLMELİDİR.

ADDEHANE

PIYASA SIPARIŞ BILDIRIM FORMU



Birim Ağırlık (KG)	Paket Ağırlığı (KG)	•	Hadde Tol Max	Rotor Tipi	
	2000			-	

