```
mysql> use dilip;
Database changed
mysql> desc studentscores;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| StudentNo  | varchar(10) | YES  |     | NULL    |       |
| CourseName | varchar(30) | YES  |     | NULL    |       |
| CourseDesc | varchar(30) | YES  |     | NULL    |       |
| Score      | int         | YES  |     | NULL    |       |
+------------+-------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> select*from studentscores;
+-----------+--------------+------------+-------+
| StudentNo | CourseName   | CourseDesc | Score |
+-----------+--------------+------------+-------+
| S001      | computer sci | Cse        |    90 |
| S001      | probability  | mat        |    70 |
| S002      | computer sci | Cse        |    85 |
| S002      | probability  | mat        |    65 |
| S003      | computer sci | Cse        |    80 |
| S003      | probability  | mat        |    75 |
+-----------+--------------+------------+-------+
6 rows in set (0.00 sec)

mysql> -- 2. Maximum, minimum and average score
mysql> SELECT MAX(Score), MIN(Score), AVG(Score)
    -> FROM StudentScores
    -> GROUP BY CourseName;
+------------+------------+------------+
| MAX(Score) | MIN(Score) | AVG(Score) |
+------------+------------+------------+
|         90 |         80 |    85.0000 |
|         75 |         65 |    70.0000 |
+------------+------------+------------+
2 rows in set (0.00 sec)

mysql>
mysql> -- 3. Average score by course name
mysql> SELECT CourseName, AVG(Score)
    -> FROM StudentScores
    -> GROUP BY CourseName;
+--------------+------------+
| CourseName   | AVG(Score) |
+--------------+------------+
```

```
+--------------+-------------+
| CourseName   | AVG(Score)  |
+--------------+-------------+
| computer sci |     85.0000 |
| probability  |     70.0000 |
+--------------+-------------+
2 rows in set (0.00 sec)

mysql>
mysql> -- 4. Total score
mysql> SELECT SUM(Score)
    -> FROM StudentScores;
+------------+
| SUM(Score) |
+------------+
|        465 |
+------------+
1 row in set (0.00 sec)

mysql>
mysql> -- 5. Count students by course description
mysql> SELECT CourseDesc, COUNT(StudentNo)
    -> FROM StudentScores
    -> GROUP BY CourseDesc;
+------------+------------------+
| CourseDesc | COUNT(StudentNo) |
+------------+------------------+
| Cse        |                3 |
| mat        |                3 |
+------------+------------------+
2 rows in set (0.00 sec)

mysql>
mysql> -- 6. Count courses for each student
mysql> SELECT StudentNo, COUNT(CourseName)
    -> FROM StudentScores
    -> GROUP BY StudentNo;
+-----------+--------------------+
| StudentNo | COUNT(CourseName)  |
+-----------+--------------------+
| S001      |                  2 |
| S002      |                  2 |
| S003      |                  2 |
+-----------+--------------------+
3 rows in set (0.00 sec)
```