



2014 i2b2/UTHealth NLP Shared Tasks

Presented by Ozlem Uzuner

i2b2, University at Albany, and MIT



Past Challenges

- De-identification
- Smoking Status
- Obesity
- Medications
- Concepts, assertions, relations
- Coreference resolution
- Temporal relations



Data for Past Challenges

- One record per patient



2014 Data

- 1,304 longitudinal records from 297 patients in the diabetes datamart
- Thanks to Drs. Stan Shaw and Vishesh Kumar



2014 Tasks

- De-identification
- Progression of CAD risk factors in diabetic patients
- NLP software usability assessment
- Novel data use



De-identification



De-identification

- 18 HIPAA-defined categories of information to be removed from the records
- Extra categories: doctor and hospital names, professions, all locations, all parts of dates, all ages



De-identification Participants

- 10 teams
 - 9 university teams, 1 corporate
 - 5 countries: USA, China, UK, France, Canada

De-identification Results

	Min	Mean	Median	Max	Std. Dev.
Micro Precision	.527	.872	.920	.964	.121
Micro Recall	.242	.717	.794	.909	.212
Micro F1	.382	.774	.845	.936	.180
Macro Precision	.566	.872	.921	.965	.113
Macro Recall	.267	.720	.794	.916	.215
Macro F1	.411	.777	.845	.940	.179

Comparable number in 2006 was 0.967

All PHI: Instance-based:

Rank	Team Name	Micro Precision	Micro Recall	Micro F1
1	University of Nottingham	0.9645	0.9092	0.9360
2	Harbin Institute of Technology: Shenzhen Graduate School	0.9264	0.8988	0.9124
3	University of Manchester	0.9306	0.8836	0.9065
4	Harbin Institute of Technology	0.9229	0.8505	0.8852
5	Kaiser Permanente	0.8731	0.7700	0.8183
6	LIMSI–CNRS	0.8937	0.7332	0.8055
7	Memorial University of Newfoundland	0.7944	0.7191	0.7549
8	East China Normal University	0.9344	0.4288	0.5878
9	California State University San Marcos	0.7628	0.3526	0.4823
10	UC San Diego	0.5271	0.3825	0.4433

All PHI, Token-based:

Rank	Team name	Micro Precision	Micro Recall	Micro F1
1	University of Nottingham	0.9815	0.9414	0.9611
2	University of Manchester	0.9655	0.9316	0.9482
3	Harbin Institute of Technology Shenzhen Graduate School	0.9549	0.9384	0.9466
4	Harbin Institute of Technology	0.9571	0.9051	0.9304
5	Kaiser Permanente	0.9397	0.8609	0.8986
6	LIMSI–CNRS	0.9321	0.7783	0.8483
7	Memorial University of Newfoundland	0.8629	0.8038	0.8323
8	East China Normal University	0.9498	0.5399	0.6885
9	California State University San Marcos	0.9010	0.4753	0.6223
10	UC San Diego	0.7164	0.4939	0.5847



Progression of CAD Risk Factors in Diabetic Patients



Progression of CAD Risk Factors in Diabetic Patients

- Categorize temporality of heart disease risk factors and their indicators
 - Present before, during, after, or some combinations of those relative to date of record (document creation time, DCT)



Progression of CAD Risk Factors in Diabetic Patients

- Risk factors and indicators
 - CAD and diabetes
 - Hyperlipidemia/hypercholesterolemia, high LDL measurements
 - Hypertension, high blood pressure
 - Obesity, high BMI
 - Family history of premature CAD
 - Being a smoker
 - Relevant medications



Progression of CAD Risk Factors in Diabetic Patients Participation

- 20 teams
 - 14 university teams, 6 corporate/
government teams
 - Linguamatics, Mayo Clinic,
Kaiser Permanente, ...
 - 6 countries: US, China, UK,
Taiwan, France, South Korea,

Progression of CAD Risk Factors in Diabetic Patients Results

	Min	Mean	Median	Max	Std. Dev.
Micro Precision	.455	.808	.852	.913	.119
Micro Recall	.203	.835	.908	.969	.175
Micro F1	.305	.815	.872	.928	.145
Macro Precision	.455	.800	.849	.914	.121
Macro Recall	.258	.834	.904	.968	.162
Macro F1	.365	.812	.870	.928	.137

Rank	Team name	Micro Precision	Micro Recall	Micro F1	Macro Precision	Macro Recall	Macro F1
1	NLM	0.8951	0.9625	0.9276	0.8965	0.9611	0.9277
2	Harbin Institute of Technology Shenzhen Graduate School	0.9106	0.9436	0.9268	0.9119	0.9399	0.9257
3	Kaiser Permanente	0.8972	0.9409	0.9185	0.8998	0.9429	0.9209
4	Linguamatics and Northwestern University	0.8975	0.9375	0.9171	0.8989	0.9361	0.9171
5	University of Nottingham	0.8847	0.9488	0.9156	0.8885	0.9411	0.9141
6	The Ohio State University	0.8907	0.9261	0.9081	0.8916	0.9248	0.9079
7	TMUNSW	0.8594	0.9387	0.8973	0.8551	0.9368	0.8941
8	National Central University	0.8586	0.9256	0.8909	0.8518	0.9231	0.8860
9	University of Manchester	0.8557	0.9007	0.8776	0.8575	0.8956	0.8762
10	University of Utah	0.8552	0.8951	0.8747	0.8494	0.8914	0.8699



Software Usability Assessment



Software Usability Assessment

- Purpose: evaluate i2b2 challenge software usability
- Open to all current and prior i2b2 challenge participants who have developed systems on any of the i2b2 datasets since 2006



Software Usability Assessment

- Taken on by our colleagues
 - Dr. Hua Xu from UTHealth
 - Dr. Kai Zheng from Michigan
 - Class project



Novel Data Use



Novel Data Use

- To encourage the use of i2b2 data for research outside the scope of de-identification and CAD tasks



Novel Data Use Participation

- 5 teams
- Topics:
 - Identifying medication side effects
 - Risk assessment using the Framingham risk score
 - Risk factor visualization
 - Eligibility criteria resolution
 - Predicting changes in systolic blood pressure

Acknowledgements

- Funding:
 - NIH NLM
2U54LM008748, PI:
Isaac Kohane
 - NIH NLM
5R13LM011411, PI:
Ozlem Uzuner
 - NIH NIGMS
5R01GM102282, PI:
Xu
- *Organizing Committee:*
 - *Ozlem Uzuner, co-chair, SUNY at Albany*
 - *Amber Stubbs, co-chair, SUNY at Albany*
 - *Hua Xu, co-chair, University of Texas, Houston*
 - *John Aberdeen, MITRE*
 - *Susanne Churchill, Partners Healthcare*
 - *Cheryl Clark, MITRE*
 - *Dina Demner-Fushman, NIH/NLM*
 - *Joshua Denny, Vanderbilt University*
 - *Bill Hersh, OHSU*
 - *Lynette Hirschman, MITRE*
 - *Issac Kohane, Partners Healthcare*
 - *Vishesh Kumar, MGH*
 - *Anna Rumshisky, UMass Lowell*
 - *Stanley Shaw, MGH*
 - *Peter Szolovits, MIT*
 - *Meliha Yetisgen, University of Washington*
 - *Kai Zheng, University of Michigan*