

Algorithm Selection for Maximum Common Subgraph

Paulius Dilkas

8th October 2017

1 Algorithms

Clique encoding [7] $k \downarrow$ [3] MCSPLIT [6]

2 Problem Instances

MCS data is from [1][2].

3 Features

Features are based on the algorithm selection paper for the subgraph isomorphism problem [5]. Simple features:

- number of vertices,
- number of edges,
- density,
- number of loops,
- mean degree,
- maximum degree,
- whether every vertex has the same degree (?),
- whether the graph is connected,
- mean distance between all pairs of vertices,
- maximum distance between all pairs of vertices,
- proportion of vertex pairs that are at least 2, 3 and 4 apart (?).

Features that could be computed if we end up using a presolver:

- uniformity of the distribution of edges,
- how many candidate pairs were removed,
- proportion of candidate pairs removed over all pairs,
- min values removed per variable,
- max values removed per variable,
- CPU time taken to compute all this.

4 Selection Model

We're using LLAMA [4]. Describe k-folding.

References

- [1] M. De Santo et al. "A large database of graphs and its use for benchmarking graph isomorphism algorithms". In: *Pattern Recogn. Lett.* 24.8 (May 2003), 10671079. ISSN: 0167-8655. DOI: 10.1016/S0167-8655(02)00253-2. URL: [http://dx.doi.org/10.1016/S0167-8655\(02\)00253-2](http://dx.doi.org/10.1016/S0167-8655(02)00253-2).
- [2] P. Foggia, C. Sansone and M. Vento. "A Database of Graphs for Isomorphism and Sub-Graph Isomorphism Benchmarking". In: -. 1st Jan. 2001, 176187.
- [3] Ruth Hoffmann, Ciaran McCreesh and Craig Reilly. "Between Subgraph Isomorphism and Maximum Common Subgraph". In: *Proceedings of the Thirty-First AAAI Conference on Artificial Intelligence, February 4-9, 2017, San Francisco, California, USA*. Ed. by Satinder P. Singh and Shaul Markovitch. AAAI Press, 2017, pp. 3907–3914. URL: <http://aaai.org/ocs/index.php/AAAI/AAAI17/paper/view/14948>.
- [4] Lars Kotthoff. *LLAMA: Leveraging Learning to Automatically Manage Algorithms*. Tech. rep. arXiv:1306.1031. arXiv, June 2013. URL: <http://arxiv.org/abs/1306.1031>.
- [5] Lars Kotthoff, Ciaran McCreesh and Christine Solnon. "Portfolios of Subgraph Isomorphism Algorithms". In: *Learning and Intelligent Optimization - 10th International Conference, LION 10, Ischia, Italy, May 29 - June 1, 2016, Revised Selected Papers*. Ed. by Paola Festa, Meinolf Sellmann and Joaquin Vanschoren. Vol. 10079. Lecture Notes in Computer Science. Springer, 2016, pp. 107–122. ISBN: 978-3-319-50348-6. DOI: 10.1007/978-3-319-50349-3_8. URL: https://doi.org/10.1007/978-3-319-50349-3_8.

- [6] Ciaran McCreesh, Patrick Prosser and James Trimble. “A Partitioning Algorithm for Maximum Common Subgraph Problems”. In: *Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence, IJCAI 2017, Melbourne, Australia, August 19-25, 2017*. Ed. by Carles Sierra. ijcai.org, 2017, pp. 712–719. ISBN: 978-0-9992411-0-3. DOI: 10.24963/ijcai.2017/99. URL: <https://doi.org/10.24963/ijcai.2017/99>.
- [7] Ciaran McCreesh et al. “Clique and Constraint Models for Maximum Common (Connected) Subgraph Problems”. In: *Principles and Practice of Constraint Programming - 22nd International Conference, CP 2016, Toulouse, France, September 5-9, 2016, Proceedings*. Ed. by Michel Rueher. Vol. 9892. Lecture Notes in Computer Science. Springer, 2016, pp. 350–368. ISBN: 978-3-319-44952-4. DOI: 10.1007/978-3-319-44953-1_23. URL: https://doi.org/10.1007/978-3-319-44953-1_23.