
## GE23131-Programming Using C-2024





WBWBW	WBWBW	
BWBWB	BWBWB	
WBWBW	WBWBW	
BWBWB	BWBWB	
WBWBW	WBWBW	

Passed all tests!

Question **2**Correct
Marked out of 5.00

Flag question

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

Input	Expected	Got
2	WB	WB
2 W	BW	BW
3 B	BWB	BWB
	WBW	WBW
	BWB	BWB

Question 3 Correct Marked out of 7.00 □ Flag question 3 3 4 5

Decode the logic and print the Pattern that corresponds to given input. If N= 3 then pattern will be: 10203010011012 \*\*4050809 \*\*\*\*607 If N= 4, then pattern will be: 1020304017018019020 \*\*50607014015016 \*\*\*\*809012013 \*\*\*\*\*10011 Constraints 2 <= N <= 100 Input Format First line contains T, the number of test cases Each test case contains a single integer N Output First line print Case #i where i is the test case number In the subsequent line, print the pattern Test Case 1 Output Case #1 10203010011012 \*\*4050809 \*\*\*\*607 Case #2 1020304017018019020 \*\*50607014015016 \*\*\*\*809012013 \*\*\*\*\*10011 Case #3 102030405026027028029030 \*\*6070809022023024025 \*\*\*\*10011012019020021

Answer: (penalty regime: 0 %)

Input	Expected	Got
3 3 4 5	Case #1 10203010011012 **4050809 ****607 Case #2 1020304017018019020 **50607014015016 ****809012013 ******10011 Case #3 102030405026027028029030 **6070809022023024025 ****10011012019020021 *********15016	Case #1 10203010011012 **4050809 ****607 Case #2 1020304017018019020 **50607014015016 ****809012013 ******10011 Case #3 102030405026027028029030 **607080902203024025 ****10011012019020021 ********13014017018 *********15016

Passed all tests!

Save the state of the flags