


Plot 1: 01 Oot Auc Main Comparison

Source: results/clip_v2/final_analysis/plots/01_oot_auc_main_comparison.png

Figure 1. CLIP-v2 OOT AUC comparison




Interpretation: Shows OOT AUC for CLIP-v2, CLIP-v2->mRMR, and frozen statistical/LLM baselines.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 2: 02 Oot Auc Delta With Uncertainty

Source: results/clip_v2/final_analysis/plots/02_oot_auc_delta_with_uncertainty.png

Figure 2. CLIP-v2 OOT AUC deltas




Interpretation: Shows saved OOT AUC point deltas; v2 paired-bootstrap intervals are explicitly not computed.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 3: 03 Score Psi Comparison

Source: results/clip_v2/final_analysis/plots/03_score_psi_comparison.png

Figure 3. CLIP-v2 DEV-to-OOT model score PSI comparison




Interpretation: Shows DEV-to-OOT score PSI for CLIP-v2 and the fixed baseline comparison set.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 4: 04 Semantic Coverage Redundancy

Source: results/clip_v2/final_analysis/plots/04_semantic_coverage_redundancy.png


Figure 4. CLIP-v2 semantic coverage and redundancy



Interpretation: Shows CLIP-v2 semantic-group breadth against selected-feature redundancy.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 5: 05 Clip Seed Robustness


Source: results/clip_v2/final_analysis/plots/05_clip_seed_robustness.png



Interpretation: Shows CLIP-v2 seed-level validation loss and retrieval MRR with the selected seed highlighted.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 6: 06 Clip V1 Vs V2 Feature Semantic Map

Source: results/clip_v2/final_analysis/plots/06_clip_v1_vs_v2_feature_semantic_map.png




Interpretation: Shows selected-feature coverage across frozen text-embedding semantic space.
Limitation: Use audited tables for exact values; plot is visual summary only.

Plot 7: 01 Oot Auc Main Comparison (CLIP-v1 Reference)

Source: results/clip/final_analysis/plots/01_oot_auc_main_comparison.png

Figure 1. Main OOT AUC comparison




Interpretation: CLIP is valid but not uniformly best
Limitation: AUC alone omits uncertainty

Plot 8: 02 Oot Auc Delta With Uncertainty (CLIP-v1 Reference)

Source: results/clip/final_analysis/plots/02_oout_auc_delta_with_uncertainty.png

Figure 2. Paired OOT AUC differences with uncertainty




Interpretation: CLIP deltas are mostly negative vs baselines
Limitation: only valid where predictions align

Plot 9: 03 Score Psi Comparison (CLIP-v1 Reference)

Source: results/clip/final_analysis/plots/03_score_psi_comparison.png

Figure 3. DEV-to-OOT model score PSI comparison




Interpretation: most score PSI is low; Home Credit LR clip is moderate
Limitation: PSI not independently recomputed from DEV vectors

Plot 10: 04 Semantic Coverage Redundancy (CLIP-v1 Reference)

Source: results/clip/final_analysis/plots/04_semantic_coverage_redundancy.png

Figure 4. Semantic coverage and redundancy




Interpretation: CLIP->mRMR can reduce redundancy
Limitation: coverage is not predictive superiority

Plot 11: 05 Clip Seed Robustness (CLIP-v1 Reference)

Source: results/clip/final_analysis/plots/05_clip_seed_robustness.png

Figure 5. CLIP seed robustness (selected seed 55)



Interpretation: seed 55 selected by validation loss
Limitation: not downstream seed robustness