

Course work

Developing Modern Web

MADSE22.1

Module Name:	Developing Modern Web
Module Lecturer/ Course Coordinator:	Mr. Rukshan Manchanayake.
Department:	School of Computing.
Submission Due on :	22 nd May 2023
Type of Coursework:	Individual/ Group
Title of the Coursework:	Complete website.

Students Details :

	Student No.	Student Name
01	MADSE 22.1F - 018	W.A.K.P. Melani
02	MADSE 22.1F - 019	L.M.S.R. Hasarangi
03	MADSE 22.1F - 021	M.P.A. Nimpura
04	MADSE 22.1F - 024	A.B.D. Theekshana (Group Leader) (070-1119034)

**NATIONAL INSTITUTE OF BUSINESS MANAGEMENT
DIPLOMA IN SOFTWARE ENGINEERING
COURSEWORK**

Developing Modern Web

ONLINE CAKE SHOP WEBSITE

SUBMITTED BY

MADSE 22.1F - 018	W.A.K. Melani Panchama
MADSE 22.1F - 019	L.M.S.R .Hasarangi
MADSE 22.1F - 021	M.P.A. Nimpura
MADSE 22.1F - 024	A.B.D. Theekshana


Date of Submission: 22 . 05 . 2023

Contents

Home Page	6
1. HTML Code.....	7
2. CCS File	9
Login Page.....	13
1. HTML Code.....	14
2. CCS File	16
3. PHP Code.....	19
Registration Page.....	20
1. HTML Code.....	21
2. CCS File	23
3. PHP Code.....	26
Review Page	28
1. HTML Code.....	29
2. CCS File	41
Service Page	49
1. HTML code.....	50
2. CCS File	53
Manager Login Page	58
1. HTML Code.....	59
2. CCS File	61
3. PHP Code.....	64
Manage Items Page.....	65
1. HTML Code.....	66
2. PHP Code.....	68
Update Page	69
1. HTML Code.....	70
2. PHP Code.....	71
Delete Page	72

1. HTML Code.....	73
2. PHP Code.....	74
Add To Cart Page.....	75
1. HTML Code.....	76
2. Java Script	78
3. PHP Code.....	79
4. CCS File	80
About Us Page.....	86
1. HTML Code.....	87
2. CCS Page	89
Data Base Connection	90
MYSQL DB design with table structures.	91

Home Page



1.HTML Code

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Dream Cake</title>
    <link rel="stylesheet" href="style1.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSwqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
  </head>
  <body>
    <section>
      <nav>
        <div class="logo">
          <h1>Take Your<span>Cake</span></h1>
        </div>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="login.html">Cakes</a></li>
          <li><a href="Review.html">Review</a></li>
          <li><a href="Services.html">Services</a></li>
          <li><a href="About.html">About</a></li>
        </ul>
      </nav>
      <div class="main">
        <div class="main_content">
          <div class="main_text">
            <br><br><br><br><br><br><br><br><br><br><br>
            <h1>Dream<br><span>Cake</span></h1>
          <p>
            At Dream Cake, it is our mission to bring you the largest
```

selection of cakes and other great quality desserts on the market. Along with a vast wealth of knowledge in the products we sell, Dream Cakes carries everything you could possibly imagine and more. We are here for our customers, and want each one of them to have a unique, one-of-a-kind experience at our amazing Cake Shop.

</p>

</div>

<div class="main_image">

</div>

</div>

<div class="button">

SHOP NOW

<i class="fa-solid fa-chevron-right"></i>

</div>

</div>

</section>

</body>

</html>

2.CCS File

```
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: sans-serif;
}

section{
  width: 100%;
  height: 100vh;
  background-image: url(image/bg1.png);
  background-size: cover;
  background-position: center;
}

section nav{
  display: flex;
  align-items: center;
  justify-content: space-around;
  box-shadow: 0 0 8px rgba(0,0,0,0.6);
  background: white;
  position: fixed;
  top: 0;
  left: 0;
  right: 0;
  z-index: 100;
}

section nav .logo{
  font-size: 35px;
  color: #c72092;
  margin: 5px 0;
  cursor: pointer;
  position: relative;
  left: -4%;
}
```

```
section nav .logo span{
    color: #6c14d0;

}

section nav ul{
    list-style: none;
}

section nav ul li{
    display: inline-block;
    margin: 5px 15px;
}

section nav ul li a{
    text-decoration: none;
    color: black;
    transition: 0.2s;
}

section nav ul li a:hover{
    color: #c72092;
}

section nav .icons i{
    margin: 0 4px;
    cursor: pointer;
    font-size: 18px;
    transition: 0.3s;
}

section nav .icons i:hover{
    color: #c72092;
}

section .main .main_content{
    display: flex;
    align-items: center;
    justify-content: left;
}
```

```
section .main .main_content .main_text h1{
    font-size: 90px;
    line-height: 70px;
    font-family: pyxidium quick;
    background: linear-gradient(to right, #c72092,#6c14d0);
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
    position: relative;
    top: 45px;
    left: 15%;
}
```

```
section .main .main_content .main_text h1 span{
    font-size: 70px;
    background: linear-gradient(to right, #c72092,#6c14d0);
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
}
```

```
section .main .main_content .main_text p{
    width: 600px;
    text-align: justify;
    line-height: 25px;
    position: relative;
    top: 85px;
    left: 15%;
    font-size: 25px;
}
```

```
section .main .main_content .main_image img{
    width: 650px;
    position: relative;
    left: 550px;
    top: 225px;
}
```

```
section .main .button{
    position: absolute;
    left: 5%;
    padding: 10px 20px;
```


```
border-radius: 30px;
background: linear-gradient(to right,#c72092 , #6c14d0);
}

section .main .button a{
  color: white;
  text-decoration: none;
}

section .main .button i{
  color: white;
  margin-left: 5px;
  transition: 0.3s;
}

section .main .button:hover i{
  transform: translateX(6px);
}
```

Login Page



1.HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Welcome & Login</title>
  <link rel="stylesheet" href="stylewelcome.css">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQsvqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
</head>
<body>

  <div class="login_form">
    <div class="left">
      
    </div>
    <div class="right">
      <h1>Welcome to DreamCake</h1>
      <form action="http://localhost/login.php" method="post"
name="form1">

        <p>Email</p>
        <div class="user">
          <i class="fa-solid fa-user"></i>
          <input type="text" name="email" placeholder="Email"
class="username">
        </div>

        <p class="password_tag">Password</p>
        <div class="password">
```

```
        <i class="fa-solid fa-lock"></i>
        <input type="password" name="password"
placeholder="Password">
    </div>

    <br>

    <button type="submit" name="login"
value="Login">Login</button>
    <br><br>

    <p class="forget"><a href="register.html">Register</a></p>
</form>

</div>
</div>
</body>
</html>
```

2.CCS File

```
.login_form{  
  width: 100%;  
  height: 100vh;  
  display: flex;  
  justify-content: space-around;  
  align-items: center;  
  background-image: url(image/login.jpg);  
  background-size: cover;  
  background-position: center;  
}
```

```
.login_form .left img{  
  width: 650px;  
}
```

```
.login_form .right{  
  position: relative;  
  top: -50px;  
  left: -60px;  
  padding: 50px 80px;  
}
```

```
.login_form .right h1{  
  font-family: prevattscriptssk;  
  font-size: 65px;  
  margin-bottom: 40px;  
}
```

```
.login_form .right p{  
  margin-bottom: 5px;  
}
```

```
.login_form .right .user{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;  
  height: 40px;  
  display: flex;
```



```
}
```

```
.login_form .right .user i{  
  position: relative;  
  top: 9px;  
  left: 15px;  
  color: #c72092;  
}
```

```
.login_form .right .user .username{  
  position: relative;  
  left: 9%;  
  width: 295px;  
  background: none;  
  outline: none;  
  border: none;  
  display: flex;  
  font-size: 35px;  
}
```

```
.login_form .right .password_tag{  
  margin: 15px 0 5px 0;  
}
```

```
.login_form .right .password{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;  
  height: 40px;  
  display: flex;  
}
```

```
.login_form .right .password i{  
  position: relative;  
  top: 9px;  
  left: 15px;  
  color: #c72092;  
}
```

```
.login_form .right .password input{
```

```

    position: relative;
    left: 9%;
    width: 295px;
    background: none;
    border: none;
    outline: none;
    display: flex;
    font-size: 35px;
}

::-webkit-input-placeholder{
    color: black;
    opacity: 0.7;
}

.login_form .right .forget{
    font-size: 30px;
    position: relative;
    left: 37%;
    margin: 6px 0 10px 0;
    cursor: pointer;
}

.login_form .right button{
    width: 350px;
    color: white;
    padding: 7px 20px;
    border: none;
    border-radius: 5px;
    font-size: 40px;
    cursor: pointer;
    background: linear-gradient(to right, #c72092 , #6c14d0);
    text-decoration: none;
}

```

3.PHP Code

```
<?php
include_once("db-config.php");


if (isset($_POST['login'])) {
    $email = $_POST['email'];
    $password = $_POST['password'];

    // Check if a user exists with given username & password
    $result = mysqli_query($mysqli, "select 'email', 'password' from users
where email='$email' and password='$password'");

    // Count the number of user/rows returned by query
    $user_matched = mysqli_num_rows($result);

    // Check If user matched/exist, store user email in sessio and redirect to
sample page 1
    if ($user_matched > 0) {
        header("location: Addtocart.html");
    } else {
        echo "User email or password is not matched<br><br>";
    }
}
?>
```

Registration Page



Register

file:///C:/wamp64/www/register.html

Registration

Name

Email

Password

Register

1.HTML Code

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Register</title>
    <link rel="stylesheet" href="styleregister.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSVqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
  </head>
  <body>
    <div class="reg">
      <div class="left">
        
      </div>
      <div class="right">

        <h1>Registration</h1>

        <form action="http://localhost/register.php" method="post"
name="form1">

          <p>Name</p>
          <div class="name">
            <input type="text" name="name" >
          </div>

          <p>Email</p>
          <div class="email">
            <input type="text" name="email" >
```

```
</div>
```

```
    <p>Password</p>  
    <div class="password">  
      <input type="password" name="password" >  
    </div>  
  
    <br><br><br>  
    <input type="submit" name="register" value="Register">
```

```
  </form>  
</div>  
</div>  
</body>  
</html>
```

2.CCS File

```
.reg{  
  width: 100%;  
  height: 100vh;  
  display: flex;  
  justify-content: space-around;  
  align-items: center;  
  background-image: url(image/login.jpg);  
  background-size: cover;  
  background-position: center;  
}
```

```
.reg .left img{  
  width: 650px;  
}
```

```
.reg .right{  
  position: relative;  
  top: -50px;  
  left: -60px;  
  padding: 50px 80px;  
}
```

```
.reg .right h1{  
  font-family: prevattscriptssk;  
  font-size: 65px;  
  margin-bottom: 40px;  
}
```

```
.reg .right p{  
  margin-bottom: 5px;  
}
```

```
.reg .right .name{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;  
  height: 40px;  
  display: flex;
```

```
}
```

```
.reg .right .name input{  
  position: relative;  
  left: 9%;  
  width: 295px;  
  background: none;  
  border: none;  
  outline: none;  
  display: flex;  
  font-size: 35px;  
}
```

```
.reg .right .email{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;  
  height: 40px;  
  display: flex;  
}
```

```
.reg .right .email input{  
  position: relative;  
  left: 9%;  
  width: 295px;  
  background: none;  
  border: none;  
  outline: none;  
  display: flex;  
  font-size: 35px;  
}
```

```
.reg .right .password{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;
```



```
height: 40px;  
display: flex;  
}
```

```
.reg .right .password input{  
  position: relative;  
  left: 9%;  
  width: 295px;  
  background: none;  
  border: none;  
  outline: none;  
  display: flex;  
  font-size: 35px;  
}
```

```
::-webkit-input-placeholder{  
  color: black;  
  opacity: 0.7;  
}
```

```
.reg .right button{  
  width: 350px;  
  color: white;  
  padding: 7px 20px;  
  border: none;  
  border-radius: 5px;  
  font-size: 40px;  
  cursor: pointer;  
  background: linear-gradient(to right, #c72092 , #6c14d0);  
  text-decoration: none;  
}
```

3.PHP Code

```
<?php
//include the database connection file
include_once("db-config.php");

//check if form submitted, insert user data into database.

if(isset($_POST['register']))
{
    $name = $_POST['name'];
    $email = $_POST['email'];
    $password = $_POST['password'];

    //if email already exists,throw error
    $email_result = mysqli_query($mysqli,"select 'email' from users where
email='$email' and password='$password' ");


    //Count the number of row matched
    $user_matched = mysqli_num_rows($email_result);

    //if number count of user rows returned more than 0< it means email
already exists
    if($user_matched > 0 )
    {
        echo " <br/><br/><strong>Error: </strong> User already exists with
the email id '$email'. ";
    }
    else
    {
        //insert user data into data base
        $result = mysqli_query($mysqli,"INSERT INTO
users(name,email,password) VALUES('$name','$email','$password')");

        //check if user data inserted successfully.
        if($result)
        {
            echo "<br/><br/>User registered successfully.";
            header("location: login.html");
        }
    }
}
```

```
else
{
    echo "Registration error. Please try again." . mysqli_error($mysqli);
}
}
?>
```

Review Page



1.HTML Code

```
<!DOCTYPE html>
<html lang="en">

  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Review</title>
    <link rel="stylesheet" href="styleReview.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSVqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
  </head>

  <body>

    <div class="review">
      <h1>Customer's<span>Review</span></h1>

      <div class="review_box">
        <div class="review_card">
          <div class="card_top">
            <div class="profile">

              <div class="profile_image">
                
              </div>

              <div class="name">
                <strong>Tharinda Gayashan</strong>

                <div class="like">
                  <i class="fa-solid fa-star"></i>
                  <i class="fa-solid fa-star"></i>
```

```
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
</div>
```

```
</div>
</div>
<div class="comment">
    <p>
```

Had the Daisy Cake. Got it as I enjoy the tarts. I feel that the 6 inch cake is a good size for 10 to 12 people, although the website says it would be good for 4 to 5. Why? The cake seems small but it is quite tall so a really small size would do. Interesting flavour with cheese and mango. I felt it was too sweet for my liking. I prefer the sweetness level of the orh blac tart or cognac chocolate tart. Verdict: Go for their tarts. Their cakes aren't their signature

```
    </p>
</div>
</div>
```

```
<div class="review_card">
    <div class="card_top">
        <div class="profile">
```

```
            <div class="profile_image">
                
            </div>
```

```
        <div class="name">
            <strong>Sandani Hasarangi</strong>
```

```
        <div class="like">
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star-half-stroke"></i>
            <i class="fa-regular fa-star"></i>
        </div>
    </div>
```

```

    </div>
  </div>
  <div class="comment">
    <p>
      Their cakess are delicious! I'm so glad that we have this
      nice little bakery in our neighborhood. Keep it up !
    </p>
  </div>
</div>

```

```

<div class="review_card">
  <div class="card_top">
    <div class="profile">

      <div class="profile_image">
        
      </div>

      <div class="name">
        <strong>Akith Nimpura</strong>

        <div class="like">
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star-half-stroke"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>
  </div>
  <div class="comment">
    <p>
      What a wonderful cake this is. I tried it and I simply loved
      it.
    </p>
  </div>
</div>

```

```

</div>

<div class="review_box">
  <div class="review_card">
    <div class="card_top">
      <div class="profile">

        <div class="profile_image">
          
        </div>

        <div class="name">
          <strong>Danindu Rochana</strong>

          <div class="like">
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star-half-stroke"></i>
            <i class="fa-regular fa-star"></i>
          </div>
        </div>

      </div>
    </div>
  </div>
  <div class="comment">
    <p>
      Are you kidding? This is a vegan cake, that's unbelievable
    </p>
  </div>
</div>

<div class="review_card">
  <div class="card_top">
    <div class="profile">

      <div class="profile_image">
        
      </div>

```



```

    <div class="name">
      <strong>Pasandi Sumanawardana</strong>

      <div class="like">
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
      </div>
    </div>

  </div>
</div>
<div class="comment">
  <p>
    Their cakess are delicious! I'm so glad that we have this
    nice little bakery in our neighborhood. Keep it up !
  </p>
</div>
</div>

<div class="review_card">
  <div class="card_top">
    <div class="profile">

      <div class="profile_image">
        
      </div>

      <div class="name">
        <strong>Ruchira Abesiriwardana</strong>

        <div class="like">
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star"></i>
          <i class="fa-solid fa-star-half-stroke"></i>

```

```

        </div>
    </div>

    </div>
</div>
<div class="comment">
    <p>
        Looks like a flower, and tastes like heaven. Indeed, this
        cake is simply amazing.
    </p>
</div>
</div>

</div>

</div>

<div class="about">
    <div class="about_main">
        <div class="about_image">
            <div class="about_small_image">
                
                
                
                
            </div>

            <div class="image_contaner">
                
            </div>

        </div>

        <div class="about_text">
            <p>
                Dream Cake is a specialty bakery that puts together the
                right mix of sweetness and creativity.
                Designing custom cakes and baking tiny d inelectables from
                cupcakes, cake pops, macarons to
            </p>
        </div>
    </div>
</div>

```

wedding cakes and birthday cakes. Our decorators and designers take cakery to a new level.

Dream Cake Bakery started as a home-based business in 2006, owned and operated by Roshel De Villa.

It all began, when Roshel went on maternity leave in 2007 with her second child.

With her passion in baking, she created cakes for her son every month until he turned ONE.

Many of her friends saw her cake creations and loved them. Roshel created a Facebook page

in 2008 and through social media and word of mouth she gained clientels, more of them were repeat business.

In the beginning of October 2014 Dream Cakes Bakery opened its retail shop in Coquitlam B.C.

</p>

</div>

</div>

</div>

<div class="products">

<h1>Introducing</h1>

<div class="box">

<div class="card">

<div class="image">

</div>

<div class="products_text">

<h2>Cake5</h2>

<p>

Dream Cakes special Butter Cream Delight!

</p>

<h3>Rs 2000/=</h3>

<div class="products_star">

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

</div>

</div>

</div>

<div class="card">

<div class="image">

</div>

<div class="products_text">

<h2>Cake6</h2>

<p>

Dream Cakes special Butter Cream Delight!

</p>

<h3>Rs 3000/=</h3>

<div class="products_star">

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star"></i>

<i class="fa-solid fa-star-half-stroke"></i>

</div>

</div>

</div>

<div class="card">

<div class="image">

</div>

<div class="products_text">

<h2>Cake7</h2>

<p>

Dream Cakes special Butter Cream Delight!

</p>

<h3>Rs 2300/=</h3>

```

        <div class="products_star">
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star-half-stroke"></i>
            <i class="fa-regular fa-star"></i>
        </div>

    </div>

</div>

<div class="card">
    <div class="image">
        
    </div>

    <div class="products_text">
        <h2>Cake8</h2>
        <p>
            Dream Cakes special Butter Cream Delight!
        </p>
        <h3>Rs 2900/=</h3>
        <div class="products_star">
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-solid fa-star"></i>
            <i class="fa-regular fa-star"></i>
        </div>

    </div>

</div>

<div class="card">

    <div class="image">
        
    </div>

```

```

<div class="products_text">
  <h2>Cake9</h2>
  <p>
    Dream Cakes special Butter Cream Delight!
  </p>
  <h3>Rs 2900/=</h3>
  <div class="products_star">
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
  </div>

</div>

</div>

<div class="card">
  <div class="image">
    
  </div>

  <div class="products_text">
    <h2>Cake10</h2>
    <p>
      Dream Cakes special Butter Cream Delight!
    </p>
    <h3>Rs 3900/=</h3>
    <div class="products_star">
      <i class="fa-solid fa-star"></i>
      <i class="fa-solid fa-star"></i>
      <i class="fa-solid fa-star"></i>
      <i class="fa-solid fa-star"></i>
      <i class="fa-regular fa-star-half-stroke"></i>
    </div>

  </div>

```

```
</div>
```

```
<div class="card">
```

```
<div class="image">  
    
</div>
```

```
<div class="products_text">  
  <h2>Cake11</h2>  
  <p>  
    Dream Cakes special Butter Cream Delight!  
  </p>  
  <h3>Rs3000/=</h3>  
  <div class="products_star">  
    <i class="fa-solid fa-star"></i>  
    <i class="fa-solid fa-star"></i>  
    <i class="fa-solid fa-star"></i>  
    <i class="fa-regular fa-star"></i>  
    <i class="fa-regular fa-star"></i>  
  </div>
```

```
</div>
```

```
</div>
```

```
<div class="card">  
  <div class="image">  
      
  </div>
```

```
<div class="products_text">  
  <h2>Cake12</h2>  
  <p>  
    Dream Cakes special Butter Cream Delight!  
  </p>  
  <h3>Rs 4000/=</h3>  
  <div class="products_star">
```

```

        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-regular fa-star-half-stroke"></i>
    </div>

</div>

</div>

</div>

<script>
    function functio(small){
        var full = document.getElementById("imagebox")
        full.src = small.src
    }
</script>

<br><br><br><br><br><br><br><br><br><br><br><br>
<a href="index.html" class="about_btn">Go Back</a>

<br><br><br><br><br><br><br><br><br><br><br><br>
</body>
</html>

```


2.CCS File

```
html{
  scroll-behavior: smooth;
}

::-webkit-scrollbar{
  width: 15px;
}

::-webkit-scrollbar-track{
  border-radius: 5px;
  box-shadow: inset 0 0 10px rgba(0,0,0,0.25);
}

::-webkit-scrollbar-thumb{
  border-radius: 5px;
  background: linear-gradient(to top, #c72092 , #6c14d0);
}

.review{
  width: 100%;
  height: 100vh;
  padding-top: 80px;
}

.review h1{
  font-size: 60px;
  display: flex;
  align-items: center;
  justify-content: center;
  margin-bottom: 30px;
}

.review h1 span{
  background: linear-gradient(to left, #c72092 , #6c14d0);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  margin-left: 15px;
}
```

```
}
```

```
.review .review_box{  
  width: 95%;  
  position: relative;  
  top: 7%;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  margin: 0 auto;  
}
```

```
.review .profile .profile_image{  
  width: 60px;  
  height: 60px;  
  border-radius: 50%;  
  overflow: hidden;  
  margin: 5px 0;  
  box-shadow: 0 0 10px rgba(0,0,0,0.5);  
  cursor: pointer;  
  transition: 0.3s;  
}
```

```
.review .profile .profile_image:hover{  
  transform: scale(1.2);  
}
```

```
.review .profile_image img{  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
  object-position: center;  
}
```

```
.review .profile{  
  display: flex;  
  align-items: center;  
}
```

```
.review .review_box .review_card{
```

```

width: 500px;
background: #f3f1f1;
padding: 20px 25px;
border-radius: 5px;
margin: 15px;
box-shadow: 0 0 10px rgba(0,0,0,0.3);
}

.review .review_box .review_card .card_top{
display: flex;
justify-content: space-between;
align-items: center;
}

.review .review_box .review_card .card_top .profile .name{
margin-left: 20px;
line-height: 22px;
}

.review .review_box .review_card .card_top .profile .name strong{
font-size: 20px;
}

.review .review_box .review_card .card_top .profile .name .like i{
color: orange;
display: inline-block;
font-size: 12px;
}

.review .review_box .review_card .comment p{
text-align: justify;
line-height: 22px;
margin-top: 15px;
}

.about .about_main{
position: relative;
top: 40%;
left: 50%;
transform: translate(-50%,-50%);
display: flex;

```

```

    justify-content: space-around;
    align-items: center;
}

.about .about_main .about_image{
    display: flex;
    margin-top: 50px;
}

.about .about_main .about_image .about_small_image{
    display: flex;
    flex-direction: column;
    position: relative;
    top: 15px;
}

.about .about_main .about_image .about_small_image img{
    height: 92px;
    margin: 5px 0;
    cursor: pointer;
    background: linear-gradient(to right, #6c14d0 , #c72092);
    display: block;
    border-radius: 6px;
    padding: 5px 5px;
    box-shadow: 0 0 6px rgba(0,0,0,0.6);
    opacity: 0.8;
    transition: 0.3s;
}

.about .about_main .about_image .about_small_image img:hover{
    opacity: 1;
}

.about .about_main .image_contaner{
    padding: 10px;
    display: flex;
}

.about .about_main .image_contaner img{
    border: 3px solid #6c14d0;

```

```

border-radius: 20px;
height: 430px;
padding: 30px;
box-shadow: 0 0 8px #6c14d0;
}

.about .about_main .about_text{
margin-top: 45px;
right: inherit;
}

.about .about_main .about_text p{
background: linear-gradient(to left, #c72092 , #6c14d0);
-webkit-background-clip: text;
-webkit-text-fill-color: transparent;
line-height: 22px;
width: 600px;
text-align: justify;
padding: 25px 30px;
border: 2px solid #c72092;
border-radius: 20px;
box-shadow: 0 0 8px #c72092;
}

.products h1{
margin: 35px 0;
font-size: 60px;
display: flex;
align-items: center;
justify-content: center;

background: linear-gradient(to right, #c72092,#6c14d0);
-webkit-background-clip: text;
-webkit-text-fill-color: transparent;
}

.products .box{
width: 90%;
margin: 0 auto;
display: grid;

```

```
    grid-template-columns: 1fr 1fr 1fr 1fr;
    grid-gap: 25px 0;
}
```

```
.products .box .card{
    width: 290px;
    height: 440px;
    box-shadow: 0 0 8px #6c14d0;
    border-radius: 5px;
    text-align: center;
    padding: 10px 20px;
    background: #f6f6f6;
}
```

```
.products .box .card .small_card{
    display: flex;
    flex-flow: column;
    position: absolute;
    margin: 10px 0;
    transform: translateX(-20px);
    transition: 0.3s;
    opacity: 0;
}
```

```
.products .box .card:hover .small_card{
    transform: translateX(2px);
    cursor: pointer;
    opacity: 1;
}
```

```
.products .box .card .image{
    display: flex;
    align-items: center;
    justify-content: center;
}
```

```
.products .box .card .image img{
    width: 150px;
    margin: 15px 0;
    transition: 0.3s;
```

```
}
```

```
.products .box .card:hover .image img{  
  transform: scale(1.1);  
}
```

```
.products .box .card .products_text h2{  
  font-size: 30px;  
  margin-top: 15px;  
}
```

```
.products .box .card .products_text p{  
  color: #91919191;  
  line-height: 21px;  
  margin: 8px 0;  
}
```

```
.products .box .card .products_text h3{  
  margin: 7px 0;  
}
```

```
.products .box .card .products_text .products_star{  
  color: orange;  
  margin-bottom: 19px;  
  cursor: pointer;  
}
```


```
.products .box .card .products_text .btn{  
  text-decoration: none;  
  padding: 10px 20px;  
  background: linear-gradient(to right, #c72092 , #6c14d0);  
  color: white;  
}
```

```
.products .about_btn{  
  color: black;  
  background: none;  
  position: relative;
```

```
top: 10%;  
left: 50%;  
transform: translate(-50% , -50%);  
padding: 10px 25px;  
border: 2px solid #c72092;  
text-decoration: none;  
box-shadow: 0 0 8px #c72092;  
transition: 0.5s;  
}
```

```
.products .about_btn:hover{  
border: 2px solid transparent;  
background: #c72092;  
color: white;  
}
```


Service Page



1.HTML code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Servises</title>
  <link rel="stylesheet" href="styleservices.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSwqcyVLLD9a
MhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
</head>
<body>

  <div class="services">
    <h1><span>our services</span></h1>

    <div class="services_cards">
      <div class="services_box">
        <i class="fa-solid fa-truck-fast"></i>
        <h3>Fast Delivery</h3>
        <p>
          Delivery that is always on time.
        </p>
      </div>
      <div class="services_box">
        <i class="fa-solid fa-headset"></i>
        <h3>24 x 7 Support</h3>
        <p>
          Your satisfaction is our 24-our priority.
        </p>
      </div>
    </div>
  </div>
</div>
<footer>
  <div class="footer_main">
```

```
<div class="tag">
  <h1>Contact</h1>
  <a href="#"><i class="fa-solid fa-house"></i>74/5,fort,matara/Sri
Lanka</a>
  <a href="#"><i class="fa-solid fa-phone"></i>+94 701119034</a>
  <a href="#"><i class="fa-solid fa-
envelope"></i>theekshana0815@gmail.com</a>
</div>
```

```
<div class="tag">
  <h1>Get Help</h1>
  <a href="#" class="center">FAQ</a>
  <a href="#" class="center">Shipping</a>
  <a href="#" class="center">Returns</a>
  <a href="#" class="center">Payment Options</a>
</div>
```

```
<div class="tag">
  <h1>Our Stores</h1>
  <a href="#" class="center">Sri Lanka</a>
  <a href="#" class="center">USA</a>
  <a href="#" class="center">India</a>
  <a href="#" class="center">Japan</a>
</div>
```

```
<div class="tag">
  <h1>Follow Us</h1>
  <div class="social_link">
    <a href="#"><i class="fa-brands fa-facebook-f"></i></a>
    <a href="#"><i class="fa-brands fa-twitter"></i></a>
    <a href="#"><i class="fa-brands fa-instagram"></i></a>
    <a href="#"><i class="fa-brands fa-linkedin-in"></i></a>
  </div>
</div>
```

```
<div class="tag">
  <h1>Newsletter</h1>
  <div class="search_bar">
    <input type="text" placeholder="You email id here">
    <button type="submit">Subscribe</button>
  </div>
</div>
```

```
        <a href="index.html"><button type="submit">Home</button></a>
        <a href="Managerlogin.html"><button
type="submit">Manage</button></a>
    </div>
</div>

</div>
</footer>

</body>
</html>
```

2.CCS File

```
.services{  
  width: 70%;  
  margin: 0 auto;  
  text-align: center;  
  padding: 80px 0 10px 0;  
}
```

```
.services h1{  
  font-size: 60px;  
  text-transform: uppercase;  
}
```

```
.services h1 span{  
  margin-left: 15px;  
  background: linear-gradient(to left, #8cc720 , #fa0000);  
  -webkit-background-clip: text;  
  -webkit-text-fill-color: transparent;  
}
```

```
.services .services_cards{  
  width: 80%;  
  margin: 0 auto;  
  display: flex;  
  align-items: center;  
  justify-content: space-between;  
  position: relative;  
  top: 50px;  
}
```

```
.services .services_box i{  
  font-size: 60px;  
  color: orange;  
  margin: 20px 0;  
  cursor: pointer;  
}
```

```
.services .services_box h3{  
  margin-bottom: 12px;
```

```

    font-size: 19px;
}

.services .services_box p{
    text-align: center;
    color: #919191;
    margin-bottom: 60px;
}

footer{
    width: 100%;
    bottom: auto;
}

footer .footer_main{
    height: 280px;
    width: 100%;
    background: #f3f1f1;
    display: flex;
    justify-content: space-around;
}

footer .footer_main .tag{
    margin: 10px 0;
}

footer .footer_main .tag .center{
    text-align: center;
}

footer .footer_main .tag h1{
    font-size: 25px;
    margin: 25px 0;
    color: #1c0080;
}

footer .footer_main .tag a{
    display: block;
    color: black;
    text-decoration: none;

```

```

    margin: 9px 0;
}

footer .footer_main .tag a i{
    padding: 0 10px;
    transition: 0.3;
}

footer .footer_main .tag a i:hover{
    color: #c72092;
}

footer .footer_main .tag .social_link{
    display: flex;
}

footer .footer_main .tag .social_link a{
    width: 30px;
    height: 30px;
    border-radius: 50%;
    text-align: center;
    text-decoration: none;
    color: black;
    box-shadow: 0 0 20px 10px rgba(0,0,0,0.05);
    position: relative;
    margin: 0 5px;
    z-index: 10;
    overflow: hidden;
}

footer .footer_main .tag .social_link a .fa-brands{
    font-size: 15px;
    line-height: 30px;
    z-index: 10;
    position: relative;
    transition: 0.5s;
}

footer .footer_main .tag .social_link a:hover i{
    color: white;
}

```

```
}
```

```
footer .footer_main .tag .social_link a::after{  
    content: "";  
    width: 100%;  
    height: 100%;  
    top: 0;  
    left: -90px;  
    background: linear-gradient(-45deg, #c72092 , #6c14d0);  
    position: absolute;  
    z-index: -10;  
    transition: 0.5s;  
}
```

```
footer .footer_main .tag .social_link a:hover::after{  
    left: 0;  
}
```

```
footer .footer_main .tag .search_bar{  
    width: 230px;  
    height: 30px;  
    background: rgb(202, 202, 202);  
    border-radius: 25px;  
}
```


```
footer .footer_main .tag .search_bar input{  
    width: 200px;  
    padding: 2px 0;  
    position: relative;  
    top: 17%;  
    left: 6%;  
    border: none;  
    background: none;  
    outline: none;  
    font-size: 13px;  
}
```

```
footer .footer_main .tag .search_bar button{  
    padding: 7px 15px;  
    background: linear-gradient(to right, #c72092 , #6c14d0);
```



```
border: none;  
margin-top: 15px;  
border-radius: 25px;  
color: white;  
cursor: pointer;  
}
```

Manager Login Page



1.HTML Code

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Manager Login</title>
    <link rel="stylesheet" href="styleManagerlogin.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSVqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
  </head>

  <body>
    <div class="login_form">
      <div class="left">
        
      </div>

      <div class="right">
        <h1>Manage DreamCake</h1>

        <form action="http://localhost/mlogin.php" method="post"
name="form1">
          <p>User Name</p>
          <div class="user">
            <i class="fa-solid fa-user"></i>
            <input type="text" name="email" placeholder="User Name"
class="username">
          </div>

          <p class="passworg_tag">Password</p>
          <div class="password">
            <i class="fa-solid fa-lock"></i>
```

```
        <input type="text" name="password"
placeholder="Password">
    </div>

    <br>

    <button type="submit" name="login"
value="Login">Login</button>

    <br><br>

    <button type="submit"><a
href="index.html">Home</a></button>
    <br>
    </form>
</div>
</body>
</html>
```

2.CCS File

```
.login_form{
  width: 100%;
  height: 100vh;
  display: flex;
  justify-content: space-around;
  align-items: center;
  background-image: url(image/login.jpg);
  background-size: cover;
  background-position: center;
}
```

```
.login_form .left img{
  width: 650px;
}
```

```
.login_form .right{
  position: relative;
  top: -50px;
  left: -60px;
  padding: 50px 80px;
}
```

```
.login_form .right h1{
  font-family: prevattscriptssk;
  font-size: 65px;
  margin-bottom: 40px;
}
```

```
.login_form .right p{
  margin-bottom: 5px;
}
```

```
.login_form .right .user{
  border: 2px solid #6c14d0;
  border-radius: 5px;
  width: 350px;
  height: 40px;
  display: flex;
```

```
}
```

```
.login_form .right .user i{  
  position: relative;  
  top: 9px;  
  left: 15px;  
  color: #c72092;  
}
```

```
.login_form .right .user .username{  
  position: relative;  
  left: 9%;  
  width: 295px;  
  background: none;  
  outline: none;  
  border: none;  
  display: flex;  
  font-size: 35px;  
}
```

```
.login_form .right .passworg_tag{  
  margin: 15px 0 5px 0;  
}
```

```
.login_form .right .password{  
  border: 2px solid #6c14d0;  
  border-radius: 5px;  
  width: 350px;  
  height: 40px;  
  display: flex;  
}
```

```
.login_form .right .password i{  
  position: relative;  
  top: 9px;  
  left: 15px;  
  color: #c72092;  
}
```

```
.login_form .right .password input{
```

```
position: relative;
left: 9%;
width: 295px;
background: none;
border: none;
outline: none;
display: flex;
font-size: 35px;
}

::-webkit-input-placeholder{
color: black;
opacity: 0.7;
}

.login_form .right button{
width: 350px;
color: white;
padding: 7px 20px;
border: none;
border-radius: 5px;
font-size: 40px;
cursor: pointer;
background: linear-gradient(to right, #c72092 , #6c14d0);
text-decoration: none;
}
```

3.PHP Code

```
<?php
include_once("db-config.php");

if (isset($_POST['login'])) {
    $email = $_POST['email'];
    $password = $_POST['password'];

    // Check if a user exists with given username & password
    $result = mysqli_query($mysqli, "select 'email', 'password' from m_users
where email='$email' and password='$password'");

    // Count the number of user/rows returned by query
    $user_matched = mysqli_num_rows($result);

    // Check If user matched/exist, store user email in sessio and redirect to
sample page 1
    if ($user_matched > 0) {
        header("location: ManageItems.html");
    } else {
        echo "User email or password is not matched<br><br>";
    }
}
?>
```


Manage Items Page

The screenshot shows a web browser window titled 'Manage Items' with the address bar displaying 'file:///C:/wamp64/www/ManageItems.html'. The page has a purple background and contains two main sections:

Add Products

Code
Name
Weight
Special Ingredients
Price
Category

Manage Products

1.HTML Code

```
<html>
<head>
<title>Manage Items</title>

</head>

<body bgcolor="#b37ea2">
<fieldset>
<legend>Add Products</legend>
<form action = "http://localhost/ManageItems.php" method = "post"
name="RegForm">
<label>Code</label>
<input type = "text" name = "code" >
<br><br>
<label>Name</label>
<input type = "text" name = "name" >
<br><br>
<label>Weight</label>
<input type = "text" name = "weight" >
<br><br>
<label>Special Ingredients</label>
<input type = "text" name = "ingredients" >
<br><br>
<label>Price</label>
<input type = "text" name = "price" >
<br><br>
<label>Category</label>
<select name="category">
  <option value="Birthday">Birthday</option>
  <option value = "Wedding">Wedding </option>
  <option value = "Normal"> Normal </option>
</select> <br/> <br/>

  <input type = "submit" value = "Add" name="submit">
  <input type = "reset">
</fieldset>

<br><br>
```

```
<fieldset>
<legend>Manage Products</legend>
<br><br>
<button><a href="Update.html">Update Data</a></button>
<br><br><br>
<button><a href="Delete.html">Delete Data</a></button>
<br><br><br>
<button><a href="Managerlogin.html">Log Out</a></button>
</fieldset>
</fieldset>


</form>
</body>
</html>
```

2.PHP Code

```
<?php
$hostname = "localhost";
$username = "root";
$password = "";
$db = "dreamcakes";
$con= new mysqli($hostname,$username,$password,$db);
// Check connection
if ($con->connect_error) {
die("Database Connection failed: " . $con->connect_error);
}

if ($con->connect_error) {
    die("Database Connection failed: " . $con->connect_error);
}
if(isset($_POST["submit"])){
    $code = $_POST["code"];
    $name = $_POST['name'];
    $weight = $_POST['weight'];
    $ingredients = $_POST['ingredients'];
    $price = $_POST['price'];
    $category = $_POST['category'];
    $sql= "INSERT INTO products
VALUES('$code','$name','$weight','$ingredients','$price','$category')";
    if($con->query($sql))
    {
        echo "<script>alert('Record inserted ')</script>";
    }
    else {
        echo "<script>alert('Record insert failed ')</script>";
    }
    $con->close();
}
?>
```

Update Page



The screenshot shows a web browser window titled 'Update Data' with a single tab. The address bar displays 'file:///C:/wamp64/www/Update.html'. The page content is a form titled 'Update Form' in a purple header. The form includes the following fields and controls:

- Code:
- Name:
- Weight:
- Special Ingredients:
- Price:
- Category:
- Buttons:

1.HTML Code

```
<!DOCTYPE html>
<head>
<title>Update Data</title>
</head>
<body bgcolor="#b37ea2">
<h1><u> Update Form</u></h1>
<form action = "http://localhost/update.php" method = "post"
name="UpdForm">


<label>Code</label>
<input type = "text" name = "code" >
<br><br>
<label>Name</label>
<input type = "text" name = "name" >
<br><br>
<label>Weight</label>
<input type = "text" name = "weight" >
<br><br>
<label>Special Ingredients</label>
<input type = "text" name = "ingredients" >
<br><br>
<label>Price</label>
<input type = "text" name = "price" >
<br><br>
<label>Category</label>
<select name="category">
  <option value="Birthday">Birthday</option>
  <option value = "Wedding">Wedding </option>
  <option value = "Normal"> Normal </option>
</select> <br/> <br/>

<input type = "submit" value = "Update" name="submit">
<input type = "reset">
</form>
</body>
</html>
```

2.PHP Code

```
<?php
$hostname = "localhost";
$username = "root";
$password = "";
$db = "dreamcakes";
$con= new mysqli($hostname,$username,$password,$db);
if ($con->connect_error) {
die("Database Connection failed: " . $con->connect_error);
}
if(isset($_POST["submit"]))
{
    $code = $_POST["code"];
    $name = $_POST['name'];
    $weight = $_POST['weight'];
    $ingredients = $_POST['ingredients'];
    $price = $_POST['price'];
    $category = $_POST['category'];
    $sql= "UPDATE products SET
name='$name',weight='$weight',ingredients='$ingredients',price='$price',ca
tegory='$category' WHERE code='$code'";
    if($con->query($sql))
    {
        echo "<script>alert('Record Updates')</script>";
    }
    else {
        echo "<script>alert('Record update failed ')</script>";
    }
    $con->close();
}
?>
```

Delete Page



1.HTML Code


```
<!DOCTYPE html>
<head>
<title>Delete Products</title>
</head>
<body bgcolor="#b37ea2">
<h1><u>Delete Form</u></h1>
<form action = "http://localhost/delete.php" method = "post"
name="DelForm">
  <label>Code</label>
  <input type = "text" name = "code" >
  <br><br>

<input type = "submit" value = "Delete" name="submit">
<input type = "reset">
</form>
</body>
</html>
```

2.PHP Code

```
<?php
$hostname = "localhost";
$username = "root";
$password = "";
$db = "dreamcakes";
$con= new mysqli($hostname,$username,$password,$db);
// Check connection
if ($con->connect_error) {
die("Database Connection failed: " . $con->connect_error);
}
if(isset($_POST["submit"])){
$code = $_POST["code"];
$sql= "DELETE FROM products WHERE code='$code'";
if($con->query($sql))
{
echo "<script>alert('Record deleted ')</script>";
}
else {
echo "<script>alert('Record delete failed ')</script>";
}
$con->close();
}
?>
```

Add To Cart Page



1.HTML Code

```
<!DOCTYPE html>
<html>
  <head>
    <link rel="stylesheet" href="Addtocart.css">
    <script src="https://kit.fontawesome.com/92d70a2fd8.js"
crossorigin="anonymous"></script>
    <title>Add To Cart</title>
  </head>
  <body>
    <div class="header">
      <p class="logo">Dream Cake</p>
      <div class="cart"><i class="fa-solid fa-cart-shopping"></i><p
id="count">0</p></div>
    </div>

    <div class = "container">
      <div id="root"></div>
      <div class="sidebar">
        <div class = "head"><p>My Cart</p></div>
        <div id = "cartItem">Your Cart Is Empty</div>
        <div class="foot">
          <h3>Total</h3>
          <h2 id = "total">$ 0.00</h2>
        </div>
      </div>
    </div>
  </div>
```

```
<script src="Addtocart.js"></script>
```

```
<br><br><hr>
```

```
<form name="form1" method="POST"
action="http://localhost/search.php">
```

```
Cake name: <Input type="text" name="code"><br><br>
```

```
<input type="submit" value="Search" name="submit">
```

```
<input type="reset" value="Cancel">
```

```
</form>
```

```
<br>
```

```
<br><br><br>
```

```
<h1><center><b>Thankyou for coming!</b></center></h1>
```

```
<br><br>
```

```
</body>
```

```
</html>
```

2.Java Script

```
<!DOCTYPE html>
<html>
  <head>
    <link rel="stylesheet" href="Addtocart.css">
    <script src="https://kit.fontawesome.com/92d70a2fd8.js"
crossorigin="anonymous"></script>
    <title>Add To Cart</title>
  </head>
  <body>
    <div class="header">
      <p class="logo">Dream Cake</p>
      <div class="cart"><i class="fa-solid fa-cart-shopping"></i><p
id="count">0</p></div></div>
    <div class = "container">
      <div id="root"></div>
      <div class="sidebar">
        <div class = "head"><p>My Cart</p></div>
        <div id = "cartItem">Your Cart Is Empty</div>
        <div class="foot">
          <h3>Total</h3>
          <h2 id = "total">$ 0.00</h2>
        </div>
      </div>
    </div>
    <script src="Addtocart.js"></script>
    <br><br><hr>
    <form name="form1" method="POST"
action="http://localhost/search.php">
      Cake name: <Input type="text" name="code"><br><br>
      <input type="submit" value="Search" name="submit">
      <input type="reset" value="Cancel">
    </form>
    <br>
    <br><br><br>
    <h1><center><b>Thankyou for coming!</b></center></h1>
    <br><br>
  </body>
</html>
```

3.PHP Code

```
<html><body>
<?php
if(isset($_POST['submit']))
{
$code=$_POST["code"];
$link=new mysqli("localhost","root","","dreamcakes");
if ($link->connect_error){
    die ("Unable to Connect ". $link->connect_error);
}
$query="select * from products where code='$code'";
$result=$link->query($query);
if ($result->num_rows > 0){
while($row=$result->fetch_assoc()){
$name=$row["name"];
$weight=$row["weight"];
$ingredients=$row["ingredients"];
$price=$row["price"];
$category=$row["category"];
} }
else{
    die ("No record found");  }}
?>
<table border="1">
<tr><th align="left">Cake Name</th>
<td><?php echo $name; ?></td></tr>
<tr><th align="left">Weight</th>
<td><?php echo $weight; ?></td></tr>
<tr><th align="left">Ingredients</th>
<td><?php echo $ingredients; ?></td>
<tr><th align="left">Price</th>
<td><?php echo $price; ?></td>
<tr><th align="left">Category</th>
<td><?php echo $category; ?></td>
</tr>
</table>
</body>
</html>
```

4.CCS File

```
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'poppins',sans-serif;
  font-size: 18px;
}
body{
  display:flex;
  align-items:center;
  justify-content:center;
  flex-direction:column;
}
.header{
  height: 80 px;
  width: 70%;
  background: linear-gradient(to right, #c72092,#6c14d0);
  border-radius: 3px;
  margin: 30px 0px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 15px;
}
.header .logo{
  font-size: 30px;
  font-weight: bold;
  color: white;
}
.cart{
  display: flex;
  background-color: white;
  justify-content: space-between;
  align-items: center;
  padding: 7px 10px;
  border-radius: 3px;
  width: 80px;
}
```



```

.fa_solid{
  color: goldenrod;
}
.cart p{
  height: 22px;
  width: 22px;
  display: flex;
  align-items: center;
  justify-content: center;
  border-radius: 22px;
  background: linear-gradient(to right, #c72092,#6c14d0) ;
  color: white;
}
.container{
  display: flex;
  width: 70%;
  margin-bottom: 30px;
}
#root{
  width: 60%;
  display: grid;
  grid-template-columns: repeat(2,1fr);
  grid-gap: 20px;
}
.sidebar{
  width: 40%;
  border-radius: 5px;
  background-color: #eee;
  margin-left: 20px;
  padding: 15px;
  text-align: center;
}
.head{
  background: linear-gradient(to right, #c72092,#6c14d0);
  border-radius: 3px;
  height: 40px;
  padding: 10px;
  margin-bottom: 20px;
  color: white;
  display: flex;

```

```
    align-items: center;
}
.foot{
    display: flex;
    justify-content: space-between;
    margin: 20px 0px;
    padding: 10px 0px;
    border-top: 1px solid #333;
}
.box{
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: space-between;
    border: 1px solid #c72092;
    border-radius: 5px;
    padding: 15px;
}
.img-box{
    width: 100%;
    height: 180px;
    display: flex;
    align-items: center;
    justify-content: center;
}
.images{
    max-width: 90%;
    max-height: 90%;
    object-fit: cover;
    object-position: center;
}
.bottom{
    margin-top: 20px;
    width: 100%;
    text-align: center;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: space-between;
    height: 110px;
```

```

}
h2{
  font-size: 20px;
  color: red;
}
button{
  width: 100%;
  position: relative;
  border: none;
  border-radius: 5px;
  background: linear-gradient(to right, #c72092,#6c14d0);
  padding: 7px 25px;
  cursor: pointer;
  color:#030303;
}
button:hover{
  background-color: #333;
}
.cart-item{
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 10px;
  background-color: white;
  border-bottom: 1px solid #aaa;
  border-radius: 3px;
  margin: 10px 10px;
}
.row-img{
  width: 50px;
  height: 50px;
  border-radius: 50px;
  border: 1px solid goldenrod;
  display: flex;
  align-items: center;
  justify-content: center;
}
.rowimg{
  max-width: 43px;
  max-height: 43px;

```

```

    border-radius: 50%;
}
.fa-trash:hover{
    cursor: pointer;
    color: #333;
}

/* button*/

button {
    --c: #c72092; /* the color*/

    box-shadow: 0 0 0 .1em inset var(--c);
    --_g: linear-gradient(var(--c) 0 0) no-repeat;
    background:
        var(--_g) calc(var(--_p,0%) - 100%) 0%,
        var(--_g) calc(200% - var(--_p,0%)) 0%,
        var(--_g) calc(var(--_p,0%) - 100%) 100%,
        var(--_g) calc(200% - var(--_p,0%)) 100%;
    background-size: 50.5% calc(var(--_p,0%)/2 + .5%);
    outline-offset: .1em;
    transition: background-size .4s, background-position 0s .4s;
}

button:hover {
    --_p: 100%;
    transition: background-position .4s, background-size 0s;
}

button:active {
    box-shadow: 0 0 9e9q inset #0009;
    background-color: var(--c);
    color:#c72092;
}


.but-search {
    background-color: white;
    color: black;
    border: 1px solid #c72092;

```

```
padding: 2px;  
background-color: white;  
border-bottom: 1px solid #c72092;  
border-radius: 5px;  
margin: 1px 10px;  
letter-spacing: 0;  
width: 100px;  
}
```

```
.but-search:hover {  
  background-color: #c72092;  
  color: white;  
}
```

About Us Page



1.HTML Code

```
<!DOCTYPE html>
<html lang="en">

  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>About Us</title>
    <link rel="stylesheet" href="styleabout.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.1.1/css/all.min.css" integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSVqcyVLL
D9aMhXd13uQjoXtEKNosOWaZqXgel0g==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
  </head>

  <body>

    <div class="about">
      <h1>About Us</h1>
    </div>
    <br><br><br><br>
    <div class="name">
      <pre><p><b>(1) MADSE221F-024</b>      A.B.D Theekshana
0701119034</p></pre>
      Customer login page (html file, css file, php file)
      <br>
      Customer registration page (html file, css file, php file)
      <br>
      Home page(html file, css file)
      <br>
      Manage products(Add) page(html file,css file,php file)
      <br>
    </div>
    <br>
    <div class="name">
```

```

    <pre><p><b>(2) MADSE221F-021</b>    M.P.A
Nimpura</p></pre>
    Manager login page(html file, css file, php file)
    <br>
    About us page(html file, css file)
    <br>
    Buy page & search(html file, css file, js file, php file)
    <br>
</div>
<br>
<div class="name">
    <pre><p><b>(3) MADSE221F-019</b>    L.M.S.R
Hasarangi</p></pre>
    Review page(html file, css file)
    <br>
    Update products page(html file,css file,php file)
    <br>
</div>
<br>
<div class="name">
    <pre><p><b>(4) MADSE221F-018</b>    W.A.K.M
Panchama</p></pre>
    Services page(html file, css file)
    <br>
    Delete products page(html file,css file, php file)
    <br>
</div>
<br>

</body>

</html>

```


2.CCS Page

```
.about h1 {  
    font-size: 60px;  
    margin-top: 20px;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    background: linear-gradient(to right, #180adf , #ff0000);  
    -webkit-background-clip: text;  
    -webkit-text-fill-color: transparent;  
    text-transform: uppercase;  
}
```

```
.name p {  
    font-size: 40px;  
    font-family: 'Courier New', Courier, monospace;  
    background-color : rgb(255, 0, 55);  
    -webkit-background-clip: text;  
}
```

Data Base Connection

```
<?php
```

```
$databseHost = 'localhost';
```

```
$databaseName = 'dreamcakes';
```

```
$databaseUsername = 'root';
```

```
$databasePassword = '';
```

```
$mysqli =
```

```
mysqli_connect($databseHost,$databaseUsername,$databasePassword,$databaseName);
```

```
?>
```

MYSQL DB design with table structures.

The screenshot shows the phpMyAdmin interface for the 'dreamcakes' database. The 'Structure' tab is selected for the 'products' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	code	int			No	None		AUTO_INCREMENT	Change Drop More
2	name	varchar(20)	utf8mb4_0900_ai_ci		No	None			Change Drop More
3	weight	varchar(10)	utf8mb4_0900_ai_ci		No	None			Change Drop More
4	ingredients	varchar(20)	utf8mb4_0900_ai_ci		No	None			Change Drop More
5	price	varchar(10)	utf8mb4_0900_ai_ci		No	None			Change Drop More
6	category	varchar(10)	utf8mb4_0900_ai_ci		No	None			Change Drop More

Below the table structure, there are options to 'Check all', 'With selected', 'Browse', 'Change', 'Drop', 'Primary', 'Unique', 'Index', 'Spatial', and 'Fulltext'. There is also a 'Print' button and a 'Move columns' button. A 'Normalize' button is also present. A 'Go' button is at the bottom right of the table structure section.

The 'Indexes' section shows a single index:

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	code	12	A	No	

At the bottom, there is a 'Create an index on' section with a 'Go' button.

The screenshot shows the phpMyAdmin interface for the 'dreamcakes' database. The 'Structure' tab is selected. The database structure is as follows:

Table	Action	Rows	Type	Collation	Size	Overhead
m_users	Browse Structure Search Insert Empty Drop	1	MyISAM	utf8mb4_0900_ai_ci	2.0 K B	20 B
products	Browse Structure Search Insert Empty Drop	12	MyISAM	utf8mb4_0900_ai_ci	2.6 K B	40 B
users	Browse Structure Search Insert Empty Drop	2	MyISAM	utf8mb4_0900_ai_ci	2.2 K B	100 B
3 tables Sum		15	MyISAM	utf8mb4_0900_ai_ci	6.8 K B	160 B

Below the table structure, there are options to 'Check all / Check tables having overhead' and 'With selected'. There is also a 'Print' button and a 'Data dictionary' button. A 'Create new table' button is at the bottom left.

The 'Create new table' section shows a 'Table name' field and a 'Number of columns' field (set to 4) and a 'Create' button.

localhost / MySQL / dreamcakes x +

localhost/phpmyadmin/index.php?route=/table/structure&db=dreamcakes&table=users

Server: MySQL:3306 » Database: dreamcakes » Table: users

phpMyAdmin

Current server: MySQL

Recent Favorites

New

- dreamcakes
 - New
 - m_users
 - products
 - users
- employee
- information_schema
- mysql
- performance_schema
- register_login_db
- sys
- test

Structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 id	int			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 name	varchar(20)	utf8mb4_0900_ai_ci		No	None			Change Drop More
<input type="checkbox"/>	3 email	varchar(30)	utf8mb4_0900_ai_ci		No	None			Change Drop More
<input type="checkbox"/>	4 password	varchar(10)	utf8mb4_0900_ai_ci		No	None			Change Drop More

☐ Check all
 With selected: [Browse](#) [Change](#) [Drop](#) [Primary](#) [Unique](#) [Index](#) [Spatial](#) [Fulltext](#)

[Print](#) [Move columns](#) [Normalize](#)

[Add](#) 1 column(s) after password [Go](#)

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	2	A	No	

Create an index on 1 column(s) [Go](#)

localhost / MySQL / dreamcakes x +

localhost/phpmyadmin/index.php?route=/table/structure&db=dreamcakes&table=m_users

Server: MySQL:3306 » Database: dreamcakes » Table: m_users

phpMyAdmin

Current server: MySQL

Recent Favorites

New

- dreamcakes
 - New
 - m_users
 - products
 - users
- employee
- information_schema
- mysql
- performance_schema
- register_login_db
- sys
- test

Structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 id	int			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 email	varchar(30)	utf8mb4_0900_ai_ci		No	None			Change Drop More
<input type="checkbox"/>	3 password	varchar(10)	utf8mb4_0900_ai_ci		No	None			Change Drop More

☐ Check all
 With selected: [Browse](#) [Change](#) [Drop](#) [Primary](#) [Unique](#) [Index](#) [Spatial](#) [Fulltext](#)

[Print](#) [Move columns](#) [Normalize](#)

[Add](#) 1 column(s) after password [Go](#)

Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	1	A	No	

Create an index on 1 column(s) [Go](#)

