
Saq

Can a detector learn local scams from English data?

Akzhan · Assem · FRP 2026, AI Engineering · ISSAI, Nazarbayev University



Scam messages come in Russian and Kazakh. Public data does not.

73,511
public scam and safe messages we collected

99%
of them are in English

109 / 0
Russian / Kazakh messages

Can a model trained on English data learn local scams, and how much do a few local messages help?

Our exam: 100 real messages, frozen before any test

Russian

25 scam · **25 safe**

Kazakh

25 scam · **25 safe**

- Scams come from public warnings, each with a source link
- Frozen on 27 October, never used for training or in a prompt
- 0 near-copies of any test message in the training data

Live demo: paste a message, get a light

- **Red:** looks like a scam
- **Yellow:** be careful, check first
- **Green:** no signs found

We try one scam and one safe message. A hint, not a guarantee.

100 messages the models never saw

Method	Scams caught	False alarms	Accuracy
Class chat model	49 / 50	0 / 50	99%
XLM-R + local messages (ours)	49 / 50	2 / 50	97%
TF-IDF + logistic regression	50 / 50	11 / 50	89%
Saq keyword rules	12 / 50	0 / 50	62%

Before local training our XLM-R caught 42 of 50. Kazakh scams caught: 20 → 25 of 25.

What it means, and what it does not

What we can say

- A small model trained by us is comparable to a large chat model here
- It runs on our own machine, no API key needed
- Local data helped most in Kazakh

Limits

- Small test: one message is 2 points
- Few service messages (codes, receipts) in the test
- Kazakh train and test scams share one source list
- Next: a fresh test and harder safe messages