

Pharmacode Reads This Way Last Bar First Bar

—— МИНИСТЕРСТВО ЗДРАВООХРАНЕНИЯ И —— СОЦИАЛЬНОГО РАЗВИТИЯ РОССИЙСКОЙ ФЕДЕРАЦИИ инструкция по медицинскому применению лекарственного

Гевискон® Двойное Действие

Регистрационный номер: ЛП-001624
Торговое название: Гевискон® Двойное Действие
МНН или группировочное название: не имеет
Лекарственная форма: суспензия для приема внутри

Состав:

10 мл суспензии содержат:

активные вещества: натрия алгинат 500 мг, натрия гудрокарбонат 21.3 мг, кальция карбонат 32.5 мг и укрокарбонат 32.6 мг и метомогательные вещества: карбомер (97.4P) 65 мг, метилпарагидроксибензоат 40 мг, прогиппарагидроксибензоат 6 мг, натрия гидроксид 26.6 г мг, натрия сахаринат 10 мг, ароматизатор мятный 6 мг, вода (очищенная) до 10 мл.

Описание:

Вазкая непрозрачная суспензия, от почти белого до

Вязкая непрозрачная суспензия, от почти белого до светло-коричневого цвета, с мятным запахом. Фармакотерапевтическая группа: средство лечения рефлюкс-эзофагита. Код АТХ: A02BX.

Фармакологические свойства:

Данный лекарственный препарат является комбинацией алгината и антацидов (кальция карбоната и натрия гидрокарбоната). Фармакодинамика. При приёме внутрь препарат быстро реагирует с кислым содержимым желудка. При этом образуется тель алгината, имеющий почти нейтральное значение р.Н. Гель формирует защитную оболочку на поверхности содержимого желудка и действует до 4 часов, эффективно предотвращая в райствует до 4 часов, эффективно предотвращая в озникновение гастроэзофагеального рефлюкса. В случае регуртитеции гель попадает в пищевод, где он уменьшает раздражение слизистой оболочки. Кальция карбонат быстро нейтрализует соляную ихислоту желудочного сока, облегиза оцущение изжоги. Этот эффект усиливается благодаря наличню в составе препарата натрия гидрокарбоната, который также обладает нейтрализуощим действием. Фармакокинетика. Механизм действия активных

рармакокинетика. Механизм действия активны:

шеств препарата не зависит от всасывания в **Токазания к применению** 

имптоматическое лечение заболеваний, связанных нарушением пищеварения, повышенной слотностью желудочного сока и астроэзофагеальным рефлюксом (изжога, кислая

отрыжка), ощущение тяжести в желудке, дискомфорт после приема пищи. Противопоказания: Повышенная чувствительность к любому из

Применение при беременности и в период грудного вскармливания:
Препарат может применяться во время беремен

ления грудыс

Способ применения и дозы:

Взрослые и дети старше 12 лет: по 10 – 2 риёмов пиши и перед сном (до 4-х раз в Лаксимальная суточная доза составляет Для пациентов пожилого возраста изме

Побочное действие: В редких случаях (<1/10 000) возможнь ллергические реакции (крапивница, бр нафилактические реакции). Прием

большого количества (больше рекомендованных доз) В 10 мл суспензии содержится 130 мг (3,25 ммоль)

иперкальцемию, молочно-щелочной синдром юмен «рикошета», запор.

Взаимодействие с другими лекарственными

ак как кальция карбонат, входящий в состав репарата, проявляет антацидную активность, то ежду приемом препарата Гевискон® Двойное ействие и других препаратов должно пройти не енее 2 часов (особенно при приеме блокаторов 1<sub>2</sub>-гистаминовых рецепторов, антибиотиков из уппы тетрациклина, дигоксина, фторхинолонов олей железа, кетоконазола, нейролептиков, отироксина натрия, пеницилламина

бета-адреноблокаторов, глюкокортикостероидов на и дифосфатов)

В 10 мл суспензии содержание натрия составляе 127,25 мг (5,53 ммоль). Это следует учитывать при необходимости соблюдения диеты с ограниченным одержанием соли, например, при застойной рдечной недостаточности и нарушениях функции

3 10 мл суспензии содержится 1.30 мг (3,25 ммол альция. Поэтому следует соблюдать сстроожност при лечении пациентов с гиперкальциемией, «ефрокальцинозом и рецидивирующим бразованием почечных камей, содержащих кальций. Препарат Гевискои® Двойное Действие чальний, препарат гемиском двоиное деиствис содержит в составе антациды, которые могут маскировать симптомы серьезных заболеваний келудочно-кишечного тракта. Возможно снижен эффективности препарата у пациентов с очень низким уровнем кислотности желудочного сока. У детей с гастроэнтеритом или с подозрением на детем с тестроэнтеритом или с подозрением на наличие почечной недостаточности существуе повышенный риск гипериатриемии. Не следует применять препара т в течение длительного времени, при отсутствии улучшен состояния в течение 7 дней необходимо проконсультироваться с врачом.

депарат не оказавает влияния на слосоопоств равлять автотранспортом и механизмами, а также в занятия другими потенциально опасными видами вятельности, требующими повышенной центрации внимания и быстроты психомоторны

Суспензия для приема внутрь [мятная] По 150 мл, 200 мл, 300 мл или 600 мл во флаконы емного стекла с полипропиленовой крышкой, обеспечивающей контроль первого вскрытия. Инструкция по применению находится под этикеткой. По 10 мл суспензии в многослойных пак олиэстер, алюминий, полиэтилен), По 4, 12 или 24 акетика вместе с инструкцией по примен

При температуре не выше 30 °C. Не замораживать анить в недоступном для детей месте Срок годности:

Не использовать после истечения срока годности. Отпуск из аптек:

энсом Лейн, Халл, Ист Йоркшир, ХЮ8 7ДС,

Представительство в России/адрес для

предъявления претензий: 000 «Рекитт Бенкизер Хэлскэр» Россия, 115114, г. Москва, Кожевническая ул., д.14 Тел. 8-800-505-1-500 (звонок бесплатный), ontact\_ru@reckittbenckiser.com

DD1022/3 PRINTING READS This Way 0

0 мл после день). 80 мл. ения дозы не				
нхоспазм,				
8037466	j.		J	
			1	

**RBH Artwork** and Print Specification

TR587730 Trident Reference No: Action / Version: Gaviscon Brand: Brand Platform: Sub Platform: Double Action Sub Brand: Peppermint Format: Liquid Delivery: Bottle Pack Size: 150ml Country: Russia Date Created: 02/07/12 Date Modified: 03/07/12

RBH Contact: Ivan Saveliev

**Artwork Type: Commercial Print** 

Component Code (2D if applicable): 8037466 Parent Technical Packaging D0006045 Specification:

Bulk Code (if applicable):

CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R Printer: Labelsco PP Top White

10

200

190

180

9

150

130

120

100

80

9

50

10

**Edgemark Position:** Pharmacode No/NE: 1001111(206)

Print and Technical Colours									
P/	ANTONE Rhodamine	Red C	Process Yellow		VRN-HighGlossUV Brightener				
		1		2	brightener	3			
		FLX		FLX		FLX			
Ē	PANTONE 185	c	PANTONE 320	С	PANTONE Reflex B	Blue C			
П		4		5		6			
		FLX		FLX		FLX			

### COLOURS TO MATCH RECOGNISED STANDARDS

## BARCODE INFO

Barcode Type: Barcode Number: 5000158069305 Magnification: 100% 30 microns Truncated by (smallest Bar): 3.9 mm **Encoded Data:** N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Joh Jackson

Sm•Art check results: G=2; O=0; R=0; - JJ - 03/07/12 09:03:10

### ARTWORK APPROVAL


ved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS

ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

**CUSTOMER INFO:** Minimum Point Size = 6 pt



#### **RBH Artwork** and Print Specification TR587730 Trident Reference No: Action / Version: Gaviscon Brand: Brand Platform: Sub Platform: Double Action Sub Brand: Peppermint Format: Liquid Delivery: Bottle Pack Size: 150ml Country: Russia Date Created: 02/07/12 Date Modified: 03/07/12 RBH Contact: Ivan Saveliev **Artwork Type: Commercial Print** $Component\ Code\ ({\tt 2D}\ {\sf if\ applicable}):$ Parent Technical Packaging D0006045 Specification: Bulk Code (if applicable): CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R Printer: Labelsco 210 PP Top White Edgemark Position: 1001111(206) Pharmacode No/NE: 200 190 Print and Technical Colours 180 FLX FLX FLX PANTONE 185 C PANTONE 320 C PANTONE Reflex Blue C FLX 160 150 140 130 COLOURS TO MATCH RECOGNISED STANDARDS 120 BARCODE INFO Barcode Type: 5000158069305 Barcode Number: Magnification: BWR: 100% 30 microns 100 Encoded Data: N/A All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard. 80 TRIDENT Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100 9 Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only. 50 STUDIO USE ONLY Joh Jackson Sm•Art check results: G=2; O=0; R=0; - JJ - 03/07/12 09:03:10 ARTWORK APPROVAL

CUSTOMER INFO: Minimum Point Size = 6 pt

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR

PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304 NOT APPROVED FOR COLOUR 10

Production line		
Nanufacturing site		
ack Tech approver	1 <sup>st</sup> 2 <sup>nd</sup>	
ate		
heck Criteria	Details & Comments C	hecks
pprovals	15	t 2 <sup>nd</sup>
Narket Approval		
legulatory Approval		
rd Party Approval		
echnical Drawing/Cutter ref no.		
PI component code correct on artwork?		
orrect drawing for the production line?		
rofile shape & dimensions		
raphics layout/orientation		
Inwind diagram (PPTD1022/1-20)		
rintable areas/bleed		
arnish free areas		
ariable coding position & dimensions		
arnish and print requirements		
re-printed headers (alignment and suitability)		
mbossing, Braille & Foil Blocking		
eparations on artwork		
Alignment within cutter		
Braille structure		
/erification Code Type; Pharma Code / 2D / OCV		_
Bar sequence and/or number correct Position		
Size (height, width, spacing, font)		_
Direction of read		_
ight margins and print free areas		_
Colour		_
Repeat distance (reeled material)		
Bar code Type; EAN, ITF, Code39, etc		_
Magnification / width and height Colour (e.g. black print on white background)		_
		+
ight margins & indicators Bearer bars & H gauges (if required)		+
symbol grade (Pass = A,B,C; Action = D,F)		+
Bar code number (human readable)		+
dar code number (encoded & hidden data)		+
Confirm bar code number from source		+
ross check related docs (JDE/PID)		+
hoto-electric cell mark / edge marks		+
resent & per Tech drawing?		+
Correct pitch?		+
additional markings		+
-mark, recycle logo etc		+
egend box (RB specification)		+
Correct component code		_
Correct D spec		$\top$
Correct printer		
Correct Substrate		
/W is set up appropriately for this substrate		
dge mark details		1
harmacode details		
olours & print process		
arnish		
arcode information		$\top$
ieneral details are correct		$\top$
ass / Fail comments and Signature		
	form I authorise it for release to the print supplier	
additional Comments		

# RBH Artwork and Print Specification

TR587730 rident Reference No: ction / Version: Gaviscon rand: rand Platform: ub Platform: Double Action ub Brand: Peppermint ormat: Liquid elivery: Bottle 150m**l** Russia ack Size: country: Date Created: Date Modified: 02/07/12 03/07/12 BH Contact: Ivan Saveliev

250

210

200

190

180

160

150

140

130

120

110

100

90

80

70

9

50

40

20

10

## **Artwork Type: Commercial Print**

Component Code (2D if applicable): 8037466
Parent Technical Packaging pecification: 8037466

Sulk Code (if applicable): N/a

CAD Cam Ref: G-lbl-D0006045-155x60mm - PttR
Printer: Labelsco
Substrate: PP Top White

Edgemark Position: N/A
Pharmacode No/NE: 1001111(206)

[Outler - Does not print]

Cutter – Does not print | Guides– Does not print

### COLOURS TO MATCH RECOGNISED STANDARDS

## **BARCODE INFO**

Barcode Type: EAN 13
Barcode Number: 5000158069305
Magnification: 100%
BWR: 30 microns
Truncated by (smallest Bar): 3.9 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

TUDIO USE ONLY Joh Jackson vi

**m•Art check results:** G=2; O=0; R=0; - JJ - 03/07/12 09:03:10

# ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR