Ink & Varnish Free Area

великооритания. Ноттингем, ИG90 2DB, Литернешил Лтд, Тейн Роуд, Рекитт Бенкизер Хелскэр Производитель:



Регистрационное удостоверение: Отпуск без рецепта.

.Хранить в сухом месте при температуре не выше 25°C.

ХРАНИТЬ ПРЕПАРАТ В НЕДОСТУПНОМ ДЛЯ ДЕТЕЙ МЕСТЕ.

полисахариды] (жидкая глюкоза).

сахарный сироп [сахароза, вода], декстроза жидкая [декстроза, олиго- и с эффектом согревания, ароматизатор имбирный, триглицериды среднецепочные, антоцианин (Е163), ароматизатор сливовый, ароматизатор сливочный, ароматизатор амилметакрезол 0,6 мг и вспомогательные вещества: винная кислота, краситель Одна таблетка содержит: активные вещества – 2,4-дихлорбензиловый спирт 1,2 мг, паблетки для рассасывания

ринимать более 12 таблеток в течение 24 часов. Детям от 6 до 12 лет не принимать олее 8 таблеток в течение 24 часов. Не превышать указанную дозу. Курс печения 3 дн. лособ применения. Местно. Рекомендуется взрослым и детям старше 6 лет. ассасывать по одной таблетке каждые 2-3 часа. Взрослым и детям старше 12 лет не

оболочки полости рта и десен (афтозный стоматит, гингивит, молочница). химической и угольной промышленности), охриплости, воспалении слизистой исле профессионального характера – у преподавателей, дикторов, расотников инфекционно-воспалительных заболеваниях: тонзиллит, фарингит, ларингит (в том Симптоматическое лечение боли в ротовой полости, горле, гортани при Препарат обладает антисептическим и антимикотическим действием.

Стрепсилс® с Согревающим Эффектом



Лечение боли в горле

Strepsils CTPETICUTE

с Согревающим Эффектом

2,4-дихлорбензиловый спирт 1,2 мг Амилметакрезол 0,6 мг

24 таблетки для рассасывания

Стрепсилс[®] с Согревающим Эффектом





CUSTOMER INFO: Minimum Point Size = 6 pt

RBH Artwork and Print Specification

Trident Reference No: TR503271 Action / Version: Strepsils Brand: **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sensorial Delivery: Lozenge Pack Size: Country: Russia Date Created 29/07/11

RBH Contact: Victoria Bondarenko

Artwork Type: Submission Only Component Code (2D if applicable):

Parent Technical Packaging D0278921 Specification:

Chesapeake (Nottingham, UK)

260

220

210

180

160

120


110

10

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lot

Edgemark Position: Pharmacode No/NE: N/A

Bulk Code (if applicable):



COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: 000000000000 Barcode Number: Magnification: 85% 0 microns Truncated by (smallest Bar): 5.5 mm ncoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colou copies associated with this job should be referred to for content, layout and colour separation only.


TUDIO USE ONLY Georgina Merry

•Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR



	Artwork	290
nd Print	Specification	\
ent Reference No:	TR503271	
on / Version: nd:	D Strepsils	
nd Platform: Platform:	Throatcare First Aid Medicine	
Brand:	Sensorial	
nat: very:	Warm Lozenge	
k Size:	24 Russia	=
ntry: e Created:	29/07/11	
e Modified:	10/04/12	=
Contact:	Victoria Bondarenko	
• •	Submission Only	3
nponent Code (2D if a ent Technical Packa	ning	
cification:	D0278921	1 2
c Code (if applicable):	N/A	220
Cam Ref: S-Crt-FB-S	i1-79x109x21mm-D0278921-(Lottie)	2
	ake (Nottingham, UK) Board – White	<u>0</u>
emark Position:	N/A	2
rmacode No/NE:	N/A	0
- Does not print Guides- Does not p	int	20
t and Technical Colo	ours	19
Process Ye ll ow Varnisl	n-Water Based Process Black	
1	Emulsion 2 3	180
LTH	LTH	+ (
Emboss PAN	TONE 186 C	13—1
4	5	-
LTH	LTH	091
		- □
		<u> </u>
		40
		<u> </u>
		30
LOURS TO MATCH	RECOGNISED STANDARDS	
ARCODE 1	NFO	<u> </u>
code Type:	EAN 13	1
code Number:	000000000000	0
gnification: R:	85% 0 microns	=======================================
ncated by (smallest Bar oded Data:	: 5.5 mm N/A	
ll other aspects of	the bar code to conform	1
	Operating Manual or ommercial standard.	
	-1>	<u> </u>
Γ	$ abla \mathcal{V}$	1
L_/	8	
TRIDENT		_ _
	se, Connaught Road, rk, Hull, HU7 3AP, England.	2
T: +44 (0) 1482 828100	1
ase note that any low	resolution paper Canon colour	<u> </u>
	s job should be referred to for colour separation only.	1
NO LISE ONLY Go	orgina Marry10	20
	orgina Merry v1.0 0; 0=1; R=0; - GM - 10/04/12 08:20:22	=
(=(.,, n=v, Sivi Tojotj 12 00.20.22	4
RTWORK	APPROVAL	·
	<u> </u>	
	on behalf of Reckitt Benckiser	
ed:		<u> </u>
UNDER NO CIRCUM ARTWORK BE ALT	 0	
PERMISSION Tel. Alan Smith:		
NOT APPROV	<u> </u>	

CUSTOMER INFO: Minimum Point Size = 6 pt



2211	0
RBH Artwork	
nd Print Specification	■ ``
iu i i iii Specification	
ent Reference No: TR503271	280
on / Version: D	= 2
d: Strepsils	
d Platform: Throatcare	270
Platform: First Aid Medicine	2
Brand: Sensorial	_
nat: Warm	
very: Lozenge	2
Size: 24	
ntry: Russia : Created: 29/07/11	
Modified: 10/04/12	
	=
Contact: Victoria Bondarenko	
twork Type: Submission Only	24
· ·	=
ponent Code (2D if applicable): RB004461	
nt Technical Packaging D0278921	230
eification:	
Code (if applicable): N/A	
14)/ t	
Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie)	
ter: Chesapeake (Nottingham, UK)	
strate: Carton Board - White	210
	2
emark Position: N/A	
macode No/NE: N/A	
Does not print Guides- Does not print	200
	<u> </u>
t and Technical Colours	
Process Yellow Varnish-Water Based Process Black	
Emulsion 2 3	
тн тн	
Emboss PANTONE 186 C	= 2
	=======================================
4 5	
LTH LTH	■ 0
	91
	<u> </u>
	2(
	- ■
	=
	40
	1
	=
LOURS TO MATCH RECOGNISED STANDARDS	\equiv \simeq
LOURS TO WATCH RECOGNISED STANDARDS	
ADCODE IMEO	
ARCODE INFO	===
- J. T	—
ode Type: EAN 13 ode Number: 0000000000000	
	1=
nification: 85% R: 0 microns	- ■
cated by (smallest Bar): 5.5 mm	
oded Data: N/A	■ 0
ll other aspects of the bar code to conform	====
to the current GS1 Operating Manual or	-
other agreed commercial standard.	
	∰6
~ /~	1
(/ \	
	∰—-8
TRIDENT	■ ~
INIDENI	
Connaught House, Connaught Road,	<u> </u>
Kingswood Business Park, Hull, HU7 3AP, England.	2
(ingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100	
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour	02 09
Kingswood Business Park, Hull, Hu7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour es associated with this job should be referred to for	
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour	
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only.	50 60 70
Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100 see note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0	50 60 70
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only.	
Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100 see note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0	
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22	
Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100 see note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0	
se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22	
Kingswood Business Park, Hull, HÜ7 3AP, England. T: +44 (0) 1482 828100 se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22	30 40 50 60 70
Senote that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22 RTWORK APPROVAL Oved by Sonoco Trident on behalf of Reckitt Benckiser	30 40 50 60 70
se note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22	30 40 50 60 70
Senote that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22 RTWORK APPROVAL Oved by Sonoco Trident on behalf of Reckitt Benckiser	20 30 40 50 60 70
See note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM-10/04/12 08:20:22 RTWORK APPROVAL Developed by Sonoco Trident on behalf of Reckitt Benckiser ed:	1
See note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM - 10/04/12 08:20:22 RTWORK APPROVAL Divide by Sonoco Trident on behalf of Reckitt Benckiser and colour separation only.	20 30 40 50 60 70
See note that any low resolution paper Canon colour es associated with this job should be referred to for content, layout and colour separation only. 10 USE ONLY Georgina Merry v1.0 Art check results: G=0; 0=1; R=0; - GM-10/04/12 08:20:22 RTWORK APPROVAL Developed by Sonoco Trident on behalf of Reckitt Benckiser ed:	10 20 30 40 50 60 70

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 6 pt