Регистрационное удостоверение: П N015529/01 Отпуск без рецепта. .7°С. но температуре не выше +25°С.

Хранить в сухом месте .ЭТОЭМ ЙЭТЭД RПД МОНПУТООДЭН В ТАЧАПЭЧП АТИНАЧХ

жидкая, декстроза жидкая [декстроза, олиго-и полисахариды] (жидкая глюкоза). солнечный закат желтый, краситель пунцовый [Понсо 4R], винная кислота, сахароза ароматизатор апельсиновый 78300-34, левоментол, пропиленгликоль, краситель амилметакрезол – 0,6 мг, кислота аскорбиновая -100 мг, и вспомогательные вещества: Одна таблетка содержит: активные вещества – 2,4-дихлорбензиловый спирт – 1,2 мг,

Продолжительность курса лечения – 3 дня. олетке каждые 2-3 часа. Не принимать более 8 таблеток в течение 24 часов. . Местно. Взрослые и дети старше 5 лет: рассасывать по одной

десен (афтозный стоматит, гингивит, молочница). угольной промышленности), охриплости, воспалении слизистой оболочки полости рта и профессионального характера - у преподавателей, дикторов, работников химической и инфекционно-воспалительных заболеваниях: тонзиллит, фарингит, парингит (в т.ч. Симптоматическое лечение боли в ротовой полости, горле, гортани при Препарат обладает антисептическим и антимикотическим действием.

Стрепсилс Таблетки для рассасыван


Ноттингем, ИС90 2DB,

Производитель:

Лнтернешнл Лтд, Тейн Роуд,

ьекитт ренкизер хелскэр

с Витамином С



с Витамином С со вкусом апельсина

апельсиновых

Стрепсилс

с Витамином С

Strepsils

Лечение боли в горле

Strepsils® CTPETICUTE®

2,4-дихлорбензиловый спирт 1,2 мг Амилметакрезол 0,6 мг Кислота аскорбиновая 100 мг

36 таблеток для рассасывания



RBH Artwork and Print Specification

280

210

Trident Reference No: TR409717 Action / Version: Brand: **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sub Brand: Core Throat Format: Lozenge Delivery: Orange Vit C Date Created: 31/08/10 Date Modified 28/03/12

Artwork Type: Commercial Print Parent Technical Packaging

D0279139

Bulk Code (if applicable):

Specification:

RBH Contact

CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lot Chesapeake (Nottingham, UK) Carton Board - White Substrate:

Edgemark Position:

Pharmacode No/NE:



| Process Cyan | | Process Yellow | | Varnish-Water Based Emulsion | |
|--------------|-----|----------------|-----|---------------------------------|-----|
| | 1 | | 2 | | 3 |
| | LTH | | LTH | | LTH |
| Emboss | | PANTONE 1665 C | | Process Black | |
| | 4 | | 5 | | 6 |
| | LTH | | LTH | | LTH |

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number 5000158101807 Magnification: BWR: 0 microns Fruncated by (smallest Bar): 0.0 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, vood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colou copies associated with this job should be referred to for content, layout and colour separation only.

TUDIO USE ONLY


m•Art check results: G=0; O=2; R=0; - RM - 28/03/12 09:57:1

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



RBH Artwork and Print Specification

Trident Reference No: TR409717 Action / Version: Brand: Strepsi**l**s Brand Platform: Sub Platform: Throatcare First Aid Medicine Sub Brand: Core Throat Format: Lozenge Delivery: Orange Vit C Pack Size: Date Created: Date Modified: 31/08/10 28/03/12

RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print

Component Code (2D if applicable): 0325276 Parent Technical Packaging Specification:

D0279139

280

260

250

240

210

200

180

170

140

120

100


90

- 2

Bulk Code (if applicable): NA

CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lotti Printer: Chesapeake (Nottingham, UK)
Substrate: Carton Board - White

Edgemark Position: 2, E, w 1011000101(1732)



Print and Technical Colours

| Process Cyan | | Process Yellow | | Varnish-Water Based Emu k ion | |
|--------------|-----|----------------|-----|---|-----|
| | 1 | | 2 | | 3 |
| | LTH | | LTH | | LTH |
| | | | | | |
| Emboss | | PANTONE 1665 C | | Process Black | |
| | 4 | | 5 | | 6 |
| | LTH | | LTH | | LTH |
| | | | | | |

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: 5000158101807 **Barcode Number** Magnification: BWR: 100% 0 microns Truncated by (smallest Bar): 0.0 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Rebecca Milner


Sm•Art check results: G=0; O=2; R=0; - RM - 28/03/12 09:57:11

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



RBH Artwork and Print Specification

Trident Reference No: TR409717 Action / Version: Brand: Strepsi**l**s **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sub Brand: Core Throat Format: Lozenge Delivery: Orange Vit C Pack Size: Date Created: Date Modified: 31/08/10 28/03/12

RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print Component Code (2D if applicable): 0325276

Parent Technical Packaging
Specification:

0325276 D0279139 280

260

250

210

200

120

100

90

- 2

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-54-79x110.5x31.5mm-D0279139-(Lotti Printer: Chesapeake (Nottingham, UK) Substrate: Carton Board - White

Edgemark Position: 2, E, w Pharmacode No/NE: 1011000101(1732)



Print and Technical Colours

| | Process Cyan | | Process Yellow | | Varnish-Water Based Emulsion | |
|----|--------------|-----|----------------|-----|---------------------------------|-----|
| Ш | | 1 | | 2 | | 3 |
| Ш | | LTH | | LTH | | LTH |
| П | | | | | | |
| | Emboss | | PANTONE 1665 C | | Process Black | |
| П | | 4 | | 5 | | 6 |
| | | LTH | | LTH | | LTH |
| יו | | | | | | |

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158101807
Magnification: 100%
BWR: 0 microns
Truncated by (smallest Bar): 0.0 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Rebecca

miner

Sm•Art check results: G=0; 0=2; R=0; - RM - 28/03/12 09:57:11

ARTWORK APPROVAL

Approved by Sonoco Irident on behalf of Reckitt Benckiser

Signed: ______

Date:


UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt

| Production line |
|------------------------------------|
| Manufacturing site |
| Pack Tech approver |
| Date |
| Check Criteria |
| Approvals |
| Market Approval |
| Regulatory Approval |
| 3rd Party Approval |
| Technical Drawing/Cutter ref no. |
| PPI component code correct on a |
| Correct drawing for the producti |
| Profile shape & dimensions |
| Graphics layout/orientation |
| Unwind diagram (PPTD1022/1-20 |
| Printable areas/bleed |
| Varnish free areas |
| Variable coding position & dime |
| Varnish and print requirements |
| Pre-printed headers (alignment |
| Embossing, Braille & Foil Blocking |
| Separations on artwork |
| Alignment within cutter |
| Braille structure |
| Verification Code Type; Pharma |
| Bar sequence and/or number co |
| Size (height, width, spacing, fon |
| Direction of read |
| |
| Light margins and print free are |
| Colour |
| Repeat distance (reeled materia |
| Bar code Type; EAN, ITF, Code39 |
| Magnification / width and heigh |
| Colour (e.g. black print on white |
| Light margins & indicators |
| Bearer bars & H gauges (if requ |
| Symbol grade (Pass = A,B,C; Act |
| Bar code number (human reada |
| Bar code number (encoded & hi |
| Confirm bar code number from |
| Cross check related docs (JDE/P |
| Photo-electric cell mark / edge |
| Present & per Tech drawing? |
| Correct pitch? |
| Additional markings |
| e-mark, recycle logo etc |
| Legend box (RB specification) |
| Correct component code |
| Correct D spec |
| Correct printer |
| Correct Substrate |
| A/W is set up appropriately for |
| Edge mark details |
| Pharmacode details |
| Colours & print process |
| Varnish |
| Barcode information |
| General details are correct |
| Pass / Fail comments and Signa |
| By approving the artwork referen |
| Additional Comments |
| i |
| |
| |
| |
| |
| Version 001 14/2/2011 |

| Production line | | | RBH Artwork | | |
|--|---|--------------|--|--|--|
| Manufacturing site | | | and Print Specification | | |
| Pack Tech approver | 1 st 2 nd | | Trident Reference No: TR409717 | | |
| Date | | | Action / Version: R | | |
| Check Criteria | Details & Comments | Checks | Brand: Strepsils Brand Platform: Throatcare | | |
| Approvals | | 1st 2nd | Sub Platform: First Aid Medicine | | |
| Market Approval | | | Sub Brand: Core Throat Format: Lozenge | | |
| Regulatory Approval | | | Delivery: Orange Vit C | | |
| 3rd Party Approval | | | Pack Size: 36 Country: Russia | | |
| Technical Drawing/Cutter ref no. | | | Date Created: 31/08/10 | | |
| PPI component code correct on artwork? | | | Date Modified: 28/03/12 | | |
| Correct drawing for the production line? | | | RBH Contact: Victoria Bondarenko | | |
| Profile shape & dimensions | | | Artwork Type: Commercial Print | | |
| Graphics layout/orientation Unwind diagram (PPTD1022/1-20) | | | Component Code (2D if applicable): 0325276 | | |
| Printable areas/bleed | | ++- | Parent Technical Packaging Specification: D0279139 | | |
| Varnish free areas | | ++- | • | | |
| Variable coding position & dimensions | | | Bulk Code (if applicable): NA XXXX | | |
| Variable coding position of differential Variable Coding position of different | | | CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lotti | | |
| Pre-printed headers (alignment and suitability) | | | Printer: Chesapeake (Nottingham, UK) Substrate: Carton Board - White | | |
| Embossing, Braille & Foil Blocking | | | Edgemark Position: 2, E, w | | |
| Separations on artwork | | | Pharmacode No/NE: 1011000101(1732) | | |
| Alignment within cutter | | | Cutter - Does not print Guides- Does not print | | |
| Braille structure | | | | | |
| Verification Code Type; Pharma Code / 2D / OCV | | | | | |
| Bar sequence and/or number correct Position | | | Print and Technical Colours Process Cyan Process Yellow Varnish-Water Based | | |
| Size (height, width, spacing, font) | | | Emulsion 3 | | |
| Direction of read | | | LTH LTH LTH | | |
| Light margins and print free areas | | | Emboss PANTONE 1665 C Process Black | | |
| Colour | | | | | |
| Repeat distance (reeled material) | | | 6 LTH LTH LTH | | |
| Bar code Type; EAN, ITF, Code39, etc | | | | | |
| Magnification / width and height | | | | | |
| Colour (e.g. black print on white background) | | | | | |
| Light margins & indicators | | | | | |
| Bearer bars & H gauges (if required) | | | | | |
| Symbol grade (Pass = A,B,C; Action = D,F) Bar code number (human readable) | | | | | |
| Bar code number (encoded & hidden data) | | | | | |
| Confirm bar code number from source | | | COLOURS TO MATCH RECOGNISED STANDARDS | | |
| Cross check related docs (JDE/PID) | | | DIROCKE NIEG | | |
| Photo-electric cell mark / edge marks | | | BARCODE INFO | | |
| Present & per Tech drawing? | | ++ | Barcode Type: EAN 13 | | |
| Correct pitch? | | 1 1 | Barcode Number: 5000158101807 Magnification: 100% | | |
| Additional markings | | | BWR: 0 microns | | |
| e-mark, recycle logo etc | | | Truncated by (smallest Bar): 0.0 mm Encoded Data: N/A | | |
| Legend box (RB specification) | | | All other aspects of the bar code to conform | | |
| Correct component code | | | to the current GS1 Operating Manual or other agreed commercial standard. | | |
| Correct D spec | | | State agreed commercial standard. | | |
| Correct printer | | | | | |
| Correct Substrate | | | | | |
| A/W is set up appropriately for this substrate | | | TRIDENT | | |
| Edge mark details | | | Connaught House, Connaught Road, | | |
| Pharmacode details | | | Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100 | | |
| Colours & print process | | | (6) 1.102 020100 | | |
| Varnish | | | Please note that any low resolution paper Canon colour | | |
| Barcode information | | | copies associated with this job should be referred to for content, layout and colour separation only. | | |
| General details are correct | | | CTUDIO UCE ONLY 5 1 AT | | |
| Pass / Fail comments and Signature By approving the artwork referenced within this | form I authorise it for release to the pr | int supplier | STUDIO USE ONLY Rebecca Milner v1.4 Sm*Art check results: G=0; 0=2; R=0; -RM - 28/03/12 09:57:11 | | |
| Additional Comments | | | ARTWORK APPROVAL | | |
| | | | Approved by Sonoco Trident on behalf of Reckitt Benckiser | | |
| | | | Signed: | | |
| | | | Date: | | |



-8

-09

- 0

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR