

Reckitt Benckiser

First Bar

Отпуск из аптек без рецепта.

ЭІЧНТКМ ЭІЧНАПЭТБЯЭЖ NYTƏRÒБ

COCTAB

ацесульфам калия, аспартам, краситель азорубин вещества: маннитол, макрогол-20000, коповидон, кальция карбонат 187,5 мг и вспомогательные

алгинат 250 мг, натрия гидрокарбонат 106,5 мг,

Каждая таблетка содержит активные вещества: натрия

хранить при температуре не выше 30 °C. Хранить в недоступном для детей месте.

(11012), ароматизатор мятный, ксилитол (DC), магния стеарат. Способ применения: Внутрь после тщательного разжевывания. Взрослые и дети старше 12 лет: по 2-4 таблетки после приёмов пищи и перед сном (до 4-x раз в день).

RBH Artwork and Print Specification

Trident Reference No: TR586509 Action / Version: Brand Platform: Adult Sub Platform: Double Action Sub Brand: Peppermint Format: Tablets Delivery: Blister Pack Size: Country: Russia Date Created: 25/06/12 Date Modified: 10/07/12

Ivan Saveliev

Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0018525

Bulk Code (if applicable):

CAD Cam Ref: G-crt-D0018525-57.5x19.5x109.5mm Contego Packaging (Bradford, UK) Substrate

10

21

150

120

110

10

Edgemark Position: Pharmacode No/NE: 10011001(408)



Print and Technical Colours PANTONE Reflex Blue C PANTONE Rhodamine Red C VRN-HighGloss Water Base LTH PANTONE 185 C PANTONE 320 C PANTONE 102 C

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number 5000158069220 Magnification: RWR. Truncated by (smallest Bar): 10.9 mm **Encoded Data:**

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Sarah Cuthbertson

Sm•Art check results: G=3: O=0: R=0: - SC - 10/07/12 08:26:27

ARTWORK APPROVAL

approved	by S	onoc	o Ir	idei	nt c	on b	eha	It o	t K	eck	att	Bei	nck	cise	er	
igned: _					-		_		_	-			_	_	-	
)ate:					-		-		-	-			-	-	-	


UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO:

Minimum Point Size = 4 pt

The coding pre-heads are at 4pt all other text is at least 6.3pt



RBH Artwork and Print Specification

Trident Reference No: TR586509 Action / Version: Brand Platform: Adult Sub Platform: Double Action Sub Brand: Peppermint Format: Tablets Delivery: Blister Pack Size: Country: Russia Date Created: 25/06/12 Date Modified: 10/07/12

RBH Contact: Ivan Saveliev

Artwork Type: Commercial Print

Component Code (2D if applicable):
Parent Technical Packaging
Specification:

8030444 D0018525

210

150

120

110

Bulk Code (if applicable): N/A

CAD Cam Ref: G-crt-D0018525-57.5x19.5x109.5mr
Printer: Contego Packaging (Bradford, UK)
Substrate: Carton Board - White

Edgemark Position: N/A
Pharmacode No/NE: 10011001(408)



COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158069220
Magnification: 100%
BWR: 10 microns
Truncated by (smallest Bar): 10.9 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY

Sarah Cuthbertson

v1.0

Sm•Art check results: G=3; O=0; R=0; - SC - 10/07/12 08:26:27

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO:

Minimum Point Size = 4 pt The coding pre-heads are at 4pt all other text is at least 6.3pt

Production line
Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approval
3rd Party Approval
Technical Drawing/Cutter ref n
PPI component code correct or
Correct drawing for the produ
Profile shape & dimensions
Graphics layout/orientation
Unwind diagram (PPTD1022/1
Printable areas/bleed
Varnish free areas
Variable coding position & di
Varnish and print requiremen
Pre-printed headers (alignmen
Embossing, Braille & Foil Bloc
Separations on artwork
Alignment within cutter
Braille structure
Verification Code Type; Pharm
Bar sequence and/or number
Size (height, width, spacing, f
Direction of read
Light margins and print free a
Colour
Repeat distance (reeled mate
Bar code Type; EAN, ITF, Code
Magnification / width and he
Colour (e.g. black print on wh
Light margins & indicators
Bearer bars & H gauges (if re
Symbol grade (Pass = A,B,C; A
Bar code number (human read
Bar code number (encoded &
Confirm bar code number from
Cross check related docs (JDE
Photo-electric cell mark / edg
Present & per Tech drawing?
Correct pitch?
Additional markings
e-mark, recycle logo etc
Legend box (RB specification)
Correct component code
Correct D spec
Correct printer
Correct Substrate
A/W is set up appropriately for
Edge mark details
1 2
Pharmacode details
Pharmacode details
Pharmacode details Colours & print process
Pharmacode details Colours & print process Varnish
Pharmacode details Colours & print process Varnish Barcode information General details are correct
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign By approving the artwork refe
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign By approving the artwork refe
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign By approving the artwork refe
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign By approving the artwork refe
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sign By approving the artwork refe
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sig By approving the artwork ref Additional Comments
Pharmacode details Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Sig By approving the artwork refe

oduction line				RBH /
anufacturing site				and Print
ck Tech approver	1st 2nd			
te	-			Trident Reference No: Action / Version:
eck Criteria	Details & Comments	Che	cks	Brand:
provals		1st	2 nd	Brand Platform: Sub Platform:
arket Approval				Sub Brand:
gulatory Approval				Format: Delivery:
d Party Approval				Pack Size:
chnical Drawing/Cutter ref no.			П	Country:
I component code correct on artwork?				Date Created: Date Modified:
rrect drawing for the production line?				RBH Contact:
ofile shape & dimensions				Autwork Tunor
aphics layout/orientation			П	Artwork Type:
wind diagram (PPTD1022/1-20)				Component Code (20 if a Parent Technical Packac
ntable areas/bleed				Specification:
rnish free areas				Bulk Code (if applicable):
riable coding position & dimensions				XXXX
rnish and print requirements				CAD Cam Ref: G-crt-D(Printer: Contego
e-printed headers (alignment and suitability)			Н	Substrate: Carton B
bossing, Braille & Foil Blocking			Н	Edgemark Position:
parations on artwork		 	Н	Pharmacode No/NE:
gnment within cutter			Н	Cutter - Does not print Guides- Does not pr
aille structure		 		
rification Code Type; Pharma Code / 2D / OCV			Н	
r sequence and/or number correct Position				Print and Technical Cold
te (height, width, spacing, font)		\vdash	\vdash	PANTONE Reflex Blue C PANTONE
rection of read			Н	1 LTH
ht margins and print free areas		\vdash	Н	LIN
lour		 	Н	PANTONE 102 C PAN
peat distance (reeled material)		 	Н	4
r code Type; EAN, ITF, Code39, etc		\vdash	Н	LTH
agnification / width and height			Н	
lour (e.g. black print on white background)		 	Н	
tht margins & indicators		╁	$\vdash\vdash$	
arer bars & H gauges (if required)		┢	\vdash	
mbol grade (Pass = A,B,C; Action = D,F)		-	\vdash	
r code number (human readable)		-	\vdash	
r code number (numan readable) r code number (encoded & hidden data)		-	Н	
		-	\vdash	COLOURS TO MATCH
nfirm bar code number from source		-	Н	
oss check related docs (JDE/PID)		-	$\vdash\vdash\vdash$	BARCODE 1
oto-electric cell mark / edge marks		╀	Ш	Barcode Type:
esent & per Tech drawing?		-		Barcode Number:
rrect pitch?		-	Ш	Magnification: BWR:
ditional markings		├	Ш	Truncated by (smallest Bar)
mark, recycle logo etc		<u> </u>	Ш	Encoded Data:
gend box (RB specification)		<u> </u>	Ш	All other aspects of to the current GS1
rrect component code		_	$\vdash \vdash$	other agreed co
rrect D spec		1	\sqcup	
rrect printer		<u> </u>	Щ	[(
rrect Substrate		<u> </u>	Щ	
W is set up appropriately for this substrate				TRI
ge mark details				Connaught Hou
armacode details				Kingswood Business Pa T: +44 (0)
lours & print process		┞	Ш	1. 144 (0)
rnish			Ш	Please note that any low
rcode information			Ш	copies associated with thi content, layout and
neral details are correct			Ш	content, myout and
ss / Fail comments and Signature				STUDIO USE ONLY Sar
	form I authorise it for release to the print supplier			Sm•Art check results: G=3
ditional Comments				
				ARTWORK A
				Approved by Sonoco Trident
				Signed:
				Date:
sion 001 14/2/2011				UNDER NO CIRCUM



290

280

270

260

250

240

230

210

200

190

180

170

160

150

140

130

120

110

- 20

- 06

- 8

- 20

- 09

- 20

-20

- 10

Adult Double Action Peppermint Tab**l**ets Blister 8s Russia 25/06/12 10/07/12 Ivan Saveliev

Commercial Print oplicable):

8030444

D0018525 N/A

00018525–57.5x19.5x109.5mm o Packaging (Bradford, UK) Board – White

10011001(408)

ours E Rhodamine Red C VRN-HighGloss Water Based Emul TONE 185 C PANTONE 320 C

RECOGNISED STANDARDS

NFO

EAN 13 5000158069220 100% 10 microns ar): 10.9 mm N/A

the bar code to conform
1 Operating Manual or
ommercial standard.



ouse, Connaught Road, Park, Hull, HU7 3AP, England.) 1482 828100

v resolution paper Canon colour his job should be referred to for nd colour separation only.

rah Cuthbertson

3; 0=0; R=0; - SC - 10/07/12 08:26:27

APPROVAL

t on behalf of Reckitt Benckiser

MSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR