

ИНСТРУКЦИЯ
по применению лекарственного
парата для медицинского примен
ГЕВИСКОН® ФОРТЕ

Регистрационный номер: ЛС-002447 Торговое название: Гевискон® форте МНН или группировочное название:

не имеет **Лекарственная форма:** суспензия для приема внутрь [мятная]

приема внутрь [мятная]
Состав

10 мл суспензии содержат:

1000 мг, калия гидрокарбонат 200 мг, и
распомогательные вещества:

кативния карбонат 200 мг, карбомер 40 мг,
метилпарагидроксибензоат 40 мг,
пропилпарагидроксибензоат 6 мг, натрия

тидроксид 14,44 мг, натрия сажаринат

10 мг, ароматизатор мятный 6 мг, вода

очищенная до 10 мл;

Описание

Описание

Описание

очищенная до 10 мл; Описание Вязкая суспензия, от почти белого до светло-коричневого цвета, с мятным за Фармакотерапевтическая группа: средство лечения рефлюкс-эзофагита

озникновению гастроэзофагеального ефлюкса. В случае регургитации гель опадает в пищевод, где он уменьшает попадает в пищевод, ще он уменьшает раздражение слизистой оболочки. ⊅армакокинетика. Механизм действия препарата Гевискон® форте является ризическим процессом и не зависит от зсасывания в системный кровоток. Показания к применению мптоматическое лечение диспепсии.

вязанной с повышенной кислотностью елудочного сока и гастроэзофагеальным рефлюксом (изжога, кислая отрыжка). цущение тяжести в желудке после приема ищи, в том числе в период беременности. Противопоказания
Повышенная чувствительность к
компонентам препарата, детский

армакодинамика. При приёме внутрь евискон[®] форте быстро реагирует с кислым одержимым желудка. При этом образуется

ль алгината, препятствующий

Код АТХ: АО2ВХ.

Применение при беременности и в период грудного вскармливания Гевискон[®] Форте может применяться во время беременности и кормления грудью. Способ применения и дозы

Внутрь. Взрослые и дети старше 12 лет: по 5 – 10 мл после пудет пары с такуы с такуы с такуы после приёмов пици и перед сном. Максимальная суточная доза — 40 мл. Для пациентов пожилого возраста изменения дозы не требуется. Использование пакетиков: перед открыт пакетика помните его пальцами, перемешивая содержимое.

Побочное действие Возможны аллергические реакции крапивница, бронхоспазм нафилактические реакции). Передозировка Симптомы: Может отмечаться вздутие

Взаимодействие с другими

текарственными средствами Гак как кальция карбонат, входящий в так кальция кароонат, входящии в состав препарата проявляет антацидную активность, то между приемом препарата Гевискон[®] форте и других препаратов должно пройти не менее 2 часов (особенно при одновременном приеме с блокаторам Н₂-гистаминовых рецепторов, антибиотико из группы тетрациклина, дигоксина, хинолона, солей железа, кетоконазола нейролептиков, тироксина, пеницилламина бета-адреноблокаторов, люкокортикостероидов, хлорохина и дифосфатов).

дифосфатов).

Особые указания
В 10 мл суспензии содержание натрия составляет 1.06 мг (4.6 ммоль) и калия 78 мг (2.0 ммоль) это следует учитывать прнеобходимости соблюдения диеты с очень ограниченным содержанием соли, например, в некоторых случаях застойной сердечной недостаточности и при нарушениях функции почек или при приеме лекарственных средств, которые могут увеличивать уровень калия в плазме.
В 10 мл суспензии содержание кальция

карбоната составляет 200 мг (2.0 ммоль). ринимать пациентам с гиперкальцием . ейрокальцинозом и рецидивирующим образованием поче одержащих кальций. При отсутствии улучшения в симптоматике в ечение 7 дней необходимо роконсультироваться с врачом.

проконсультироваться с врачом.

3ффект на способность управлять механизмами и автомобилем
Препарат не оказывает влияния на способность управлять автотранспортом и механизмами, а также на занятия другими потенциально опасными видами деятельности, требующими повышенной концентрации внимания и быстроты психомоторных реакций.

Форма выпуска

Форма выпуска Суспензия для приема внутрь [мятная]. По 80 мл, 150 мл, 200 мл, 250 мл или 300 м. во флаконы темного стекла с полипропиленовой крышкой,

обеспечивающей контроль первого вскрытия. Инструкция по применению находится под этикеткой.

По 10 мл суспензии в многослойных пакетиках (полиэстер, алюминий, полиэтилен). По 4, 8, 12, 16 или 20 пакетиков вместе с инструкцией по применению в картонную пачку. Условия хранения Хранить при температуре 15 - 30 °C. Хранить в недоступном для детей месте.

Срок годности 2 года. Не использовать после истечения срока

годности

Отпуск из аптек

Производитель
Рекитт Бенкизер Хелскэр (Великобритания)
Лимитед, Дэнсом Лейн, Халл, Ист Йоркшир,
XЮЗ 7ДС, Великобритания.

Представительство в России/адрес для предъявления претензий ООО «Рекитт Бенкизер Хэлскэр» Россия, 115114, г. Москва, Кож

ул., д.14 Тел. 8-800-505-1-500 (звонок бесплатный), contact_ru@reckittbenckiser.com 3000845

RB Artwork and Print Specification

280

10

190

80

9

50

100

- 6

80

70

9

50

40

20

10

mm

Trident Reference No: RB129628 ZEN Ref: TR708087 Action: Brand: Gaviscon Category: Adult Segment Group: Advance Liquid Segment: Peppermint 150ml Market/Country: Date: 31/10/13

Ivan Saveliev RBH Contact:

Artwork Type: Commercial Component Code (2D if applicable): 3000845

Parent Technical Packaging D0006045 Specification: Finished Goods Code: N/a Supply Point: RB Hull Pharmacode No/NE: **Edgemark Position:** N/a

CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R Printer: Labelsco (Barwell, Leicestershire) PP Top White Substrate

Technical & Non Printing Items Cutter Cutter 2 (if applicable) Guides Guides 2 (if applicable)

Colours PANTONE Reflex Blue C PANTONE 320 C

BARCODE INFO

Barcode Number 5000158066205 Magnification: 85% Truncated By: Full Height: 18.8 mm Bar Height (Smallest Bar): 16.0 mm 30 microns Encoded Data: N/A



Reckitt Benckiser Healthcare (UK) Ltd, Dansom Lane, Hull, HU8 7DS, U.K.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

Samantha Reilly STUDIO USE ONLY Sm•Art check results: G=1: O=0: R=0: - SR - 31/10/13 09:25:16


ARTWORK APPROVAL

Approved by Sonoco Trident on behalf of Reckitt Benckiser

NOT APPROVED FOR COLOUR

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR

CUSTOMER INFO: Minimum Point Size = 5.00pt





280

240

210

200

190

180

160

150

140

110

100

- 6

80

70

9

50

40

20

9

шш

Trident Reference No: RB129628
ZEN Ref: TR708087
Action: B Action: Brand: Gaviscon Category: Adult Segment Group: Segment: Pack Size: Advance Liquid Peppermint 150ml Market/Country: Date: Russia 31/10/13

READS


Ivan Saveliev RBH Contact:

Artwork Type: Commercial Component Code (2D if applicable): 3000845

Parent Technical Packaging Specification: Finished Goods Code: D0006045 N/a Supply Point: RB Hull Pharmacode No/NE: Edgemark Position:

CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R Labelsco (Barwell, Leicestershire) Printer: Substrate: PP Top White

Technical & Non Printing Items Cutter Guides Cutter 2 (if applicable) Guides 2 (if applicable)



BARCODE INFO

Barcode Type: Barcode Number: Magnification: EAN 13 5000158066205 85% Truncated By:
Full Height:
Bar Height (Smallest Bar): 18.8 mm 16.0 mm **Encoded Data:**



Reckitt Benckiser Healthcare (UK) Ltd, Dansom Lane, Hull, HU8 7DS, U.K.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Samantha Reilly Sm•Art check results: G=1; O=0; R=0; -SR - 31/10/13 09:25:16

ARTWORK APPROVAL

NOT APPROVED FOR COLOUR

Approved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

Production line			RB Artwork
Manufacturing site			and Print Specification
Pack Tech approver	1 st 2 nd		and Time Specification
Date			Trident Reference No: RB129628
Check Criteria	Details & Comments	Checks	ZEN Ref: TR708087 Action: B
Approvals		1st 2nd	Brand: Gaviscon
Market Approval			Category: Adult Segment Group: Advance Liquid
Regulatory Approval			Segment: Peppermint
3rd Party Approval			Pack Size: 150ml Market/Country: Russia
Technical Drawing/Cutter ref no.			Market/Country: Russia Date: 31/10/13
PPI component code correct on artwork?			Page 6 and the Counting
Correct drawing for the production line?			RBH Contact: Ivan Saveliev
Profile shape & dimensions			Artwork Type: Commercial
Graphics Iayout/orientation			Component Code (2D if applicable): 3000845 Parent Technical Packaging
Unwind diagram (PPTD1022/1-20)			Specification: D0006045
Printable areas/bleed			Finished Goods Code: N/a
Varnish free areas			Supply Point: RB Hull Pharmacode No/NE: N/A
Variable coding position & dimensions			Edgemark Position: N/a
Varnish and print requirements		- 	CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R
Pre-printed headers (alignment and suitability)		++-	Printer: Labelsco (Barwell, Leicestershire)
Embossing, Braille & Foil Blocking		- 	Substrate: PP Top White
Separations on artwork		- 	Technical & Non Printing Items
Alignment within cutter			Cutter Cutter 2 (if applicable)
<u> </u>			Guides 2 (if applicable)
Braille structure			Colours
Verification Code Type; Pharma Code / 2D / OCV			PANTONE Reflex Blue C PANTONE 320 C PANTONE 7488 C PANTONE 185 C
Bar sequence and/or number correct Position			1 2 3 FLX FLX
Size (height, width, spacing, font)			PANTONE 102 C Varnish - Hourescent UVPF
Direction of read			5 FLX
Light margins and print free areas			
Colour			1
Repeat distance (reeled material)			_
Bar code Type; EAN, ITF, Code39, etc			_
Magnification / width and height			_
Colour (e.g. black print on white background)			_
Light margins & indicators			
Bearer bars & H gauges (if required)			
Symbol grade (Pass = A,B,C; Action = D,F)			DADCODE INEO
Bar code number (human readable)			BARCODE INFO
Bar code number (encoded & hidden data)			Barcode Type: EAN 13
Confirm bar code number from source			Barcode Number: 5000158066205
Cross check related docs (JDE/PID)			Magnification: 85% Truncated By: 3.5 mm
Photo-electric cell mark / edge marks			Full Height: 18.8 mm
Present & per Tech drawing?			Bar Height (Smallest Bar): 16.0 mm BWR: 30 microns
Correct pitch?			Encoded Data: N/A
Additional markings			
e-mark, recycle logo etc			76
Legend box (RB specification)			Reckitt
Correct component code			Benckiser
Correct D spec			Reckitt Benckiser Healthcare (UK) Ltd,
Correct printer			Dansom Lane, Hull, HU8 7DS, U.K.
Correct Substrate			
A/W is set up appropriately for this substrate			
Edge mark details			
Pharmacode details			TRIDENT
Colours & print process			Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England.
Varnish			T: +44 (0) 1482 828100
Barcode information		 	Please note that any low resolution paper Canon colour
General details are correct		+ +	copies associated with this job should be referred to
Pass / Fail comments and Signature		 	for content, layout and colour separation only.
By approving the artwork referenced within this	form I authorise it for release to the pr	int supplier	STUDIO USE ONLY Samantha Reilly v2.0
Additional Comments	Torm I duction selection release to the pr	тезарупсі	Sm•Art check results: G=1; O=0; R=0; - SR - 31/10/13 09:25:16
, additional comments			
			ARTWORK APPROVAL
			Approved by Sonoco Trident on behalf of Reckitt Benckiser
			Signed:

Version 001 14/2/2011

70 80 90 ___8 NOT APPROVED FOR COLOUR UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

-0

_ mm