Ink & Varnish Free Area

і Іроизводитель: Рекитт Бенкизер Хелскэр Интернешнл Лтд, Тейн Роуд, Ноттингем, ИG90 2DB, Хранить в сухом месте при температуре не выше +25°С. Отпуск без рецепта. Регистрационное удостоверение: П N015151/01

ХРАНИТЬ ПРЕПАРАТ В НЕДОСТУПНОМ ДПТЕТЕЙ МЕСТЕ.

Каждая таблетка содержит следующие активные вещества: 2,4-дихлорбензиловый рептрат 1,2 мг, амилметакрезол − 0,6 мг. Кроме того, в состав препарата входят: винная кислота, ароматизатор лимонный 74940-74, краситель хинолиновый рептрат (Е 104), натрия сахаринат, изомальтоза, сироп мальтитола.

Спо соб применения. Местно. Взрослые и дети старше 5 лет: рассасывать по одной таблетке каждые 2-4 часов.

микроорганизмов. Мктивен в отношении грамположительных и грамотрицательных

(облегчает боль и смягчает раздражение в горле). Препарат можно применять людям с сахарным диабетом (не содержит сахара). Комбинированный противомикробный препарат. Обладает антисептическим лействием.

Лечение инфекционно-воспалительных заболеваний полости рта и глотки (облегчает боль и смягчает раздражение в горле).



Без Сахара

таблетки для рассасывания лимонные



Лечение инфекционно-воспалительных заболеваний полости рта и глотки



Без Сахара

со вкусом лимона

2,4-Дихлорбензиловый спирт 1,2 мг Амилметакрезол 0,6 мг

24 таблетки для рассасывания лимонные

Стрепсилс®

Без Сахара



Strepsi es Caxapa

RBH Artwork and Print Specification

280

260

210

200

100

- 2

Trident Reference No:
Action / Version:
Brand:
Brand Platform:
Sub Platform:
Sub Brand:
Sub Brand:
Format:
Delivery:
Pack Size:

TR527808
E
Frepsils
Frepsils
First Aid Medicine
Sensorial
Lemon Sugar Free
Delivery:
Lozenge
Pack Size:
24

RBH Contact: Armen Asovai

Artwork Type: Commercial Print

15/11/11

08/12/11

Component Code (2D if applicable): 0321085
Parent Technical Packaging
Specification: 03278921

Bulk Code (if applicable):


Date Created:

Date Modified:

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie)
Printer: Chesapeake (Nottingham, UK)
Substrate: Carton Board - White

Edgemark Position: 4,D,Y

Pharmacode No/NE: 1110001001(1928)



Print and Technical Colours

Tille and Technical Colours							
Process Yellow		Varnish-Water Based Emu l sion		Process Black			
	1		2		3		
	LTH		LTH		LTH		
Emboss		PANTONE 376 C					
	4		5				
	LTH		LTH				

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158101791
Magnification: 85%
BWR: 0 microns
Truncated by (smallest Bar): 5.5 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, ingswood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

TUDIO USE ONLY Jane Haston

Sm•Art check results: G=0; O=2; R=0; - JH - 08/12/11 10:59:19


ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

Reads This Way

CUSTOMER INFO: Minimum Point Size = 7 pt



RBH Artwork and Print Specification

280

260

250

240

210

200

140

120

100

90

- 2

Action / Version: Strepsi**l**s Brand: Brand Platform: Sub Platform: Throatcare First Aid Medicine Sub Brand: Sensorial Format: Lemon Sugar Free Delivery: Lozenge

Trident Reference No: TR527808

RBH Contact:

Artwork Type: Commercial Print

15/11/11 08/12/11

Component Code (2D if applicable): Parent Technical Packaging D0278921 Specification:

Bulk Code (if applicable): N/A

Date Created: Date Modified:

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie) Printer: Chesapeake (Nottingham, UK)
Substrate: Carton Board - White

Edgemark Position: 4,D,Y Pharmacode No/NE: 1110001001(1928)



Print and Technical Colours

Process Yellow		Varnish-Water Based Emu l sion		Process Black	
	1		2		3
	LTH		LTH		LTH
Emboss	Emboss		PANTONE 376 C		
	4		5		
	LTH		LTH		

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number: 5000158101791 Magnification: BWR: 0 microns Truncated by (smallest Bar): 5.5 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY


Sm•Art check results: G=0; O=2; R=0; -JH - 08/12/11 10:59:19

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



RBH Artwork and Print Specification

280

260

210

200

100

90

- 2

Action / Version: Brand: Strepsi**l**s Brand Platform: Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Lemon Sugar Free Delivery: Lozenge

Trident Reference No: TR527808

RBH Contact:

Artwork Type: Commercial Print

15/11/11 08/12/11

Parent Technical Packaging D0278921 Specification:

Bulk Code (if applicable):

Date Created: Date Modified:

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie) Chesapeake (Nottingham, UK) Carton Board – White Substrate:

Edgemark Position: 4,D,Y
Pharmacode No/NE: 1110001001(1928)



	i iiiit anu ic	CHILIN	ai Colouis			
l	Process Yellow		Varnish-Water Based Emulsion		Process Black	
ı		1		2		3
l		LTH		LTH		LTH
l	Emboss		PANTONE 376 C			
ı		4		5		
l		LTH		LTH		

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: 5000158101791 Barcode Number Magnification: BWR: 0 microns Truncated by (smallest Bar): 5.5 mm

Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY

6m•Art check results: G=0; O=2; R=0; - JH - 08/12/11 10:59:19

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt

Production line
Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approval
3rd Party Approval
Technical Drawing/Cutter
PPI component code corr
Correct drawing for the p
Profile shape & dimensio
Graphics layout/orientati
Unwind diagram (PPTD10
Printable areas/bleed
Varnish free areas
Variable coding position
Varnish and print require
Pre-printed headers (alig
Embossing, Braille & Foil
Separations on artwork
Alignment within cutter
Braille structure
Verification Code Type; P
Bar sequence and/or nun
Size (height, width, spaci
Direction of read
Light margins and print f
Colour
Repeat distance (reeled n
Bar code Type; EAN, ITF, (
Magnification / width an
Colour (e.g. black print o
Light margins & indicato
Bearer bars & H gauges (
Symbol grade (Pass = A,B
Bar code number (humar
Bar code number (encode
Confirm bar code numbe
Cross check related docs
Photo-electric cell mark
Present & per Tech drawi
Correct pitch?
Additional markings
e-mark, recycle logo etc
Legend box (RB specifica
Correct component code
Correct D spec
Correct printer
Correct Substrate
A/W is set up appropriate
Edge mark details
Pharmacode details
Colours & print process
Varnish
Barcode information
General details are correct
Pass / Fail comments and
By approving the artwork
Additional Comments
Version 001 14/2/2011

Production line					RBH Artwork
Manufacturing site					and Print Specification
Pack Tech approver	1 st	2 nd			
Date		•			Trident Reference No: TR527808 Action / Version: E
Check Criteria	Details & Comments		Che	cks	Brand: Strepsils
Approvals			1st	2 nd	Brand Platform: Throatcare Sub Platform: First Aid Medicine
Market Approval					Sub Brand: Sensorial
Regulatory Approval					Format: Lemon Sugar Free Delivery: Lozenge
3rd Party Approval					Pack Size: 24
Technical Drawing/Cutter ref no.					Country: Russia Date Created: 15/11/11
PPI component code correct on artwork?					Date Modified: 08/12/11
Correct drawing for the production line?					RBH Contact: Armen Asoyan
Profile shape & dimensions					Artwork Type: Commercial Print
Graphics layout/orientation					Component Code (2D if applicable): 0321085
Unwind diagram (PPTD1022/1-20)					Parent Technical Packaging
Printable areas/bleed					Specification:
Varnish free areas					Bulk Code (if applicable): N/A
Variable coding position & dimensions					CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie)
Varnish and print requirements					Printer: Chesapeake (Nottingham, UK)
Pre-printed headers (alignment and suitability)					
Embossing, Braille & Foil Blocking					Edgemark Position: 4,D,Y Pharmacode No/NE: 1110001001(1928)
Separations on artwork					Cutter - Does not print Guides- Does not print
Alignment within cutter Braille structure					Country Sociator prince
Verification Code Type; Pharma Code / 2D / OCV					
Bar sequence and/or number correct Position					Print and Technical Colours
Size (height, width, spacing, font)				-	Process Yellow Varnish-Water Based Process Black Emulsion
Direction of read					1 2 LTH LTH
Light margins and print free areas					LTH
Colour					Emboss PANTONE 376 C
Repeat distance (reeled material)					4 5
Bar code Type; EAN, ITF, Code39, etc					LTH
Magnification / width and height					
Colour (e.g. black print on white background)					
Light margins & indicators					
Bearer bars & H gauges (if required)					
Symbol grade (Pass = A,B,C; Action = D,F)					
Bar code number (human readable)					
Bar code number (encoded & hidden data)					
Confirm bar code number from source					COLOURS TO MATCH RECOGNISED STANDARDS
Cross check related docs (JDE/PID)					BARCODE INFO
Photo-electric cell mark / edge marks					
Present & per Tech drawing?					Barcode Type: EAN 13 Barcode Number: 5000158101791
Correct pitch?					Magnification: 85%
Additional markings					BWR: 0 microns Truncated by (smallest Bar): 5.5 mm
e-mark, recycle logo etc					Encoded Data: N/A
Legend box (RB specification)					All other aspects of the bar code to conform to the current GS1 Operating Manual or
Correct component code					other agreed commercial standard.
Correct D spec					~ 1.
Correct printer					
Correct Substrate					
A/W is set up appropriately for this substrate					TRIDENT
Edge mark details					Connaught House, Connaught Road,
Pharmacode details					Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100
Colours & print process					`,
Varnish					Please note that any low resolution paper Canon colour
Barcode information					copies associated with this job should be referred to for content, layout and colour separation only.
General details are correct					CTUDIO LICE ONLY Long Heaten
Pass / Fail comments and Signature By approving the artwork referenced within this	form Lauthorica it for release	to the print cumplier			STUDIO USE ONLY Jane Haston v1.0
Additional Comments	iorni i authorise it for release	to-the print supplier			Sm•Art check results: G=0; 0=2; R=0; -JH - 08/12/11 10:59:19
/ Additional Comments					ADTM/ODY ADDDOM/AL
					ARTWORK APPROVAL
					Approved by Sonoco Trident on behalf of Reckitt Benckiser
					Signed:
Ī				- 1	I.

-8

- 20

mm 10

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR