



ЧЕРНАЯ СМОРОДИНА от простуды И ГРИППА

ОЗНОБ

ГОЛОВНАЯ БОЛЬ

ЗАЛОЖЕННОСТЬ НОСА, НАСМОРК

БОЛИ В ГОРЛЕ И НОСОВЫХ ПАЗУХАХ

ПОВЫШЕННАЯ ТЕМПЕРАТУРА

Порошок для приготовления раствора для приема внутрь

Парацетамол + Фенилэфрин + Аскорбиновая кислота

COCTAB

Каждый пакет содержит активные вещества: парацетамол 650 мг, аскорбиновая кислота 50 мг, фенилэфрина гидрохлорид 10 мг и следующие вспомогательные компоненты: сахарная пудра, сахароза тонкого помола, лимонная кислота безводная, натрия цитрат, эноцианин, смородины черной ягоды, ароматизатор черносмородиновый, аспартам, натрия сахаринат.

ПОКАЗАНИЯ К ПРИМЕНЕНИЮ

Для устранения и облегчения симптомов острых распираторных заболеваний («простуды») и гриппа: повышенная температура тела, головная боль, озноб, заложенность носа, насморк, боли в голове и носовых пазухах.

СПОСОБ ПРИМЕНЕНИЯ И ДОЗЫ

Для приема внутрь.

Содержимое одного пакета соответствует разовой дозе. Для приготовления горячего напитка содержимое пакета растворите в одном стакане горячей воды (но не кипятка). Помешивайте до растворения. Свежеприготовленн

напиток выпить горячим или теплым. Препарат можно принимать повторно через 4 – 6 часов. Максимальная суточная доза - 4 пакета.

суточная доза - 4 пакета. Взрослым - по 1 пакету каждые 4-6 ч, но не более 4 пакетов в течение 24 ч; детям старше 12 лет - по 1 пакету каждые 6 ч, но не более 3 пакетов в течение 24 ч. Курс лечения - не более 5 дней. Не превышайте указанную дозу.

Хранить в недоступном для детей

Хранить при температуре не выше 25 °C в сухом месте. Отпуск из аптек без рецепта.

Производитель: Рекитт Бенкизер Хелскэр (Великобритания) Лимитед, Дэнсом Лейн, Халл, Ист Йоркшир, ХЮ 8 7ДС, Великобритания.



0327637

BN:/EXP Coding Area Varnish Free од нэдот/VZE - оньпеду/коден до RNq92\fol



Pharmacode Reads This Way



CUSTOMER INFO: Minimum Point Size = 7 pt

RBH Artwork and Print Specification

TR459117 Trident Reference No: Action / Version: Brand Platform: Regular Sub Platform: Cold and Flu Sub Brand: B**l**ackcurrant Format: Powder Delivery: Sachet Pack Size: Country: Date Created: 15/02/11 Date Modified: 17/01/12

Armen Asovan

Artwork Type: Commercial Print

240

210

200

190

180

170

160

150

140

120

110

100

90

80

9

50

10

Component Code (2D if applicable): Parent Technical Packaging D0066775 Specification:

Bulk Code (if applicable): N/A

CAD Cam Ref: Lsp-crt-D0066775-79.5x27x94mm Contego Packaging (Bradford, UK)

Edgemark Position:

Pharmacode No/NE: 10110111(438)



Substrate:

Print and Technical Colours										
Process Black		Process Yellow		VRN-HighGloss Wate Emul	r Based					
1			2		3					
LTI	н		LTH		LTH					
PANTONE 186 C		PANTONE 266	С	PANTONE 3425	С					
4	\neg		5		6					
LTI	н		LTH		LTH					

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13 Barcode Number 5000158067554 Magnification: RWR-Truncated by (smallest Bar): 4.6 mm Encoded Data:

> All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.


STUDIO USE ONLY David Sutton Sm•Art check results: G=3; O=0; R=0; - DS - 17/01/12 16:52:02

ARTWORK APPROVAL

pproved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR



CUSTOMER INFO: Minimum Point Size = 7 pt

RBH Artwork and Print Specification

Trident Reference No: TR459117 Action / Version: Brand Platform: Regu**l**ar Sub Platform: Cold and Flu Sub Brand: **Bl**ackcurrant Format: Powder Delivery: Sachet Pack Size: Country: Date Created: 15/02/11 Date Modified: 17/01/12

RBH Contact: Armen Asovan

Artwork Type: Commercial Print

250

240

210

200

190

180

170

160

150

140

120

110

100

90

80

50

9

Component Code (2D if applicable): Parent Technical Packaging D0066775 Specification:

Bulk Code (if applicable): N/A

CAD Cam Ref: Lsp-crt-D0066775-79.5x27x94mm Contego Packaging (Bradford, UK) Substrate:

Edgemark Position: Pharmacode No/NE: 10110111(438)

Cutter - Does not print | Guides - Does not print

ı	Print and Te	chnic	al Colours				
l	Process Black		Process Yellov	'	VRN-HighGloss Wate Emul	ter Based	
ı		1		2		3	
ı		LTH		LTH		LTH	
l	PANTONE 186	c	PANTONE 266 C		PANTONE 3425		
ı		4		5		6	
۱		LTH		LTH		LTH	
1						لـــــا	

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

EAN 13 Barcode Type: 5000158067554 Magnification: BWR: Truncated by (smallest Bar): 4.6 mm

Encoded Data: All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.

Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY David Sutton Sm•Art check results: G=3; O=0; R=0; - DS - 17/01/12 16:52:02

ARTWORK APPROVAL

Approved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Production line			RBH Artwork
Manufacturing site	1st 2 nd		and Print Specification
Pack Tech approver			Trident Reference No: TR459117
Date	2.13.60		Action / Version:
Check Criteria Approvals	Details & Comments	Checks 1st 2nd	Brand: Lemsip Brand Platform: Regular
Market Approval		1 2	Sub Platform: Cold and Flu Sub Brand: Blackcurrant
Regulatory Approval		+ + -	Format: Powder
3rd Party Approval			Pack Size: 5
Technical Drawing/Cutter ref no.			Country: Russia Date Created: 15/02/11
PPI component code correct on artwork?			Date Modified: 17/01/12
Correct drawing for the production line?		\perp	RBH Contact: Armen Asoyan
Profile shape & dimensions			Artwork Type: Commercial Pr
Graphics layout/orientation Unwind diagram (PPTD1022/1-20)			Component Code (2D if applicable): 0327637
Printable areas/bleed		+ + -	Parent Technical Packaging Specification: D0066775
Varnish free areas			Bulk Code (if applicable): N/A
Variable coding position & dimensions			XXXX
Varnish and print requirements			CAD Cam Ref: Lsp-crt-D0066775-79.5x27x94mn Printer: Contego Packaging (Bradford, UK)
Pre-printed headers (alignment and suitability)		1	Substrate: Carton Board - White
Embossing, Braille & Foil Blocking			Edgemark Position: N/A
Separations on artwork			Pharmacode No/NE: 10110111(438)
Alignment within cutter			Cutter – Does not print Guides – Does not print
Braille structure			
Verification Code Type; Pharma Code / 2D / OCV			Print and Technical Colours
Bar sequence and/or number correct Position		+	Process Black Process Yellow VRN-HighGloss Water
Size (height, width, spacing, font) Direction of read		++-	1 2
Light margins and print free areas		+ + -	LTH
Colour		++-	PANTONE 186 C PANTONE 266 C PANTONE 3425
Repeat distance (reeled material)		++-	4 5
Bar code Type; EAN, ITF, Code39, etc		++-	LTH
Magnification / width and height			
Colour (e.g. black print on white background)			
Light margins & indicators			
Bearer bars & H gauges (if required)			
Symbol grade (Pass = A,B,C; Action = D,F)		\perp	
Bar code number (human readable)		+	
Bar code number (encoded & hidden data) Confirm bar code number from source		+	COLOURS TO MATCH RECOGNISED STANDA
Cross check related docs (JDE/PID)		++-	
Photo-electric cell mark / edge marks		+ + -	BARCODE INFO
Present & per Tech drawing?			Barcode Type: EAN 13 Barcode Number: 5000158067554
Correct pitch?			Magnification: 90%
Additional markings			BWR: 10 microns Truncated by (smallest Bar): 4.6 mm
e-mark, recycle logo etc		+	Encoded Data: N/A
Legend box (RB specification)		+	All other aspects of the bar code to confo to the current GS1 Operating Manual o
Correct component code Correct D spec		+	to the current GS1 Operating Manual or other agreed commercial standard.
Correct printer		+ + -	
Correct Substrate		+ + -	16 3
A/W is set up appropriately for this substrate		++-	TRIDENT
Edge mark details			Connaught House, Connaught Road,
Dia a a da data ila			Kingswood Business Park, Hull, HU7 3AP, England.
Pharmacode details			T: +44 (0) 1482 828100
Colours & print process			
Colours & print process Varnish			Please note that any low resolution paper Canon co
Colours & print process Varnish Barcode information			Please note that any low resolution paper Canon col copies associated with this job should be referred to content, layout and colour separation only.
Colours & print process Varnish Barcode information General details are correct			copies associated with this job should be referred to content, layout and colour separation only.
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature			copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplie	21	copies associated with this job should be referred to content, layout and colour separation only.
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature	orm I authorise it for release to the print supplie	er	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton Sm•Art check results: G=3; 0=0; R=0; - D5 - 17/01/12 16:52
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplic	er	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplie	r	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton Sm•Art check results: G=3; O=0; R=0; - DS - 17/01/12 16:52:
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplie		copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY Sm•Art check results: G=3; O=0; R=0; - DS - 17/01/12 16:52: ARTWORK APPROVAL
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplic	27	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton Sm•Art check results: G=3; 0=0; R=0; - DS - 17/01/12 16:52: ARTWORK APPROVAL Approved by Sonoco Trident on behalf of Reckitt Benckis
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f	orm I authorise it for release to the print supplie	er	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton Sm•Art check results: G=3; O=0; R=0; - DS - 17/01/12 16:52: ARTWORK APPROVAL Approved by Sonoco Trident on behalf of Reckitt Benckis Signed:
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f Additional Comments	orm I authorise it for release to the print supplie	r	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY
Colours & print process Varnish Barcode information General details are correct Pass / Fail comments and Signature By approving the artwork referenced within this f Additional Comments	orm I authorise it for release to the print supplie	er e	copies associated with this job should be referred to content, layout and colour separation only. STUDIO USE ONLY David Sutton Sm•Art check results: G=3; 0=0; R=0; - DS - 17/01/12 16:52 ARTWORK APPROVAL Approved by Sonoco Trident on behalf of Reckitt Benckith Signed: Date: UNDER NO CIRCUMSTANCES SHOULD THIS