



COCTAB

ЛИМОН

ОЗНОБ

ГОЛОВНАЯ БОЛЬ

ЗАЛОЖЕННОСТЬ НОСА, НАСМОРК

БОЛИ В ГОРЛЕ И НОСОВЫХ ПАЗУХАХ

ПОВЫШЕННАЯ ТЕМПЕРАТУРА

от простуды

И ГРИППА

Каждый пакет содержит активные вещества: парацетамол 650 мг,

фенилэфрина гидрохлорид 10 мг

тонкого помола, лимонная кислота безводная гранулированная, натрия цитрат, ароматизатор лимонный, аспартам, аскорбиновая кислота, натрия сахаринат, куркумин WD.

ПОКАЗАНИЯ К ПРИМЕНЕНИЮ

. Для устранения и облегчения симптомов острых распираторных заболеваний («простуды») и гриппа: повышенная температура тела,

головная боль, озноб, заложенность носа, насморк, боли в голове и носовых пазухах.

СПОСОБ ПРИМЕНЕНИЯ И ДОЗЫ

0327632

Для приема внутрь. Содержимое одного пакета соответствует разовой дозе. Для

приготовления горячего напитка содержимое пакета растворите в одном стакане горячей воды

(но не кипятка). Помешивайте до растворения. Свежеприготовле напиток выпить горячим или теплым

Препарат можно принимать повторно через 4-6 часов.

Максимальная суточная доза - 4 пакета.

Взрослым - по 1 пакету каждые 4-6 ч, но не более

4 пакетов в течение 24 ч: детям старше 12 лет - по 1 пакету каждые 6 ч, но не более 3 пакетов в течение 24 ч.

Курс лечения - не более 5 дней. Не превышайте указанную дозу.

Хранить в недоступном для детей месте.

Хранить при температуре не выше 25 °C в сухом месте.

Отпуск из аптек без рецепта.

Производитель: Рекитт Бенкизер Хелскэр (Великобритания) Лимитед, Дэнсом Лейн, Халл, Ист Йоркшир, ХЮВ 7ДС, Великобритания.

ООМ/сделано - EXP/годен до RNq92\fol

> Pharmacode Reads This Way Last Bar First Bar

> > **CUSTOMER INFO:**

RBH Artwork and Print Specification

280

250

210

200

190

180

160

150

140

120

110

100

80

9

50

10

Trident Reference No: TR459115 Action / Version: Brand Platform: Regular Sub Platform: Cold and Flu Sub Brand: Lemon Format: Powder Delivery: Sachet Pack Size: 10s Country: Russia Date Created: Date Modified: 17/01/12

Armen Asovan

Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0066771 Specification:

Bulk Code (if applicable):

CAD Cam Ref: Lsp-crt-D0066771-79.5x43.5x94mm Contego Packaging (Bradford, UK) Substrate:

Edgemark Position:

Pharmacode No/NE: 10101101(428)



Print and Technical Colours Process Yellow VRN-HighGloss Water Based Process Black Emu

PANTONE 3425 C PANTONE 186 C

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number 5000158067547 Magnification: RWR. 10 microns Truncated by (smallest Bar): 0.0 mm **Encoded Data:**

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Joh Jackson

Sm•Art check results: G=3; O=0; R=0; - JJ - 17/01/12 11:14:42


ARTWORK APPROVAL

ved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Minimum Point Size = 7 pt



CUSTOMER INFO: Minimum Point Size = 7 pt

RBH Artwork and Print Specification

280

250

210

200

190

180

160

150

140

120

110

100

80

9

50

- 0

Trident Reference No: TR459115 Action / Version: Brand Platform: Regular Sub Platform: Cold and Flu Sub Brand: Lemon Format: Powder Delivery: Sachet Pack Size: 10s Country: Russia Date Created: Date Modified: 17/01/12

RBH Contact: Armen Asovan

Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0066771 Specification:

Bulk Code (if applicable): N/A

Substrate:

CAD Cam Ref: Lsp-crt-D0066771-79.5x43.5x94mm Contego Packaging (Bradford, UK) Carton Board - White

Edgemark Position: Pharmacode No/NE: 10101101(428)



Print and Technical Colours

	VRN-HighGloss Wate Emul	r Based	Process Black			
1		2		3		
LTH		LTH		LT		
PANTONE 186 C		PANTONE 3425 C		PANTONE 3425 C		
4		5				
LTH		LTH				
	4	1 LTH PANTONE 3425	Emul 2 LTH LTH C PANTONE 3425 C 4 5	Emul 2 LTH		

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number: 5000158067547 Magnification: BWR: 10 microns Truncated by (smallest Bar): 0.0 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Joh Jackson

Sm•Art check results: G=3; O=0; R=0; - JJ - 17/01/12 11:14:42

ARTWORK APPROVAL

roved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Production line
Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approva
3rd Party Approval
Technical Drawing/0
PPI component code
Correct drawing for
Profile shape & dim
Graphics layout/orion
Unwind diagram (Pl
Printable areas/blee
Varnish free areas
Variable coding pos
Varnish and print re
Pre-printed headers
Embossing, Braille 8
Separations on artw
Alignment within co
Braille structure
Verification Code Ty
Bar sequence and/o
Size (height, width,
Direction of read
Light margins and p
Colour
Repeat distance (red
Bar code Type; EAN
Magnification / wid
Colour (e.g. black p
Light margins & ind
Bearer bars & H gau
Symbol grade (Pass
Bar code number (h
Bar code number (e
Confirm bar code n
Cross check related
Photo-electric cell r
Present & per Tech
Correct pitch?
Additional marking:
e-mark, recycle logo
Legend box (RB spe
Correct component
Correct D spec
Correct printer
Correct Substrate
A/W is set up appro
Edge mark details
Pharmacode details
Colours & print pro
Varnish
Barcode information
General details are
Pass / Fail comment
By approving the ar
Additional Commen
Additional Commen
al Commen
onal Commen

				DDII	3 4
duction line				RBH	
nufacturing site				and Print	Spec
ck Tech approver	1 st 2 nd			Trident Reference No:	TR4591
te		21	_	Action / Version:	I
eck Criteria	Details & Comments	Che 1st	cks 2nd	Brand: Brand Platform:	Lemsip Regular
provals irket Approval		130	2	Sub Platform:	Cold and
gulatory Approval				Sub Brand: Format:	Lemon Powder
I Party Approval			-	Delivery: Pack Size:	Sachet
chnical Drawing/Cutter ref no.				Country:	10s Russia
component code correct on artwork?				Date Created: Date Modified:	14/02/11 17/01/12
rrect drawing for the production line?				RBH Contact:	
ofile shape & dimensions					Armen A
aphics layout/orientation				Artwork Type:	
wind diagram (PPTD1022/1-20)				Component Code (2D if a	
ntable areas/bleed				Parent Technical Packa Specification:	ging
rnish free areas				Bulk Code (if applicable):	N/A
riable coding position & dimensions				XXXX	
rnish and print requirements				CAD Cam Ref: Lsp-crt- Printer: Contego P	-D006677 ackaging (Bra
-printed headers (alignment and suitability)					Board - W
bossing, Braille & Foil Blocking				Edgemark Position:	N/A
parations on artwork				Pharmacode No/NE:	10101101
gnment within cutter				Cutter - Does not print Guides- Does not	print
ille structure					
rification Code Type; Pharma Code / 2D / OCV				Did IT I i IOI	
r sequence and/or number correct Position				Print and Technical Col	hGloss Water Bas
e (height, width, spacing, font)					Emul
ection of read				1 LTH	LT
ht margins and print free areas					
lour				PANTONE 186 C PAN	NTONE 3425 C
peat distance (reeled material)				4 LTH	5 LT
r code Type; EAN, ITF, Code39, etc				2111	LI
gnification / width and height					
lour (e.g. black print on white background)					
ht margins & indicators					
arer bars & H gauges (if required)					
mbol grade (Pass = A,B,C; Action = D,F)					
r code number (human readable)					
r code number (encoded & hidden data)				COLOURS TO MATCH	RECOGN
nfirm bar code number from source				COLOURS TO WATCH	MECOGI
oss check related docs (JDE/PID)				BARCODE 1	NFO
oto-electric cell mark / edge marks				Barcode Type:	EAN 1
sent & per Tech drawing?				Barcode Number:	50001
rrect pitch?				Magnification: BWR:	90%
ditional markings				Truncated by (smallest Bar	10 mic r): 0.0 mr
mark, recycle logo etc				Encoded Data:	N/A
gend box (RB specification)				All other aspects of to the current GS	
rrect component code rrect D spec			\vdash	other agreed co	
rrect D spec			\vdash		$\sim \overline{-}$
rrect Substrate			$\vdash\vdash$	[($_{\prec}$ \vee
N is set up appropriately for this substrate				<u> </u>	
ge mark details					DEN
armacode details				Connaught Hou Kingswood Business Pa	
lours & print process			\vdash	-	0) 1482 82
rnish			\vdash	Dlanca water that	man - 1
recode information			\vdash	Please note that any low copies associated with th	nis job sho
neral details are correct				content, layout and	d colour s
ss / Fail comments and Signature				STUDIO USE ONLY Jo	h Jackson
	form I authorise it for release to the print supplier			Sm•Art check results: G=	-3; 0=0; R=0;
ditional Comments					
				ARTWORK	APPI
				Approved by Sonoco Trident	
				Signed:	
				Date:	
-! 001 14/0/0011					



290

280

260

250

240

210

200

190

180

170

160

150

140

130

120

110

100

- 06

- 8

70

09

50

40

20

- 0

Regular Cold and Flu Lemon Powder Sachet 10s Russia 14/02/11 17/01/12 Armen Asoyan

Commercial Print pplicable):

0327632 ging D0066771 N/A

t–D0066771–79.5x43.5x94mm Packaging (Bradford, UK) n Board – White

N/A

10101101(428)

lours ghGloss Water Based Process Black Emul NTONE 3425 C

RECOGNISED STANDARDS

INFO

EAN 13 5000158067547 10 microns (ar): 0.0 mm N/A

f the bar code to conform S1 Operating Manual or commercial standard.



ouse, Connaught Road, Park, Hull, HU7 3AP, England. (0) 1482 828100

w resolution paper Canon colour this job should be referred to for nd colour separation only.

=3; 0=0; R=0; - JJ - 17/01/12 11:14:42

APPROVAL

t on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR