

этдоф

LEBNCKOH

GAVISCON® FORTE

COCTAB

10 мл суспензии содержат активные вещества: натрия алгинат - 1000 мг, калия гидрокарбонат -200 мг и вспомогательные вещества: кальция карбонат, карбомер, метилпарагидроксибензоат, пропилпарагидроксибензоат, натрия гидроксид, натрия сахаринат, ароматизатор мятный, вода (очищенная).

Хранить при температуре 15-30°C. Хранить в недоступном для детей месте. Отпуск из аптек без рецепта. Регистрационное удостоверение: ЛС-002447

Взрослые и дети старше 12 лет: по 5 – 10 мл после приёмов пищи и перед сном. Максимальная суточная доза – 40 мл.

Для пациентов пожилого возраста изменения дозы не требуется.

Использование пакетиков: перед открытием пакетика помните его пальцами, перемешивая содержимое.

Производитель Великобритания) Лимите



0387271

CUSTOMER INFO:

RBH Artwork and Print Specification

Trident Reference No: TR537494 Action / Version: **Brand Platform:** Sub Platform: Advance Liquid Sub Brand: Peppermint Format: Delivery: Sachet Pack Size: 20 x 10ml Country: Date Created: Date Modified: 20/12/11

Ivan Saveliev

Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0042423

Bulk Code (if applicable):

CAD Cam Ref: G-Crt-D0042423-96x50x142mm Contego Packaging (Bradford, UK) Nampa

Edgemark Position: Pharmacode No/NE:



Print and Te	chnic	cal Colours				
PANTONE 7488 C		PANTONE Reflex Blue C		VRN-HighGloss Water Based Emul		
	1		2		3	
	LTH		LTH		LTH	
PANTONE 102 C		PANTONE 185 C		PANTONE 320 C		
	4		5		6	
	LTH		LTH		LTH	

COLOURS TO MATCH RECOGNISED STANDARDS

120

BARCODE INFO

Barcode Type: 5000158066465 Magnification: Truncated by (smallest Bar): 0.0 mm

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for

STUDIO USE ONLY


Sm•Art check results: G=1; O=0; R=0; - RM - 20/12/11 08:23:35

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Minimum Point Size = 6 pt



RBH Artwork and Print Specification

Trident Reference No: TR537494 Action / Version: Brand Platform: Adult Sub Platform: Advance Liquid Sub Brand: Peppermint Format: Liquid Delivery: Sachet Pack Size: 20 x 10ml Country: Russia Date Created: Date Modified: 20/12/11

Ivan Saveliev

Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0042423 Specification:

Bulk Code (if applicable): N/a

CAD Cam Ref: G-Crt-D0042423-96x50x142mm Contego Packaging (Bradford, UK) Nampak

Edgemark Position: Pharmacode No/NE: N/A



Print and Technical Colours

PANTONE 7488 C		PANTONE Reflex Blue C		VRN-HighGloss Water Based Emul		
	1 LTH		2 LTH		3 LTH	
PANTONE 102 C		PANTONE 185 C		PANTONE 320 C		
	4 LTH		5 LTH		6 LTH	

180

150

120

110

100

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: 5000158066465 Barcode Number: Magnification: Truncated by (smallest Bar): 0.0 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Rebecca Milner

Sm•Art check results: G=1; O=0; R=0; - RM - 20/12/11 08:23:35

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Production line
Manufacturing sit
Pack Tech approve
Date
Check Criteria
Approvals
Market Approval
Regulatory Appro
3rd Party Approva
Technical Drawing
PPI component co
Correct drawing f
Profile shape & di
Graphics layout/o
Unwind diagram (
Printable areas/bl
Varnish free areas
Variable coding p
Varnish and print
Pre-printed heade
Embossing, Braille
Separations on ar
Alignment within
Braille structure
Verification Code
Bar sequence and
Size (height, widt
Direction of read
Light margins and
Colour
Repeat distance (
Bar code Type; EA
Magnification / w
Colour (e.g. black
Light margins & i
Bearer bars & H g
Symbol grade (Pas
Bar code number
Bar code number
Confirm bar code
Cross check relate
Photo-electric cel
Present & per Tec
Correct pitch?
Additional markin
e-mark, recycle lo
Legend box (RB s
Correct componer
Correct D spec
Correct printer
Correct Substrate
A/W is set up app
Edge mark details
Pharmacode detai
Colours & print p
Varnish
Barcode informat
Barcode informat General details ar
Barcode informati General details ar Pass / Fail comme
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme By approving the
Barcode informati General details ar Pass / Fail comme By approving the
le informat al details ar Fail comme proving the onal Comm
details ar ail comme oving the nal Comm
de informat al details ar Fail comme proving the ional Comm

oduction line				RBH Ar
nufacturing site				and Print Sp
ck Tech approver	1st 2nd			
te	•			Trident Reference No: TR5 Action / Version: A
eck Criteria	Details & Comments	Che	cks	Brand: Gavi
provals		1st	2 nd	Brand Platform: Adu Sub Platform: Adv
rket Approval				Sub Platform: Adva Sub Brand: Pepp
gulatory Approval				Format: Liqu
I Party Approval				Delivery: Sach Pack Size: 20 x
hnical Drawing/Cutter ref no.				Country: Russ
component code correct on artwork?				Date Created: 19/1 Date Modified: 20/1
rrect drawing for the production line?				RBH Contact: Ivan
file shape & dimensions		\neg		Ivan
aphics layout/orientation				Artwork Type: Co
wind diagram (PPTD1022/1-20)				Component Code (2D if applica
ntable areas/bleed				Parent Technical Packaging Specification:
rnish free areas				Bulk Code (if applicable): N/a
riable coding position & dimensions			-	XXXX
rnish and print requirements		\neg		CAD Cam Ref: G-Crt-D0042 Printer: Contego Packa
-printed headers (alignment and suitability)		\dashv	-	Printer: Contego Packa Substrate: Carton Board
bossing, Braille & Foil Blocking		\dashv	-	Edgemark Position: NA
parations on artwork		\dashv		Pharmacode No/NE: N/A
gnment within cutter		\dashv	\dashv	Cutter – Does not print Guides– Does not print
nille structure			-	
rification Code Type; Pharma Code / 2D / OCV		-		
r sequence and/or number correct Position		-		Print and Technical Colours
		\dashv	-	PANTONE 7488 C PANTONE Refle:
e (height, width, spacing, font) ection of read		-	-	1
				LTH
ht margins and print free areas		\dashv	\dashv	PANTONE 102 C PANTONE 13
our		\dashv	\dashv	4
peat distance (reeled material)				LTH
r code Type; EAN, ITF, Code39, etc		-		
gnification / width and height		-		
lour (e.g. black print on white background)		_	_	
ht margins & indicators		-		
arer bars & H gauges (if required)		-		
mbol grade (Pass = A,B,C; Action = D,F)		_		
r code number (human readable)		_		
r code number (encoded & hidden data)		_		COLOURS TO MATCH REC
nfirm bar code number from source		_		COLOGIES TO MINITERI MEC
oss check related docs (JDE/PID)				BARCODE IN
oto-electric cell mark / edge marks				
sent & per Tech drawing?				Barcode Type: EA Barcode Number: 50
rrect pitch?				Magnification: 10
ditional markings				BWR: 10 Truncated by (smallest Bar): 0.0
mark, recycle logo etc				Encoded Data: N
gend box (RB specification)				All other aspects of the to the current GS1 Op
rrect component code				other agreed comm
rrect D spec			\Box	1.
rrect printer				Ι (Γ΄)
rrect Substrate				
N is set up appropriately for this substrate				TRID
ge mark details				Connaught House, C
armacode details				Kingswood Business Park, H T: +44 (0) 148
ours & print process				1. TTT (O) 140
rnish				Please note that any low resol
rcode information				copies associated with this job content, layout and colo
neral details are correct				
ss / Fail comments and Signature				STUDIO USE ONLY Rebecca
	form I authorise it for release to the print supplier			Sm•Art check results: G=1; O=0
ditional Comments				ARTWORK AP
				Approved by Sonoco Trident on b
				Signed:
				3
				Date:



290

280

260

250

240

210

200

190

180

170

160

150

140

120

110

100

- 06

- 8

70

09

50

40


20

- 0

Adult Advance Liquid Peppermint Liquid Sachet 20 x 10ml Russia 19/12/11 20/12/11 Ivan Saveliev **Commercial Print** pplicable): 0387271 ging

D0042423

-D0042423–96x50x142mm o Packaging (Bradford, UK) Nampak ı Board – White



RECOGNISED STANDARDS

INFO EAN 13 5000158066465

100% 10 microns ar): 0.0 mm N/A

f the bar code to conform S1 Operating Manual or commercial standard.



ouse, Connaught Road, Park, Hull, HU7 3AP, England. (0) 1482 828100

w resolution paper Canon colour this job should be referred to for nd colour separation only.

ebecca Milner

=1; 0=0; R=0; - RM - 20/12/11 08:23:35

APPROVAL

t on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR