Ink & Varnish Free Area

Ноттингем, ИG90 2DB, ,дүоЧ нйэТ ,дтП пншэнqэтнN

великобритания.

отпуск оез рецепта. при температуре не выше 25° С. хранить в сухом месте

.ЭТЭЭМ ИЭТЭД КГГД. МОНПУТООДЭН В ТАЧАПЭЧП АТИНАЧХ

сэхэрны сироп [сахароза, вода], декстроза жидкая [декстроза, олиго- и полисахариды]. масло, лимона масло (не содержащее терпенов), краситель хинолиновый желтый (Е104), препарата входят вспомогательные вещества: винная кислота, мед, мяты перечной листьев д.4-дихлорбензиловый спирт – 1,2 мг, амилметакрезол – 0,6 мг. Кроме того, в состав Каждая таблетка содержит следующие активные вещества:

Способ применения. Местно. Взрослые и дети старше 5 лет: рассасывать по одной таблетке каждые 2-3 часа. Не принимать более 8 таблеток в течение 24 часов.

полости рта и десен (афтозный стоматит, гингивит, молочница). химической и угольной промышленности), охриплости, воспалении слизистой оболочки (в том числе профессионального характера – у преподавателеи, дикторов, раоотников ортани при инфекционно-воспалительных заболеваниях: тонзиллит, фарингит, ларингит Показания к применению: Симптоматическое лечение боли в ротовой полости, горле, оказывает антисептическое и антимикотическое действие.

, облегчает боль и смягчает раздражение в горле,





Лечение боли в горле

Strepsils CTPETICUTE

С медом и лимоном

2,4-дихлорбензиловый спирт 1,2мг Амилметакрезол 0,6мг

24 таблетки для рассасывания

Стрепсилс





RBH Artwork and Print Specification

TR489679 Trident Reference No: Action / Version: **Brand Platform** Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Soothing Delivery: Lozenge Pack Size: Russia Country: Date Created: Date Modified: 23/04/12

Artwork Type: Commercial Print

Parent Technical Packaging D0278921 Specification:

180

120

Victoria Bondarenko

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lott Chesapeake (Nottingham, UK) Substrate:

Edgemark Position: Pharmacode No/NE: 1110101001(1960)



[Print and Te	chnic	al Colours			
	Process Black		Varnish-Water Based Emu l sion		PANTONE Yellow 012 C	
- 1		1		2		3
		LTH		LTH		LT
	Emboss	Emboss		PANTONE 173 C		
		4		5		
		LTH		LTH		

COLOURS TO MATCH RECOGNISED STANDARD

BARCODE INFO

Barcode Type: Barcode Number 5000158100183 Magnification: RWR. Truncated by (smallest Bar): 5.5 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

Please note that any low resolution paper Canon color copies associated with this job should be referred to fo

STUDIO USE ONLY Jonathan Jones


Sm•Art check results: G=0: O=2: R=0: - JJ - 23/04/12 15:11:49

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



CUSTOMER INFO: Minimum Point Size = 7 pt

RBH Artwork and Print Specification

Trident Reference No: TR489679 Action / Version: **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensoria**l** Format: Soothing Delivery: Lozenge Pack Size: Russia Country: Date Created: 09/06/11 Date Modified: 23/04/12 RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print Component Code (2D if applicable):

240

190

180

170

160

150

120

110

100

80

-09

50


Parent Technical Packaging D0278921 Specification:

Bulk Code (if applicable): N/A

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lotti Chesapeake (Nottingham, UK)

Substrate: Edgemark Position: 6,C,T Pharmacode No/NE: 1110101001(1960)

Cutter - Does not print | Guides- Does not prin



COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number: 5000158100183 Magnification: BWR: Truncated by (smallest Bar): 5.5 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for

Jonathan Jones

content, layout and colour separation only.

Sm•Art check results: G=0; O=2; R=0; - JJ - 23/04/12 15:11:49

ARTWORK APPROVAL

STUDIO USE ONLY

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR



STUDIO USE ONLY **CUSTOMER INFO:**

RBH Artwork and Print Specification

Trident Reference No: TR489679 Action / Version: Brand Platform: Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Soothing Delivery: Lozenge Pack Size: Russia Country: Date Created: 09/06/11 Date Modified: 23/04/12 RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print

240

180

120

110

80

-09

50

Component Code (2D if applicable): Parent Technical Packaging D0278921 Specification:

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lotti Chesapeake (Nottingham, UK) Substrate:

Edgemark Position: 6,C,T Pharmacode No/NE: 1110101001(1960)



_							
Γ	Print and Technical Colours						
l	Process Black		Varnish-Water Based Emulsion		PANTONE Yellow 012 C		
ı		1		2		3	
ı		LTH		LTH		LT	
ı							
ı	Emboss		PANTONE 173 C				
ı		4		5			
ı		LTH		LTH			
1		l l					

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number: 5000158100183 Magnification: BWR: Truncated by (smallest Bar): 5.5 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colou copies associated with this job should be referred to fo content, layout and colour separation only.

Jonathan Jones

Sm•Art check results: G=0; O=2; R=0; - JJ - 23/04/12 15:11:49

ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

Minimum Point Size = 7 pt

Production line
Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approval
3rd Party Approval
Technical Drawing/Cutte
PPI component code com
Correct drawing for the
Profile shape & dimension
Graphics layout/orientat
Unwind diagram (PPTD1
Printable areas/bleed
Varnish free areas
Variable coding position
Varnish and print requir
Pre-printed headers (ali
Embossing, Braille & Fo
Separations on artwork
Alignment within cutter
Braille structure
Verification Code Type; I
Bar sequence and/or nur
Size (height, width, spac
Direction of read
Light margins and print
Colour
Repeat distance (reeled
Bar code Type; EAN, ITF
Magnification / width a
Colour (e.g. black print
Light margins & indicat
Bearer bars & H gauges
Symbol grade (Pass = A
Bar code number (huma
Bar code number (encode
Confirm bar code numb
Cross check related docs
Photo-electric cell mark
Present & per Tech draw
Correct pitch?
Additional markings
e-mark, recycle logo etc
Legend box (RB specific
Correct D spec
Correct printer
Correct Substrate
A/W is set up appropria
Edge mark details
Pharmacode details
Colours & print process
Varnish
Barcode information
General details are corre
Pass / Fail comments ar
By approving the artwo
Additional Comments
Version 001 14/2/2011

Production line				RBH Art
Manufacturing site			and Print Sp	
Pack Tech approver	1 st 2 nd			Trident Reference No: TR4
Date				
Check Criteria	Details & Comments	Che	cks	Action / Version: I Brand: Strep
Approvals		1st	2 nd	Brand Platform: Throat Sub Platform: First
Market Approval				Sub Brand: Sens
Regulatory Approval				Format: Sootl Delivery: Lozer
3rd Party Approval				Pack Size: 24
Technical Drawing/Cutter ref no.				Country: Russi Date Created: 09/06
PPI component code correct on artwork?				Date Modified: 23/04
Correct drawing for the production line?				RBH Contact: Victo
Profile shape & dimensions				Artwork Type: Cor
Graphics layout/orientation				Component Code (2D if applicab
Unwind diagram (PPTD1022/1-20)				Parent Technical Packaging
Printable areas/bleed				Specification:
Varnish free areas				Bulk Code (if applicable): N/A
Variable coding position & dimensions				CAD Com Poft C C+ FD C1 70
Varnish and print requirements				CAD Cam Ref: S-Crt-FB-S1-79x Printer: Chesapeake (I
Pre-printed headers (alignment and suitability)				Substrate: Carton Board
Embossing, Braille & Foil Blocking				Edgemark Position: 6,C,T
Separations on artwork				Pharmacode No/NE: 11101
Alignment within cutter				Cutter - Does not print Guides- Does not print
Braille structure				
Verification Code Type; Pharma Code / 2D / OCV				Drint and Tasknical Calaura
Bar sequence and/or number correct Position				Print and Technical Colours Process Black Varnish-Water B
Size (height, width, spacing, font)				Emukion 1
Direction of read				LTH
Light margins and print free areas				
Colour				Emboss PANTONE 173
Repeat distance (reeled material)				4 LTH
Bar code Type; EAN, ITF, Code39, etc				Lin
Magnification / width and height				
Colour (e.g. black print on white background)				
Light margins & indicators				
Bearer bars & H gauges (if required)				
Symbol grade (Pass = A,B,C; Action = D,F)				
Bar code number (human readable)				
Bar code number (encoded & hidden data)				
Confirm bar code number from source				COLOURS TO MATCH RECO
Cross check related docs (JDE/PID)				BARCODE INF
Photo-electric cell mark / edge marks				DARCODE INI
Present & per Tech drawing?				Barcode Type: EA Barcode Number: 50
Correct pitch?				Magnification: 85
Additional markings				BWR: 0 r Truncated by (smallest Bar): 5.5
e-mark, recycle logo etc				Encoded Data: N/
Legend box (RB specification)				All other aspects of the b
Correct component code				to the current GS1 Ope other agreed comme
Correct D spec				
Correct printer				
Correct Substrate				19_
A/W is set up appropriately for this substrate				TRIDE
Edge mark details				Connaught House, Co
Pharmacode details				Kingswood Business Park, Hu
Colours & print process				T: +44 (0) 1482
Varnish				Please note that any low resolu
Barcode information				copies associated with this job
General details are correct				content, layout and colo
Pass / Fail comments and Signature				STUDIO USE ONLY Jonathan
By approving the artwork referenced within this f Additional Comments	orm I authorise it for release to the print supplier			Sm•Art check results: G=0; 0=2;
. additional comments				ARTWORK AP
				Approved by Sonoco Trident on be
				Signed:
				Date:

RBH Artwork rint Specification 290

280

270

260

250

240

230

210

200

190

180

170

160

150

140

130

120

110

100

- 6

- 8

70

-09

50

- 49

20

- 0

rence No: TR489679 Strepsi**l**s Throatcare First Aid Medicine Sensoria**l** Soothing Lozenge 24 Russia 09/06/11 23/04/12 Victoria Bondarenko

Type: Commercial Print ode (2D if applicable):

D0278921

plicable): N/A S-Crt-FB-S1-79x109x21mm-D0278921-(Lotti

Chesapeake (Nottingham, UK) Carton Board - White sition: 6,C,T No/NE: 1110101001(1960)



nical Colours Varnish-Water Based PANTONE Yellow 012 C Emulsion PANTONE 173 C

MATCH RECOGNISED STANDARDS

DE INFO

5000158100183 85% 0 microns (smallest Bar): 5.5 mm N/A

spects of the bar code to conform urrent GS1 Operating Manual or agreed commercial standard.



naught House, Connaught Road, Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

at any low resolution paper Canon colour ted with this job should be referred to for layout and colour separation only.

Jonathan Jones

esults: G=0; O=2; R=0; - JJ - 23/04/12 15:11:49

ORK APPROVAL

noco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR