Великобритания. Ноттингем, ИG90 2DB, ,дүоЧ нйэТ ,ДтП пншэнqэтнN Рекитт Бенкизер Хелскэр

Отпуск без рецепта. при температуре не выше 25° С. Хранить в сухом месте

атээм йэтэд кид МОНПУТООДЭН В ТАЧАПЭЧП АТИНАЧХ

сахарный сироп [сахароза, вода], декстроза жидкая [декстроза, олиго- и полисахариды]. масло, лимона масло (не содержащее терпенов), краситель хинолиновый желтый (Е104), препарата входят вспомогательные вещества: винная кислота, мед, мяты перечной листьев 2,4-дихлорбензиловый спирт – 1,2 мг, амилметакрезол – 0,6 мг. Кроме того, в состав каждая таблетка содержит следующие активные вещества:

Способ применения. Местно. Взрослые и дети старше 5 лет: рассасывать по одной таблетке каждые 2-3 часа. Не принимать более 8 таблеток в течение 24 часов.

полости рта и десен (афтозный стоматит, гингивит, молочница). химинеской и угольной промышленности), охриплости, воспалении слизистой оболочки (в том числе профессионального характера – у преподавателей, дикторов, работников гортани при инфекционно-воспалительных заболеваниях: тонзиллит, фарингит, ларингит **Показания к применению:** Симптоматическое лечение боли в ротовой полости, горле, оказывает антисептическое и антимикотическое действие.

облегчает боль и смягчает раздражение в горле, «STDeпсилс»



действие



Лечение боли в горле

Strepsils® CTPETICUTIC®

Смедом и лимоном

2,4-дихлорбензиловый спирт 1,2мг Амилметакрезол 0,6мг

36 таблеток для рассасывания

Стрепсилс

Смягчающее действие



Strepsils

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: Barcode Number Magnification: RWR. Truncated by (smallest Bar): 0.0 mm **Encoded Data:**



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for

STUDIO USE ONLY

Sm•Art check results: G=0: O=2: R=0: - JJ - 23/04/12 15:36:20

ARTWORK APPROVAL

PERMISSION FROM TRIDENT.

CUSTOMER INFO: Minimum Point Size = 7 pt

Parent Technical Packaging D0279139 CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lotti Chesapeake (Nottingham, UK)

280

180

120

110

100

Edgemark Position: Pharmacode No/NE: 1101110100(1907)

Component Code (2D if applicable):

RBH Artwork and Print Specification

Trident Reference No: Action / Version:

Brand Platform: Sub Platform:

Sub Brand:

Format:

Delivery:

Pack Size:

Country:

Date Created:

Date Modified:

TR489536

First Aid Medicine

Strepsi**l**s

Sensorial

Soothing

Lozenae

Russia

23/04/12

Artwork Type: Commercial Print

Victoria Bondarenko



Bulk Code (if applicable):

Substrate

Prin	t and Te	chnic	cal Colours			_
	Process Black		Varnish-Water Based Emu l sion		PANTONE Yellow 01	
		1		2		
		LTH		LTH		
						L
	Emboss		PANTONE 173 C			
		4		5		
		LTH		LTH		

5000158100985


All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



T: +44 (0) 1482 828100

UNDER NO CIRCUMSTANCES SHOULD THIS

NOT APPROVED FOR COLOUR



RBH Artwork and Print Specification

280

210

190

180

160

150

140

120

110

100

-8

50

10

Trident Reference No: TR489536 Action / Version: Strepsi**l**s Brand Platform: Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Soothing Delivery: Lozenge Pack Size: Country: Russia Date Created: Date Modified: 23/04/12

RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print

Component Code (2D if applicable): 0311212
Parent Technical Packaging D0279139
Specification:

Bulk Code (if applicable): N/A

CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lottie Printer: Chesapeake (Nottingham, UK)
Substrate: Carton Board - White

Edgemark Position: 3,E,W Pharmacode No/NE: 1101110100(1907)



Print and Technical Colour

Frint and 16	CHITIC	car Colours				
Process Black	Process Black		Varnish-Water Based Emu l sion		PANTONE Yellow 012	
	1		2			
	LTH		LTH		Ľ	
Emboss	Emboss		PANTONE 173 C			
			_			
	4		5			
	LTH		LTH			
1						

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158100985
Magnification: 100%
BWR: 0 microns
Truncated by (smallest Bar): 0.0 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Jonathan Jones

Sm•Art check results: G=0; O=2; R=0; - JJ - 23/04/12 15:36:20


ARTWORK APPROVAL

roved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS
ARTWORK BE ALTERED WITHOUT PRIOR
PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



RBH Artwork and Print Specification

Trident Reference No: TR489536 Action / Version: Strepsi**l**s Brand Platform: Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Soothing Delivery: Lozenge Pack Size: Country: Russia Date Created: Date Modified: 23/04/12

RBH Contact: Victoria Bondarenko

Artwork Type: Commercial Print

Component Code (2D if applicable): 0311212
Parent Technical Packaging
Specification: 0311212

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-S4-79x110.5x31.5mm-D0279139-(Lottie Printer: Chesapeake (Nottingham, UK)

Edgemark Position: 3,E,W Pharmacode No/NE: 1101110100(1907)



Print and Technical Colou

Tillic and icc	ciiiii	ai Colours				
Process Black	Process Black		Varnish-Water Based Emu l sion		PANTONE Yellow 012 C	
	1		2		3	
	LTH		LTH		LTH	
Emboss	Emboss		PANTONE 173 C			
	4		5			
	LTH		LTH			

180

150

120

110

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158100985
Magnification: 100%
BWR: 0 o microns
Truncated by (smallest Bar): 0.0 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Jonathan Jones

than Jones

Sm•Art check results: G=0; 0=2; R=0; - JJ - 23/04/12 15:36:20

ARTWORK APPROVAL

roved by Sonoco Trident on behalf of Reckitt Benckiser


UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt

Production line Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approval
3rd Party Approval
Technical Drawing/Cutter
PPI component code corre
Correct drawing for the pr
Profile shape & dimension
Graphics layout/orientation
Unwind diagram (PPTD102
Printable areas/bleed
Varnish free areas
Variable coding position 8
Varnish and print requirer
Pre-printed headers (align
Embossing, Braille & Foil I
Separations on artwork
Alignment within cutter
Braille structure
Verification Code Type; Ph
Bar sequence and/or num
Size (height, width, spacin
Direction of read
Light margins and print fr
Colour
Repeat distance (reeled m
Bar code Type; EAN, ITF, C
Magnification / width and
Colour (e.g. black print on
Light margins & indicator
er bars & H gauges (i
Symbol grade (Pass = A,B,
Bar code number (human
Bar code number (encode
Confirm bar code number
Cross check related docs (
Photo-electric cell mark /
Present & per Tech drawin
Correct pitch?
Additional markings
e-mark, recycle logo etc
Legend box (RB specificat
Correct component code
Correct D spec
Correct printer
Correct Substrate
A/W is set up appropriate
Edge mark details
Pharmacode details
Colours & print process
Varnish
Barcode information
General details are correct
Pass / Fail comments and
By approving the artwork
Additional Comments
Additional Committees
1
Version 001 14/2/2011

oduction line				RBH A
anufacturing site				and Print S
ack Tech approver	1 st 2 nd			
ate	•			Trident Reference No: Action / Version:
neck Criteria	Details & Comments	Che	cks	Brand:
pprovals		1st	2 nd	Brand Platform:
arket Approval				Sub Brand:
egulatory Approval				Format: S Delivery: 1
rd Party Approval				Pack Size:
echnical Drawing/Cutter ref no.				Country: F Date Created: (
PI component code correct on artwork?				Date Modified:
orrect drawing for the production line?			Ш	RBH Contact:
rofile shape & dimensions			Ш	Artwork Type: (
raphics layout/orientation			Ш	Component Code (2D if ap
nwind diagram (PPTD1022/1-20)				Parent Technical Packag
rintable areas/bleed				Specification:
arnish free areas				Bulk Code (if applicable): XXXX
ariable coding position & dimensions			Ш	CAD Cam Ref: S-Crt-FB-S4
arnish and print requirements				Printer: Chesapea
re-printed headers (alignment and suitability)			Ш	Substrate: Carton Bo
nbossing, Braille & Foil Blocking				Edgemark Position: 3 Pharmacode No/NE: 1
eparations on artwork			Ш	·
lignment within cutter				Cutter - Does not print Guides- Does not prin
raille structure				
erification Code Type; Pharma Code / 2D / OCV				Print and Technical Colo
ar sequence and/or number correct Position				Process Black Varnish-
ze (height, width, spacing, font)			Ш	En 1
rection of read			Ш	LTH
ght margins and print free areas			Ш	Emboss PANTO
blour			Ш	4
epeat distance (reeled material)				LTH
ar code Type; EAN, ITF, Code39, etc			Ш	
agnification / width and height			\blacksquare	
olour (e.g. black print on white background)				
ght margins & indicators				
earer bars & H gauges (if required)				
/mbol grade (Pass = A,B,C; Action = D,F)			\vdash	
ar code number (human readable)			\vdash	
ar code number (encoded & hidden data)			\vdash	COLOURS TO MATCH F
onfirm bar code number from source ross check related docs (JDE/PID)				
			\vdash	BARCODE II
noto-electric cell mark / edge marks resent & per Tech drawing?			\vdash	Barcode Type:
orrect pitch?				Barcode Number:
dditional markings			\vdash	Magnification: BWR:
-mark, recycle logo etc			\vdash	Truncated by (smallest Bar):
egend box (RB specification)			Н	Encoded Data:
orrect component code			Н	All other aspects of t to the current GS1
orrect D spec			\vdash	other agreed cor
prrect printer			Н	-~
orrect Substrate			\vdash	1
/W is set up appropriately for this substrate			Н	
lge mark details				TRI
narmacode details				Connaught Hous Kingswood Business Par
olours & print process				T: +44 (0)
arnish			Н	Places with the dist
arcode information			Н	Please note that any low re copies associated with this
eneral details are correct			Н	content, layout and
ass / Fail comments and Signature			П	STUDIO USE ONLY Jona
	form I authorise it for release to the print supplier			Sm•Art check results: G=0;
dditional Comments				
				ARTWORK A
				Approved by Sonoco Trident of
				Signed:
				Date:
rsion 001 14/2/2011				UNDER NO CIRCUMS



- 06

- 8

- 09

- 0

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR