

Pharmacode Reads This Way  
Last Bar First Bar

МИНИСТЕРСТВО ЗДРАВООХРАНЕНИЯ И  
СОЦИАЛЬНОГО РАЗВИТИЯ РОССИЙСКОЙ  
ФЕДЕРАЦИИ

ИНСТРУКЦИЯ  
по применению лекарственного препарата для  
медицинского применения

**ГЕВИСКОН®**  
Регистрационный номер: ЛС-002444  
Торговое название: Гевискон®  
МНН или группировочное название: не имеет  
Лекарственная форма: суспензия для приема  
внутри [мятная]  
Состав  
10 мл суспензии содержат:  
активные вещества: натрия альгинат 500 мг,  
натрия гидрокарбонат 267 мг, кальция карбонат  
160 мг, и вспомогательные вещества: карбомер  
65 мг, метилпарагидроксибензоат 40 мг,  
пропилпарагидроксибензоат 6 мг, натрия  
сахаринат 10 мг, масло мяты перечной 1 мг,  
натрия гидроксид 26.667 мг, вода очищенная до  
10 мл.

**Описание**  
Вязкая непрозрачная суспензия, от почти белого  
до кремового цвета, с мятым запахом.  
**Фармакотерапевтическая группа:** средство  
лечения рефлюкс-эзофагита.  
**Код АТХ:** А02ВХ.  
**Фармакологические свойства**  
Фармакодинамика. При приеме внутрь Гевискон®  
быстро реагирует с кислым содержимым желудка.  
При этом образуется гель альгината, имеющий  
почти нейтральное значение pH. Гель формирует  
защитную оболочку на поверхности содержимого  
желудка и действует до 4 часов, эффективно  
предотвращая возникновение  
гастро-эзофагеального рефлюкса. В случае  
регургитации гель с большей вероятностью, чем  
содержимое желудка, попадает в пищевод, где он  
уменьшает раздражение слизистой оболочки.  
Фармакокинетика. Механизм действия препарата  
Гевискон® является физическим процессом и не  
зависит от всасывания в системный кровоток.  
**Показания к применению**  
Симптоматическое лечение диспепсии, связанной

с повышенной кислотностью желудочного сока и  
гастроэзофагеальным рефлюксом (изжога, кислая  
отрыжка), ощущение тяжести в желудке после  
приема пищи, в том числе в период беременности.  
**Противопоказания**  
Повышенная чувствительность к любому из  
компонентов препарата, детский возраст (до 6  
лет).  
**Применение при беременности и в период  
грудного вскармливания**  
Открытые контролируемые исследования с  
участием 281 беременной женщины и  
накопленный опыт применения не  
продемонстрировали каких-либо значимых  
нежелательных эффектов препарата Гевискон® на  
течение беременности или на здоровье плода и  
новорожденного ребенка. Гевискон® может  
применяться во время беременности и в период  
грудного вскармливания.  
**Способ применения и дозы**  
Внутрь.  
Взрослые и дети старше 12 лет: по 10 – 20 мл  
после приемов пищи и перед сном.

0387890

Максимальная суточная доза – 80 мл.  
Дети от 6 до 12 лет: по 5 – 10 мл после приемов  
пищи и перед сном. Максимальная суточная доза  
– 40 мл.  
Для пациентов пожилого возраста изменения  
дозы не требуется.  
**Побочное действие**  
Возможны аллергические реакции (крапивница,  
бронхоспазм, анафилактические реакции).  
**Передозировка**  
Симптомы: Может отмечаться вздутие живота.  
Лечение: симптоматическое.  
**Взаимодействие с другими лекарственными  
средствами**  
Так как кальция карбонат, входящий в состав  
препарата проявляет антацидную активность, то  
между приемом Гевискона® и других препаратов  
должно пройти не менее 2 часов (особенно при  
одновременном приеме с блокаторами H<sub>2</sub>-  
гистаминовых рецепторов, антибиотиков из  
группы тетрациклина, дигоксина, фторхинолонов,  
солей железа, кетоконазола, нейролептиков,  
тироксина, пенициллина,

бета-адреноблокаторов, глюкокортикостероидов,  
хлорохина и дифосфатов).  
**Особые указания**  
В 10 мл суспензии содержание натрия составляет  
141 мг (6.2 ммоль). Это следует учитывать при  
необходимости соблюдения диеты с очень  
ограниченным содержанием соли, например, в  
некоторых случаях застойной сердечной  
недостаточности и при нарушениях функции почек.  
При отсутствии улучшения в симптоматике в  
течение 7 дней необходимо проконсультироваться  
с врачом.  
**Эффект на способность управлять  
механизмами и автомобилем**  
Препарат не оказывает влияния на способность  
управлять автотранспортом и механизмами, а  
также на занятия другими потенциально опасными  
видами деятельности, требующими повышенной  
концентрации внимания и быстроты  
психомоторных реакций.  
**Форма выпуска**  
Суспензия для приема внутрь [мятная].  
По 100 мл, 150 мл или 300 мл во флаконы темного

стекла с полипропиленовой крышкой,  
обеспечивающей контроль первого вскрытия.  
Инструкция по применению находится под  
этикеткой.  
**Условия хранения**  
Хранить при температуре от 15 °С до 25 °С.  
Хранить в недоступном для детей месте.  
**Срок годности**  
3 года.  
Не использовать после истечения срока годности.  
**Отпуск из аптек**  
Без рецепта.  
**Производитель**  
Рекитт Бенкизер Хелскэр (Великобритания) Лимитед,  
Дэнсом Лейн, Халл, Ист Йоркшир, ХЮ8 7ДС,  
Великобритания.  
**Представительство в России/адрес для  
предъявления претензий**  
ООО «Рекитт Бенкизер Хелскэр»  
Россия, 115114, г. Москва, Кожевническая ул., д.14  
Тел. 8-800-505-1-500 (звонок бесплатный),  
contact\_ru@reckittbenckiser.com

0387890

CUSTOMER INFO:  
Minimum Point Size = 6 pt

## RBH Artwork and Print Specification

Trident Reference No:	TR537520
Action / Version:	B
Brand:	Gaviscon
Brand Platform:	Adult
Sub Platform:	Standard liquid
Sub Brand:	Peppermint
Format:	Liquid
Delivery:	Bottle
Pack Size:	150ml
Country:	Russia
Date Created:	20/12/11
Date Modified:	22/12/11

RBH Contact: Ivan Saveliev

### Artwork Type: Commercial Print

Component Code (2D if applicable):	0387890
Parent Technical Packaging Specification:	D0006045

Bulk Code (if applicable): N/a  
XXXX

CAD Cam Ref: G-lbl-D0006045-155x60mm - P&R  
Printer: Labelsco  
Substrate: PP Top White

Edgemark Position: NA  
Pharmacode No/NE: 10001000(391)

Cutter - Does not print	Guides- Does not print
-------------------------	------------------------

PANTONE Reflex Blue C		Process Yellow		Varnish - Fluorescent UVFF	
1	FLX	2	FLX	3	FLX
PANTONE 185 C		PANTONE 320 C		PANTONE 7488 C	
4	FLX	5	FLX	6	FLX

### COLOURS TO MATCH RECOGNISED STANDARDS

## BARCODE INFO

Barcode Type:	EAN 13
Barcode Number:	5000158066199
Magnification:	100%
BWR:	30 microns
Truncated by (smallest Bar):	0.9 mm
Encoded Data:	N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.

TRIDENT

Connaught House, Connaught Road,  
Kingswood Business Park, Hull, HU7 3AP, England.  
T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY	Joh Jackson	v1.0
Sm•Art check results:	G=2; O=0; R=0; - JJ - 22/12/11 16:39:12	

## ARTWORK APPROVAL



Approved by Sonoco Trident on behalf of Reckitt Benckiser

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

UNDER NO CIRCUMSTANCES SHOULD THIS  
ARTWORK BE ALTERED WITHOUT PRIOR  
PERMISSION FROM TRIDENT.  
Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR



CUSTOMER INFO:  
Minimum Point Size = 6 pt

## RBH Artwork and Print Specification

Trident Reference No:	TR537520
Action / Version:	B
Brand:	Gaviscon
Brand Platform:	Adult
Sub Platform:	Standard liquid
Sub Brand:	Peppermint
Format:	Liquid
Delivery:	Bottle
Pack Size:	150ml
Country:	Russia
Date Created:	20/12/11
Date Modified:	22/12/11

RBH Contact:	Ivan Saveliev
--------------	---------------

### Artwork Type: Commercial Print

Component Code (2D if applicable):	0387890
Parent Technical Packaging Specification:	D0006045

Bulk Code (if applicable):	N/a
----------------------------	-----

CAD Cam Ref:	G-lbl-D0006045-155x60mm - P&tR
Printer:	Labelsco
Substrate:	PP Top White

Edgemark Position:	NA
Pharmacode No/NE:	10001000(391)

Cutter - Does not print	Guides- Does not print
-------------------------	------------------------

PANTONE Reflex Blue C		Process Yellow		Varnish - Fluorescent UVFF	
1	FLX	2	FLX	3	FLX
PANTONE 185 C		PANTONE 320 C		PANTONE 7488 C	
4	FLX	5	FLX	6	FLX

### COLOURS TO MATCH RECOGNISED STANDARDS

## BARCODE INFO

Barcode Type:	EAN 13
Barcode Number:	5000158066199
Magnification:	100%
BWR:	30 microns
Truncated by (smallest Bar):	0.9 mm
Encoded Data:	N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

<u>STUDIO USE ONLY</u>	Joh Jackson	v1.0
Sm•Art check results:	G=2; O=0; R=0; - JJ - 22/12/11 16:39:12	

## ARTWORK APPROVAL

Approved by Sonoco Trident on behalf of Reckitt Benckiser

Signed: - - - - -

Date: - - - - -

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.  
Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR

Production line			
Manufacturing site			
Pack Tech approver	1 <sup>st</sup>	2 <sup>nd</sup>	
Date			
Check Criteria	Details & Comments	Checks	
Approvals		1 <sup>st</sup>	2 <sup>nd</sup>
Market Approval			
Regulatory Approval			
3rd Party Approval			
Technical Drawing/Cutter ref no.			
PPI component code correct on artwork?			
Correct drawing for the production line?			
Profile shape & dimensions			
Graphics layout/orientation			
Unwind diagram (PPTD1022/1-20)			
Printable areas/bleed			
Varnish free areas			
Variable coding position & dimensions			
Varnish and print requirements			
Pre-printed headers (alignment and suitability)			
Embossing, Braille & Foil Blocking			
Separations on artwork			
Alignment within cutter			
Braille structure			
Verification Code Type; Pharma Code / 2D / OCV			
Bar sequence and/or number correct Position			
Size (height, width, spacing, font)			
Direction of read			
Light margins and print free areas			
Colour			
Repeat distance (reeled material)			
Bar code Type; EAN, ITF, Code39, etc			
Magnification / width and height			
Colour (e.g. black print on white background)			
Light margins & indicators			
Bearer bars & H gauges (if required)			
Symbol grade (Pass = A,B,C; Action = D,F)			
Bar code number (human readable)			
Bar code number (encoded & hidden data)			
Confirm bar code number from source			
Cross check related docs (JDE/PID)			
Photo-electric cell mark / edge marks			
Present & per Tech drawing?			
Correct pitch?			
Additional markings			
e-mark, recycle logo etc			
Legend box (RB specification)			
Correct component code			
Correct D spec			
Correct printer			
Correct Substrate			
A/W is set up appropriately for this substrate			
Edge mark details			
Pharmacode details			
Colours & print process			
Varnish			
Barcode information			
General details are correct			
Pass / Fail comments and Signature			
By approving the artwork referenced within this form I authorise it for release to the print supplier			
Additional Comments			

RBH Artwork and Print Specification

Trident Reference No: TR537520

Action / Version: B

Brand: Gaviscon

Brand Platform: Adult

Sub Platform: Standard liquid

Sub Brand: Peppermint

Format: Liquid

Delivery: Bottle

Pack Size: 150ml

Country: Russia

Date Created: 20/12/11

Date Modified: 22/12/11

RBH Contact: Ivan Saveliev

Artwork Type: Commercial Print

Component Code (2D if applicable): 0387890

Parent Technical Packaging Specification: D0006045

Bulk Code (if applicable): N/a

XXXX

CAD Cam Ref: G-lbl-D0006045-155x60mm - P&tR

Printer: Labelsco

Substrate: PP Top White

Edgemark Position: NA

Pharmacode No/NE: 10001000{391}

Cutter - Does not print

Guides- Does not print

Print and Technical Colours

PANTONE Reflex Blue C

1

FLX

Process Yellow

2

FLX

Varnish - Fluorescent UVFF

3

FLX

PANTONE 185 C

4

FLX

PANTONE 320 C

5

FLX

PANTONE 7488 C

6

FLX

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13

Barcode Number: 5000158066199

Magnification: 100%

BWR: 30 microns

Truncated by (smallest Bar): 0.9 mm

Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.

TRIDENT

Connaught House, Connaught Road,  
Kingswood Business Park, Hull, HU7 3AP, England.  
T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY

Joh Jackson

v1.0

Sm•Art check results: G=2; O=0; R=0; - JJ - 22/12/11 16:39:12

ARTWORK APPROVAL

Approved by Sonoco Trident on behalf of Reckitt Benckiser

Signed: \_ \_ \_ \_ \_

Date: \_ \_ \_ \_ \_

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.  
Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR