

Порошок для приготовления раствора для приема внутрь лимонный

COCTAB

Каждый пакет содержит активные вещества: парацетамол 650 мг, фенилэфрина гидрохлорид 10 мг и следующие вспомогательные компоненты: сахарная пудра,

сахароза тонкого помола, лимонная кислота безводная гранулированная, натрия цитрат, ароматизатор лимонный,

аспартам, аскорбиновая кислота, натрия сахаринат, куркумин WD.

ПОКАЗАНИЯ К ПРИМЕНЕНИЮ

Для устранения и облегчения симптомов острых распираторных заболеваний («простуды») и гриппа: повышенная температура тела, головная боль, озноб, заложенность носа, насморк, боли в голове и носовых пазухах.

СПОСОБ ПРИМЕНЕНИЯ И ДОЗЫ

Для приема внутрь.
Содержимое одного пакета соответствует разовой дозе. Для
приготовления горячего напитка содержимое пакета растворите в
одном стакане горячей воды (но не кипятка). Помешивайте до
растворения. Свежеприготовленный напиток выпить горячим или

Препарат можно принимать повторно через 4-6 часов.

Препарат можно принимать повторно через 4-о часов.

Максимальная суточная доза - 4 пакета.

Взрослым - по 1 пакету каждые 4-6 ч, но не более
4 пакетов в течение 24 ч; детям старше 12 лет - по
1 пакету каждые 6 ч, но не более 3 пакетов в течение 24 ч.

Курс лечения - не более 5 дней. Не превышайте указанную дозу.

Хранить в недоступном для детей месте. Хранить при температуре не выше 25°C в сухом месте.

Великобритания,

Отпуск из аптек без рецепта. Производитель: Рекитт Бенкизер Хелскэр (Великобритания) Лимитед, Дэнсом Лейн, Халл, Ист Йоркшир, ХЮ8 7ДС,

0327599

BN:/EXP Coding Area Varnish Free DOM/сделано - EXP/годен до RNq92\fol



First Bar

Last Bar

RBH Artwork and Print Specification

TR459104 Trident Reference No: Action / Version: Brand: Brand Platform: Regular Sub Platform: Cold and Flu Sub Brand: Lemon Format: Powder Delivery: Sachet Pack Size: Country: Russia Date Created: 15/02/11 Date Modified: 17/01/12

Armen Asovan

Artwork Type: Commercial Print

250

240

210

200

190

180

170

160

150

140

120

110

100

90

80

9

50

40

20

10

Component Code (2D if applicable): Parent Technical Packaging D0066775 Specification:

Bulk Code (if applicable): N/A

CAD Cam Ref: Lsp-crt-D0066775-79.5x27x94mm Contego Packaging (Bradford, UK) Substrate:

Edgemark Position:

Pharmacode No/NE: 10001000(391)



Ł											
Γ	Print and Technical Colours										
ı	Process Yellow		VRN-HighGloss Water Based		Process Black						
ı			Emul								
ı		1		2		3					
ı		LTH		LTH		LTH					
ı											
ı	PANTONE 186 C		PANTONE 3425 C								
ı											
ı		4		5							
ı		LTH		LTH							
ı											
ı											
ı											

COLOURS TO MATCH RECOGNISED STANDARDS

BARCODE INFO

Barcode Type: EAN 13 Barcode Number 5000158067530 Magnification: RWR-Truncated by (smallest Bar): 4.6 mm Encoded Data:

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

Joh Jackson STUDIO USE ONLY Sm•Art check results: G=3: O=0: R=0: - JJ - 17/01/12 11:25:56


ARTWORK APPROVAL

roved by Sonoco Trident on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



Production line			RBH Artwork	290
Manufacturing site			and Print Specification	7
Pack Tech approver	1 st 2 nd		Trident Reference No: TR459104	280
Date			Action / Version:	2
Check Criteria	Details & Comments	Checks 1st 2nd	Brand: Lemsip Brand Platform: Regular	270
Approvals Market Approval		13c 2nd	Sub Platform: Cold and Flu	7.
Regulatory Approval		_	Format: Powder	260
3rd Party Approval			Delivery: Sachet Pack Size: 5s	
Technical Drawing/Cutter ref no.			Country: Russia Date Created: 15/02/11	20
PPI component code correct on artwork?			Date Modified: 17/01/12	
Correct drawing for the production line?			RBH Contact: Armen Asoyan	240
Profile shape & dimensions			Artwork Type: Commercial Print	77
Graphics layout/orientation Unwind diagram (PPTD1022/1-20)			Component Code (2D if applicable): 0327599	
Printable areas/bleed			Parent Technical Packaging D0066775 Specification:	230
Varnish free areas			Bulk Code (if applicable): N/A	li o
Variable coding position & dimensions			XXXX	220
Varnish and print requirements			CAD Cam Ref: Lsp-crt-D0066775-79.5x27x94mm Printer: Contego Packaging (Bradford, UK)	
Pre-printed headers (alignment and suitability)			Substrate: Carton Board - White	210
Embossing, Braille & Foil Blocking			Edgemark Position: N/A Pharmacode No/NE: 10001000(391)	
Separations on artwork			Cutter - Does not print Guides- Does not print	200
Alignment within cutter Braille structure		+	South Pint	[∰ ``
Verification Code Type; Pharma Code / 2D / OCV		\dashv		6
Bar sequence and/or number correct Position		\neg	Print and Technical Colours Process Yellow VRN-HighGloss Water Based Process Black	[] [
Size (height, width, spacing, font)			1 Emul 2 3	180
Direction of read			тн тн	♣ ¯
Light margins and print free areas			PANTONE 186 C PANTONE 3425 C	170
Colour Repeat distance (reeled material)		-	4 5	[<u> </u>
Bar code Type; EAN, ITF, Code39, etc		-	тн гтн	09
Magnification / width and height		_	1	140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290 290 290 290 290 290 290 290 290 29
Colour (e.g. black print on white background)			1	20
Light margins & indicators]	
Bearer bars & H gauges (if required)			4	140
Symbol grade (Pass = A,B,C; Action = D,F)			1	
Bar code number (human readable) Bar code number (encoded & hidden data)			1	30
Confirm bar code number from source		\dashv	COLOURS TO MATCH RECOGNISED STANDARDS	13 2
Cross check related docs (JDE/PID)			BARCODE INFO	20
Photo-electric cell mark / edge marks				12
Present & per Tech drawing?			Barcode Type: EAN 13 Barcode Number: 5000158067530	
Correct pitch?			Magnification: 90% BWR: 10 microns	110
Additional markings e-mark, recycle logo etc			Truncated by (smallest Bar): 4.6 mm	
Legend box (RB specification)		-	Encoded Data: N/A All other aspects of the bar code to conform	-8
Correct component code			to the current GS1 Operating Manual or other agreed commercial standard.	
Correct D spec				 6
Correct printer			∥	
Correct Substrate			ال ال	8
A/W is set up appropriately for this substrate Edge mark details			TRÍDENT	∰
Pharmacode details		_	Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England.	
Colours & print process			T: +44 (0) 1482 828100	 ∰
Varnish			Please note that any low resolution paper Canon colour	<u> </u> 8
Barcode information			copies associated with this job should be referred to for content, layout and colour separation only.	
General details are correct				
Pass / Fail comments and Signature By approving the artwork referenced within this	form I authorise it for release to the print supplier		STUDIO USE ONLY Joh Jackson v1.0 Sm•Art check results: G=3; O=0; R=0; - JJ - 17/01/12 11:25:56	
Additional Comments	remarkations to for release to the print supplier		57.11 CHECK TOMICS. 0-3, 0=0, 1-33 - 17/01/12 11.25:56	<u> </u> 4
			ARTWORK APPROVAL]
				30
			Approved by Sonoco Trident on behalf of Reckitt Benckiser	
			Signed: Date:	20
Version 001 14/2/2011			J	 ■
vCisiOII OOT 14/2/2011			UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR	11111111111111111111111111111111111111
			PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304] [
			NOT APPROVED FOR COLOUR	l uu