

Хранить при температуре не выше 30 °С. Хранить в недоступном для детей месте.

(11012), ароматизатор мятный, ксилитол (DC), магния стеарат. Способ применения: Виутрь после тщательного разжевывания. Варослые и дети старше 12 лет: по 2-4 таблетки после приёмов пищи и перед сном (до 4-x раз в день).

Reckitt Benckiser

First Bar

Отпуск из аптек без рецепта.

**ЭІЧНТКМ ЭІЧНАПЭТБЯЭЖ NYTƏRÒБ** 

COCTAB

ацесульфам калия, аспартам, краситель азорубин вещества: маннитол, макрогол-20000, коповидон, алгинат 250 мг, натрия гидрокарбонат 106,5 мг, кальция карбонат 187,5 мг и вспомогательные

Каждая таблетка содержит активные вещества: натрия

**RBH Artwork** and Print Specification

Trident Reference No: TR586575 Action / Version: Brand Platform: Adult Sub Platform: Double Action Sub Brand: Peppermint Format: Tablets Delivery: Blister Pack Size: Country: Russia Date Created: 25/06/12 Date Modified: 10/07/12

Ivan Saveliev

#### Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0018525

Bulk Code (if applicable):

CAD Cam Ref: G-crt-D0018525-57.5x19.5x109.5mr Contego Packaging (Bradford, UK) Substrate

10

150

120

110

Edgemark Position: Pharmacode No/NE: 10011101(412)

Cutter - Does not print

Print and Technical Colours PANTONE Reflex Blue C PANTONE Rhodamine Red C VRN-HighGloss Water Base LTH PANTONE 102 C PANTONE 185 C PANTONE 320 C

COLOURS TO MATCH RECOGNISED STANDARDS

#### BARCODE INFO

Barcode Type: 5000158069237 Magnification: RWR. Truncated by (smallest Bar): 10.9 mm **Encoded Data:** 

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Sarah Cuthbertsor

Sm•Art check results: G=3; O=0; R=0; - SC - 10/07/12 08:42:15

# |ARTWORK APPROVAL


UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

**CUSTOMER INFO:** 

Minimum Point Size = 4 pt The coding pre-heads are at 4pt

all other text is at least 6.3pt



# RBH Artwork and Print Specification Trident Reference No. TR586575

Trident Reference No: TR586575 Action / Version: Brand Platform: Adult Sub Platform: Double Action Sub Brand: Peppermint Format: Tablets Delivery: Blister Pack Size: Country: Russia Date Created: 25/06/12 Date Modified: 10/07/12

RBH Contact: Ivan Saveliev

#### **Artwork Type: Commercial Print**

Component Code (2D if applicable): 8030465
Parent Technical Packaging
Specification: 00018525

Bulk Code (if applicable): N/A

CAD Cam Ref: G-crt-D0018525-57.5x19.5x109.5mr
Printer: Contego Packaging (Bradford, UK)
Substrate: Carton Board - White

210

150

120

110

Edgemark Position: N/A
Pharmacode No/NE: 10011101(412)



#### 

COLOURS TO MATCH RECOGNISED STANDARDS

#### BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158069237
Magnification: 100%
BWR: 10 microns
Truncated by (smallest Bar): 10,9 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Sarah

Sarah Cuthbertson

**Sm•Art check results:** G=3; O=0; R=0; - SC - 10/07/12 08:42:15

## ARTWORK APPROVAL


UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 4 pt The coding pre-heads are at 4pt

all other text is at least 6.3pt

oduction line				RBH A
anufacturing site				and Print S
ck Tech approver	1 <sup>st</sup> 2 <sup>nd</sup>			
ate	•			Trident Reference No: Action / Version:
neck Criteria	Details & Comments	Che	cks	Brand:
pprovals		1st	2 <sup>nd</sup>	Brand Platform: Sub Platform:
arket Approval				Sub Brand:
gulatory Approval				Format:
d Party Approval				Delivery: Pack Size:
chnical Drawing/Cutter ref no.				Country:
I component code correct on artwork?			Н	Date Created: Date Modified:
orrect drawing for the production line?				RBH Contact:
ofile shape & dimensions				A
raphics layout/orientation			Н	Artwork Type:
nwind diagram (PPTD1022/1-20)				Component Code (2D if ap
intable areas/bleed				Parent Technical Packag Specification:
rnish free areas				Bulk Code (if applicable):
riable coding position & dimensions				XXXX
rnish and print requirements				CAD Cam Ref: G-crt-DO Printer: Contego
e-printed headers (alignment and suitability)			$\vdash$	Printer: Contego Substrate: Carton B
nbossing, Braille & Foil Blocking			Н	Edgemark Position:
parations on artwork				Pharmacode No/NE:
ignment within cutter			$\vdash$	Cutter – Does not print   Guides– Does not pri
-			$\vdash$	Cutter Does not print
aille structure				
erification Code Type; Pharma Code / 2D / OCV				Print and Technical Colo
ar sequence and/or number correct Position				PANTONE Reflex Blue C PANTONE F
ze (height, width, spacing, font)				1
rection of read			Ш	LTH
ght margins and print free areas			Ш	PANTONE 102 C PANT
lour			Ш	4
epeat distance (reeled material)				LTH
r code Type; EAN, ITF, Code39, etc				
agnification / width and height				
olour (e.g. black print on white background)				
ght margins & indicators				
earer bars & H gauges (if required)				
mbol grade (Pass = A,B,C; Action = D,F)				
r code number (human readable)				
r code number (encoded & hidden data)				
onfirm bar code number from source				COLOURS TO MATCH I
oss check related docs (JDE/PID)				DADCODE II
noto-electric cell mark / edge marks				BARCODE II
esent & per Tech drawing?				Barcode Type:
prrect pitch?				Barcode Number: Magnification:
Iditional markings			Н	BWR:
mark, recycle logo etc				Truncated by (smallest Bar)
gend box (RB specification)			Н	Encoded Data:
prrect component code			Н	All other aspects of t to the current GS1
prrect D spec			$\vdash\vdash$	other agreed co
orrect printer			$\vdash\vdash$	 
-			Н	<i>[</i> C
orrect Substrate		$\vdash$	$\vdash\vdash$	L.Z
W is set up appropriately for this substrate			Н	TRI
ge mark details				Connaught Hous
narmacode details				Kingswood Business Par T: +44 (0)
olours & print process			Ш	
irnish		$\vdash$	Щ	Please note that any low r
arcode information			Ш	copies associated with this content, layout and
eneral details are correct		Ш	Ш	,,
ss / Fail comments and Signature				STUDIO USE ONLY Sara
approving the artwork referenced within this f	form I authorise it for release to the print supplier			Sm•Art check results: G=3
lditional Comments				
				ARTWORK A
				Approved by Sonoco Trident
				Signed:
				Date:
rsion 001 14/2/2011				UNDER NO CIRCUM



290

280

270

260

250

240

230

210

200

190

180

170

160

150

140

130

120

110

100

- 6

- 8

- 20

- 09

- 20

40

-20

- 10

## EAN 13 5000158069237 100%

10 microns : 10.9 mm N/A

the bar code to conform 1 Operating Manual or ommercial standard.



use, Connaught Road, Park, Hull, HU7 3AP, England. ) 1482 828100

resolution paper Canon colour is job should be referred to for d colour separation only.

rah Cuthbertson

3; 0=0; R=0; - SC - 10/07/12 08:42:15

# **APPROVAL**

on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR