# Ink & Varnish Free Area

яньтидоохипэь. Ноттингем, NG90 2DB, Интернешнл ЛТД, 1елн Роуд, Рекитт Бенкизер Хелскэр

Регистрационное удостоверение П N015151/02 Отпуск без рецепта. при температуре не выше 25° С.

.ЭТЭЭМ ЙЭТЭД КЛД **МОНПУТООДЭН В ТАЧАПЭЧП АТИНАЯХ** 

сироп [сахароза, вода], декстроза жидкая [декстроза, олиго- и полисахариды]. [Понсо 4R] (Эдикол СІ 16255, Е124), краситель азорубин (Эдикол СІ 14720, Е122), сахарный мяты перечной листьев масло, аниса обыкновенного семян масло, краситель пунцовый препарата входят вспомогательные вещества: винная кислота, левоментол (природный), 2,4-дихлорбензиловый спирт – 1,2 мг, амилметакрезол – 0,6 мг. Кроме того, в состав каждая таблетка содержит следующие активные вещества:

лособ применения. Местно. Взрослые и дети старше 5 лет: рассасывать по одной таблетке зждые 2-3 часа. Не принимать более 8 таблеток в течение 24 часов.

полости рта и десен (афтозныи стоматит, гингивит, молочница). химинескои и угольнои промышленности), охриплости, воспалении слизистои оболочки (в том числе профессионального характера – у преподавателей, дикторов, работников гортани при инфекционно-воспалительных заболеваниях: тонзиллит, фарингит, ларингит Показания к применению: Симптоматическое лечение боли в ротовой полости, горле, Антисептическое и антимикотическое действие

Стрепсилс® облегчает боль и смягчает раздражение в горле.

Стрепсилс

рассасывания



Лечение боли в горле

Strepsils® CTPETICUTIC®

2,4-дихлорбензиловый спирт 1,2 мг Амилметакрезол 0,6 мг

24 таблетки для рассасывания

Стрепсилс



Strepsils



**RBH Artwork** and Print Specification

TR489698 Trident Reference No: Action / Version: Strepsi**l**s Brand Platform: Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Original Delivery: Lozenge Pack Size: Country: Russia Date Modified:

**Artwork Type: Commercial Print** 

Component Code (2D if applicable): Parent Technical Packaging

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottic

Edgemark Position:



Print and Technical Colours Varnish-Water Based PANTONE 485 C **Emulsion** PANTONE 187 C

180

120

110

#### COLOURS TO MATCH RECOGNISED STANDARDS

#### BARCODE INFO

Barcode Type: 5000158100176 Magnification: Truncated by (smallest Bar): 5.5 mm

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road Kingswood Business Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100

copies associated with this job should be referred to for


STUDIO USE ONLY Claire Jackson

Sm•Art check results: G=0: O=2: R=0: - CJ - 24/04/12 11:18:28

#### ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

**CUSTOMER INFO:** Minimum Point Size = 7 pt



# RBH Artwork and Print Specification

280

250

210

200

190

180

160

150

140

120

110

100

- 8

50

10

Trident Reference No: TR489698 Action / Version: **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Origina**l** Delivery: Lozenge Pack Size: Country: Russia Date Created: Date Modified: 24/04/12

RBH Contact: Victoria Bondarenko

#### Artwork Type: Commercial Print

Component Code (2D if applicable): 0311190
Parent Technical Packaging
Specification: 03278921

Bulk Code (if applicable): N/A

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie Printer: Chesapeake (Nottingham, UK)
Substrate: Carton Board - White

Edgemark Position: 4,A,T Pharmacode No/NE: 1000000111(1542)



#### Print and Technical Colours

Process Black	Process Black		Varnish-Water Based Emu <b>l</b> sion		PANTONE 485 C	
	1		2		3	
	LTH		LTH		LTH	
Emboss		PANTONE 187 C				
	4		5			
	LTH		LTH			

COLOURS TO MATCH RECOGNISED STANDARDS

#### BARCODE INFO

Barcode Type: EAN 13
Barcode Number: 5000158100176
Magnification: 85%
BWR: 0 microns
Truncated by (smallest Bar): 5.5 mm
Encoded Data: N/A

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY Claire Jackson

**Sm•Art check results:** G=0; 0=2; R=0; - CJ - 24/04/12 11:18:28


# ARTWORK APPROVAL

pproved by Sonoco Trident on behalf of Reckitt Benckiser
gned: \_\_\_\_\_\_\_

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

NOT APPROVED FOR COLOUR

CUSTOMER INFO: Minimum Point Size = 7 pt



#### **RBH Artwork** and Print Specification

TR489698 Trident Reference No: Action / Version: **Brand Platform:** Throatcare Sub Platform: First Aid Medicine Sub Brand: Sensorial Format: Origina**l** Delivery: Lozenge Pack Size: Russia Country: Date Created: Date Modified: 24/04/12

Victoria Bondarenko

## Artwork Type: Commercial Print

Component Code (2D if applicable): Parent Technical Packaging D0278921 Specification:

Bulk Code (if applicable):

CAD Cam Ref: S-Crt-FB-S1-79x109x21mm-D0278921-(Lottie Chesapeake (Nottingham, UK) Substrate:

210

180

150

120

110

100

Edgemark Position: Pharmacode No/NE: 1000000111(1542)



#### Print and Technical Colours

Tillic allu TC	CHILIC	ai Colouis					
Process Black	Process Black		Varnish-Water Based Emu <b>l</b> sion		PANTONE 485 C		
	1		2		3		
	LTH		LTH		LTH		
Emboss	Emboss		PANTONE 187 C				
	4		5				
	LTH		LTH				
		·					

COLOURS TO MATCH RECOGNISED STANDARDS

### BARCODE INFO

Barcode Type: Barcode Number: 5000158100176 Magnification: BWR: Truncated by (smallest Bar): 5.5 mm **Encoded Data:** 

All other aspects of the bar code to conform to the current GS1 Operating Manual or other agreed commercial standard.



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

STUDIO USE ONLY

Claire Jackson

Sm•Art check results: G=0; O=2; R=0; - CJ - 24/04/12 11:18:28


ARTWORK APPROVAL

UNDER NO CIRCUMSTANCES SHOULD THIS PERMISSION FROM TRIDENT.

**CUSTOMER INFO:** Minimum Point Size = 7 pt

Production line
Manufacturing site
Pack Tech approver
Date
Check Criteria
Approvals
Market Approval
Regulatory Approval
3rd Party Approval
Technical Drawing/Cutter ref no
PPI component code correct on
Correct drawing for the product
Profile shape & dimensions
Graphics layout/orientation
Unwind diagram (PPTD1022/1-
Printable areas/bleed
Varnish free areas
Variable coding position & dir
Varnish and print requirements
Pre-printed headers (alignment
Embossing, Braille & Foil Block
Separations on artwork
Alignment within cutter
Braille structure
Verification Code Type; Pharm
Bar sequence and/or number
Size (height, width, spacing, fo
Direction of read
Light margins and print free a
Colour
Repeat distance (reeled mater
Bar code Type; EAN, ITF, Code3
Magnification / width and hei
Colour (e.g. black print on wh
Light margins & indicators
Bearer bars & H gauges (if rec
Symbol grade (Pass = A,B,C; A
Bar code number (human read
Bar code number (encoded &
Confirm bar code number from
Cross check related docs (JDE/I
Photo-electric cell mark / edge
Present & per Tech drawing?
Correct pitch?
Additional markings
e-mark, recycle logo etc
Legend box (RB specification)
Correct component code
Correct D spec
Correct printer
Correct Substrate
A/W is set up appropriately for
Edge mark details
Pharmacode details
Colours & print process
Varnish
Barcode information
General details are correct
Pass / Fail comments and Sign
By approving the artwork refer
By approving the artwork refere
By approving the artwork refere
By approving the artwork refer
By approving the artwork refe
By approving the artwork refer

oduction line				RBH /
anufacturing site				and Print
ck Tech approver	1st 2nd	2 <sup>nd</sup>		
te	'			Trident Reference No: Action / Version:
eck Criteria	Details & Comments	Che	cks	Brand:
provals		1st	2 <sup>nd</sup>	Brand Platform: Sub Platform:
arket Approval				Sub Brand:
gulatory Approval				Format:
d Party Approval				Delivery: Pack Size:
chnical Drawing/Cutter ref no.				Country:
component code correct on artwork?				Date Created: Date Modified:
rrect drawing for the production line?				RBH Contact:
ofile shape & dimensions				
aphics layout/orientation				Artwork Type:
wind diagram (PPTD1022/1-20)				Component Code (2D if a
ntable areas/bleed				Parent Technical Package Specification:
rnish free areas				Bulk Code (if applicable):
riable coding position & dimensions				XXXX
rnish and print requirements				CAD Cam Ref: S-Crt-FB-S
e-printed headers (alignment and suitability)			$\vdash$	Printer: Chesape Substrate: Carton B
abossing, Braille & Foil Blocking			$\vdash$	Edgemark Position:
parations on artwork			$\vdash$	Pharmacode No/NE:
gnment within cutter			Н	Cutter - Does not print   Guides- Does not pr
aille structure			$\vdash$	
rification Code Type; Pharma Code / 2D / OCV			$\vdash$	
r sequence and/or number correct Position			$\vdash$	Print and Technical Cold
te (height, width, spacing, font)				Process Black Varnish
rection of read			$\vdash$	1
			Н	LTH
ht margins and print free areas			$\vdash$	Emboss PAN
lour			Н	4
peat distance (reeled material)			Ш	LTH
r code Type; EAN, ITF, Code39, etc				
agnification / width and height				
lour (e.g. black print on white background)			Ш	
tht margins & indicators				
arer bars & H gauges (if required)				
mbol grade (Pass = A,B,C; Action = D,F)				
r code number (human readable)				
r code number (encoded & hidden data)				COLOURS TO MATCH
nfirm bar code number from source				COLOURS TO MINTER
oss check related docs (JDE/PID)				BARCODE 1
oto-electric cell mark / edge marks			Ш	
esent & per Tech drawing?				Barcode Type: Barcode Number:
rrect pitch?			Ш	Magnification:
ditional markings				BWR: Truncated by (smallest Bar)
mark, recycle logo etc			Ш	Encoded Data:
gend box (RB specification)				All other aspects of
rrect component code			Ш	to the current GS1 other agreed co
rrect D spec				
rrect printer				17
rrect Substrate				1
W is set up appropriately for this substrate				TRI
ge mark details				Connaught Hou
armacode details				Kingswood Business Pa
lours & print process				T: +44 (0)
rnish				Please note that any low
rcode information				copies associated with thi
neral details are correct				content, layout and
ss / Fail comments and Signature				STUDIO USE ONLY Cla
	form I authorise it for release to the print supplier			Sm•Art check results: G=0
ditional Comments				
				ARTWORK A
				Approved by Sonoco Trident
				Signed:
				Date:
sion 001 14/2/2011				



- 06

- 8

- 09

- 0

aire Jackson

0; 0=2; R=0; - CJ - 24/04/12 11:18:28

ART	W	ORI	<b>\</b> A	PP	RO	VAl	_
							_

t on behalf of Reckitt Benckiser

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT. Tel. Alan Smith: +44 (0)1482 710304

NOT APPROVED FOR COLOUR