

# Altered in 20 (33.9%) of 59 samples.



**Sample\_group T1221**

Sample_group	diag	relapse1	relapse2	NEG	POS
ALL1-D	1	0	0	1	0
ALL1-R	0	0	0	1	0
ALL11-D	0	0	0	1	0
ALL11-R	0	0	0	1	0
ALL13-D	0	0	0	1	0
ALL13-R1	0	0	0	1	0
ALL13-R2	0	0	0	1	0
ALL15-D	0	0	0	1	0
ALL15-R	0	0	0	1	0
ALL17-D	0	0	0	1	0
ALL17-R	0	0	0	1	0
ALL20-D	0	0	0	1	0
ALL20-R	0	0	0	1	0
ALL3-D	0	0	0	1	0
ALL3-R	0	0	0	1	0
ALL5-D	0	0	0	1	0
ALL5-R	0	0	0	1	0
ALL7-R	0	0	0	1	0
ALL9-D	0	0	0	1	0
ALL9-R	0	0	0	1	0
ALL10-D	0	0	0	1	0
ALL10-R	0	0	0	1	0
ALL12-D	0	0	0	1	0
ALL12-R	0	0	0	1	0
ALL14-D	0	0	0	1	0
ALL14-R	0	0	0	1	0
ALL16-D	0	0	0	1	0
ALL16-R	0	0	0	1	0
ALL18-D	0	0	0	1	0
ALL18-R	0	0	0	1	0
ALL19-D	0	0	0	1	0
ALL19-R	0	0	0	1	0
ALL21-D	0	0	0	1	0
ALL21-R1	0	0	0	1	0
ALL21-R2	0	0	0	1	0
ALL4-D	0	0	0	1	0
ALL4-R	0	0	0	1	0
ALL4-R2	0	0	0	1	0
ALL6-D	0	0	0	1	0
ALL6-R	0	0	0	1	0
ALL8-D	0	0	0	1	0
ALL8-R	0	0	0	1	0