

National Health and Nutrition Examination Survey

2015-2016 Data Documentation, Codebook, and Frequencies

Hepatitis B: Surface Antibody (HEPB_S_I)

Data File: HEPB_S_I.xpt

First Published: September 2017

Last Revised: NA

Component Description

Hepatitis viruses constitute a major public health problem because of the morbidity and mortality associated with the acute and chronic consequences of these infections. New immunization strategies have been developed to eliminate the spread of hepatitis B virus (HBV) and hepatitis A virus (HAV) in the United States. Recommendations have also been developed for the prevention and control of hepatitis C virus (HCV) infection. Because of the high rate of asymptomatic infection with these viruses, information about the prevalence of these diseases is needed to monitor prevention efforts. By testing a nationally representative sample of the U.S. population, NHANES will provide the most reliable estimates of age-specific prevalence needed to evaluate the effectiveness of the strategies to prevent these infections. Testing for hepatitis B surface antibody contributes information important to distinguish immunity from vaccination among persons who lack antibodies to hepatitis B core. NHANES testing for markers of infection with hepatitis viruses will be used to determine secular trends in infection rates across most age and racial/ethnic groups, and will provide a national picture of the epidemiologic determinants of these infections.

Eligible Sample

Examined participants aged 2 years or older were eligible.

Description of Laboratory Methodology

The VITROS Anti-HBs Quantitative assay is performed using the VITROS Anti-HBs Quantitative Reagent Pack and VITROS Immunodiagnostic Products Anti-HBs Calibrators on the VITROS ECi/ECiQ or VITROS 3600 Immunodiagnostic System.

The bound HRP conjugate is measured by a luminescent reaction. A reagent containing luminogenic substrates (a luminol derivative and a peracid salt) and an electron transfer agent is added to the wells. The HRP in the bound conjugate catalyzes the oxidation of the luminol derivative, producing light. The electron transfer agent (a substituted acetanilide) increases the level of light produced and prolongs its emission. The light signals are read by the system. The amount of HRP conjugate bound is directly proportional to the concentration of anti HBs present.

Refer to the Laboratory Method Files section for a detailed description of the laboratory methods used.

There were no changes to the lab method, lab equipment, or lab site for this component in the NHANES 2015-2016 cycle.

Laboratory Method Files

Hepatitis B Surface Antibody (anti-HBS) (September 2017)

Laboratory Quality Assurance and Monitoring

Serum specimens were processed, stored, and shipped to the Division of Viral Hepatitis, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Centers for Disease Control and Prevention, Atlanta, GA for analysis.

Detailed instructions on specimen collection and processing are discussed in the NHANES Laboratory Procedures Manual (LPM). Vials are stored under appropriate frozen (-30°C) conditions until they are shipped to Division of Viral Hepatitis, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention for testing.

The NHANES quality assurance and quality control (QA/QC) protocols meet the 1988 Clinical Laboratory Improvement Act mandates. Detailed QA/QC instructions are discussed in the NHANES LPM.

Mobile Examination Centers (MECs)

Laboratory team performance is monitored using several techniques. NCHS and contract consultants use a structured competency assessment evaluation during visits to evaluate both the quality of the laboratory work and the quality-control procedures. Each laboratory staff member is observed for equipment operation, specimen collection and preparation; testing procedures and constructive feedback are given to each staff member. Formal retraining sessions are conducted annually to ensure that required skill levels were maintained.

Analytical Laboratories

NHANES uses several methods to monitor the quality of the analyses performed by the contract laboratories. In the MEC, these methods include performing blind split samples collected on "dry run" sessions. In addition, contract laboratories randomly perform repeat testing on 2% of all specimens.

Data Processing and Editing

The data were reviewed. Incomplete data or improbable values were sent to the performing laboratory for confirmation.

Analytic Notes

Refer to the [2015-2016 Laboratory Data Overview](#) for general information on NHANES laboratory data.

Demographic and Other Related Variables

The analysis of NHANES laboratory data must be conducted using the appropriate survey design and demographic variables. The [NHANES 2015-2016 Demographics File](#) contains demographic data, health indicators, and other related information collected during household interviews as well as the sample design variables. The recommended procedure for variance estimation requires use of stratum and PSU variables (SDMVSTRA and SDMVPSU, respectively) in the demographic data file.

This laboratory data file can be linked to the other NHANES data files using the unique survey participant identifier (i.e., SEQN).

Detection Limits

This data is qualitative. The use of lower limits of detection (LLODs) is not applicable.

Exam sample weights should be used for analyses. Please refer to the NHANES [Analytic Guidelines](#) and the on-line NHANES [Tutorial](#) for further details on the use of sample weights and other analytic issues.

Codebook and Frequencies

SEQN - Respondent sequence number

Variable Name:	SEQN
SAS Label:	Respondent sequence number
English Text:	Respondent sequence number
Target:	Both males and females 2 YEARS - 150 YEARS

LBXHBS - Hepatitis B Surface Antibody

binary

Variable Name: LBXHBS**SAS Label:** Hepatitis B Surface Antibody**English Text:** Hepatitis B Surface Antibody**Target:** Both males and females 2 YEARS - 150 YEARS

Code or Value	Value Description	Count	Cumulative	Skip to Item
1	Positive	2400	2400	
2	Negative	5260	7660	
3	Indeterminate	0	7660	
.	Missing	1227	8887	