

#Harden and improve Microsoft defender protections with secret settings

#check each configuration before execute the file

#copy the content to notepad and change file type to cmd

#run as admin

Write-Host " -Enabling real-time monitoring"

Set-MpPreference -DisableRealtimeMonitoring \$false

#Enable cloud-deliveredprotection

Write-Host " -Enabling cloud-deliveredprotection"

Set-MpPreference -MAPSReporting Advanced

#Enable sample submission

Write-Host " -Enabling sample submission"

Set-MpPreference -SubmitSamplesConsent Always

#Enable checking signatures before scanning

Write-Host " -Enabling checking signatures before scanning"

Set-MpPreference -CheckForSignaturesBeforeRunningScan 1

#Enable behavior monitoring

Write-Host " -Enabling behavior monitoring"

Set-MpPreference -DisableBehaviorMonitoring \$false

#Enable IOAV protection

Write-Host " -Enabling IOAV protection"

Set-MpPreference -DisableIOAVProtection \$false

#Enable script scanning

Write-Host " -Enabling script scanning"

Set-MpPreference -DisableScriptScanning \$false

#Enable removable drive scanning

Write-Host " -Enabling removable drive scanning"

Set-MpPreference -DisableRemovableDriveScanning \$false

#Enable Block at first sight

Write-Host " -Enabling Block at first sight"

Set-MpPreference -DisableBlockAtFirstSeen \$false

#Enable potentially unwanted apps

Write-Host " -Enabling potentially unwanted apps"

Set-MpPreference -PUAProtection 1

#Enable archive scanning

Write-Host " -Enabling archive scanning"

Set-MpPreference -DisableArchiveScanning \$false

#Enable email scanning

Write-Host " -Enabling email scanning"

Set-MpPreference -DisableEmailScanning \$false

#Enable File Hash Computation

Write-Host " -Enabling File Hash Computation"

Set-MpPreference -EnableFileHashComputation \$true

#Enable Intrusion Prevention System

Write-Host " -Enabling Intrusion Prevention System"

Set-MpPreference -DisableIntrusionPreventionSystem \$false

#Enable SSH Parsing

Write-Host " -Enabling SSH Parsing"

Set-MpPreference -DisableSshParsing \$false

#Enable TLS Parsing

Write-Host " -Enabling TLS Parsing"

Set-MpPreference -DisableSshParsing \$false

#Enable SSH Parsing

Write-Host " -Enabling SSH Parsing"

Set-MpPreference -DisableSshParsing \$false

#Enable DNS Parsing

Write-Host " -Enabling DNS Parsing"

```
Set-MpPreference -DisableDnsParsing $false
Set-MpPreference -DisableDnsOverTcpParsing $false
#Enable DNS Sinkhole
Write-Host " -Enabling DNS Sinkhole"
Set-MpPreference -EnableDnsSinkhole $true
#Enable Controlled Folder Access and setting to block mode
Write-Host " -Enabling Controlled Folder Access and setting to block mode"
Set-MpPreference -EnableControlledFolderAccess Enabled
#Enable Network Protection and setting to block mode
Write-Host " -Enabling Network Protection and setting to block mode"
Set-MpPreference -EnableNetworkProtection Enabled
#Enable Sandboxing for Windows Defender
Write-Host " -Enabling Sandboxing for Windows Defender"
setx /M MP_FORCE_USE_SANDBOX 1 | Out-Null
#Set cloud block level to 'High'
Write-Host " -Setting cloud block level to 'High'"
Set-MpPreference -CloudBlockLevel High
#Set cloud block timeout to 1 minute
Write-Host " -Setting cloud block timeout to 1 minute"
Set-MpPreference -CloudExtendedTimeout 50
#Schedule signature updates every 8 hours
Write-Host " -Scheduling signature updates every 8 hours"
Set-MpPreference -SignatureUpdateInterval 1
#Randomize Scheduled Task Times
Write-Host " -Randomizing Scheduled Task Times"
Set-MpPreference -RandomizeScheduleTaskTimes $true

Write-Host "Enabling Cloud-delivered Protections"
#Enable Cloud-delivered Protections
```

Set-MpPreference -MAPSReporting Advanced

Set-MpPreference -SubmitSamplesConsent SendAllSamples

Write-Host "Enabling... Windows Defender Attack Surface Reduction Rules"

#<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/enable-attack-surface-reduction>

#<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/attack-surface-reduction>

Write-Host " -Block executable content from email client and webmail"

Add-MpPreference -AttackSurfaceReductionRules_Ids BE9BA2D9-53EA-4CDC-84E5-9B1EEEE46550 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block all Office applications from creating child processes"

Add-MpPreference -AttackSurfaceReductionRules_Ids D4F940AB-401B-4EFC-AADC-AD5F3C50688A -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block Office applications from creating executable content"

Add-MpPreference -AttackSurfaceReductionRules_Ids 3B576869-A4EC-4529-8536-B80A7769E899 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block Office applications from injecting code into other processes"

Add-MpPreference -AttackSurfaceReductionRules_Ids 75668C1F-73B5-4CF0-BB93-3ECF5CB7CC84 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block JavaScript or VBScript from launching downloaded executable content"

Add-MpPreference -AttackSurfaceReductionRules_Ids D3E037E1-3EB8-44C8-A917-57927947596D -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block execution of potentially obfuscated scripts"

Add-MpPreference -AttackSurfaceReductionRules_Ids 5BEB7EFE-FD9A-4556-801D-275E5FFC04CC -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block Win32 API calls from Office macros"

Add-MpPreference -AttackSurfaceReductionRules_Ids 92E97FA1-2EDF-4476-BDD6-9DD0B4DDDC7B -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block executable files from running unless they meet a prevalence, age, or trusted list
criterion"

Add-MpPreference -AttackSurfaceReductionRules_Ids 01443614-cd74-433a-b99e-2ecdc07bfc25 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block credential stealing from the Windows local security authority subsystem"

Add-MpPreference -AttackSurfaceReductionRules_Ids 9e6c4e1f-7d60-472f-ba1a-a39ef669e4b2 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block persistence through WMI event subscription"

Add-MpPreference -AttackSurfaceReductionRules_Ids e6db77e5-3df2-4cf1-b95a-636979351e5b -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block process creations originating from PSEXEC and WMI commands"

Add-MpPreference -AttackSurfaceReductionRules_Ids d1e49aac-8f56-4280-b9ba-993a6d77406c -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block untrusted and unsigned processes that run from USB"

Add-MpPreference -AttackSurfaceReductionRules_Ids b2b3f03d-6a65-4f7b-a9c7-1c7ef74a9ba4 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block Office communication application from creating child processes"

Add-MpPreference -AttackSurfaceReductionRules_Ids 26190899-1602-49e8-8b27-eb1d0a1ce869 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block Adobe Reader from creating child processes"

Add-MpPreference -AttackSurfaceReductionRules_Ids 7674ba52-37eb-4a4f-a9a1-f0f9a1619a2c -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block persistence through WMI event subscription"

Add-MpPreference -AttackSurfaceReductionRules_Ids e6db77e5-3df2-4cf1-b95a-636979351e5b -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Block abuse of exploited vulnerable signed drivers"

Add-MpPreference -AttackSurfaceReductionRules_Ids 56a863a9-875e-4185-98a7-b882c64b5ce5 -
AttackSurfaceReductionRules_Actions Enabled

Write-Host " -Use advanced protection against ransomware"

Add-MpPreference -AttackSurfaceReductionRules_Ids c1db55ab-c21a-4637-bb3f-a12568109d35 -
AttackSurfaceReductionRules_Actions Enabled