The REG Procedure
Model: MODEL1
Dependent Variable: Admit

Number of Observations Read	1000
Number of Observations Used	1000

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	7.48056	1.87014	1188.27	<.0001
Error	995	1.56596	0.00157		
Corrected Total	999	9.04652			

Root MSE	0.03967	R-Square	0.8269
Dependent Mean	0.72922	Adj R-Sq	0.8262
Coeff Var	5.44025		


Parameter Estimates

Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > |t|
Intercept	1	0.38656	0.00795	48.61	<.0001
UnivRating	1	0.02197	0.00088374	24.85	<.0001
LOR	1	0.02015	0.00108	18.65	<.0001
GPA	1	0.04542	0.00216	21.05	<.0001
Research	1	0.14965	0.00251	59.52	<.0001


The REG Procedure
Model: MODEL1
Dependent Variable: Admit

Durbin-Watson D	2.011
Number of Observations	1000
1st Order Autocorrelation	-0.006

The REG Procedure
Model: MODEL1
Dependent Variable: Admit



The REG Procedure
Model: MODEL1
Dependent Variable: Admit



The UNIVARIATE Procedure
Variable: Residuals (Residual)

Moments			
N	1000	Sum Weights	1000
Mean	0	Sum Observations	0
Std Deviation	0.03959203	Variance	0.00156753
Skewness	-0.0329804	Kurtosis	-0.0657244
Uncorrected SS	1.56596105	Corrected SS	1.56596105
Coeff Variation	.	Std Error Mean	0.00125201

Basic Statistical Measures			
Location		Variability	
Mean	0.00000	Std Deviation	0.03959
Median	-0.00011	Variance	0.00157
Mode	0.01364	Range	0.25940
		Interquartile Range	0.05484

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	0	Pr > |t|	1.0000
Sign	M	-1	Pr >= |M|	0.9748
Signed Rank	S	27	Pr >= |S|	0.9976


Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.998983	Pr < W	0.8642
Kolmogorov-Smirnov	D	0.012317	Pr > D	>0.1500
Cramer-von Mises	W-Sq	0.018933	Pr > W-Sq	>0.2500
Anderson-Darling	A-Sq	0.135579	Pr > A-Sq	>0.2500

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.110640315
99%	0.091161512
95%	0.065876881
90%	0.050485858
75% Q3	0.027260604
50% Median	-0.000106036
25% Q1	-0.027577173
10%	-0.050030691
5%	-0.065058408
1%	-0.089318040
0% Min	-0.148761641

The UNIVARIATE Procedure
Variable: Residuals (Residual)

Extreme Observations			
Lowest		*Highest*	
Value	*Obs*	*Value*	*Obs*
-0.148762	206	0.100823	492
-0.116424	69	0.101404	259
-0.110475	921	0.103243	50
-0.109520	278	0.108194	793
-0.104688	730	0.110640	715

The UNIVARIATE Procedure



The MODEL Procedure

Model Summary	
Model Variables	1
Parameters	5
Equations	1
Number of Statements	1

Model Variables	Admit
Parameters	B0 B1 B2 B3 B4
Equations	Admit

The Equation to Estimate is

Admit = F(B0(1), B1(UnivRating), B2(LOR), B3(GPA), B4(Research))

NOTE: At OLS Iteration 1 CONVERGE=0.001 Criteria Met.

The MODEL Procedure
OLS Estimation Summary

Data Set Options	
DATA=	MLRDATA.GRAD_CLEAN

Minimization Summary	
Parameters Estimated	5
Method	Gauss
Iterations	1

Final Convergence Criteria	
R	0
PPC	0
RPC(B0)	3826.342
Object	0.997094
Trace(S)	0.001574
Objective Value	0.001566

Observations Processed	
Read	1000
Solved	1000

The MODEL Procedure

Nonlinear OLS Summary of Residual Errors

Equation	DF Model	DF Error	SSE	MSE	Root MSE	R-Square	Adj R-Sq
Admit	5	995	1.5660	0.00157	0.0397	0.8269	0.8262

Nonlinear OLS Parameter Estimates


Parameter	Estimate	Approx Std Err	t Value	Approx Pr > |t|
B0	0.386561	0.00795	48.61	<.0001
B1	0.021965	0.000884	24.85	<.0001
B2	0.02015	0.00108	18.65	<.0001
B3	0.04542	0.00216	21.05	<.0001
B4	0.149648	0.00251	59.52	<.0001

Number of Observations		Statistics for System	
Used	1000	*Objective*	0.001566
Missing	0	*Objective*N*	1.5660


Heteroscedasticity Test

Equation	Test	Statistic	DF	Pr > ChiSq	Variables
Admit	Breusch-Pagan	0.87	4	0.9292	1, UnivRating, LOR, GPA, Research

The MODEL Procedure



The MODEL Procedure




The ARIMA Procedure


Name of Variable = Residuals	
Mean of Working Series	-239E-18
Standard Deviation	0.039572
Number of Observations	1000


Autocorrelation Check for White Noise

To Lag	*Chi-Square*	*DF*	*Pr > ChiSq*	*Autocorrelations*					
6	4.06	6	0.6687	-0.006	0.010	0.051	0.027	-0.019	-0.017
12	4.54	12	0.9715	-0.004	0.014	-0.001	-0.005	0.015	0.004
18	13.91	18	0.7349	0.028	-0.025	0.005	0.077	-0.026	0.033




Residuals vs Observation Order (Sequence Plot)
Residuals
0.10
0.05
0.00
-0.05
-0.10
-0.15
0
200
400
600
800
1000
Observation number


Residuals vs Fitted Values
Residuals
0.10
0.05
0.00
-0.05
-0.10
-0.15
0.5
0.6
0.7
0.8
0.9
Predicted Value (Fitted Value)


Observed vs Fitted Values
Observed Value (Chance of Admittance)
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
Predicted Value
Admit
LineParm

Model Error Measures

Error Measure	*Calculated Value*
RMSE	0.039572
MAE	0.031693
MPE	-0.30452
MAPE	4.429692

Scoring check (first 5 rows): FINAL should equal Predicted

Admit	*FINAL*
0.612	0.59783
0.708	0.65749
0.728	0.73615
0.643	0.59645
0.524	0.58915