

Global Solution – Governança e Melhores Práticas em TI


João Vitor Nava – RM: 98623

Dimitris Tzirnazoglou Assis Lopes – RM: 550120


Link git hub: <https://github.com/dimilopes/Projeto-GS1/>

A.

A1.



A2.



A3.

```
D:\Projeto-GS1>git flow init
Which branch should be used for bringing forth production releases?
- main
Branch name for production releases: [main]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [D:/Projeto-GS1/.git/hooks]

D:\Projeto-GS1>
```

```
D:\Projeto-GS1>git push origin develop
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/dimilopes/Projeto-GS1/pull/new/develop
remote:
To https://github.com/dimilopes/Projeto-GS1
 * [new branch]      develop -> develop

D:\Projeto-GS1>git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/dimilopes/Projeto-GS1
 4f753a8..58b9e6f  main -> main

D:\Projeto-GS1>git push -u origin develop
branch 'develop' set up to track 'origin/develop'.
Everything up-to-date


D:\Projeto-GS1>
```

B.

25-ArchiHelpDesk(1).archimate

elp

75%



C.

```
D:\Projeto-GS1>git push origin develop
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/dimilopes/Projeto-GS1/pull/new/develop
remote:
To https://github.com/dimilopes/Projeto-GS1
 * [new branch]      develop -> develop

D:\Projeto-GS1>git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/dimilopes/Projeto-GS1
 4f753a8..58b9e6f  main -> main

D:\Projeto-GS1>git push -u origin develop
branch 'develop' set up to track 'origin/develop'.
Everything up-to-date

D:\Projeto-GS1>
```

 Administrator: Git CMD

```
D:\Projeto-GS1>git checkout develop
A      DocappProjetoGS.docx
Switched to branch 'develop'

D:\Projeto-GS1>git add .

D:\Projeto-GS1>git commit -m "Adicionando repostas da prova"
[develop 58b9e6f] Adicionando repostas da prova
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 DocappProjetoGS.docx

D:\Projeto-GS1>
```



```
D:\Projeto-GS1>git add .

D:\Projeto-GS1>git status
On branch feature/appProjetoGS
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   DocappProjetoGS.docx

D:\Projeto-GS1>_
```

```
D:\Projeto-GS1>git flow feature start
Missing argument <name>
usage: git flow feature start [-h] [-F] <name> [<base>]

    Start new feature <name>, optionally basing it on <base> instead of <develop>

    -h, --help            Show this help
    --showcommands        Show git commands while executing them
    -F, --[no-][no]fetch  Fetch from origin before performing local operation

D:\Projeto-GS1>git flow feature start appProjetoGS
Switched to a new branch 'feature/appProjetoGS'

Summary of actions:
- A new branch 'feature/appProjetoGS' was created, based on 'develop'
- You are now on branch 'feature/appProjetoGS'

Now, start committing on your feature. When done, use:

    git flow feature finish appProjetoGS

D:\Projeto-GS1>git branch
  develop
* feature/appProjetoGS
  main

D:\Projeto-GS1>git status
On branch feature/appProjetoGS
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DocappProjetoGS.docx

nothing added to commit but untracked files present (use "git add" to track)
```