


Execution of Semantic Structures

D. Gueorguiev 5/6/2022

Execution Space

Execution Space is a metric space which has different number of dimensions than that of Semantic Space. All execution structures reside in Execution Space. Each executable semantic structure is mapped to a *target point* in execution space which is adorned with a semantic signature and mass. Each target point in execution space serves as a point of attraction to the relevant Execution Particles which will form a final Execution Structure converging around the target point.

Definition: *Target point*: a point in Execution Space which is mapped to a centroid of a Semantic Structure in Semantic Space. It will be denoted to with the Greek letter τ with appropriate subscript (from Greek στόχος). Each target point has a mass in execution space m_τ and semantic signature represented by its semantic signature matrix $sig(\tau)$.




Executive Particles and Executive Structures

Execution of semantic structure is achieved through aggregation of *Executive Particles* around a *target point*. Every structure in execution space can be represent as an n -arry tree rooted in a *target point*.

Executive particles can be *primitive* or *compound* ones. Every compound executive particle is an executive structure and it can be expressed as a tree of primitive executive particles.

Every primitive executive particle can be represented as a tree of primitive executive atoms as shown on the figure below. The structures in Execution Space will be denoted with small cap Greek letters. The primitive executive particles will be denoted with the letter ε with appropriate subscript (from Greek

[εκτελώ](#) **execute**). The executive atoms will be denoted with the letter α with an appropriate subscript (from Greek [άτομο](#)).



Each arc connecting two executive atoms is assigned *executive significance* vector $\vec{\sigma}$ (Greek [σημασία](#)) with appropriate subscript.

$$\begin{array}{c}
 \vec{\sigma}_{1,2} \\
 \alpha_1 \text{-----} \alpha_2
 \end{array}$$

//TODO

Executive Atoms

Each *Executive Atom* α is represented by the triplet $(\mu, \mathfrak{T}, \delta)$ where μ is the *semantic latch* (Greek for [μάνταλο](#) for *latch*) of the atom (also *atom key*), \mathfrak{T} is the *semantic template* of the atom and δ (Greek [δράση](#) for *Action*) is an *Action* associated with the result of the application of \mathfrak{T} .

Let us have two atoms α_1 and α_2 such that the former is a parent of the latter. Let the pair $(\mu_1, \mathfrak{T}_1, \delta_1)$ is associated with the parent and $(\mu_2, \mathfrak{T}_2, \delta_2)$ is associated with the child atom. Let us denote the semantic input for α_1 with I_1 . Note that I_1 is either the result of the application of the semantic template of a parent of α_1 or it is the semantic structure of the root τ of the executive particle to which the atoms α_1 and α_2 belong.

a signature matrix $asig(\alpha)$. Each column in $asig(\alpha)$ is mapped to an *Action Code vector* $\vec{\delta}_i$ (Greek [δράση](#) for *Action*). Thus

$$asig(\alpha) = [\vec{\delta}_1 \vec{\delta}_2 \dots \vec{\delta}_i \dots \vec{\delta}_n]$$

TODO: connection between Action Code and Action. Therefore, each atom can be thought of as a sequence of executive actions performed atomically. Recall in the discussion on the concept of *Semantic Aspect* we mentioned that the semantic aspect is mapped to a (length, direction) pair in Semantic Space. We denoted the length as *Aspect type* and the $K - 1$ coordinates which are encoding its direction as *Aspect value*. We allowed the semantic Aspect Types and Values to be *continuous* and we introduced *Aspect Type and Value Matching functions* Φ and Θ which allow us to establish closeness between

semantic aspects. Through the concept of *Semantic Aspect* we have defined a continuum of semantic meanings and can establish closeness which is necessary for inferring new semantic structures and performing semantic parsing. The problem is that we cannot afford the convenience of continuum when dealing with executive structures. Every executive structure will be shown to be equivalent to a non-deterministic Turing machine.


Mapping of Action Code to Executive Action

//TODO

Creation of Execution Structures

Creation of Primitive Execution Particle

Let us consider a target point τ_0 in Execution Space represented by its mass m_{τ_0} and semantic signature matrix $ssig(\tau_0)$. From all already constructed atoms we select the one with the largest attraction force toward τ_0 .



//TODO

Inference in Execution Space

//TODO