

Software Requirements Specification for Software Eng

4G06: subtitle describing software

Team 2, Parnas' Pals

William Lee

Jared Bentvelsen

Bassel Rezkalla

Yuvraj Randhawa

Dimitri Tsampiras

Matthew McCracken

October 4, 2022

Contents

1	The Purpose of the Project	iv
1.1	The User Business or Background of the Project Effort	iv
1.2	Goals of the Project	iv
2	Project Drivers	iv
2.1	The Purpose of the Project	iv
2.2	Stakeholders	iv
3	Project Constraints	iv
3.1	Mandated Constraints	iv
3.2	Naming Conventions and Terminology	iv
3.3	Relevant Facts and Assumptions	iv
4	General System Description	iv
4.1	System Context	v
4.2	System Constraints	vi
4.3	System Scope	vi
5	Functional Requirements	vi
5.1	The Scope of the Work	vi
5.2	Business Data Model and Data Directory	vi
5.3	The Scope of the Product	vi
5.4	Functional Requirements	vi
6	Nonfunctional Requirements	vi
6.1	Look and Feel Requirements	vii
6.2	Usability and Humanity Requirements	vii
6.3	Performance Requirements	vii
6.4	Operational and Environmental Requirements	vii
6.5	Maintainability and Support Requirements	vii
6.5.1	Maintenance Requirements	vii
6.5.2	Supportability Requirements	vii
6.5.3	Adaptability Requirements	vii
6.6	Security Requirements	vii
6.6.1	Access Requirements	vii
6.6.2	Integrity Requirements	viii
6.6.3	Privacy Requirements	viii
6.6.4	Audit Requirements	viii
6.6.5	Immunity Requirements	viii
6.7	Cultural Requirements	viii
6.7.1	Cultural Market Requirements	viii
6.7.2	Cultural Diversity and Inclusion Requirements	viii

6.8	Compliance Requirements	ix
6.8.1	Legal Compliance Requirements	ix
6.8.2	Standards Compliance Requirements	ix
7	Use cases	ix
7.1	Use case Diagram	xi
8	Traceability Matrices and Graphs	xii
9	Project Issues	xvi
9.1	Open Issues	xvi
9.2	Off the Shelf Solutions	xvi
9.3	New Problems	xvi
9.4	Tasks	xvi
9.5	Migration to the New Product	xvi
9.6	Risks	xvi
9.7	Costs	xvi
9.8	User Documentation and Training	xvi
9.9	Waiting Room	xvi
9.10	Ideas for Solutions	xvi
10	Reference Material	xvi
10.1	Abbreviations and Acronyms	xvi

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

1 The Purpose of the Project

1.1 The User Business or Background of the Project Effort

1.2 Goals of the Project

2 Project Drivers

2.1 The Purpose of the Project

2.2 Stakeholders

1. Fitness Enthusiasts - Anyone interested in exploring other fitness routines, creating their own routines, and tracking their own personal progression towards goals.
2. Personal Trainers - Olympian provides the ideal platform for trainers to share routines and goals with their clients.
3. Fitness Advertisers - One avenue of monetization that Olympian could take is running advertisements. Although these advertisements could fall into any category, the largest stakeholders will be Fitness Advertisers, as the users of Olympian will be heavily involved with fitness, and thus most likely to buy fitness products.

3 Project Constraints

3.1 Mandated Constraints

3.2 Naming Conventions and Terminology

3.3 Relevant Facts and Assumptions

4 General System Description

This section provides general information about the system. It identifies the interfaces between the system and its environment, describes the user characteristics and lists the system constraints. [This text can likely be borrowed verbatim. —TPLT]

[The purpose of this section is to provide general information about the system so the specific requirements in the next section will be easier to understand. The general system description section is designed to be changeable independent of changes to the functional requirements documented in the specific system description. The general system description provides a context for a family of related models. The general description can stay the same, while specific details are changed between family members. —TPLT]

4.1 System Context

[Your system context will include a figure that shows the abstract view of the software. Often in a scientific context, the program can be viewed abstractly following the design pattern of Inputs \rightarrow Calculations \rightarrow Outputs. The system context will therefore often follow this pattern. The user provides inputs, the system does the calculations, and then provides the outputs to the user. The figure should not show all of the inputs, just an abstract view of the main categories of inputs (like material properties, geometry, etc.). Likewise, the outputs should be presented from an abstract point of view. In some cases the diagram will show other external entities, besides the user. For instance, when the software product is a library, the user will be another software program, not an actual end user. If there are system constraints that the software must work with external libraries, these libraries can also be shown on the System Context diagram. They should only be named with a specific library name if this is required by the system constraint. —TPLT]




Figure 1: System Context

[For each of the entities in the system context diagram its responsibilities should be listed. Whenever possible the system should check for data quality, but for some cases the user will need to assume that responsibility. The list of responsibilities should be about the inputs and outputs only, and they should be abstract. Details should not be presented here. However, the information should not be so abstract as to just say “inputs” and “outputs”. A summarizing phrase can be used to characterize the inputs. For instance, saying “material properties” provides some information, but it stays away from the detail of listing every required properties. —TPLT]

- User Responsibilities:

-

- Software Eng 4G06 Responsibilities:

- Detect data type mismatch, such as a string of characters instead of a floating point number

-

4.2 System Constraints

[System constraints differ from other type of requirements because they limit the developers' options in the system design and they identify how the eventual system must fit into the world. This is the only place in the SRS where design decisions can be specified. That is, the quality requirement for abstraction is relaxed here. However, system constraints should only be included if they are truly required. —TPLT]

4.3 System Scope

5 Functional Requirements

5.1 The Scope of the Work

5.2 Business Data Model and Data Directory

5.3 The Scope of the Product

5.4 Functional Requirements

- R1: [Requirements for the inputs that are supplied by the user. This information has to be explicit. —TPLT]
- R2: [It isn't always required, but often echoing the inputs as part of the output is a good idea. —TPLT]
- R3: [Calculation related requirements. —TPLT]
- R4: [Verification related requirements. —TPLT]
- R5: [Output related requirements. —TPLT]

[Every IM should map to at least one requirement, but not every requirement has to map to a corresponding IM. —TPLT]

6 Nonfunctional Requirements

[List your nonfunctional requirements. You may consider using a fit criterion to make them verifiable. —TPLT] [The goal is for the nonfunctional requirements to be unambiguous, abstract and verifiable. This isn't easy to show succinctly, so a good strategy may be to give a "high level" view of the requirement, but allow for the details to be covered in the Verification and Validation document. —TPLT] [An absolute requirement on a quality of the system is rarely needed. For instance, an accuracy of 0.0101 % is likely fine, even if the requirement is for 0.01 % accuracy. Therefore, the emphasis will often be more on

describing how well the quality is achieved, through experimentation, and possibly theory, rather than meeting some bar that was defined a priori. —TPLT] [You do not need an entry for correctness in your NFRs. The purpose of the SRS is to record the requirements that need to be satisfied for correctness. Any statement of correctness would just be redundant. Rather than discuss correctness, you can characterize how far away from the correct (true) solution you are allowed to be. This is discussed under accuracy. —TPLT]

6.1 Look and Feel Requirements

6.2 Usability and Humanity Requirements

6.3 Performance Requirements

6.4 Operational and Environmental Requirements

6.5 Maintainability and Support Requirements

6.5.1 Maintenance Requirements

NFR1: The application must inform users when maintenance is taking place and must warn them at least 1 day in advance.

NFR2: The application must utilize informative error and warning messages when problems occur.

6.5.2 Supportability Requirements

- N/A

6.5.3 Adaptability Requirements

NFR3: The application must run on mobile devices. It will be supported on Android and IOS.

6.6 Security Requirements

6.6.1 Access Requirements

NFR4: The application must allow users to access the application and their data using private credentials

NFR5: The application must not display other users private details to the user.

NFR6: The application must allow users to securely reset their password when they forget it.

6.6.2 Integrity Requirements

NFR7: The application must store data in a secure database.

NFR8: The application must verify the users email address when they first sign up.

NFR9: Passwords must be at least 8 characters, with an uppercase letter, a number, and a symbol.

NFR10: Passwords must be hashed when stored.

6.6.3 Privacy Requirements

NFR11: The application must offer the user the option to keep all of their data private from other users.

NFR12: The application must use OAuth protocols to verify communication between the client and server.

6.6.4 Audit Requirements

NFR13: Data will be stored in a secure database. When data is deleted or edited a record of this data will be kept for up to 30 days.

6.6.5 Immunity Requirements

- N/A

6.7 Cultural Requirements

6.7.1 Cultural Market Requirements

NFR14: The application will filter out profanities and flag repeat offenders for suspension.

NFR15: The application will allow users to report offensive content and remove it from their feed.

6.7.2 Cultural Diversity and Inclusion Requirements

NFR16: Users can optionally specify their gender, age, and race. Gender and age will be used to cater the content for individuals feeds.

6.8 Compliance Requirements

6.8.1 Legal Compliance Requirements

NFR17: The use of data will comply with the Data Protection Act.

6.8.2 Standards Compliance Requirements

- N/A

NFR18: **Accuracy** [Characterize the accuracy by giving the context/use for the software. Maybe something like, “The accuracy of the computed solutions should meet the level needed for <engineering or scientific application>. The level of accuracy achieved by Software Eng 4G06 shall be described following the procedure given in Section X of the Verification and Validation Plan.” A link to the VnV plan would be a nice extra. —TPLT]

NFR19: **Usability** [Characterize the usability by giving the context/use for the software. You should likely reference the user characteristics section. The level of usability achieved by the software shall be described following the procedure given in Section X of the Verification and Validation Plan. A link to the VnV plan would be a nice extra. —TPLT]

NFR20: **Maintainability** [The effort required to make any of the likely changes listed for Software Eng 4G06 should be less than FRACTION of the original development time. FRACTION is then a symbolic constant that can be defined at the end of the report. —TPLT]

NFR21: **Portability** [This NFR is easier to write than the others. The systems that Software Eng 4G06 should run on should be listed here. When possible the specific versions of the potential operating environments should be given. To make the NFR verifiable a statement could be made that the tests from a given section of the VnV plan can be successfully run on all of the possible operating environments. —TPLT]

- Other NFRs that might be discussed include verifiability, understandability and reusability.


7 Use cases

- View posted workout routine
 1. View other user’s fitness progress
 2. Add Personal Workout List

- 3. View workout Author
 - 4. Review workout
- Browse Workout routines
 - 1. Filter routines
- View Another User's Profile
 - 1. View user's created routines
- Create User Profile
 - 1. Setup profile description
 - 2. Setup attributes
- Edit User Profile
- Start workout routine
 - 1. Track exercises in-progress
 - 2. Track personal Quantifiers
 - 3. Update current routine
- Create workout routine
 - 1. Post workout routine
 - 2. Categorize routine
 - 3. Add workout length details
 - 4. Add exercise
 - (a) Add Quantifier
 - (b) Add Workout Descriptions
- Edit Routine
- Remove Routine
- View Workout List

7.1 Use case Diagram





8 Traceability Matrices and Graphs

The purpose of the traceability matrices is to provide easy references on what has to be additionally modified if a certain component is changed. Every time a component is changed, the items in the column of that component that are marked with an “X” may have to be modified as well. Table 1 shows the dependencies of theoretical models, general definitions, data definitions, and instance models with each other. Table 2 shows the dependencies

of instance models, requirements, and data constraints on each other. Table 3 shows the dependencies of theoretical models, general definitions, data definitions, instance models, and likely changes on the assumptions.

[You will have to modify these tables for your problem. —TPLT]

[The traceability matrix is not generally symmetric. If GD1 uses A1, that means that GD1’s derivation or presentation requires invocation of A1. A1 does not use GD1. A1 is “used by” GD1. —TPLT]

[The traceability matrix is challenging to maintain manually. Please do your best. In the future tools (like Drasil) will make this much easier. —TPLT]

	T??	T??	T??	GD??	GD??	DD??	DD??	DD??	DD??	IM??	IM??	IM??	IM??
T??													
T??			X										
T??													
GD??													
GD??	X												
DD??				X									
DD??				X									
DD??													
DD??								X					
IM??					X	X	X				X		
IM??					X		X		X	X			
IM??		X											
IM??		X	X				X	X	X		X		

Table 1: Traceability Matrix Showing the Connections Between Items of Different Sections

The purpose of the traceability graphs is also to provide easy references on what has to be additionally modified if a certain component is changed. The arrows in the graphs represent dependencies. The component at the tail of an arrow is depended on by the component at the head of that arrow. Therefore, if a component is changed, the components that it points to should also be changed. Figure ?? shows the dependencies of theoretical models, general definitions, data definitions, instance models, likely changes, and assumptions on each other. Figure ?? shows the dependencies of instance models, requirements, and data constraints on each other.

	IM??	IM??	IM??	IM??	??	R??	R??
IM??		X				X	X
IM??	X			X		X	X
IM??						X	X
IM??		X				X	X
R??							
R??						X	
R??					X		
R2	X	X				X	X
R??	X						
R??		X					
R??			X				
R??				X			
R4			X	X			
R??		X					
R??		X					

Table 2: Traceability Matrix Showing the Connections Between Requirements and Instance Models

	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??	A??
T??	X																		
T??																			
T??																			
GD??		X																	
GD??			X	X	X	X													
DD??							X	X	X										
DD??			X	X						X									
DD??																			
DD??																			
IM??											X	X		X	X	X			X
IM??												X	X			X	X	X	
IM??														X					X
IM??													X					X	
LC??				X															
LC??								X											
LC??									X										
LC??											X								
LC??												X							
LC??															X				

Table 3: Traceability Matrix Showing the Connections Between Assumptions and Other Items

9 Project Issues

9.1 Open Issues

9.2 Off the Shelf Solutions

9.3 New Problems

9.4 Tasks

9.5 Migration to the New Product

9.6 Risks

9.7 Costs

9.8 User Documentation and Training

9.9 Waiting Room

9.10 Ideas for Solutions

10 Reference Material

This section records information for easy reference.

10.1 Abbreviations and Acronyms

symbol	description
A	Assumption
DD	Data Definition
GD	General Definition
GS	Goal Statement
IM	Instance Model
LC	Likely Change
PS	Physical System Description
R	Requirement
SRS	Software Requirements Specification
Software Eng 4G06	[put an expanded version of your program name here (as appropriate) —TPLT]
T	Theoretical Model

[Add any other abbreviations or acronyms that you add —TPLT]

References

[The following is not part of the template, just some things to consider when filing in the template. —TPLT]

[Grammar, flow and L^AT_EX advice:

- For Mac users *.DS_Store should be in .gitignore
- L^AT_EX and formatting rules
 - Variables are italic, everything else not, includes subscripts ([link to document](#))
 - * [Conventions](#)
 - * Watch out for implied multiplication
 - Use BibTeX
 - Use cross-referencing
- Grammar and writing rules
 - Acronyms expanded on first usage (not just in table of acronyms)
 - “In order to” should be “to”

—TPLT]

[Advice on using the template:

- Difference between physical and software constraints
- Properties of a correct solution means *additional* properties, not a restating of the requirements (may be “not applicable” for your problem). If you have a table of output constraints, then these are properties of a correct solution.
- Assumptions have to be invoked somewhere
- “Referenced by” implies that there is an explicit reference
- Think of traceability matrix, list of assumption invocations and list of reference by fields as automatically generatable
- If you say the format of the output (plot, table etc), then your requirement could be more abstract

—TPLT]

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

1. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?