


Camera G6 PTZ

UVC-G6-PTZ


All-weather, 4K dual-lens camera with 10x hybrid zoom, 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and ultra-low latency pan-tilt-zoom control for motion tracking.



AI Speaker Flush Mount

UACC-AI-Speaker-FM

Flush mount accessory for AI Speaker that enables near-invisible, recessed installation.



AI Speaker

UP-AI-Speaker

Indoor 100 dB PoE speaker with AI alerts and flexible surface or flush mounting.



Protect Relay

USL-Relay

Compact SuperLink relay designed with I/O interfaces for seamless integration with third-party sensors and signaling devices.



SFP Wizard

UACC-SFP-Wizard

Instantly reprogram, test, and unlock universal compatibility for every optical module — with full diagnostics and OTA updates built in.



SuperLink High-Gain Antenna

UACC-USL-ANT-HG


High-gain, omnidirectional antenna with an IP67-rated outdoor enclosure, built to extend SuperLink range in all weather conditions.



AI Horn Speaker

UP-AI-Horn-Speaker


All-weather PoE 120 dB horn speaker with advanced AI alert functionality and versatile wall and pole mounting options.



SuperLink Gateway

USL-Gateway

Proprietary super long-range, low-latency wireless gateway for UniFi Protect Sensors.



Switch Pro Max 24 PoE

USW-Pro-Max-24-PoE (400W)

A 24-port, Layer 3 Etherlighting™ switch capable of high-power PoE++ output.



Remote Control KeyFob

USL-FOB


SuperLink key fob for instant programmable actions across your UniFi deployment, with up to 10 years of battery life.



Entry Sensor

USL-Entry

SuperLink sensor with up to 6-year battery life for monitoring door and window open/closed status.



Environmental Sensor

USL-Environmental

Battery-powered SuperLink sensor that detects water leaks, temperature, humidity, and ambient light.



Dream Machine Beast

UDM-Beast

Hyperscale-class Cloud Gateway delivering 25 Gbps IPS/IDS, 7,500+ client capacity, and the full UniFi application platform in one system.



Flex Utility Pro

UACC-Flex-Utility-Pro


A universal outdoor weatherproof enclosure. Protect your networking gear in any environment with this versatile, durable enclosure, designed for both wall and pole mounting.



G6/G5 PTZ Corner Mount

UACC-G5-PTZ-CM

Corner mount accessory for G6/G5 PTZ.



G6 180 Camera Pendant Mount

UACC-G6-180-PM

Pendant mount for suspending the G6 180 Camera from ceilings or overhead structures.



Camera G5 Turret Ultra

UVC-G5-Turret-Ultra

Ultra-compact, tamper-resistant, and weatherproof 2K HD PoE camera with long-range night vision.



Camera G6 180

UVC-G6-180

Indoor/outdoor dual sensor 16MP 20 FPS PoE+ camera, with a Multi-TOPS AI Engine and panoramic 180° coverage.



AC Adapter 210W

UACC-Adapter-AC-210W

An AC power adapter delivers 210W at 54V DC for a PoE switch.



Siren PoE

UP-Siren-PoE

All-weather siren delivering 110 dB alarm and emergency LED lighting powered using PoE input.



Siren

USL-Siren

All-weather SuperLink siren delivering 110 dB alarm and emergency LED lighting powered using battery or DC input.



Switch Flex 2.5G PoE

USW-Flex-2.5G-8-PoE (196W)

Flexible, 8-port 2.5 GbE PoE++ switch with a 10 GbE RJ45/SFP+ combination uplink port that can be powered with PoE+++ or an AC power adapter.



Access Gate Hub

UA-Hub-Gate

An advanced Gate Hub enabling seamless gate access control via connected Access readers or Intercom.



Access G3 Intercom

UA-G3-Intercom


Indoor/outdoor intercom terminal for managing residential and commercial building entry requests with Touch Pass support.



SuperLink Gateway

USL-Gateway


Proprietary super long-range, low-latency wireless gateway for UniFi Protect Sensors.



Motion Sensor

USL-Motion

SuperLink motion sensor designed for versatile installation, delivering up to 6 years of battery life.



Switch Hi-Capacity Aggregation

USW-Pro-Aggregation

A 32-port, Layer 3 switch made for high-capacity 10G SFP+ and 25G SFP28 connections.



Access Junction Utility

UACC-Junction-Utility


An indoor/outdoor enclosure designed for UniFi Access Hubs, switches, and accessories.



Bullet Camera Adjustable Angled Base

UACC-Bullet-AB

Bullet camera mounting accessory that enhances tilt angle by 22° to achieve an unrestricted viewing angle.



Camera G6 Bullet

UVC-G6-Bullet

All-weather 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and long-range IR night vision.



Camera G6 Pro Bullet

UVC-G6-Pro-Bullet


All-weather 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.



SuperLink Gateway

USL-Gateway


Proprietary super long-range, low-latency wireless gateway for UniFi Protect Sensors.



AI Theta Angle Mount

UACC-AI-Theta-Angle Mount-Camera

Angled ceiling mount for AI Theta Standard Lenses.



Camera AI Theta

UVC-AI-Theta


A complete AI Theta system that discreetly secures any space while maintaining a warm and inviting atmosphere.



Enterprise NVR

ENVR

3U NVR with (16) 2.5/3.5" drive bays, supporting up to (70) 4K cameras or (210) Full HD cameras.



Switch Pro Max 16 PoE

USW-Pro-Max-16-PoE (180W)

A 16-port, Layer 3 Etherlighting™ switch with 2.5 GbE, PoE++ output, and versatile mounting options.



Device Bridge Pro

UDB-Pro

5 GHz wireless bridge with PoE output that connects at 5+ km distances or seamlessly uplinks to UniFi WiFi.



UniFi Device Bridge

UDB


Plug-and-play, wireless bridging PoE adapter with integrated UniFi WiFi Auto-Link.



Camera Arm Mount

UACC-Camera-AM


Arm mount accessory that attaches the UniFi Turret cameras to a wall, corner, or pole.



G5 PTZ Surface Mount

UACC-G5-PTZ-SM

Ceiling surface mount accessory for G5 PTZ.



Camera Dual Mount

UACC-Camera-DM

Tamper-resistant, back-to-back mount for two UniFi Bullet, Dome, or Turret cameras that supports flat surface installation and attachment to 1 1/2" NPS threaded conduit.



Camera AI 360

UVC-AI-360

Indoor/outdoor 2K PoE camera with pan-tilt-zoom functionality that offers full 360° surveillance.



Camera AI Dome

UVC-AI-Dome

All-weather, vandal-proof 4K PoE dome camera with enhanced AI capabilities and long-range IR night vision.



Access Point U7 Outdoor

U7-Outdoor

All-weather WiFi 7 AP with 4 spatial streams, an integrated directional super antenna, and versatile mounting options.



Switch Lite 8 PoE

USW-Lite-8-PoE (52W)

An 8-port, Layer 2 PoE switch supporting silent fanless cooling.

