Contents

- 10G PoE++ Adapter (60W) (UACC-PoE++-10G)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-450-G)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-600-G)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-SW-G)
- 2.5G PoE+ Adapter (30W) (UACC-PoE+-2.5G)
- 42U Rack Cabinet (UACC-Rack-42U)
- 42U Rack Cabinet (UACC-Rack-42U-1000-P)
- 42U Rack Cabinet (UACC-Rack-42U-800-P)
- AC Mesh (UAP-AC-M-US)
- Access Ultra (UA-Ultra)
- AI 360 Junction Box (UACC-AI-360-JB)
- AI Dome (UVC-AI-Dome-B)
- AI Dome Camera Flush Mount (UACC-Dome-FM-B)
- AI DSLR (UVC-AI-DSLR)
- AI Horn Speaker (UP-AI-Horn-Speaker-W)
- AI LPR (UVC-AI-LPR-B)
- AI Multi Sensor 2 Camera Arm Mount (UACC-AI-MS-2-AM-W)
- AI Multi Sensor 2 Camera Weather Shield (UACC-AI-MS-2-WS-W)
- AI Multi Sensor 4 (UVC-AI-MS-4-W)
- AI Multi Sensor 4 Camera Arm Mount (UACC-AI-MS-4-AM-W)
- AI Multi Sensor 4 Camera Pendant Mount (UACC-AI-MS-4-PM-W)
- AI Pro (UVC-AI-Pro)
- AI PTZ Industrial (UVC-AI-PTZ-B)
- AI PTZ Precision (UVC-AI-PTZ-Precision-B)
- AI PTZ Precision Corner Mount (UACC-AI-PTZ-Precision-CM-B)
- AI PTZ Precision Pendant Mount (UACC-AI-PTZ-Precision-PM-B)
- AI Speaker (UP-AI-Speaker)
- 10G PoE+++ Adapter (90W) (UACC-PoE+++-10G)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-450-P)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-600-P)
- 12U Rack Cabinet (UACC-Rack-12U-Wall-SW-P)
- 3.5" HDD Tray (UACC-HDD-Tray)
- 42U Rack Cabinet (UACC-Rack-42U-1000-G)
- 42U Rack Cabinet (UACC-Rack-42U-800-G)
- AC Adapter 210W (UACC-Adapter-AC-210W)
- Access Button (UA-Button)
- Aggregation (USW-Aggregation)
- AI 360 Junction Box (UACC-AI-360-JB-W)
- AI Dome (UVC-AI-Dome-W)
- AI Dome Camera Flush Mount (UACC-Dome-FM-W)
- AI Horn Speaker (UP-AI-Horn-Speaker-B)
- AI Key (AI-Key-US)
- AI Multi Sensor 2 (UVC-AI-MS-2-W)
- AI Multi Sensor 2 Camera Pendant Mount (UACC-AI-MS-2-PM-W)
- AI Multi Sensor 4 (UVC-AI-MS-4-B)
- AI Multi Sensor 4 Camera Arm Mount (UACC-AI-MS-4-AM-B)
- AI Multi Sensor 4 Camera Pendant Mount (UACC-AI-MS-4-PM-B)
- AI Port (UP-AI-Port)
- AI Pro (UVC-AI-Pro-White)
- AI PTZ Industrial (UVC-AI-PTZ-W)
- AI PTZ Precision (UVC-AI-PTZ-Precision-W)
- AI PTZ Precision Corner Mount (UACC-AI-PTZ-Precision-CM-W)
- AI PTZ Precision Pendant Mount (UACC-AI-PTZ-Precision-PM-W)
- AI Speaker Flush Mount (UACC-AI-Speaker-FM)

- AI Theta (UVC-AI-Theta)
- AI Theta Ceiling Mount System (UACC-AI-Theta-CMS)
- AI Theta Pro (UVC-AI-Theta-Pro)
- AI Turret (UVC-AI-Turret-B)
- AirWire (U-AirWire-US)
- All-In-One Sensor (UP-Sense)
- Analog Telephone Adapter (UT-ATA-US)
- Building Bridge (UBB-US)
- Building Bridge XG (UBB-XG-US)
- Bullet Camera Angled Base (UACC-Bullet-AB-W)
- Camera Angle Junction Box (UACC-Camera-AJB-B)
- Camera Arm Mount (UACC-Camera-AM-B)
- Camera Compact Junction Box (UACC-Camera-R2-CJB-B)
- Camera Compact Junction Box (Gen1) (UACC-Camera-CJB-B)
- Camera Dual Mount (UACC-Camera-DM-B)
- Camera Junction Box (UACC-Camera-R2-JB-B)
- Camera Junction Box (Gen1) (UACC-Camera-JB-B)
- Cloud Gateway Fiber (UCG-Fiber)
- Cloud Gateway Industrial Rack Mount (UACC-UCG-Industrial-RM)
- Cloud Gateway Max (UCG-Max-NS)
- CloudKey Enterprise (CK-Enterprise)
- Device Bridge IoT (UDB-IoT-US)
- Device Bridge Pro Sector (UDB-Pro-Sector-US)
- Display Cast Lite (UC-Cast-Lite-US)
- Dome Camera Arm Mount (UACC-G4-Dome-Arm Mount)
- Dome Camera Weather Shield (UACC-Dome-WS-W)
- Door Hub (UA-Hub-Door)
- Doorbell Lite (UVC-Doorbell-B)
- Doorbell Lite (UVC-Doorbell-Lite-W)
- AI Theta Angle Mount (UACC-AI-Theta-Angle Mount-Camera)
- AI Theta Hub (UVC-AI-Theta-Hub)
- AI Theta Pro Angle Mount (UACC-AI-Theta-Pro-Angle Mount-Camera)
- AI Turret (UVC-AI-Turret-W)
- Alarm Hub Kit (UP-AlarmHub-Kit)
- All-In-One Sensor (UP-Sense-3)
- Building Bridge (UBB-Single-US)
- Building Bridge XG (UBB-XG-Single-US)
- Bullet Camera Angled Base (UACC-Bullet-AB-B)
- Cable Internet (UCI)
- Camera Angle Junction Box (UACC-Camera-AJB-W)
- Camera Arm Mount (UACC-Camera-AM-W)
- Camera Compact Junction Box (UACC-Camera-R2-CJB-W)
- Camera Compact Junction Box (Gen1) (UACC-Camera-CJB-W)
- Camera Dual Mount (UACC-Camera-DM-W)
- Camera Junction Box (UACC-Camera-R2-JB-W)
- Camera Junction Box (Gen1) (UACC-Camera-JB-W)
- Cloud Gateway Industrial (UCG-Industrial-US)
- Cloud Gateway Max (UCG-Max)
- Cloud Gateway Ultra (UCG-Ultra)
- Device Bridge (UDB-US)
- Device Bridge Pro (UDB-Pro-US)
- Device Bridge Switch (UDB-Switch-US)
- Display Cast Pro (UC-Cast-Pro)
- Dome Camera Weather Shield (UACC-Dome-WS-B)
- Door Closer (UACC-DoorCloser-US)
- Door Hub Mini (UA-Hub-Door-Mini)
- Doorbell Lite (UVC-Doorbell-Lite-B)
- Doorbell Lite Gang Box Mounting Plate (UACC-DB-GB-Plate-B)

- Doorbell Lite Gang Box Mounting Plate (UACC-DBL-GB-Plate-W)
- Dream Machine Pro (UDM-Pro)
- Dream Machine Special Edition (UDM-SE)
- Dream Router 7 (UDR7-US)
- E7 Audience (E7-Audience-US)
- E7 Campus (E7-Campus-US)
- Enterprise 8 PoE (Vintage) (USW-Enterprise-8-PoE)
- Enterprise Audio/Video Bridge (EAV-Bridge)
- Enterprise Audio/Video XG 24 PoE (EAV-XG-24-PoE)
- Enterprise Campus 24S (ECS-24S)
- Enterprise Campus 48 PoE (ECS-48-PoE)
- Enterprise Campus 48S PoE (ECS-48S-PoE)
- Enterprise Campus Switch Core (ECS-Core)
- Enterprise Firewall Core (EF-Core)
- Enterprise NVR (ENVR)
- Enterprise Storage Expansion (UACC-ESE-16)
- Entry Sensor (USL-Entry-US)
- EV Station Lite (UC-EV-Station-Lite-US)
- Fail-Safe Bolt Lock (UACC-Lock-Bolt-Safe)
- Fail-Safe Strike Lock (UACC-Lock-Strike-Safe-8mm)
- Fail-Secure Strike Lock (UACC-Lock-Strike-Secure-15mm)
- Flex (USW-Flex)
- Flex 2.5G (USW-Flex-2.5G-8)
- Flex In-Ceiling Mount (UVC-G3-F-C)
- Flex Mini (USW-Flex-Mini)
- Flex Pendant Mount (UVC-G3-F-PENDANT)
- Flex Pro Mount (UACC-Flex-Cam-PWM-Black)
- Flex Pro Mount (UACC-Flex-Cam-PWM-White)
- Flex Utility (USW-Flex-Utility)
- Dream Machine Beast (UDM-Beast)
- Dream Machine Pro Max (UDM-Pro-Max)
- Dream Router 5G Max (UDR-5G-Max-US)
- E7 (E7-US)
- E7 Audience Indoor (E7-Audience-Indoor-US)
- E7 Campus Indoor (E7-Campus-Indoor-US)
- Enterprise Access Hub (EAH-8)
- Enterprise Audio/Video Fiber (EAV-Fiber)
- Enterprise Campus 24 PoE (ECS-24-PoE)
- Enterprise Campus 24S PoE (ECS-24S-PoE)
- Enterprise Campus 48S (ECS-48S)
- Enterprise Campus Aggregation (ECS-Aggregation)
- Enterprise Firewall (EFG)
- Enterprise NAS (ENAS)
- Enterprise NVR Core (ENVR-Core)
- Entry Sensor (USL-Entry-3-US)
- Environmental Sensor (USL-Environmental-US)
- EV Station Pro (UC-EV-Station-Pro-US)
- Fail-Safe Strike Lock (UACC-Lock-Strike-Safe-15mm)
- Fail-Secure Bolt Lock (UACC-Lock-Bolt-Secure)
- Fail-Secure Strike Lock (UACC-Lock-Strike-Secure-8mm)
- Flex 10 GbE (USW-Flex-XG)
- Flex 2.5G PoE (USW-Flex-2.5G-8-PoE)
- Flex In-Ceiling Mount (UVC-G3-F-C-3)
- Flex Mini 2.5G (USW-Flex-2.5G-5)
- Flex Pendant Mount (UVC-G3-F-PENDANT-3)
- Flex Pro Mount (UACC-Flex-Cam-PWM-Black-3)
- Flex Pro Mount (UACC-Flex-Cam-PWM-White-3)
- Flex Utility Pro (UACC-Flex-Utility-Pro)

- Floating Mount (UACC-FM)
- Floating Mount (UACC-FM-17cm)
- G2 Reader (UA-G2)
- G2 Reader Pro (UA-G2-Pro)
- G3 Intercom (UA-G3-Intercom)
- G3 Reader (UA-G3-W)
- G3 Reader Fingerprint (UA-G3-Fingerprint-W)
- G3 Reader Pro (UA-G3-Pro-W)
- G3 Starter Kit Pro (UA-G3-SK-Pro)
- G3 Wireless Handset (UT-G3-Handset)
- G4 Doorbell Pro (UVC-G4 Doorbell Pro-White-US)
- G4 Doorbell Pro PoE Kit (UVC-G4 Doorbell Pro PoE Kit-White)
- G5 Bullet (UVC-G5-Bullet)
- G5 Dome Ultra (UVC-G5-Dome-Ultra)
- G5 Dome Ultra Flush Mount (UACC-G5-Dome-Ultra-FM-B)
- G5 Dome Ultra Flush Mount (UACC-G5-Dome-Ultra-FM-SB-W)
- G5 Flex (UVC-G5-Flex)
- G5 PTZ (UVC-G5-PTZ)
- G5 PTZ In-Ceiling Mount (UACC-G5-PTZ-ICM)
- G5 PTZ Surface Mount (UACC-G5-PTZ-SM)
- G5 Turret Ultra (UVC-G5-Turret-Ultra)
- G6 180 (UVC-G6-180-B)
- G6 180 Camera Flush Mount (UACC-G6-180-FM-B)
- G6 180 Camera Pendant Mount (UACC-G6-180-PM-B)
- G6 180 Enhancer (UACC-G6-180-Enhancer-B)
- G6 Bullet (UVC-G6-Bullet-B)
- G6 Dome (UVC-G6-Dome-B)
- G6 Dome Camera Flush Mount (UACC-G6-Dome-FM-B)
- G6 Dome Camera Flush Mount (UACC-G6-Dome-FMS-B)
- Floating Mount (UACC-FM-16cm)
- Floating Mount (UACC-FM-23cm)
- G2 Reader (UA-G2-Black)
- G2 Reader Pro (UA-G2-Pro-Black)
- G3 Reader (UA-G3-B)
- G3 Reader Fingerprint (UA-G3-Fingerprint-B)
- G3 Reader Pro (UA-G3-Pro-B)
- G3 Starter Kit (UA-G3-SK)
- G3 Touch Wall (UTP-G3-Touch-Wall)
- G4 Doorbell Pro (UVC-G4 Doorbell Pro-US)
- G4 Doorbell Pro PoE Kit (UVC-G4 Doorbell Pro PoE Kit)
- G4 Instant (UVC-G4-INS-US)
- G5 Dome (UVC-G5-Dome)
- G5 Dome Ultra (UVC-G5-Dome-Ultra-B)
- G5 Dome Ultra Flush Mount (UACC-G5-Dome-Ultra-FM-SB-B)
- G5 Dome Ultra Flush Mount (UACC-G5-Dome-Ultra-FM-W)
- G5 Pro (UVC-G5-Pro)
- G5 PTZ (UVC-G5-PTZ-B)
- G5 PTZ In-Ceiling Mount (UACC-G5-PTZ-ICM-SB-B)
- G5 PTZ Surface Mount (UACC-G5-PTZ-SM-B)
- G5 Turret Ultra (UVC-G5-Turret-Ultra-B)
- G6 180 (UVC-G6-180-W)
- G6 180 Camera Flush Mount (UACC-G6-180-FM-W)
- G6 180 Camera Pendant Mount (UACC-G6-180-PM-W)
- G6 180 Enhancer (UACC-G6-180-Enhancer-W)
- G6 Bullet (UVC-G6-Bullet-W)
- G6 Dome (UVC-G6-Dome-W)
- G6 Dome Camera Flush Mount (UACC-G6-Dome-FM-W)
- G6 Dome Camera Flush Mount (UACC-G6-Dome-FMS-W)

- G6 Dome Camera Weather Shield (UACC-G6-Dome-WS-B)
- G6 Edge Bullet (UVC-G6-Edge-Bullet)
- G6 Edge Turret (UVC-G6-Edge-Turret)
- G6 Instant (UVC-G6-INS-W-US)
- G6 Mini Dome (UVC-G6-Mini-Dome-W)
- G6 Pro 360 (UVC-G6-Pro-360-W)
- G6 Pro 360 Flush Mount (UACC-G6-Pro-360-FM-W)
- G6 Pro Bullet (UVC-G6-Pro-Bullet-W)
- G6 Pro Dome (UVC-G6-Pro-Dome-W)
- G6 Pro Turret (UVC-G6-Pro-Turret-B)
- G6 PTZ (UVC-G6-PTZ-B)
- G6 PTZ In-Ceiling Mount (UACC-G6-PTZ-ICM-B)
- G6 Turret (UVC-G6-Turret-B)
- G6/G5 PTZ Conduit Adapter (UACC-G5-PTZ-CA)
- G6/G5 PTZ Corner Mount (UACC-G5-PTZ-CM)
- G6/G5 PTZ Pendant Mount (UACC-G5-PTZ-PM)
- Gang Box Mounting Plate (UACC-GB-Plate-B)
- Gate Hub (UA-Hub-Gate)
- Gateway Fiber (UXG-Fiber)
- Gateway Max (UXG-Max)
- Glass Break Sensor (USL-GlassBreak-US)
- Hi-Capacity Aggregation (USW-Pro-Aggregation)
- In-Wall Speaker (UACC-In-Wall-Speaker)
- Industrial DIN 8 (USW-Industrial-DIN-8)
- Intercom (UA-Intercom)
- Intercom Viewer (UA-Intercom-Viewer-3)
- Lite 16 PoE (USW-Lite-16-POE)
- Long-Range Switch 8 PoE (USW-LR-Switch-8-PoE)
- Mesh AP In-Ceiling Mount (FlexHD-CM-3)
- G6 Dome Camera Weather Shield (UACC-G6-Dome-WS-W)
- G6 Edge Dome (UVC-G6-Edge-Dome)
- G6 Entry (UVC-G6-Entry)
- G6 Mini Dome (UVC-G6-Mini-Dome-B)
- G6 Pro 360 (UVC-G6-Pro-360-B)
- G6 Pro 360 Flush Mount (UACC-G6-Pro-360-FM-B)
- G6 Pro Bullet (UVC-G6-Pro-Bullet-B)
- G6 Pro Dome (UVC-G6-Pro-Dome-B)
- G6 Pro Entry (UVC-G6-Pro-Entry)
- G6 Pro Turret (UVC-G6-Pro-Turret-W)
- G6 PTZ (UVC-G6-PTZ-W)
- G6 PTZ In-Ceiling Mount (UACC-G6-PTZ-ICM-W)
- G6 Turret (UVC-G6-Turret-W)
- G6/G5 PTZ Conduit Adapter (UACC-G5-PTZ-CA-B)
- G6/G5 PTZ Corner Mount (UACC-G5-PTZ-CM-B)
- G6/G5 PTZ Pendant Mount (UACC-G5-PTZ-PM-B)
- Gang Box Mounting Plate (UACC-GB-Plate-W)
- Gateway Enterprise (UXG-Enterprise)
- Gateway Lite (UXG-Lite)
- Gateway Pro (UXG-Pro-US)
- GNSS Antenna (UACC-GNSS-Antenna)
- In-Ceiling Speaker (UACC-In-Ceiling-Speaker)
- Industrial DIN 2.5G 8 PoE (USW-Industrial-DIN-2.5G-8-PoE)
- Industrial DIN 8 PoE (USW-Industrial-DIN-8-PoE)
- Intercom Viewer (UA-Intercom-Viewer)
- Junction Utility (UACC-Junction-Utility)
- Lite 8 PoE (USW-Lite-8-POE)
- M.2 SSD Tray (UACC-SSD-Tray-B)
- Mobile Router (UMR-US)

- Mobile Router Industrial (UMR-Industrial-US)
- Motion Sensor (USL-Motion-3-US)
- Network Video Recorder (UNVR)
- Network Video Recorder G2 Pro (UNVR-G2-Pro)
- Network Video Recorder Instant Kit (UNVR-Instant-Kit-US)
- Outdoor Long-Range Endpoint (UACC-LR-Endpoint)
- PoE Adapter (15W) (U-PoE)
- PoE Audio Port (UPL-Port-W-US)
- PoE Over 2-Wire Retrofit Extender (UACC-Retrofit-PoE-2Wire)
- PoE+ Adapter (30W) (U-PoE+)
- Power Distribution Hi-Density (USP-PDU-HD)
- PowerAmp (UPL-Amp-B-US)
- Pro 24 (USW-Pro-24)
- Pro 48 (USW-Pro-48)
- Pro 8 PoE (USW-Pro-8-PoE)
- Pro HD 24 PoE (USW-Pro-HD-24-PoE)
- Pro Max 16 PoE (USW-Pro-Max-16-PoE)
- Pro Max 24 PoE (USW-Pro-Max-24-PoE)
- Pro Max 48 PoE (USW-Pro-Max-48-PoE)
- Pro XG 24 (USW-Pro-XG-24)
- Pro XG 48 (USW-Pro-XG-48)
- Pro XG 8 PoE (USW-Pro-XG-8-PoE)
- Protect Viewport (UP-Viewport)
- Rack Ear Kit (UACC-Rack-Ear-2U)
- Reader Flex (UA-G3-Flex-W)
- Redundant Power (USP-RPS)
- Remote Control KeyFob (USL-FOB-US)
- Retrofit PSU 12V (UACC-Retrofit-PSU-12V)
- Retrofit Reader (UA-Retrofit-Reader-W)
- Mobile Router Ultra (UMR-Ultra-US)
- Motion Sensor (USL-Motion-US)
- Network Video Recorder G2 (UNVR-G2)
- Network Video Recorder Instant (UNVR-Instant-US)
- Network Video Recorder Pro (UNVR-Pro)
- Panic Bar (UACC-PanicBar)
- PoE Audio Port (UPL-Port-B-US)
- PoE Integrated AC Adapter (UACC-PoE+-USBC)
- PoE Smart Chime (UACC-Chime-PoE)
- PoE++ Adapter (60W) (U-PoE++)
- Power Distribution Pro (USP-PDU-Pro)
- PowerAmp (UPL-Amp-W-US)
- Pro 24 PoE (USW-Pro-24-POE)
- Pro 48 PoE (USW-Pro-48-POE)
- Pro HD 24 (USW-Pro-HD-24)
- Pro Max 16 (USW-Pro-Max-16)
- Pro Max 24 (USW-Pro-Max-24)
- Pro Max 48 (USW-Pro-Max-48)
- Pro XG 10 PoE (USW-Pro-XG-10-PoE)
- Pro XG 24 PoE (USW-Pro-XG-24-PoE)
- Pro XG 48 PoE (USW-Pro-XG-48-PoE)
- Pro XG Aggregation (USW-Pro-XG-Aggregation)
- Rack Ear Kit (UACC-Rack-Ear-1U)
- Reader Flex (UA-G3-Flex-B)
- Recessed Entry Sensor (USL-Entry-R-US)
- Relay (USL-Relay-US)
- Retrofit Hub (UA-Retrofit-Hub-2)
- Retrofit Reader (UA-Retrofit-Reader-B)
- Retrofit Reader Fingerprint (UA-Retrofit-Reader-Fingerprint-B)

- Retrofit Reader Fingerprint (UA-Retrofit-Reader-Fingerprint-W)
- Siren (USL-Siren-US)
- Smoke and CO Alarm (USL-Smoke-US)
- Standard 24 (USW-24)
- Standard 48 (USW-48)
- SuperLink Gateway (USL-Gateway-US)
- SuperLink High-Gain Antenna (UACC-USL-ANT-HG)
- Swiss Army Knife Omni Antenna (UACC-UK-Ultra-Omni-Antenna-AO)
- U6 Enterprise (U6-Enterprise-US)
- U6 In-Wall (U6-IW-US)
- U6 Mesh Pro (U6-Mesh-Pro-US)
- U6+ (U6+-US)
- U7 Industrial (U7-Industrial-US)
- U7 Long-Range (U7-LR-US)
- U7 Outdoor (U7-Outdoor-US)
- U7 Pro (U7-Pro-US)
- U7 Pro Outdoor (U7-Pro-Outdoor-US)
- U7 Pro XG (U7-Pro-XG-B-US)
- U7 Pro XG Wall (U7-Pro-XG-Wall-US)
- U7 Pro XG Wall Paintable Cover (UACC-U7-Pro-XG-Wall-Cover)
- U7 Pro XGS (U7-Pro-XGS-B-US)
- Ultra (USW-Ultra)
- Ultra 60W (USW-Ultra-60W)
- UNAS 2 (UNAS-2-W)
- UNAS 4 (UNAS-4-W)
- UNAS Pro 4 (UNAS-Pro-4)
- UniFi 3U Bezel (UACC-3U-Bezel)
- UniFi 5G Backup (U5G-US)
- UniFi 5G Max Outdoor (U5G-Max-Outdoor)
- SFP Wizard (UACC-SFP-Wizard)
- Siren PoE (UP-Siren-PoE)
- Standard 16 PoE (USW-16-POE)
- Standard 24 PoE (USW-24-POE)
- Standard 48 PoE (USW-48-POE)
- SuperLink Gateway HA (USL-G2-Gateway-HA-US)
- Swiss Army Knife (UK-Ultra-US)
- Swiss Army Knife Table Stand (UACC-UK-Ultra-TS)
- U6 Enterprise In-Wall (U6-Enterprise-IW-US)
- U6 Mesh (U6-Mesh-US)
- U6 Pro (U6-Pro-US)
- U7 In-Wall (U7-IW-US)
- U7 Lite (U7-Lite-US)
- U7 Mesh (U7-Mesh-US)
- U7 Pro (U7-Pro-5-US)
- U7 Pro Max (U7-Pro-Max-US)
- U7 Pro Wall (U7-Pro-Wall-US)
- U7 Pro XG (U7-Pro-XG-US)
- U7 Pro XG Wall Flush Mount (UACC-U7-Pro-XG-Wall-FM)
- U7 Pro XG Wall Table Stand (UACC-U7-Pro-XG-Wall-TS)
- U7 Pro XGS (U7-Pro-XGS-US)
- Ultra 210W (USW-Ultra-210W)
- UNAS 2 (UNAS-2-B)
- UNAS 4 (UNAS-4-B)
- UNAS Pro (UNAS-Pro)
- UNAS Pro 8 (UNAS-Pro-8)
- UniFi 3U Bezel Lite (UACC-3U-Bezel-Lite)
- UniFi 5G Max (U5G-Max)
- UniFi Express 7 (UX7-2-US)

- UniFi Express 7 (UX7-3-US)
- UniFi Travel Router (UTR-US)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-H-1P)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-H-4P)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-V-2P)
- Universal Paintable Passthrough Wall Plate, 2-Pack (UACC-WP-TH)
- UPS 2U Battery (UACC-UPS-2U-Battery)
- UPS PoE Switch (USW-Mission-Critical-US)
- UPS Tower Battery (UACC-UPS-Tower-Battery)
- WAN Switch (USW-WAN)
- WiFi BaseStation XG (UWB-XG-US)
- UniFi Express 7 (UX7-US)
- UniFi Travel Router Long-Range (UTR-LR-US)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-H-2P)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-V-1P)
- Universal Paintable Keystone Wall Plate, 4-Pack (UACC-WP-Keystone-V-4P)
- UPS 2U (UPS-2U-US)
- UPS 2U Pro (UPS-2U-Pro-US)
- UPS Tower (UPS-Tower-US)
- Vape Detection & Air Quality Sensor (UP-AirQuality)
- WAN Switch RJ45 (USW-WAN-RJ45)

10G PoE++ Adapter (60W)

UACC-PoE++-10G

An adapter that can power UniFi PoE++ devices, reduce dependency on PoE switch power, and provide a Multi-Gigabit LAN connection.

10G PoE+++ Adapter (90W)

UACC-PoE+++-10G

An adapter that can power UniFi PoE+++ devices, reduce dependency on PoE switch power, and provide a Multi-Gigabit LAN connection.

12U Rack Cabinet

UACC-Rack-12U-Wall-450-G

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.

12U Rack Cabinet

UACC-Rack-12U-Wall-450-P

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.

12U Rack Cabinet

UACC-Rack-12U-Wall-600-G

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.

12U Rack Cabinet

UACC-Rack-12U-Wall-600-P

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.

12U Rack Cabinet

UACC-Rack-12U-Wall-SW-G

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.



12U Rack Cabinet

UACC-Rack-12U-Wall-SW-P

Fully assembled wall-mount rack with built-in fans and removable panels, engineered for easy equipment access and space-efficient small-scale deployments.



2.5G PoE+ Adapter (30W)

UACC-PoE+-2.5G

An adapter that can power UniFi PoE+ devices, reduce dependency on PoE switch power, and provide a Multi-Gigabit LAN connection.

3.5" HDD Tray

UACC-HDD-Tray

A tray that supports both 3.5" and 2.5" drives, compatible with UDM-Pro, UDM-SE, UDM-Pro-Max, UNVR, UNVR-Pro, UNAS-Pro, and ENVR.



42U Rack Cabinet

UACC-Rack-42U

Fully assembled floor rack with built-in fans, removable panels, and lockable casters, engineered for optimal airflow, heavy-duty stability, and easy equipment access.

42U Rack Cabinet

UACC-Rack-42U-1000-G

Fully assembled floor rack with built-in fans, removable panels, and lockable casters, engineered for optimal airflow, heavy-duty stability, and easy equipment access.

42U Rack Cabinet

UACC-Rack-42U-1000-P

Fully assembled floor rack with built-in fans, removable panels, and lockable casters, engineered for optimal airflow, heavy-duty stability, and easy equipment access.

42U Rack Cabinet

UACC-Rack-42U-800-G

Fully assembled floor rack with built-in fans, removable panels, and lockable casters, engineered for optimal airflow, heavy-duty stability, and easy equipment access.

42U Rack Cabinet

UACC-Rack-42U-800-P

Fully assembled floor rack with built-in fans, removable panels, and lockable casters, engineered for optimal airflow, heavy-duty stability, and easy equipment access.

AC Adapter 210W

UACC-Adapter-AC-210W

An AC power adapter delivers 210W at 54V DC for a PoE switch.

AC Mesh

UAP-AC-M-US

Compact, indoor/outdoor WiFi 5 AP with 4 spatial streams and optional external antenna support for directional coverage.

Access Button

UA-Button

Push-to-exit button designed for UniFi Access Hubs.

Access Ultra

UA-Ultra

An access reader with a built-in hub for complete, single-door entry control from one device.



Aggregation

USW-Aggregation

An 8-port, Layer 2 switch made for 10G SFP+ connections.

AI 360 Junction Box

UACC-AI-360-JB

Tamper-resistant junction box for the AI 360 that enhances mounting durability and ease of maintenance.

AI 360 Junction Box

UACC-AI-360-JB-W

Tamper-resistant junction box for the AI 360 that enhances mounting durability and ease of maintenance.

AI Dome

UVC-AI-Dome-B

All-weather, vandal-proof 4K PoE dome camera with enhanced AI capabilities and long-range IR night vision.

AI Dome

UVC-AI-Dome-W

All-weather, vandal-proof 4K PoE dome camera with enhanced AI capabilities and long-range IR night vision.

AI Dome Camera Flush Mount

UACC-Dome-FM-B

Dome camera mounting accessory for recessed installation into a wall or ceiling.

AI Dome Camera Flush Mount

UACC-Dome-FM-W

Dome camera mounting accessory for recessed installation into a wall or ceiling.



AI DSLR

UVC-AI-DSLR

Indoor/outdoor 4K PoE camera with exceptional image quality and impressive low-light performance.

AI Horn Speaker

UP-AI-Horn-Speaker-B

All-weather PoE 120 dB horn speaker with advanced AI alert functionality and versatile wall and pole mounting options.

AI Horn Speaker

UP-AI-Horn-Speaker-W

All-weather PoE 120 dB horn speaker with advanced AI alert functionality and versatile wall and pole mounting options.



AI Key

AI-Key-US

Edge AI appliance that enhances any UniFi Protect deployment with proactive, AI-driven threat detection and alerting, capable of analyzing up to 1,800 smart detection events per hour.

AI LPR

UVC-AI-LPR-B

Specialized 4K camera with 3x optical zoom and long-range IR night vision optimized for recognizing license plates on vehicles moving up to 90 km/h.

AI Multi Sensor 2

UVC-AI-MS-2-W

All-weather PoE+ 16MP multi-sensor camera featuring a Multi-TOPS AI engine, 2.33× optical zoom, 20 m IR coverage, and two independently adjustable lenses for wide-area and close-up monitoring.

AI Multi Sensor 2 Camera Arm Mount

UACC-AI-MS-2-AM-W

Versatile mounting kit for wall and corner installation of the AI Multi Sensor 2 camera.

AI Multi Sensor 2 Camera Pendant Mount

UACC-AI-MS-2-PM-W

Pendant-style mount with a G3/4" thread for suspending the AI Multi Sensor 2 camera.



AI Multi Sensor 2 Camera Weather Shield

UACC-AI-MS-2-WS-W

AI Multi Sensor 2 camera accessory for optimal image quality and protection from the elements when installed outdoors on a wall or pole.



AI Multi Sensor 4

UVC-AI-MS-4-B

All-weather PoE++ 32MP multi-sensor camera featuring a Multi-TOPS AI engine, 2.33× optical zoom, 360° IR coverage, and four independently adjustable lenses for seamless wide-area and close-up monitoring.

AI Multi Sensor 4

UVC-AI-MS-4-W

All-weather PoE++ 32MP multi-sensor camera featuring a Multi-TOPS AI engine, 2.33× optical zoom, 360° IR coverage, and four independently adjustable lenses for seamless wide-area and close-up monitoring.

AI Multi Sensor 4 Camera Arm Mount

UACC-AI-MS-4-AM-B

Versatile mounting kit enabling flat or angled installation of the AI Multi Sensor 4 camera via arm, pole, or corner mounts - ideal for various deployment environments.

AI Multi Sensor 4 Camera Arm Mount

UACC-AI-MS-4-AM-W

Versatile mounting kit enabling flat or angled installation of the AI Multi Sensor 4 camera via arm, pole, or corner mounts - ideal for various deployment environments.

AI Multi Sensor 4 Camera Pendant Mount

UACC-AI-MS-4-PM-B

Pendant-style mount with 1.5" NPS threaded connector for suspending the AI Multi Sensor 4 camera from ceilings or overhead structures.

AI Multi Sensor 4 Camera Pendant Mount

UACC-AI-MS-4-PM-W

Pendant-style mount with 1.5" NPS threaded connector for suspending the AI Multi Sensor 4 camera from ceilings or overhead structures.

AI Port

UP-AI-Port

AI appliance that enhances any UniFi or third-party camera with AI detection, classification, and recognition capabilities.

AI Pro

UVC-AI-Pro

Indoor/outdoor 4K PoE camera with 3x optical zoom, long-range IR night vision, and enhanced AI detection capabilities.

AI Pro

UVC-AI-Pro-White

Indoor/outdoor 4K PoE camera with 3x optical zoom, long-range IR night vision, and enhanced AI detection capabilities.

AI PTZ Industrial

UVC-AI-PTZ-B

Industrial-grade 4K PoE++ PTZ camera with enhanced AI capabilities, 22x optical zoom, and long-range adaptive IR LED night vision.

AI PTZ Industrial

UVC-AI-PTZ-W

Industrial-grade 4K PoE++ PTZ camera with enhanced AI capabilities, 22x optical zoom, and long-range adaptive IR LED night vision.

AI PTZ Precision

UVC-AI-PTZ-Precision-B

Industrial-grade 4K PTZ camera with enhanced AI capabilities, 31× optical zoom, adaptive IR LED night vision, and LiDAR technology for faster autofocus.

AI PTZ Precision

UVC-AI-PTZ-Precision-W

Industrial-grade 4K PTZ camera with enhanced AI capabilities, 31× optical zoom, adaptive IR LED night vision, and LiDAR technology for faster autofocus.

AI PTZ Precision Corner Mount

UACC-AI-PTZ-Precision-CM-B

Corner mount accessory for installing the AI PTZ Precision camera.



AI PTZ Precision Corner Mount

UACC-AI-PTZ-Precision-CM-W

Corner mount accessory for installing the AI PTZ Precision camera.



AI PTZ Precision Pendant Mount

UACC-AI-PTZ-Precision-PM-B

Pendant-style mount with 1.5" NPS threaded connector for suspending the AI PTZ Precision.

AI PTZ Precision Pendant Mount

UACC-AI-PTZ-Precision-PM-W

Pendant-style mount with 1.5" NPS threaded connector for suspending the AI PTZ Precision.

AI Speaker

UP-AI-Speaker

Indoor 100 dB PoE speaker with AI alerts and flexible surface or flush mounting.



AI Speaker Flush Mount

UACC-AI-Speaker-FM

Flush mount accessory for AI Speaker that enables near-invisible, recessed installation.

AI Theta

UVC-AI-Theta

A complete AI Theta system that discreetly secures any space while maintaining a warm and inviting atmosphere.

AI Theta Angle Mount

UACC-AI-Theta-Angle Mount-Camera

Angled ceiling mount for AI Theta Standard Lenses.



AI Theta Ceiling Mount System

UACC-AI-Theta-CMS

Ceiling mount system for AI Theta that supports a Hub and any AI Theta Flush and Angle Mount accessory.



AI Theta Hub

UVC-AI-Theta-Hub

Remote processing hub for any AI Theta deployment, compatible with any AI Theta Lens and AI Theta Audio.

AI Theta Pro

UVC-AI-Theta-Pro

A complete ceiling 360° AI Theta system designed to discreetly provide a panoramic view of large, busy spaces.

AI Theta Pro Angle Mount

UACC-AI-Theta-Pro-Angle Mount-Camera

Angled ceiling mount for AI Theta Pro Lenses.



AI Turret

UVC-AI-Turret-B

All-weather, vandal-proof 4K PoE+ turret camera with enhanced AI capabilities and IR and visible LEDs for night vision.

AI Turret

UVC-AI-Turret-W

All-weather, vandal-proof 4K PoE+ turret camera with enhanced AI capabilities and IR and visible LEDs for night vision.

AirWire

U-AirWire-US

High-performance WiFi 7 client adapter with STR MLO, enabling simultaneous full-duplex links for ultra-low latency, extended range, and true multi-gigabit real-world speeds.

Alarm Hub Kit

UP-AlarmHub-Kit

32 input zone alarm control hub for hardwire intrusion sensors powered using PoE++ input and optional battery backup.



All-In-One Sensor

UP-Sense

A battery-powered smart sensor capable of detecting motion, lighting, and environmental changes.

All-In-One Sensor

UP-Sense-3

A battery-powered smart sensor capable of detecting motion, lighting, and environmental changes.



Analog Telephone Adapter

UT-ATA-US

Easy-to-deploy adapter for managing analog telephones and fax machines with UniFi Talk.

Building Bridge

UBB-Single-US

60 GHz wireless point-to-point bridge with a 5 GHz backup radio.

Building Bridge

UBB-US

60 GHz wireless point-to-point bridge with a 5 GHz backup radio.

Building Bridge XG

UBB-XG-Single-US

60 GHz wireless point-to-point bridge with a 10G SFP+ uplink for maximum performance and a 5 GHz backup radio.

Building Bridge XG

UBB-XG-US

60 GHz wireless point-to-point bridge with a 10G SFP+ uplink for maximum performance and a 5 GHz backup radio.

Bullet Camera Angled Base

UACC-Bullet-AB-B

Bullet camera mounting accessory that enhances tilt angle by 22° to achieve an unrestricted viewing angle.



Bullet Camera Angled Base

UACC-Bullet-AB-W

Bullet camera mounting accessory that enhances tilt angle by 22° to achieve an unrestricted viewing angle.



Cable Internet

UCI

Multi-gigabit, rack-mountable cable modem with integrated connection monitoring.

Camera Angle Junction Box

UACC-Camera-AJB-B

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras, featuring a 30° tilt angle for greater mounting flexibility, enhanced durability, improved aesthetics, and easier maintenance.

Camera Angle Junction Box

UACC-Camera-AJB-W

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras, featuring a 30° tilt angle for greater mounting flexibility, enhanced durability, improved aesthetics, and easier maintenance.

Camera Arm Mount

UACC-Camera-AM-B

Arm mount accessory that attaches the UniFi Turret and Dome cameras to a wall, corner, or pole.

Camera Arm Mount

UACC-Camera-AM-W

Arm mount accessory that attaches the UniFi Turret and Dome cameras to a wall, corner, or pole.

Camera Compact Junction Box

UACC-Camera-R2-CJB-B

Tamper-resistant junction box for compact UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Compact Junction Box

UACC-Camera-R2-CJB-W

Tamper-resistant junction box for compact UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Compact Junction Box (Gen1)

UACC-Camera-CJB-B

Tamper-resistant junction box for compact UniFi Dome and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Compact Junction Box (Gen1)

UACC-Camera-CJB-W

Tamper-resistant junction box for compact UniFi Dome and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Dual Mount

UACC-Camera-DM-B

Tamper-resistant, back-to-back mount for two UniFi Bullet, Dome, or Turret cameras that supports flat surface installation and attachment to 1 1/2" NPS threaded conduit.

Camera Dual Mount

UACC-Camera-DM-W

Tamper-resistant, back-to-back mount for two UniFi Bullet, Dome, or Turret cameras that supports flat surface installation and attachment to 1 1/2" NPS threaded conduit.

Camera Junction Box

UACC-Camera-R2-JB-B

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Junction Box

UACC-Camera-R2-JB-W

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Junction Box (Gen1)

UACC-Camera-JB-B

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.

Camera Junction Box (Gen1)

UACC-Camera-JB-W

Tamper-resistant junction box for UniFi Bullet, Dome, and Turret cameras that enhances mounting durability, aesthetics, and ease of maintenance.



Cloud Gateway Fiber

UCG-Fiber

Desktop 10G Cloud Gateway with integrated 4-port 2.5 GbE switch, selectable NVR storage, and full UniFi application support.

Cloud Gateway Industrial

UCG-Industrial-US

Ruggedized, fanless 10 GbE UniFi Cloud Gateway delivering 350W of total system power for high-density PoE deployments, with advanced routing capabilities and microSD storage for full UniFi application support.

Cloud Gateway Industrial Rack Mount

UACC-UCG-Industrial-RM

Rack mount for the Cloud Gateway Industrial.

Cloud Gateway Max

UCG-Max

Compact 2.5G Cloud Gateway with 30+ UniFi device / 300+ client support, 2.3 Gbps IPS routing, and selectable NVR storage.

Cloud Gateway Max

UCG-Max-NS

Compact 2.5G Cloud Gateway with 30+ UniFi device / 300+ client support, 2.3 Gbps IPS routing, and selectable NVR storage.

Cloud Gateway Ultra

UCG-Ultra

Compact Cloud Gateway with 30+ UniFi device / 300+ client support, 1 Gbps IPS routing, and multi-WAN load balancing.

CloudKey Enterprise

CK-Enterprise

A UniFi Console designed for managing massive-scale UniFi Networks.

Device Bridge

UDB-US

Plug-and-play, wireless bridging PoE adapter with integrated UniFi WiFi Auto-Link.

Device Bridge IoT

UDB-IoT-US

Ultra-compact wireless bridge for IoT devices with integrated UniFi WiFi Auto-Link, versatile mounting options, and powered by USB Type-C or 4-pin DC socket.



Device Bridge Pro

UDB-Pro-US

5 GHz wireless bridge with PoE output that connects at 5+ km distances or seamlessly uplinks to UniFi WiFi.

Device Bridge Pro Sector

UDB-Pro-Sector-US

5 GHz point-to-multipoint access point that wirelessly bridges 50+ Device Bridge Pro clients at 5+ km distances.

Device Bridge Switch

UDB-Switch-US

Compact PoE+ switch* with (1) 10 GbE port, (7) 2.5 GbE ports, and 6 GHz-ready WiFi 7 bridging integration for seamless, high-capacity wireless uplink to UniFi WiFi.

Display Cast Lite

UC-Cast-Lite-US

Digital signage player designed for media playback on HDMI displays.

Display Cast Pro

UC-Cast-Pro

Managed digital signage player for HDMI displays with media content playback, web mode, and USB-C peripheral support.

Dome Camera Arm Mount

UACC-G4-Dome-Arm Mount

Arm mount accessory that attaches the G4 or G5 Dome camera to a wall.



Dome Camera Weather Shield

UACC-Dome-WS-B

Dome camera accessory for optimal image quality and protection from the elements when installed outdoors on a wall or pole.

Dome Camera Weather Shield

UACC-Dome-WS-W

Dome camera accessory for optimal image quality and protection from the elements when installed outdoors on a wall or pole.

Door Closer

UACC-DoorCloser-US

A mechanical door closer that ensures controlled closure for safety and convenience.



Door Hub

UA-Hub-Door

A single-door mechanism that provides complete entry and exit control via connected Access Readers.

Door Hub Mini

UA-Hub-Door-Mini

Compact Access Control Hub for a single door.

Doorbell Lite

UVC-Doorbell-B

Compact PoE video doorbell with two-way audio and versatile mounting options.

Doorbell Lite

UVC-Doorbell-Lite-B

Compact PoE video doorbell with two-way audio and versatile mounting options.

Doorbell Lite

UVC-Doorbell-Lite-W

Compact PoE video doorbell with two-way audio and versatile mounting options.

Doorbell Lite Gang Box Mounting Plate

UACC-DB-GB-Plate-B

Secure mounting plate for installing the Doorbell Lite with its flat or angled bracket options over a standard single-gang box.



Doorbell Lite Gang Box Mounting Plate

UACC-DBL-GB-Plate-W

Secure mounting plate for installing the Doorbell Lite with its flat or angled bracket options over a standard single-gang box.



Dream Machine Beast

UDM-Beast

Hyperscale-class Cloud Gateway delivering 25 Gbps IPS/IDS, 7,500+ client capacity, and the full UniFi application platform in one system.

Dream Machine Pro

UDM-Pro

10G Cloud Gateway with 100+ UniFi device / 1,000+ client support and 3.5 Gbps IPS routing.

Dream Machine Pro Max

UDM-Pro-Max

10G Cloud Gateway with 200+ UniFi device / 2,000+ client support, 5 Gbps IPS routing, and redundant NVR storage.

Dream Machine Special Edition

UDM-SE

10G Cloud Gateway with 100+ UniFi device / 1,000+ client support, 3.5 Gbps IPS routing, and built-in PoE switching.

Dream Router 5G Max

UDR-5G-Max-US

Desktop Cloud Gateway with full-performance 5G up to 3.4 Gbps, WiFi 7, 10G SFP+, 4-port 2.5 GbE switch with (1) PoE port, and SD card storage.

Dream Router 7

UDR7-US

Desktop 10G Cloud Gateway with integrated WiFi 7, PoE switch, microSD storage, and full UniFi application support.

E7

E7-US

Enterprise-grade indoor access point with 10-stream WiFi 7 performance, a 10 GbE uplink, and a redundant GbE port for high availability.

E7 Audience

E7-Audience-US

Enterprise-grade, indoor/outdoor access point designed for high-density environments with 12-stream 5 GHz and 6 GHz WiFi 7 performance, a 10 GbE uplink, and a redundant GbE port for high availability.

E7 Audience Indoor

E7-Audience-Indoor-US

Enterprise-grade access point designed for high-density environments with 12-stream WiFi 7 performance, expanded 6 GHz indoor spectrum capability, a 10 GbE uplink, and a redundant GbE port for high availability.

E7 Campus

E7-Campus-US

Enterprise-grade indoor/outdoor access point with 10-stream tri-band WiFi 7 performance, PRISM™ active RF filtering technology, integrated directional antennas, a 10 GbE uplink, and a redundant GbE port for high availability.

E7 Campus Indoor

E7-Campus-Indoor-US

Enterprise-grade access point with 10-stream WiFi 7 performance, expanded 6 GHz indoor spectrum capability, a 10 GbE uplink, and a redundant GbE port for high availability.

Enterprise 8 PoE (Vintage)

USW-Enterprise-8-PoE

An 8-port, Layer 3 switch with 2.5 GbE PoE+ output.

Enterprise Access Hub

EAH-8

Enterprise-grade access hub with entry and exit control up to eight doors and battery backup support.

Enterprise Audio/Video Bridge

EAV-Bridge

PoE+ powered AV-over-IP transceiver that bridges 4K60 HDMI and professional XLR audio as either a source or destination.

Enterprise Audio/Video Fiber

EAV-Fiber

Enterprise Audio/Video switch with (20) 10G SFP+ and (2) 100G QSFP28 uplinks. Supports PTP timing, SMPTE ST 2110, SDVoE, and AES67 audio, with a high-precision OCXO clock and optional GPS grandmaster input (SMA) for deterministic media syncing.



Enterprise Audio/Video XG 24 PoE

EAV-XG-24-PoE

Enterprise Audio/Video switch with (24) 10G PoE+++ ports and (4) 100G QSFP28 uplinks. Supports PTP timing, SMPTE ST 2110, SDVoE, and AES67 audio, with a high-precision OCXO clock and optional GPS grandmaster input (SMA) for deterministic media syncing.



Enterprise Campus 24 PoE

ECS-24-PoE

Enterprise-grade 24-port, Layer 3 Etherlighting™ PoE+++ switch with high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus 24S

ECS-24S

Enterprise-grade 24-port, Layer 3 Etherlighting™ switch with Stacking support and high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus 24S PoE

ECS-24S-PoE

Enterprise-grade 24-port, Layer 3 Etherlighting™ PoE+++ switch with Stacking support and high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus 48 PoE

ECS-48-PoE

Enterprise-grade 48-port, Layer 3 Etherlighting™ PoE+++ switch with high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus 48S

ECS-48S

Enterprise-grade 48-port, Layer 3 Etherlighting™ switch with Stacking support and high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus 48S PoE

ECS-48S-PoE

Enterprise-grade 48-port, Layer 3 Etherlighting™ PoE+++ switch with Stacking support and high-capacity 10 GbE RJ45 and 25G SFP28 connections for high availability system design.



Enterprise Campus Aggregation

ECS-Aggregation

1.8 Tbps high-density 100G/25G Layer 3 Etherlighting™ aggregation switch with MC-LAG support for high availability system design.



Enterprise Campus Switch Core

ECS-Core

3.2 Tbps high-density 100G Layer 3 Etherlighting™ core switch with MC-LAG support for high availability system design.



Enterprise Firewall

EFG

25G Cloud Gateway with 500+ UniFi device / 5,000+ client support, 12.5 Gbps IPS routing, and complete high availability.



Enterprise Firewall Core

EF-Core

Enterprise-class 100 Gbps Cloud Gateway delivering 79 Gbps IDS/IPS, 22,500+ client capacity, and 5,000+ concurrent IPsec tunnels.



Enterprise NAS

ENAS

3U rack-mount NAS with sixteen 3.5"/2.5" SATA bays, dual 25 Gbps SFP28 and 10 GbE RJ45 ports, hot-swappable M.2 NVMe support, front magnetic I/O, Mini-SAS HD expansion, and redundant CRPS power for scalable, high-performance storage deployments.



Enterprise NVR

ENVR

3U NVR with (16) 2.5/3.5" drive bays, supporting up to (70) 4K cameras or (210) Full HD cameras.



Enterprise NVR Core

ENVR-Core

3U UniFi Protect NVR with 16-bay support for 2.5"/3.5" HDDs/SSDs, up to (300) 4K or (500) Full HD cameras, hot-swappable power supplies and optional 16-bay storage expansion units.



Enterprise Storage Expansion

UACC-ESE-16

Expansion unit for ENAS & ENVR-Core with (16) 2.5/3.5" drive bays, providing seamless HDD storage expansion.



Entry Sensor

USL-Entry-3-US

SuperLink sensor with up to 6-year battery life for monitoring door and window open/closed status.



Entry Sensor

USL-Entry-US

SuperLink sensor with up to 6-year battery life for monitoring door and window open/closed status.

Environmental Sensor

USL-Environmental-US

Battery-powered SuperLink sensor that detects water leaks, temperature, humidity, and ambient light.

EV Station Lite

UC-EV-Station-Lite-US

Weatherproof, 11 kW Level 2 electric vehicle charging station with flexible access control designed for scalable deployment.

EV Station Pro

UC-EV-Station-Pro-US

Weatherproof, 11 kW Level 2 electric vehicle charging station with an ultra-bright 10.1" touch display, flexible access control, and payment terminal accessory support.

Fail-Safe Bolt Lock

UACC-Lock-Bolt-Safe

Fail-safe electric drop bolt lock.



Fail-Safe Strike Lock

UACC-Lock-Strike-Safe-15mm

Fail-safe electric strike lock that connects to a UniFi Access Hub.



Fail-Safe Strike Lock

UACC-Lock-Strike-Safe-8mm

Fail-safe electric strike lock with 8 mm lock slot depth support.



Fail-Secure Bolt Lock

UACC-Lock-Bolt-Secure

Fail-secure electric drop bolt lock.



Fail-Secure Strike Lock

UACC-Lock-Strike-Secure-15mm

Fail-secure electric strike lock that connects to a UniFi Access Hub.



Fail-Secure Strike Lock

UACC-Lock-Strike-Secure-8mm

Fail-secure electric strike lock with 8 mm lock slot depth support.



Flex

USW-Flex

Flexible 5-port, Layer 2 PoE switch for indoor and outdoor use, that can be powered with PoE++.

Flex 10 GbE

USW-Flex-XG

A compact, 5-port, Layer 2 switch that supports 10 GbE speeds and can be powered with PoE or a 5V USB-C adapter.

Flex 2.5G

USW-Flex-2.5G-8

Flexible, 8-port 2.5 GbE switch with a 10 GbE RJ45/SFP+ combination uplink port that can be powered with a USB-C or PoE+ adapter.

Flex 2.5G PoE

USW-Flex-2.5G-8-PoE

Flexible, 8-port 2.5 GbE PoE++ switch with a 10 GbE RJ45/SFP+ combination uplink port that can be powered with PoE+++ or an AC power adapter.

Flex In-Ceiling Mount

UVC-G3-F-C

Recessed ceiling mount accessory for the G3 and G5 Flex cameras.

Flex In-Ceiling Mount

UVC-G3-F-C-3

Recessed ceiling mount accessory for the G3 and G5 Flex cameras.

Flex Mini

USW-Flex-Mini

A compact, 5-port, Layer 2 switch that can be powered with PoE or a 5V USB-C adapter.



Flex Mini 2.5G

USW-Flex-2.5G-5

Compact, 5-port 2.5G switch that can be powered with PoE or a USB-C adapter.

Flex Pendant Mount

UVC-G3-F-PENDANT

Pendant mount accessory for G3 and G5 Flex cameras.

Flex Pendant Mount

UVC-G3-F-PENDANT-3

Pendant mount accessory for G3 and G5 Flex cameras.

Flex Pro Mount

UACC-Flex-Cam-PWM-Black

Versatile weatherproof wall or pole mount for G3 and G5 Flex cameras.

Flex Pro Mount

UACC-Flex-Cam-PWM-Black-3

Versatile weatherproof wall or pole mount for G3 and G5 Flex cameras.

Flex Pro Mount

UACC-Flex-Cam-PWM-White

Versatile weatherproof wall or pole mount for G3 and G5 Flex cameras.

Flex Pro Mount

UACC-Flex-Cam-PWM-White-3

Versatile weatherproof wall or pole mount for G3 and G5 Flex cameras.



Flex Utility

USW-Flex-Utility

The Switch Flex Utility is an outdoor weatherproof enclosure designed for use with the Switch Flex.

Flex Utility Pro

UACC-Flex-Utility-Pro

A universal outdoor weatherproof enclosure. Protect your networking gear in any environment with this versatile, durable enclosure, designed for both wall and pole mounting.



Floating Mount

UACC-FM

Sleek magnetic wall mount for UniFi Express and Gateway Lite.

Floating Mount

UACC-FM-16cm

Sleek, magnetic wall mount for UniFi Express 7.

Floating Mount

UACC-FM-17cm

Sleek magnetic wall mount for Cloud Gateway Max, Cloud Gateway Ultra, and Gateway Max.

Floating Mount

UACC-FM-23cm

Sleek magnetic wall mount for Cloud Gateway Fiber and Gateway Fiber.



G2 Reader

UA-G2

Compact second-generation access reader.



G2 Reader

UA-G2-Black

Compact second-generation access reader.

G2 Reader Pro

UA-G2-Pro

Second generation, indoor/outdoor NFC reader and intercom.

G2 Reader Pro

UA-G2-Pro-Black

Second generation, indoor/outdoor NFC reader and intercom.

G3 Intercom

UA-G3-Intercom

Indoor/outdoor intercom terminal for managing residential and commercial building entry requests with Touch Pass support.

G3 Reader

UA-G3-B

Compact third-generation access reader with Touch Pass support.

G3 Reader

UA-G3-W

Compact third-generation access reader with Touch Pass support.



G3 Reader Fingerprint

UA-G3-Fingerprint-B

Third-generation, indoor/outdoor NFC card reader with fingerprint, keypad and Touch Pass support.



G3 Reader Fingerprint

UA-G3-Fingerprint-W

Third-generation, indoor/outdoor NFC card reader with fingerprint, keypad and Touch Pass support.



G3 Reader Pro

UA-G3-Pro-B

Third-generation, indoor/outdoor NFC reader and intercom with Touch Pass support.

G3 Reader Pro

UA-G3-Pro-W

Third-generation, indoor/outdoor NFC reader and intercom with Touch Pass support.

G3 Starter Kit

UA-G3-SK

A simple, all-in-one kit for UniFi Access, designed to manage a single door with one reader. Supports seamless setup and Touch Pass for modern, secure access control.

G3 Starter Kit Pro

UA-G3-SK-Pro

Starter kit that provides complete entry and exit control for a single door with two readers and Touch Pass support.

G3 Touch Wall

UTP-G3-Touch-Wall

Next-generation wall-mountable smartphone for UniFi Talk, featuring a 7" touch display and seamless integration with UniFi applications.

G3 Wireless Handset

UT-G3-Handset

Wireless handset which supports clear, high-quality audio for G3 Touch Phones.

G4 Doorbell Pro

UVC-G4 Doorbell Pro-US

Premium UniFi doorbell with an enhanced package detection camera and integrated display.

G4 Doorbell Pro

UVC-G4 Doorbell Pro-White-US

Premium UniFi doorbell with an enhanced package detection camera and integrated display.

G4 Doorbell Pro PoE Kit

UVC-G4 Doorbell Pro PoE Kit

Premium UniFi doorbell with integrated PoE and included PoE chime for plug-and-play installation.

G4 Doorbell Pro PoE Kit

UVC-G4 Doorbell Pro PoE Kit-White

Premium UniFi doorbell with integrated PoE and included PoE chime for plug-and-play installation.

G4 Instant

UVC-G4-INS-US

Compact, wide-angle, WiFi-connected camera with two-way audio.

G5 Bullet

UVC-G5-Bullet

Next-gen indoor/outdoor 2K HD PoE Camera.

G5 Dome

UVC-G5-Dome

Next-gen 2K HD PoE ceiling camera with enhanced dynamic range and low-light performance.

G5 Dome Ultra

UVC-G5-Dome-Ultra

Ultra-compact and tamper-resistant 2K HD PoE camera with night vision designed for low-profile indoor security.

G5 Dome Ultra

UVC-G5-Dome-Ultra-B

Ultra-compact and tamper-resistant 2K HD PoE camera with night vision designed for low-profile indoor security.

G5 Dome Ultra Flush Mount

UACC-G5-Dome-Ultra-FM-B

Dome camera mounting accessory for recessed installation into a wall or ceiling.

G5 Dome Ultra Flush Mount

UACC-G5-Dome-Ultra-FM-SB-B

Dome camera mounting accessory for recessed installation into a wall or ceiling with a smoked bubble for enhanced discretion.

G5 Dome Ultra Flush Mount

UACC-G5-Dome-Ultra-FM-SB-W

Dome camera mounting accessory for recessed installation into a wall or ceiling with a smoked bubble for enhanced discretion.

G5 Dome Ultra Flush Mount

UACC-G5-Dome-Ultra-FM-W

Dome camera mounting accessory for recessed installation into a wall or ceiling.

G5 Flex

UVC-G5-Flex

Compact, easy-to-deploy 2K HD PoE camera that can be staged indoors or outside.

G5 Pro

UVC-G5-Pro

Next-gen indoor/outdoor 4K PoE camera with exceptional image performance, long-range IR night vision, and 3x optical zoom.

G5 PTZ

UVC-G5-PTZ

Compact, all-weather camera with ultra-low latency pan-tilt-zoom control and versatile mounting options.

G5 PTZ

UVC-G5-PTZ-B

Compact, all-weather camera with ultra-low latency pan-tilt-zoom control and versatile mounting options.

G5 PTZ In-Ceiling Mount

UACC-G5-PTZ-ICM

In-ceiling mount accessory or smoked bubble cover for G5 PTZ.



G5 PTZ In-Ceiling Mount

UACC-G5-PTZ-ICM-SB-B

In-ceiling mount accessory or smoked bubble cover for G5 PTZ.

G5 PTZ Surface Mount

UACC-G5-PTZ-SM

Ceiling surface mount accessory for G5 PTZ.



G5 PTZ Surface Mount

UACC-G5-PTZ-SM-B

Ceiling surface mount accessory for G5 PTZ.



G5 Turret Ultra

UVC-G5-Turret-Ultra

Ultra-compact, tamper-resistant, and weatherproof 2K HD PoE camera with long-range night vision.



G5 Turret Ultra

UVC-G5-Turret-Ultra-B

Ultra-compact, tamper-resistant, and weatherproof 2K HD PoE camera with long-range night vision.

G6 180

UVC-G6-180-B

Indoor/outdoor dual sensor 16MP 20 FPS PoE+ camera, with a Multi-TOPS AI Engine and panoramic 180° coverage.

G6 180

UVC-G6-180-W

Indoor/outdoor dual sensor 16MP 20 FPS PoE+ camera, with a Multi-TOPS AI Engine and panoramic 180° coverage.

G6 180 Camera Flush Mount

UACC-G6-180-FM-B

G6 180 camera mounting accessory for recessed ceiling installation.



G6 180 Camera Flush Mount

UACC-G6-180-FM-W

G6 180 camera mounting accessory for recessed ceiling installation.



G6 180 Camera Pendant Mount

UACC-G6-180-PM-B

Pendant mount for suspending the G6 180 Camera from ceilings or overhead structures.

G6 180 Camera Pendant Mount

UACC-G6-180-PM-W

Pendant mount for suspending the G6 180 Camera from ceilings or overhead structures.



G6 180 Enhancer

UACC-G6-180-Enhancer-B

Long-range IR LED, floodlight, and buzzer accessory for the G6 180 camera.

G6 180 Enhancer

UACC-G6-180-Enhancer-W

Long-range IR LED, floodlight, and buzzer accessory for the G6 180 camera.

G6 Bullet

UVC-G6-Bullet-B

All-weather 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and long-range IR night vision.

G6 Bullet

UVC-G6-Bullet-W

All-weather 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and long-range IR night vision.

G6 Dome

UVC-G6-Dome-B

All-weather, vandal-proof 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and long-range IR night vision ideal for discreet installations in high-traffic areas.

G6 Dome

UVC-G6-Dome-W

All-weather, vandal-proof 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and long-range IR night vision ideal for discreet installations in high-traffic areas.

G6 Dome Camera Flush Mount

UACC-G6-Dome-FM-B

G6/G6 Pro/G6 Edge Dome camera mounting accessory for recessed installation into a wall or ceiling.

G6 Dome Camera Flush Mount

UACC-G6-Dome-FM-W

G6/G6 Pro/G6 Edge Dome camera mounting accessory for recessed installation into a wall or ceiling.



G6 Dome Camera Flush Mount

UACC-G6-Dome-FMS-B

G6 Dome camera mounting accessory for recessed installation into a wall or ceiling.

G6 Dome Camera Flush Mount

UACC-G6-Dome-FMS-W

G6 Dome camera mounting accessory for recessed installation into a wall or ceiling.



G6 Dome Camera Weather Shield

UACC-G6-Dome-WS-B

G6 Dome camera accessory for optimal image quality and protection from the elements when installed outdoors on a wall or pole.

G6 Dome Camera Weather Shield

UACC-G6-Dome-WS-W

G6 Dome camera accessory for optimal image quality and protection from the elements when installed outdoors on a wall or pole.



G6 Edge Bullet

UVC-G6-Edge-Bullet

All-weather, 4K PoE+ camera that supports standalone operation (NVR optional), integrated AI-powered search, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Edge Dome

UVC-G6-Edge-Dome

All-weather, vandal-proof 4K PoE+ camera that supports standalone operation (NVR optional), integrated AI-powered search, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Edge Turret

UVC-G6-Edge-Turret

All-weather, tamper-resistant 4K PoE+ camera that supports standalone operation (NVR optional), integrated AI-powered search, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Entry

UVC-G6-Entry

An intelligent door entry system with native UniFi Protect and UniFi Access integration, including enhanced two-way audio.

G6 Instant

UVC-G6-INS-W-US

Plug-and-play, 4K WiFi-connected camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and two-way audio.

G6 Mini Dome

UVC-G6-Mini-Dome-B

Incredibly compact 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, two-way audio, and IR night vision designed for discrete monitoring of high-traffic indoor areas.

G6 Mini Dome

UVC-G6-Mini-Dome-W

Incredibly compact 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, two-way audio, and IR night vision designed for discrete monitoring of high-traffic indoor areas.

G6 Pro 360

UVC-G6-Pro-360-B

All-weather, vandal-resistant 12MP PoE camera with panoramic 360° coverage, digital pan-tilt-zoom functionality, and smart IR functionality.

G6 Pro 360

UVC-G6-Pro-360-W

All-weather, vandal-resistant 12MP PoE camera with panoramic 360° coverage, digital pan-tilt-zoom functionality, and smart IR functionality.

G6 Pro 360 Flush Mount

UACC-G6-Pro-360-FM-B

G6 Pro 360 camera mounting accessory for recessed installation into a wall or ceiling.

G6 Pro 360 Flush Mount

UACC-G6-Pro-360-FM-W

G6 Pro 360 camera mounting accessory for recessed installation into a wall or ceiling.



G6 Pro Bullet

UVC-G6-Pro-Bullet-B

All-weather 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Pro Bullet

UVC-G6-Pro-Bullet-W

All-weather 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Pro Dome

UVC-G6-Pro-Dome-B

All-weather vandal-proof 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Pro Dome

UVC-G6-Pro-Dome-W

All-weather vandal-proof 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Pro Entry

UVC-G6-Pro-Entry

An intelligent door entry system with native UniFi Protect and UniFi Access integration with a 12MP camera, two-way audio, and a 3" touch display.

G6 Pro Turret

UVC-G6-Pro-Turret-B

All-weather tamper-resistant 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 Pro Turret

UVC-G6-Pro-Turret-W

All-weather tamper-resistant 4K PoE+ camera with a Multi-TOPS AI engine, 2.36x optical zoom, and a large 1/1.2" CMOS sensor for exceptional low-light clarity and long-range IR night vision.

G6 PTZ

UVC-G6-PTZ-B

All-weather, 4K dual-lens camera with 10x hybrid zoom, 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and ultra-low latency pan-tilt-zoom control for motion tracking.

G6 PTZ

UVC-G6-PTZ-W

All-weather, 4K dual-lens camera with 10x hybrid zoom, 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and ultra-low latency pan-tilt-zoom control for motion tracking.



G6 PTZ In-Ceiling Mount

UACC-G6-PTZ-ICM-B

In-ceiling mount accessory for G6 PTZ.



G6 PTZ In-Ceiling Mount

UACC-G6-PTZ-ICM-W

In-ceiling mount accessory for G6 PTZ.



G6 Turret

UVC-G6-Turret-B

All-weather, tamper-resistant 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and 3-axis manual adjustment for flexible installation.

G6 Turret

UVC-G6-Turret-W

All-weather, tamper-resistant 4K PoE camera with a 1/1.8" 8MP image sensor, Multi-TOPS AI Engine, and 3-axis manual adjustment for flexible installation.

G6/G5 PTZ Conduit Adapter

UACC-G5-PTZ-CA

3/4" conduit adapter for wall-mounted G6/G5 PTZ installations.

G6/G5 PTZ Conduit Adapter

UACC-G5-PTZ-CA-B

3/4" conduit adapter for wall-mounted G6/G5 PTZ installations.

G6/G5 PTZ Corner Mount

UACC-G5-PTZ-CM

Corner mount accessory for G6/G5 PTZ.



G6/G5 PTZ Corner Mount

UACC-G5-PTZ-CM-B

Corner mount accessory for G6/G5 PTZ.



G6/G5 PTZ Pendant Mount

UACC-G5-PTZ-PM

Pendant mount accessory for G6/G5 PTZ.



G6/G5 PTZ Pendant Mount

UACC-G5-PTZ-PM-B

Pendant mount accessory for G6/G5 PTZ.

Gang Box Mounting Plate

UACC-GB-Plate-B

A mounting plate designed to interface UniFi Protect cameras with multiple types of Gang Boxes and Junction Boxes.



Gang Box Mounting Plate

UACC-GB-Plate-W

A mounting plate designed to interface UniFi Protect cameras with multiple types of Gang Boxes and Junction Boxes.

Gate Hub

UA-Hub-Gate

An advanced Gate Hub enabling seamless gate access control via connected Access readers or Intercom.

Gateway Enterprise

UXG-Enterprise

25G independent gateway with multi-WAN load balancing, 12.5 Gbps IPS routing, and redundant hot-swap PSUs.



Gateway Fiber

UXG-Fiber

Desktop 10G independent gateway with integrated 4-port 2.5 GbE switch.

Gateway Lite

UXG-Lite

Compact independent gateway with a full suite of advanced routing and security features.

Gateway Max

UXG-Max

Compact, multi-WAN independent gateway with full 2.5G support for high-performance networking at small-to-medium sites.

Gateway Pro

UXG-Pro-US

10G multi-WAN independent gateway with UniFi Power Backup support designed to protect large-scale networks.

Glass Break Sensor

USL-GlassBreak-US

Battery-powered SuperLink sensor featuring advanced glass break detection and motion sensing.

GNSS Antenna

UACC-GNSS-Antenna

Compact active IP67-rated GNSS antenna with an integrated low-noise LNA.

Hi-Capacity Aggregation

USW-Pro-Aggregation

A 32-port, Layer 3 switch made for high-capacity 10G SFP+ and 25G SFP28 connections.

In-Ceiling Speaker

UACC-In-Ceiling-Speaker

6.5" in-ceiling speakers with immersive sound. These unobtrusive speakers deliver audio across a wide area, ensuring consistent sound quality.

In-Wall Speaker

UACC-In-Wall-Speaker

6.5" in-wall speakers that bring rich, room-filling sound to any space, seamlessly blending for an uncompromised listening experience.



Industrial DIN 2.5G 8 PoE

USW-Industrial-DIN-2.5G-8-PoE

Robust, industrial-grade 8-port PoE++ switch with (4) 2.5 GbE ports, (4) GbE ports, dual SFP+ ports, DIN-rail mounting, and power redundancy.

Industrial DIN 8

USW-Industrial-DIN-8

Robust, industrial-grade 8-port GbE switch with dual SFP ports, DIN-rail mounting and power redundancy.

Industrial DIN 8 PoE

USW-Industrial-DIN-8-PoE

Robust, industrial-grade 8-port GbE PoE++ switch with dual SFP ports, DIN-rail mounting and power redundancy.

Intercom

UA-Intercom

Indoor/outdoor intercom terminal for managing residential and commercial building entry requests.

Intercom Viewer

UA-Intercom-Viewer

Display that works with Intercom and Reader Pro for visitor screening and remote access control.

Intercom Viewer

UA-Intercom-Viewer-3

Display that works with Intercom and Reader Pro for visitor screening and remote access control.

Junction Utility

UACC-Junction-Utility

An indoor/outdoor enclosure designed for UniFi Access Hubs, switches, and accessories.

Lite 16 PoE

USW-Lite-16-POE

A wall-mountable, 16-port, Layer 2 PoE switch with a fanless cooling system.

Lite 8 PoE

USW-Lite-8-POE

An 8-port, Layer 2 PoE switch supporting silent fanless cooling.

Long-Range Switch 8 PoE

USW-LR-Switch-8-PoE

PoE+++ output and a 1.3" touchscreen, with support for Long-Range Endpoints at distances up to 800 meters. Rackmount accessory included.

M.2 SSD Tray

UACC-SSD-Tray-B

Optional storage insert for Cloud Gateways and UNAS models that supports one 2230, 2242, 2260, 2280, or 22110 sized M.2 NVMe SSD.



Mesh AP In-Ceiling Mount

FlexHD-CM-3

Recessed ceiling mount for U6 Mesh and FlexHD.



Mobile Router

UMR-US

Managed mobile WiFi router that brings plug-and-play connectivity to any environment. Use the pre-installed AT&T nano-SIM with three data plan options for LTE data, or bring your own AT&T nano-SIM.



Mobile Router Industrial

UMR-Industrial-US

Compact, ruggedized, and carrier unlocked LTE Cat 4 mobile WiFi router designed for indoor/outdoor IoT applications.



Mobile Router Ultra

UMR-Ultra-US

Ultra-compact managed LTE mobile router for IoT applications with integrated LTE, wired WAN, WiFi, automatic failover, and DC power input support.

Motion Sensor

USL-Motion-3-US

SuperLink motion sensor designed for versatile installation, delivering up to 6 years of battery life.



Motion Sensor

USL-Motion-US

SuperLink motion sensor designed for versatile installation, delivering up to 6 years of battery life.



Network Video Recorder

UNVR

A video recorder with (4) 2.5/3.5" HDD bays that can support up to 30 days of storage for (18) 4K cameras or (60) Full HD cameras.

Network Video Recorder G2

UNVR-G2

1U UniFi Protect NVR with built-in AI event analytics, HDMI output, four 2.5"/3.5" HDD bays, and support for up to (30) 4K or (60) Full HD cameras.



Network Video Recorder G2 Pro

UNVR-G2-Pro

2U UniFi Protect NVR with built-in AI event analytics, HDMI output, eight 2.5"/3.5" HDD bays, and support for up to (50) 4K or (100) Full HD cameras.



Network Video Recorder Instant

UNVR-Instant-US

Compact UniFi Protect NVR with 3.5" HDD support, featuring an integrated 6-port PoE switch, integrated HDMI View Port, and a capacity for (6) 4K camera or (15) Full HD cameras.

Network Video Recorder Instant Kit

UNVR-Instant-Kit-US

Compact UniFi Protect NVR Kit, includes (1) UniFi Protect NVR Instant with (4) G5 Turret Ultra cameras and (1) 1TB HDD, delivering an all-in-one solution for fast and effortless setup.

Network Video Recorder Pro

UNVR-Pro

A 2U-sized video recorder with (7) 2.5/3.5" HDD bays that can provide up to 60 days of storage for (24) 4K cameras or (70) Full HD cameras.

Outdoor Long-Range Endpoint

UACC-LR-Endpoint

Extend the Long-Range Switch 8 PoE up to 800 m with an IPX5-rated endpoint featuring built-in surge protection.

Panic Bar

UACC-PanicBar

A single-latched bar installed on emergency exit doors, allowing quick and easy egress by pushing the bar to open the door during emergencies.



PoE Adapter (15W)

U-PoE

An adapter that can power UniFi PoE devices, reduce dependency on PoE switch power, and provide a Gigabit LAN connection.

PoE Audio Port

UPL-Port-B-US

A digital audio streamer with an ultra-compact, versatile design and an intuitive control system, supporting multiple music streaming services and scalable multi-zone installations.

PoE Audio Port

UPL-Port-W-US

A digital audio streamer with an ultra-compact, versatile design and an intuitive control system, supporting multiple music streaming services and scalable multi-zone installations.

PoE Integrated AC Adapter

UACC-PoE+-USBC

AC adapter with integrated PoE+ that powers a UniFi Cloud Gateway via USB-C while delivering up to 30W PoE+ to a connected device-ideal for adding PoE output or supporting a UniFi 5G backup, with flexible wall, DIN rail, or floating mount options.

PoE Over 2-Wire Retrofit Extender

UACC-Retrofit-PoE-2Wire

A pair of extenders that extends PoE over twisted-pair or coaxial cables, ideal for retrofit scenarios.

PoE Smart Chime

UACC-Chime-PoE

PoE plug-and-play notification device, designed to pair with a UniFi doorbell or door access hub.



PoE+ Adapter (30W)

U-PoE+

An adapter that can power UniFi PoE+ devices, reduce dependency on PoE switch power, and provide a Gigabit LAN connection.

PoE++ Adapter (60W)

U-PoE++

An adapter that can power UniFi PoE++ devices, reduce dependency on PoE switch power, and provide a Gigabit LAN connection.

Power Distribution Hi-Density

USP-PDU-HD

Power distribution unit designed to support large, rack-mounted UniFi hardware deployments.

Power Distribution Pro

USP-PDU-Pro

Designed to supply power to an entire rack-mounted UniFi system and remotely manage each connection.



PowerAmp

UPL-Amp-B-US

Premium speaker amplifier designed for high-fidelity multi-zone audio streaming and immersive spatial sound experiences.

PowerAmp

UPL-Amp-W-US

Premium speaker amplifier designed for high-fidelity multi-zone audio streaming and immersive spatial sound experiences.

Pro 24

USW-Pro-24

A 24-port, Layer 3 switch supporting 10G SFP+ connections with fanless cooling.

Pro 24 PoE

USW-Pro-24-POE

A 24-port, Layer 3 switch capable of high-power PoE++ output.

Pro 48

USW-Pro-48

A 48-port, Layer 3 switch supporting 10G SFP+ connections with fanless cooling.

Pro 48 PoE

USW-Pro-48-POE

A 48-port, Layer 3 switch capable of high-power PoE++ output.

Pro 8 PoE

USW-Pro-8-PoE

An 8-port, Layer 3 switch with PoE+ and PoE++ output.

Pro HD 24

USW-Pro-HD-24

Professional-grade, Layer 3 Etherlighting™ switch with (2) 10 GbE, (22) 2.5 GbE, and (4) 10G SFP+ ports.

Pro HD 24 PoE

USW-Pro-HD-24-PoE

Professional-grade, Layer 3 Etherlighting™ switch with (2) 10 GbE PoE++, (22) 2.5 GbE PoE++, and (4) 10G SFP+ ports.

Pro Max 16

USW-Pro-Max-16

A 16-port, Layer 3 Etherlighting™ switch 2.5 GbE and versatile mounting options.

Pro Max 16 PoE

USW-Pro-Max-16-PoE

A 16-port, Layer 3 Etherlighting™ switch with 2.5 GbE, PoE++ output, and versatile mounting options.

Pro Max 24

USW-Pro-Max-24

A 24-port, Layer 3 Etherlighting™ switch with 2.5 GbE.

Pro Max 24 PoE

USW-Pro-Max-24-PoE

A 24-port, Layer 3 Etherlighting™ switch capable of high-power PoE++ output.

Pro Max 48

USW-Pro-Max-48

A 48-port, Layer 3 Etherlighting™ switch with 2.5 GbE.

Pro Max 48 PoE

USW-Pro-Max-48-PoE

A 48-port, Layer 3 Etherlighting™ switch with 2.5 GbE and PoE++ output.

Pro XG 10 PoE

USW-Pro-XG-10-PoE

1U, professional-grade 10-port, Layer 3 Etherlighting™ PoE+++ switch with (10) 10 GbE and (2) 10G SFP+ ports.

Pro XG 24

USW-Pro-XG-24

Professional-grade, 24-port Layer 3 Etherlighting™ switch with (16) 10 GbE, (8) 2.5 GbE, and (2) 25G SFP28 ports.



Pro XG 24 PoE

USW-Pro-XG-24-PoE

Professional-grade, 24-port Layer 3 Etherlighting™ PoE+++ switch with (16) 10 GbE, (8) 2.5 GbE, and (2) 25G SFP28 ports.



Pro XG 48

USW-Pro-XG-48

Professional-grade, 48-port Layer 3 Etherlighting™ switch with (32) 10 GbE, (16) 2.5 GbE, and (4) 25G SFP28 ports.



Pro XG 48 PoE

USW-Pro-XG-48-PoE

Professional-grade, 48-port Layer 3 Etherlighting™ PoE+++ switch with (32) 10 GbE, (16) 2.5 GbE PoE, and (4) 25G SFP28 ports.



Pro XG 8 PoE

USW-Pro-XG-8-PoE

Compact desktop/wall-mountable, professional-grade 8-port, Layer 3 Etherlighting™ PoE++ switch with (8) 10 GbE and (2) 10G SFP+ ports.



Pro XG Aggregation

USW-Pro-XG-Aggregation

Professional-grade 32-port, Layer 3 Etherlighting™ switch for high-capacity 25G SFP28 connections.

Protect Viewport

UP-Viewport

Easy-to-use hub for viewing Protect camera feeds on an HDMI display.



Rack Ear Kit

UACC-Rack-Ear-1U

Replacement rack ears for UniFi 1U or 2U rack-mount devices with included SnapMount Rack inserts and screws.



Rack Ear Kit

UACC-Rack-Ear-2U

Replacement rack ears for UniFi 1U or 2U rack-mount devices with included SnapMount Rack inserts and screws.



Reader Flex

UA-G3-Flex-B

Third-generation NFC card reader with a keypad and Touch Pass support.



Reader Flex

UA-G3-Flex-W

Third-generation NFC card reader with a keypad and Touch Pass support.

Recessed Entry Sensor

USL-Entry-R-US

SuperLink sensor for monitoring door open/closed status, supporting recessed installation with up to 3 years of battery life.



Redundant Power

USP-RPS

950W redundant power supply for rack-mounted UniFi devices.

Relay

USL-Relay-US

Compact SuperLink relay designed with I/O interfaces for seamless integration with third-party sensors and signaling devices.



Remote Control KeyFob

USL-FOB-US

SuperLink key fob for instant programmable actions across your UniFi deployment, with up to 10 years of battery life.

Retrofit Hub

UA-Retrofit-Hub-2

DC-powered hub that supports Wiegand and OSDP readers and provides entry and exit control for up to two doors.

Retrofit PSU 12V

UACC-Retrofit-PSU-12V

12V power supply with optional SLA backup battery support, compatible with the UniFi Retrofit Hub.



Retrofit Reader

UA-Retrofit-Reader-B

Indoor/outdoor OSDP reader with NFC Card and Touch Pass support, compatible with the UniFi Retrofit Hub using existing cabling.



Retrofit Reader

UA-Retrofit-Reader-W

Indoor/outdoor OSDP reader with NFC Card and Touch Pass support, compatible with the UniFi Retrofit Hub using existing cabling.

Retrofit Reader Fingerprint

UA-Retrofit-Reader-Fingerprint-B

Indoor/outdoor OSDP reader with fingerprint, keypad and Touch Pass support, compatible with the UniFi Retrofit Hub using existing cabling.



Retrofit Reader Fingerprint

UA-Retrofit-Reader-Fingerprint-W

Indoor/outdoor OSDP reader with fingerprint, keypad and Touch Pass support, compatible with the UniFi Retrofit Hub using existing cabling.



SFP Wizard

UACC-SFP-Wizard

Instantly reprogram, test, and unlock universal compatibility for every optical module - with full diagnostics and OTA updates built in.

Siren

USL-Siren-US

All-weather SuperLink siren delivering 110 dB alarm and emergency LED lighting powered using battery or DC input.



Siren PoE

UP-Siren-PoE

All-weather siren delivering 110 dB alarm and emergency LED lighting powered using PoE input.



Smoke and CO Alarm

USL-Smoke-US

Battery-powered smoke and CO alarm with SuperLink wireless connectivity, delivering up to 10 years of battery life.



Standard 16 PoE

USW-16-POE

A 16-port, Layer 2 PoE switch with a silent, fanless cooling system.

Standard 24

USW-24

A 24-port, Layer 2 switch with a silent, fanless cooling system.

Standard 24 PoE

USW-24-POE

A 24-port, Layer 2 PoE switch with a fanless cooling system.

Standard 48

USW-48

A 48-port, Layer 2 switch with a silent, fanless cooling system.

Standard 48 PoE

USW-48-POE

A 48-port, Layer 2 PoE switch with a silent, fanless cooling system.

SuperLink Gateway

USL-Gateway-US

Proprietary super long-range, low-latency wireless gateway for UniFi Protect Sensors.



SuperLink Gateway HA

USL-G2-Gateway-HA-US

Proprietary super long-range, low-latency wireless gateway for SuperLink Sensors with LTE connectivity and built-in battery for power backup.

SuperLink High-Gain Antenna

UACC-USL-ANT-HG

High-gain, omnidirectional antenna with an IP67-rated outdoor enclosure, built to extend SuperLink range in all weather conditions.

Swiss Army Knife

UK-Ultra-US

Incredibly compact, indoor/outdoor AP with versatile mounting options and long-range external antenna support.

Swiss Army Knife Omni Antenna

UACC-UK-Ultra-Omni-Antenna-AO

Antenna accessory that provides omnidirectional, extended range coverage for Swiss Army Knife Ultra.

Swiss Army Knife Table Stand

UACC-UK-Ultra-TS

Table stand accessory for Swiss Army Knife Ultra.

U6 Enterprise

U6-Enterprise-US

Ceiling-mounted WiFi 6E AP with 10 spatial streams and 6 GHz support to provide seamless, multi-band coverage within high client density environments.



U6 Enterprise In-Wall

U6-Enterprise-IW-US

Wall-mounted WiFi 6E AP with 10 spatial streams, 6 GHz support, and a built-in 4-port switch. Designed for high-density office networks.

U6 In-Wall

U6-IW-US

Wall-mounted WiFi 6 AP with 6 spatial streams and a built-in 4-port switch ideal for single-room coverage in hospitality environments.

U6 Mesh

U6-Mesh-US

Sleek, indoor/outdoor WiFi 6 AP with 6 spatial streams designed for mesh applications.

U6 Mesh Pro

U6-Mesh-Pro-US

Indoor/outdoor WiFi 6 AP with 4 spatial streams, an integrated super antenna, and a gigabit passthrough port.

U6 Pro

U6-Pro-US

Ceiling-mounted WiFi 6 AP with 6 spatial streams designed for large offices.



U6+

U6+-US

Compact, ceiling-mounted WiFi 6 AP with 4 spatial streams that improves upon the U6 Lite with higher performance and dual-band WiFi 6 support. Ideal for small and medium-sized businesses.

U7 In-Wall

U7-IW-US

Wall-mounted WiFi 7 AP with 4 spatial streams and an integrated 2.5 GbE PoE switch designed for hospitality environments.

U7 Industrial

U7-Industrial-US

IP67 industrial WiFi 7 access point with extended-temperature operation, integrated high-gain directional RF system with adjustable isolation and beamwidth control.

U7 Lite

U7-Lite-US

Compact, ceiling-mounted WiFi 7 AP with 4 spatial streams and 2.5 GbE uplink.

U7 Long-Range

U7-LR-US

Compact, ceiling-mount WiFi 7 AP with 5 spatial streams and extended signal range.

U7 Mesh

U7-Mesh-US

Compact indoor/outdoor WiFi 7 AP with integrated long-range antenna system.

U7 Outdoor

U7-Outdoor-US

All-weather WiFi 7 AP with 4 spatial streams, an integrated directional super antenna, and versatile mounting options.

U7 Pro

U7-Pro-5-US

Ceiling-mounted WiFi 7 AP with 6 spatial streams and 6 GHz support for interference-free WiFi in demanding, large-scale environments.



U7 Pro

U7-Pro-US

Ceiling-mounted WiFi 7 AP with 6 spatial streams and 6 GHz support for interference-free WiFi in demanding, large-scale environments.



U7 Pro Max

U7-Pro-Max-US

Ceiling-mounted WiFi 7 AP with 8 spatial streams, 6 GHz support, and a dedicated spectral scanning engine for interference-free WiFi in demanding, large-scale environments.



U7 Pro Outdoor

U7-Pro-Outdoor-US

All-weather IP67 WiFi 7 AP with 6 spatial streams, extended-range AFC 6 GHz support, integrated directional super antenna, and articulation mounting bracket.

U7 Pro Wall

U7-Pro-Wall-US

Wall-mounted WiFi 7 AP with 6 spatial streams and 6 GHz support tailored for home builders with seamless installation options.



U7 Pro XG

U7-Pro-XG-B-US

Ceiling-mounted 6-stream WiFi 7 AP with 10/5/2.5/1 GbE support.

U7 Pro XG

U7-Pro-XG-US

Ceiling-mounted 6-stream WiFi 7 AP with 10/5/2.5/1 GbE support.

U7 Pro XG Wall

U7-Pro-XG-Wall-US

Wall-mounted 6 GHz-ready WiFi 7 AP with 1/2.5/5/10 GbE support.

U7 Pro XG Wall Flush Mount

UACC-U7-Pro-XG-Wall-FM

Flush mount accessory for U7 Pro XG Wall access points.



U7 Pro XG Wall Paintable Cover

UACC-U7-Pro-XG-Wall-Cover

Cover for U7 Pro XG Wall that can be painted for a customized appearance.

U7 Pro XG Wall Table Stand

UACC-U7-Pro-XG-Wall-TS

Table stand accessory for U7 Pro XG Wall access points.

U7 Pro XGS

U7-Pro-XGS-B-US

Ceiling-mounted 8-stream WiFi 7 AP with dedicated spectral scanning radio and 10/5/2.5/1 GbE support.

U7 Pro XGS

U7-Pro-XGS-US

Ceiling-mounted 8-stream WiFi 7 AP with dedicated spectral scanning radio and 10/5/2.5/1 GbE support.

Ultra

USW-Ultra

A compact, Layer 2, 8-port GbE PoE switch with versatile mounting options.



Ultra 210W

USW-Ultra-210W

A compact, Layer 2, 8-port GbE PoE switch with versatile mounting options.

Ultra 60W

USW-Ultra-60W

A compact, Layer 2, 8-port GbE PoE switch with versatile mounting options.

UNAS 2

UNAS-2-B

UniFi Network Attached Storage with (2) 3.5" HDD bays, 2.5 GbE networking, USB-C connectivity, and an included PoE++ adapter, all in a compact footprint.

UNAS 2

UNAS-2-W

UniFi Network Attached Storage with (2) 3.5" HDD bays, 2.5 GbE networking, USB-C connectivity, and an included PoE++ adapter, all in a compact footprint.

UNAS 4

UNAS-4-B

UniFi Network Attached Storage with (4) 2.5/3.5" HDD bays, (2) M.2 NVMe SSD cache slots, 2.5 GbE networking, USB-C connectivity, and an included PoE+++ adapter, all in a compact footprint.



UNAS 4

UNAS-4-W

UniFi Network Attached Storage with (4) 2.5/3.5" HDD bays, (2) M.2 NVMe SSD cache slots, 2.5 GbE networking, USB-C connectivity, and an included PoE+++ adapter, all in a compact footprint.



UNAS Pro

UNAS-Pro

2U rack-mount NAS with (7) 2.5/3.5" drive bays and 10 Gbps performance designed for large-scale file storage and sharing.

UNAS Pro 4

UNAS-Pro-4

1U rack-mount NAS with (4) 2.5/3.5" HDD bays and (2) M.2 NVMe SSD cache slots, delivering faster access, lower latency, and high-availability 10 Gbps networking for large-scale file storage and sharing.

UNAS Pro 8

UNAS-Pro-8

2U rack-mount NAS with (8) 2.5/3.5" HDD bays and (2) M.2 NVMe SSD cache slots, delivering faster access, lower latency, and high-availability 10 Gbps networking for large-scale file storage and sharing.



UniFi 3U Bezel

UACC-3U-Bezel

Faceplate that integrates with ENVR and ENAS to provide a 4.7" touch display and LED illumination.

UniFi 3U Bezel Lite

UACC-3U-Bezel-Lite

Faceplate designed for 3U models, enhancing security.



UniFi 5G Backup

U5G-US

Compact PoE-powered 5G RedCap antenna delivering automatic internet backup.

UniFi 5G Max

U5G-Max

A high-performance 5G (3.4 Gbps) modem for any UniFi deployment. Instantly adopt through any UniFi PoE port, it delivers automatic setup, dual SIM/eSIM, and seamless failover. Certified with AT&T, T-Mobile, and Verizon.

UniFi 5G Max Outdoor

U5G-Max-Outdoor

A full-performance 5G (3.4 Gbps) modem for UniFi consoles and Cloud Gateways, designed for outdoor use with directional antennas, remote SIM, and dual SIM for seamless failover.

UniFi Express 7

UX7-2-US

Mesh-scalable, super-compact 10G Cloud Gateway with integrated 6 GHz WiFi 7. Plug-and-play Whole-Home WiFi with true 10G Multi-Link Operation, intelligent placement guidance, and effortless mesh expansion with additional nodes.

UniFi Express 7

UX7-3-US

Mesh-scalable, super-compact 10G Cloud Gateway with integrated 6 GHz WiFi 7. Plug-and-play Whole-Home WiFi with true 10G Multi-Link Operation, intelligent placement guidance, and effortless mesh expansion with additional nodes.

UniFi Express 7

UX7-US

Mesh-scalable, super-compact 10G Cloud Gateway with integrated 6 GHz WiFi 7. Plug-and-play Whole-Home WiFi with true 10G Multi-Link Operation, intelligent placement guidance, and effortless mesh expansion with additional nodes.

UniFi Travel Router

UTR-US

An ultra-slim travel router that instantly extends your UniFi Network wherever you are, bringing secure, familiar connectivity to remote locations.

UniFi Travel Router Long-Range

UTR-LR-US

An ultra-slim travel router with an integrated foldable super antenna for extended range - instantly expanding your UniFi Network wherever you are, and delivering secure, familiar connectivity even in challenging environments.

Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-H-1P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-H-2P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-H-4P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-V-1P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-V-2P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Keystone Wall Plate, 4-Pack

UACC-WP-Keystone-V-4P

Universal keystone wall plate with paintable cover for a clean, customizable finish.



Universal Paintable Passthrough Wall Plate, 2-Pack

UACC-WP-TH

Universal passthrough wall plate with paintable cover for a clean, customizable finish.



UPS 2U

UPS-2U-US

UniFi managed 1.44kVA rackmount uninterruptible power supply with 4 backup and 4 surge outlets, a field replaceable battery, 216Wh, half load (500W) runtime of 8 minutes. Supports Graceful Shutdown for UNVR and UNAS, NUT compatibility for 3-party devices.

UPS 2U Battery

UACC-UPS-2U-Battery

Replacement hot-swappable battery for UPS 2U.

UPS 2U Pro

UPS-2U-Pro-US

UniFi-managed 1.92kVA rackmount UPS with pure sine wave output, 8 individually controllable outlets with per-port power monitoring and remote power cycling, a hot-swappable 720Wh battery, and up to 22 minutes of runtime at half load 960W.

UPS PoE Switch

USW-Mission-Critical-US

A switch with an integrated 368Wh lithium-ion battery capable of providing uninterruptible PoE to 8 devices.

UPS Tower

UPS-Tower-US

UniFi managed 1kVA uninterruptible power supply with 5 backup outlets 5 surge outlets and hot swappable battery, 108Wh, half load (300W) runtime of 7 minutes. Supports Graceful Shutdown for UNVR and UNAS, NUT compatibility for third-party devices.

UPS Tower Battery

UACC-UPS-Tower-Battery

Replacement hot-swappable battery for UPS Tower.

Vape Detection & Air Quality Sensor

UP-AirQuality

PoE-powered sensor delivering real-time vape detection, air quality monitoring, and instant alerts for schools, workplaces, hospitality, and commercial environments.

WAN Switch

USW-WAN

10G SFP+ WAN Switch linking two Shadow Mode High Availability UniFi Gateways to a single ISP.



WAN Switch RJ45

USW-WAN-RJ45

10 GbE WAN Switch linking two Shadow Mode High Availability UniFi Gateways to a single ISP.



WiFi BaseStation XG

UWB-XG-US

Tri-radio WiFi 5 AP with 12 spatial streams and a selectable beamforming antenna, designed for high-density applications at large venues.