Attributing annotator polarization to sociodemographic groups

Dimitris Tsirmpas, John Pavlopoulos

March 2025

1 Introduction

Annotations are essential for a wide range of tasks, especially in fields such as content moderation, toxicity detection and hate speech detection. These tasks are especially essential for training systems that protect vulnerable and minority groups in online spaces, where they are often targeted [25, 6]. However, annotations for such tasks are subjective and usually based on majority-group annotators. This may at best limit the usefulness of the data, or at worst lead to biased and misconfigured systems.

The core of the problem is simple; if a comment targets marginalized groups, there can be cases where most annotators overlook it, while the few marginalized annotators vehemently disagree in vain. An example of such cases would be racist comments that are presented with coded language (usually referred to as "dog-whistles" [16]), which are not picked up by most annotators, but only by ones belonging in the targeted minority. Inversely, majority-group annotators may bias their own annotations against the minority-group annotators. Sap et al. [19] for instance show that toxicity models disproportionally marked African American speech as "toxic".

Inter-annotator agreement is often used to detect such cases [11]. Metrics based on agreement mostly measure annotation variance, which may not be an optimal problem formulation for detecting such cases. *Polarization* is a better instrument in this regard, since it formulates annotation analysis as a cluster identification problem [14, 15]—specifically whether two or more annotation clusters are present (Figure 2).

While we can detect polarization [15, 14], there is little work on how to detect whether it is actually caused by marginalized groups. Pavlopoulos and Likas [15] propose a mechanism which only works in the extreme case where overall polarization is zero; in this work we demonstrate that this case is not frequent in real-world data. We instead propose the *"Aposteriori Unimodality (Apunim) Metric"*, which attributes polarization to individual annotator sociodemographic groups. Our contributions are:



Figure 1: The Apunim framework attributes annotator polarization to certain characteristics.

1. We introduce a new metric which measures how much polarization can be attributed specific sociodemographic groups.

2. We discover issues not yet acknowledged in literature, such as the presence of inherent polarization and conflicting polarization directions. Our



Figure 2: Disagreement is similar to variance; thus it overlooks cases where annotators may be "split down the middle". Polarization on the other hand, is able to identify multiple clusters even if they are close together.



Figure 3: Example of a polarizing comment, where male and female annotators agree between themselves, but disagree with the opposite gender.

proposed metric is designed to avoid these issues.

3. We apply our metric to four datasets; two with human comments and annotations [18, 12] as well as two generated and annotated by Large Language Model (LLM) agents [24].

2 Methodology

2.1 Problem Formulation

SocioDemographic Backgrounds Since our goal is to pinpoint which specific characteristics contribute to polarization, we need to isolate individual groups within a SocioDemographic Background (SDB). Let Θ be one of multiple "dimensions" the set of all annotator SDB groups for a single dimension (e.g. "male", "female" and "non-binary" if we are investigating annotator gender).

Annotations Let $d = \{c_1, c_2, \ldots\}$ be a dataset composed of multiple annotated data points. We assume that annotating a data point depends on two variables: inherent ("apriori") controversy, and the ("aposteriori") annotator's SDB, as well as uncontrolled factors such as mood and personal experiences (noise). Assuming that each data-point c is assigned multiple annotators, we can define the annotation multi-set $A(c) = \{(a, \theta)\}$, where a is a single annotation. As an example, the annotations for a comment in a sentiment analysis task would be formulated as:

$$\begin{aligned} &A(\text{"}Could\ be\ better,\ could\ be\ worse\text{"}) = \\ &\{(positive, female), (negative, male), \\ &(positive, female), \ldots\} \end{aligned} \quad (1)$$

Polarization Each set of annotations features a certain degree of *polarization*. Unpolarized annotations are usually unimodal; the annotators disagree on the details (which would be shown roughly as a bell curve around the median annotation), not fundamentally (which would likely be shown as a multimodal distribution). Pavlopoulos and Likas [15] create a polarization metric, the "normalized Distance From Unimodality (nDFU)", which measures whether an annotation set shows no polarization (unimodal distribution—$nDFU \approx 0$), up to complete polarization (multimodal distribution—$nDFU \approx 1$). Thus, we need a metric that measures how much the nDFU of a polarizing data point can be partially explained by θ.

2.2 Intuition

Comment polarization Intuitively, θ partially explains the polarization of a data point c when the annotations grouped by θ are more polarized compared to the full set of annotations. Figure 3 exhibits a hypothetical example where a misogynistic comment is annotated for toxicity by male and female annotators.[1] The annotations are generally polarized ($nDFU_{all} = 0.625$). The annotations by female annotators exhibit low polarization between themselves ($nDFU_{women} = 0.1$), since most agree the data-point is toxic. The set of male annotations, also shows low polarization ($nDFU_{men} = 0.3725$), but for the opposite reason—most men agree that it is *not* toxic. This suggests that the overall polarization is driven by disagreements between male and female annotators.

Dataset polarization Given this observation, we would be tempted to aggregate all annotations in the dataset and compare the polarization of each θ with the full set of annotations $A(c)$. In fact this is very tempting since aggregating annotations solves the very real and important problem of annotation scarcity; each data point may be annotated by only 5 annotators, leading to a best-case 3-2 split between groups. Since nDFU is at its core a histogram estimation, 3 annotations may not be enough to acquire a reliable histogram (this is discussed in depth in Appendix 5).

However, this formulation would not work well. Figure 4 illustrates a hypothetical discussion with two comments, both of which are toxic, but where male and female annotators disagree on *which* comment is the toxic one. If we aggregate the annotations to a single discussion, the opposing polarization effects might balance each other out, leading to a false negative. This example demonstrates that polarization has a *direction*, which is not captured by the (symmetric) $nDFU$ metric.

[1]The use of only two predominant genders is made only for the purposes of demonstration.

2.3 Aposteriori polarization

The observed polarization of a data-point on the group of annotations θ can be directly computed as:

$$pol(c, \theta) = nDFU(P(A(c), \theta) \tag{2}$$

where $P(A(c), \theta_i) = \{a(c;\theta) \in A(c) | \theta = \theta_i\}$ is the partition of A for a data-point c, for which its annotators belong to the SDB group θ_i.

In §1 we mentioned that annotator polarization can be caused either by the annotators SDB, or other factors. The latter can be considered "apriori" polarization, which is driven by the inherent "controversy" of the data point. Previous work [15] considered the case where this apriori polarization was zero; this is not the case in many datasets, as we demonstrate in §3.

Given infinite annotations, the assumption of independence would hold. Likewise, if we compared the subset with infinite random subsets of the superset. We can thus estimate the apriori polarization in data point c by bootstrapping. We randomly partition the annotations in $|\Theta|$ groups, with matching group sizes (e.g., if we have 100 annotations, 80 of which are made by male annotators and 20 by female annotators, we will create random partitions of sizes 80 and 20). The randomly partitioned annotations are then sampled t times. Formally, the estimated apriori polarization will be given by:

$$\frac{1}{t}\sum_{i=1}^{t} nDFU(\tilde{P}_i(A(c))) \tag{3}$$

where $\tilde{P}_i$ is the random partition operator with matching group sizes.

While data scarcity is an important limitation when acquiring the observed polarization, this is decisively not the case with the number of data points themselves, which can range up to hundreds of thousands. Thus, we have the luxury of filtering data points before computing a dataset-wide metric. Since our metric attributes polarization, unpolarized data



Figure 4: Hypothetical example of a polarizing discussion with two comments, for which the annotators disagree on which is the toxic one. If we aggregate the two comments, the polarization scores for both men and women significantly rise, obscuring whether the exhibited polarization can be partially attributed to gender.



Figure 5: An overview of the Aposteriori Unimodality Test. We gather statistical information from the annotations (different SDBs are denoted by different colors) via the nDFU measure, which is aggregated on the data-point-level by the pol-statistic. The Aposteriori Unimodality Test is applied on the discussion level, operating on the pol-statistics of the individual data-points.

points are useless. The same applies for data points which are composed of only a single annotator group. Thus, we define the subset S_d of dataset d such that:

$$S_d = \{c \in d \mid nDFU(c) > \alpha \text{ } \textit{and c annotated by at least two groups}\} \tag{4}$$

where α is a small positive number (in our experiments $\alpha = 0.2$).

By obtaining the pol-statistics for all data-points in S_d for SDB θ, we can get the mean observed polarization for the dataset:

$$pol_{obs.}(d, \theta) = \frac{1}{|d|} \sum_{c \in S_d} pol(c, \theta) \tag{5}$$

and similarly the mean apriori dataset polarization:

$$pol_{apriori}(d) = \frac{1}{|d|} \sum_{c \in S_d} \frac{1}{t} \sum_{i=1}^{t} nDFU(\tilde{P}_i(A(c))) \tag{6}$$

We can then define the *"Aposteriori Unimodality" (Apunim)* Statistic as:

$$apunim(d, \theta) = \frac{pol_{obs.}(d, \theta) - pol_{apriori}(d)}{1 - pol_{apriori}(d)} \tag{7}$$

Since $nDFU \to [0, 1] \Rightarrow apunim \to [-1, 1]$. If $apunim(d, \theta) \approx 0$, the exhibited polarization among annotators of group θ does not surpass what would be expected by chance. If $apunim(d, \theta) > 0$, then the group partially explains a rise in polarization, and inversely for the case $apunim(d, \theta) < 0$. The scope of the statistic and its relationship with the previously presented statistics are demonstrated in Figure 5 [2].

[2] There is a theoretical statistical issue for subtracting statistics derived from a subset and its superset, which are discussed in Appendix B.

2.4 p-value estimation

By obtaining the pol-statistics for all data-points in a dataset d we can apply any statistical means test with the null hypothesis:

$$H_0 : \forall\theta \in \Theta,\ apunim(d,\, \theta) \leq 0 \tag{8}$$

versus the (multiple) alternative hypotheses:

$$H_i : apunim(d,\, \theta_i) > 0 \tag{9}$$

Our test assumes that (1) there exist enough data-points to reliably run the means-test, and (2) enough annotations in each data-point and SDB group to estimate the *pol-statistics*. We discuss the former assumption in Appendix 5. The latter can be safely assumed for most datasets, because they feature enough data-points to reliably assume normal residuals ($n \gg 30$—see §3), which is why we use the Student-T test [22] .

Since we are simultaneously considering $|\Theta|$ hypotheses, we apply a multiple comparison correction to the resulting p-values. We choose the Holms method [9]. The test is parameterized by the Family-Wise Error Rate (FWER), which is used to tune the strength of the correction; we can increase this value to make our test more conservative towards multiple hypotheses [5]). In general, it is safe to set FWER equal to the significance level of our test (e.g., $FWER = 0.95$ if we are looking for $p < 0.05$).

3 Datasets

We use the datasets provided by Kumar et al. [12] and Sap et al. [18]. They both feature various online comments, each annotated by a number of human annotators (5 and 4-6 annotators per comment respectively). The Kumar et al. [12] dataset stands out for featuring more than 100,000 comments, while also including 10 different dimensions for SDBs and annotator experiences. We also use the DICES-350 and DICES-990 datasets [3], which are concerned with LLM response safety.[3] They feature less annotated comments, but more than an order of magnitude more annotators per comment, making them an invaluable resource for our study. While the datasets technically target different annotation criteria (racism, toxicity and LLM safety respectively), these criteria are closely related to each other.

Brief dataset characteristics are given in Table 1. There is a reasonable amount of polarization in most annotations for all datasets as demonstrated by Figure 6. For in-depth information and discussion around our decisions for discretization, refer to Appendix C.

Table 1: Brief overview of the datasets used in this study. We are interested in the number of comments (#Comm.), annotators per comment (#Ann.) and number of SDB dimensions (#Dims.).

Name	# Comm.	# Ann.	# Dims
Kumar et al. [12]	106,035	5-6	10
Sap et al. [18]	626	5-6	4
DICES-350 [3]	72,103	60-70	2
DICES-990 [3]	43,050	123	2

4 Results

4.1 Which factors contribute to polarization?

Table 2: Aposteriori unimodality results for the dices-350 dataset.

SDB Feature	Value	apunim	support
Age	1) Gen. X+	0.0521***	10819
	2) Millenial	-0.0090	12564
	3) Gen. Z	-0.0259	19544
Education	College degree or higher	0.0308	26175
	High school or below	-0.0581***	14309
	Other	-0.0006	2443
Gender	Man	0.0037	21289
	Woman	-0.0054	21638
Race	African American	-0.1022***	10121
	Asian	0.0661***	9074
	Latino	0.0344*	7678
	Multiracial	0.0025	5584
	White	-0.0028	10470

[3] We specifically use the `Q_overall` annotations, which combine annotations for text that is considered harmful, (racially) biased and misinformation.



Figure 6: Histogram of dataset polarization for the human datasets considered in this paper per SDB feature.

Table 3: Aposteriori unimodality results for the dices-990 dataset.

SDB Feature	Value	apunim	support
Age	1) Gen. X+	-0.0639***	15113
	2) Millenial	-0.0133	40187
	3) Gen. Z	0.1076***	14396
Education	College degree or higher	0.0144	61925
	High school or below	-0.0843***	7771
Gender	Man	0.0222*	34149
	Woman	-0.0157	34920
Race	African American	0.1093***	6096
	Asian	0.0555***	19258
	Latino	-0.1962***	6935
	Other	0.0673***	25494
	White	-0.1480***	11913

Table 4: Aposteriori unimodality results for the sap dataset.

SDB Feature	Value	apunim	support
Age	1) Gen. X+	0.0192	743
	2) Millennial	0.0189	1792
	3) Gen. Z	-0.0153	239
Ethnicity	black	-0.2967***	1041
	white	0.1400***	2048
Gender	man	0.0942***	1635
	woman	-0.1810***	1333

Assuming a confidence level of $\alpha = 0.05$ we test whether any of the provided SDB dimensions can partially explain polarization in the toxicity/racism annotations. The results for the Kumar et al. [12] and Sap et al. [18] datasets can be found in Tables 4 and 5 respectively, while Tables 2 and 3 display the results for the DICES-350 and DICES-990 datasets respectively.

We observe statistically significant polarization effects caused by annotator *Ethnicity* on all datasets In the DICES dataset, non-white annotators seem to contribute to polarization much more than the majority white annotators. This effect is reversed for the Sap et al. [19] dataset.

Annotator *age* does not cause polarization for toxicity/hate detection, but does for safety None of the age groups in the Sap et al. [19] and Kumar et al. [12] datasets produce statistically significant results for polarization attribution, suggesting that it is not an important factor. However, both DICES datasets produced statistically and quantitatively significant results. This may be caused by the large number of annotators in these datasets, which enable our method to better distinguish this effect from noise in the annotations. This is unlikely however, given our next finding.

4.2 Do ordinal attributes matter?

Analysis on annotated data frequently ignores the different kinds of measurements in studies using sociodemographic and LIKERT-style attributes. Researchers often treat all dimensions as *nominal/categorical* even though some are inherently ordinal (e.g., LIKERT, education), and some continuous/ratio variables (e.g., age). By treating these variables as categorical, not only do we lose valuable information, but we may magnify statistical errors [21].

Some researchers attempt to find an "optimal point" which can be used to binarize continuous variables [**Sokratis**], but this approach is misguided. By using any artificial cut-off point, the resulting analysis is immediately invalidated by any change in the underlying data. Furthermore, some of these ap-



Figure 7: The behavior of ordinal variables in all datasets. The x-axis represents the order of each factor (marked as `1), 2), ...` in Tables 2,3,5,4). The x-axis is normalized to the smallest common denominator between the number of ordinal values.

proaches tend to produce ouroboroid[4] results; a statistical measure is used to binarize the data during preprocessing, which is then fed to a methodology utilizing the same measure to get results. This is methodologically unsound, since it biases the model by transforming the data in a way that model best recognizes to infer a specific outcome. In this work, we argue that *retaining the order of ordinal attributes can reveal interesting trends* that would be otherwised missed with categorical inference.

Figure 7 displays the trends for polarization attribution between various ordinal variables. Most ordinal attributes with statistically significant apunim values tend to **cluster around a few dominant modes**; e.g., *Age* and *Education* in the Kumar et al. [12] dataset. This pattern is expected, since the Apunim algorithm is designed to identify clusters of annotations. Nearby ordinal factors are likely to have similar effects, which are absorbed during analysis into the main effects driven by a few significant modes.This may also represent a "leak" of information between ordinal groupings, as admonished by Streiner [21].

However, some ordinal attributes (*Age* in both DICES-350 and DICES-990[5], *Religion Importance* in Kumar et al. [12]) follow a strict, monotonic trend. This implies that, in some cases, the **amount of polarization increases the further apart an opinion is from neutrality**. For example, non-religious annotators are less likely to have polarizing opinions about what constitutes a toxic comment than the average annotator, while very religious annotators generate very polarizing judgments.

5 How many annotators?

While our test works best with many annotations per datapoint, the cost required for multiple human annotators is often prohibitive [17]. It is thus very important both DICES datasets, as well as the Sap et al. [18] dataset annotated by 100 distinct LLM annotators.

The LLM annotation procedure is described in Appendix D. While a more appropriate comparison would entail synthetic annotations in the DICES datasets themselves, we elect to use a standard task for LLM-as-a-judge (hate speech detection) instead of the relatively challenging and under-explored area of general LLM safety.

5.1 Methodology

For each comment in all datasets, we randomly sample a subset of annotators and compute the apunim value. We repeat the procedure 30 times, and average all observations. This was a necessary step to reduce the variance inherent in random sampling. We also truncate the results for the DICES-350 dataset, since very few comments were annotated by the respective annotator counts.

5.2 Results

Figure 8 demonstrates the effect of the number of annotators on the reliability of the polarization estimation. We can see that the metric becomes consistent with about 20 annotators per comment, after which we start to get diminishing results. This experiment was conducted on a subset of the Sap et al.

[4] "Snake eating its own tail".

[5] Interestingly, the trend for the same variable is inverted for the two datasets. We attribute this fact to divine foolery.



Figure 8: Standard error of the *pol-statistic* when sampled with replacement for various number of annotators.

[18] dataset, with LLM annotators having different SDBs.

6 Conclusion

We introduced the "Aposteriori Unimodality Test", a statistical test that detects whether certain sociodemographic groups partly cause polarization in annotations. Our test is resistant to low samples of annotations, bypasses common statistical issues such as sample dependence, and avoids newly-discovered issues such as the presence of inherent polarization and polarization direction. We apply our test two human-generated and two LLM-generated datasets and find interesting patterns on the former, and verify current literature on LLM SDB prompting on the latter.

7 Limitations

Since there are no other established tests that attribute polarization to sociodemographic characteristics, there is no way to verify that the results presented in §4 are accurate. Similarly, there is no qualitative way of evaluating our test, other than observations on the (non-) efficacy of LLM SDB prompting and our own intuition. Lastly, while our test seems to work sufficiently well with a small number of annotators per data-point, we still encourage researchers using this test to have at least a few annotators of each sociodemographic group that is being tested, in their dataset.

8 Ethical Considerations

While our work aims to help protect marginalized and disadvantaged groups by attributing polarization to certain subgroups, it can be taken advantage of by malicious actors. Given a dataset with fine-grained SDB information, these actors can use our test to target specific vulnerable groups. We thus urge researchers to keep datasets including such information protected, and provided to others only under explicit permission.

Table 5: Aposteriori unimodality results for the kumar dataset.

SDB Feature	Value	apunim	support
Age	1) 18 - 24	-0.0090	9742
	2) 25 - 34	0.0324***	33203
	3) 35 - 44	-0.0093	21055
	4) 45 - 54	0.0006	11025
	5) 55 - 64	-0.0037	6123
	6) 65 or older	0.0001	2567
Education	1) Doctoral degree	0.0048	1019
	2) Professional degree	0.0038	1321
	3) Master's degree	0.0147**	13420
	4) Bachelor's degree	0.0401***	34085
	5) Associate degree	-0.0113**	9122
	6) College, no degree	-0.0335***	16666
	7) High School graduate	-0.0079*	7326
	8) No high school	0.0004	462
Ethnicity	Asian	-0.0019	5062
	Black	0.0110*	10999
	Hispanic	-0.0025	2389
	Multiracial	-0.0041	3682
	Other	0.0022	1507
	Unknown	-0.0030	1160
	White	-0.0377***	45306
Gender	Female	-0.0278***	40686
	Male	0.0275***	37929
	Nonbinary	-0.0008	489
	Unknown	-0.0029	621
Has Been Targeted	False	-0.0633***	45234
	True	0.0349***	24491
Is Parent	No	-0.0707***	37231
	Prefer not to say	-0.0023	831
	Yes	0.0535***	41493
Is Transgender	No	-0.0894***	11978
	Prefer not to say	0.0005	856
	Yes	0.0013	2306
Political Affiliation	Conservative	0.0331***	23010
	Independent	-0.0157***	22818
	Liberal	-0.0287***	32917
	Other	-0.0049	1822
	Prefer not to say	0.0015	3548
Religion Important	1) No	-0.0804***	26008
	2) Not very	-0.0154***	10055
	3) Somewhat	0.0210***	20169
	4) Very	0.0487***	27284
	Prefer not to say	0.0001	1179
Seen Toxicity	False	0.0311***	20185
	True	-0.0717***	43265
Sexual Orientation	Bisexual	0.0175***	10005
	Heterosexual	-0.0571***	38048
	Homosexual	-0.0017	2975
	Other	-0.0003	728
	Prefer not to say	-0.0017	1751
	NaN	0.0031	208
Technology Impact	1) Very negative	-0.0009	784
	2) Somewhat negative	-0.0080	7973
	3) Neutral	0.0027	10720
	4) Somewhat positive	-0.0265***	40477
	5) Very positive	0.0208***	22471
Toxicity Problem	1) Never	0.0058	4962
	2) Rarely	0.0177***	14457
	3) Occasionally	-0.0058	29476
	4) Frequently	-0.0217***	24774
	5) Very Frequently	-0.0145***	10656

References

[1] Chittaranjan Andrade. "Age as a variable: Continuous or categorical?" en. In: *Indian J Psychiatry* 59.4 (Oct. 2017), pp. 524–525.

[2] Jacy Reese Anthis et al. *LLM Social Simulations Are a Promising Research Method.* 2025. arXiv: 2504.02234 [cs.HC]. URL: https://arxiv.org/abs/2504.02234.

[3] Lora Aroyo et al. "DICES Dataset: Diversity in Conversational AI Evaluation for Safety". In: *Advances in Neural Information Processing Systems.* Ed. by A. Oh et al. Vol. 36. Curran Associates, Inc., 2023, pp. 53330–53342. URL: https://proceedings.neurips.cc/paper_files/paper/2023/file/a74b697bce4cac6c91896372abaa8863-Paper-Datasets_and_Benchmarks.pdf.

[4] James Bisbee et al. "Synthetic Replacements for Human Survey Data? The Perils of Large Language Models". In: *Political Analysis* 32.4 (2024), 401–416. DOI: 10.1017/pan.2024.5.

[5] S.Y. Chen, Z. Feng, and X. Yi. "A general introduction to adjustment for multiple comparisons". In: *Journal of Thoracic Disease* 9.6 (2017). doi: 10.21037/jtd.2017.05.34; PMID: 28740688; PMCID: PMC5506159, pp. 1725–1729.

[6] Shelby Dioum. *What Explains the Increase in Online Hate Speech?* Accessed: 2025-09-22. University of California, Davis, Mar. 2025. URL: https://www.ucdavis.edu/magazine/what-explains-increase-online-hate-speech.

[7] David Freedman and Persi Diaconis. "On the histogram as a density estimator:L2 theory". In: *Zeitschrift für Wahrscheinlichkeitstheorie und Verwandte Gebiete* 57.4 (1981), pp. 453–476. ISSN: 1432-2064. DOI: 10.1007/BF01025868. URL: https://doi.org/10.1007/BF01025868.

[8] Luke Hewitt et al. "Predicting Results of Social Science Experiments Using Large Language Models". Equal contribution, order randomized. Aug. 2024.

[9] Sture Holm. "A Simple Sequentially Rejective Multiple Test Procedure". In: *Scandinavian Journal of Statistics* 6.2 (1979), pp. 65–70. ISSN: 03036898, 14679469. URL: http://www.jstor.org/stable/4615733 (visited on 07/07/2025).

[10] Bernard J. Jansen, Soon gyo Jung, and Joni Salminen. "Employing large language models in survey research". In: *Natural Language Processing Journal* 4 (2023), p. 100020. ISSN: 2949-7191. DOI: https://doi.org/10.1016/j.nlp.2023.100020. URL: https://www.sciencedirect.com/science/article/pii/S2949719123000171.

[11] Petra Kralj Novak et al. "Handling Disagreement in Hate Speech Modelling". In: *Information Processing and Management of Uncertainty in Knowledge-Based Systems.* Ed. by Davide Ciucci et al. Cham: Springer International Publishing, 2022, pp. 681–695. ISBN: 978-3-031-08974-9.

[12] Deepak Kumar et al. "Designing toxic content classification for a diversity of perspectives". In: *Proceedings of the Seventeenth USENIX Conference on Usable Privacy and Security.* SOUPS'21. USA: USENIX Association, 2021. ISBN: 978-1-939133-25-0.

[13] Terrence Neumann, Maria De-Arteaga, and Sina Fazelpour. *Should you use LLMs to simulate opinions? Quality checks for early-stage deliberation.* 2025. arXiv: 2504.08954 [cs.CY]. URL: https://arxiv.org/abs/2504.08954.

[14] John Pavlopoulos and Aristidis Likas. "Distance from Unimodality for the Assessment of Opinion Polarization". In: *Cognitive Computation* 15.2 (2023), pp. 731–738. ISSN: 1866-9964. DOI: 10.1007/s12559-022-10088-2. URL: https://doi.org/10.1007/s12559-022-10088-2.

[15] John Pavlopoulos and Aristidis Likas. "Polarized Opinion Detection Improves the Detection of Toxic Language". In: *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguis-*

tics (Volume 1: Long Papers). Ed. by Yvette Graham and Matthew Purver. St. Julian's, Malta: Association for Computational Linguistics, Mar. 2024, pp. 1946–1958. URL: https://aclanthology.org/2024.eacl-long.117/.

[16] Anne Quaranto. "Dog whistles, covertly coded speech, and the practices that enable them". In: *Synthese* 200.4 (2022), p. 330.

[17] Luca Rossi, Katherine Harrison, and Irina Shklovski. "The Problems of LLM-generated Data in Social Science Research". In: *Sociologica* 18.2 (Jan. 2024), 145–168. DOI: 10.6092/issn.1971-8853/19576. URL: https://sociologica.unibo.it/article/view/19576.

[18] Maarten Sap et al. "Annotators with Attitudes: How Annotator Beliefs And Identities Bias Toxic Language Detection". In: *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. Ed. by Marine Carpuat, Marie-Catherine de Marneffe, and Ivan Vladimir Meza Ruiz. Seattle, United States: Association for Computational Linguistics, July 2022, pp. 5884–5906. DOI: 10.18653/v1/2022.naacl-main.431. URL: https://aclanthology.org/2022.naacl-main.431/.

[19] Maarten Sap et al. "The Risk of Racial Bias in Hate Speech Detection". In: *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*. Ed. by Anna Korhonen, David Traum, and Lluís Màrquez. Florence, Italy: Association for Computational Linguistics, July 2019, pp. 1668–1678. DOI: 10.18653/v1/P19-1163. URL: https://aclanthology.org/P19-1163/.

[20] David W. Scott. "On optimal and data-based histograms". In: *Biometrika* 66.3 (Dec. 1979), pp. 605–610. ISSN: 0006-3444. DOI: 10.1093/biomet/66.3.605. eprint: https://academic.oup.com/biomet/article-pdf/66/3/605/632347/66-3-605.pdf. URL: https://doi.org/10.1093/biomet/66.3.605.

[21] David L Streiner. "Breaking up is hard to do: the heartbreak of dichotomizing continuous data". en. In: *Can J Psychiatry* 47.3 (Apr. 2002), pp. 262–266.

[22] Student. "The probable error of a mean". In: *Biometrika* (1908), pp. 1–25.

[23] Herbert A. Sturges. "The Choice of a Class Interval". In: *Journal of the American Statistical Association* 21.153 (1926), pp. 65–66. DOI: 10.1080/01621459.1926.10502161. eprint: https://doi.org/10.1080/01621459.1926.10502161. URL: https://doi.org/10.1080/01621459.1926.10502161.

[24] Dimitris Tsirmpas, Ion Androutsopoulos, and John Pavlopoulos. *Scalable Evaluation of Online Facilitation Strategies via Synthetic Simulation of Discussions*. 2025. arXiv: 2503.16505 [cs.HC]. URL: https://arxiv.org/abs/2503.16505.

[25] United Nations. *Targets of Hate*. Accessed: 2025-09-22. Sept. 2025. URL: https://www.un.org/en/hate-speech/impact-and-prevention/targets-of-hate.

A Acronyms

LLM Large Language Model

SDB SocioDemographic Background

nDFU normalized Distance From Unimodality

FWER Family-Wise Error Rate

B Theoretical limitations

In §2.2 we compared the polarization of the whole set of annotations with the partitions by annotator group. This approach uses the same samples for both subset and superset, violating the fundamental hypothesis of independent samples. This also means the statistics for both will *always be similar to an extent*. This is especially pronounced in our case, due to the extreme overlap exhibited by tiny annotation sets. Additionally, when calculating p-values, the non-independence of samples induces an intrinsic, non-zero covariance between any statistic s calculated on A and on S.

A standard method of side-stepping this issue is to compare the subset with its complement to the superset. This can not be applied to our case. Consider the example in Figure 3; if we compared $nDFU_{men}$ with $nDFU_{women}$, the result would be very close to zero, indicating no polarization attribution to gender.

C How do we handle continuous variables?

Continuous attributes (such as age) can be discretized during analysis; this practice should generally be avoided [21, 1], although it is necessary when the data has extremely skewed distributions [21], the underlying data are already in discretized form, or when the tools used for analysis require some form of categorization. Our methodology is built upon nDFU, and thus requires histograms to be well-defined. Additionally, the data for Age is already discretized for the DICES and Kumar et al. [12] datasets; for the sake of comparison, we discretize the Sap et al. [18] dataset with the same method as the DICES dataset, instead of using generalized binning techniques based on statistics [23, 20, 7].

In order to make sure our results are not biased, we conduct ablation experiments with all ordinal variables from the Kumar et al. [12] dataset discretized to three factors. We observe that...

D LLM Annotation

An issue with synthetic datasets is the lack of overall polarization (see Figure 9). This can be offset by the ability of synthetic datasets to be scaled to a much greater extent than human datasets, as they do not feature the cost and availability constraints of humans.



Figure 9: Histogram of dataset polarization for the Sap et al. [19] annotated by 100 LLM annotators dataset considered in this paper per SDB feature.

D.1 Methodology

We generate 100 randomized LLM personas which featured standard SDB and ideological attributes. The specific dimensions and their possible values are enumerated in Table 6. We then instruct each annotator to annotate each comment in the dataset.

D.2 Results

The results for the 100-annotator dataset can be found in Table 6. The lack of overall polarization, as well as the quantitatively smaller apunim values, suggest that SDB prompting can not be used to simulate annotations for human groups. This is consistent with relevant literature on the topic [2, 8, 17, 10, 4, 13].

D.3 Prompts used

```
You are an expert annotator, specializing in
hate speech detection.
Rate how hateful the given text is.

Give a response that would be similar
 to a {age}-year-old {sex}
with {education_level},
who identifies as {sexual_orientation\}
and leans {political_affiliation} politically.
```

Table 6: Aposteriori unimodality results for the hundred dataset.

SDB Feature	Value	apunim	support
Age	1) Gen. X+	0.0167	11505
	2) Millennial	0.0087	4485
	3) Gen. Z	-0.0647	3315
Education	bachelor's degree	-0.0649*	2145
	doctoral degree	-0.0107	780
	master's degree	-0.0155	1755
	no formal education	-0.0596*	390
	primary education	0.0275	2730
	secondary education	0.0197	8775
	vocational training	0.0007	2730
Gender	female	0.0095	8775
	male	-0.0144	9945
	non-binary	0.0298	585
Politics	apolitical	-0.0381	3315
	centrist	-0.0100	6240
	left-wing	-0.0205	5850
	right-wing	0.0044	3900
Sexual Orientation	asexual	0.0031	780
	bisexual	-0.0338	1365
	heterosexual	-0.0037	15990
	homosexual	0.0319	1170

Use this scale:
1 = No hate or insult
2 = Slightly rude or disrespectful
3 = Some hate or stereotyping
4 = Strong hate or clear insult
5 = Extreme hate or dehumanizing language

Respond with a single number only, from 1 to 5.