# Visoka škola strukovnih studija za informacione i komunikacione tehnologije



# Dokumentacija

Student: Stefan Dimitrijevic, 57/16

**Smer: Internet tehnologije Predmet:** 

Praktikum iz PHP-a

## **Contents**

1. Uvo	d	4
1.1.	Korišćeni programski jezici	4
1.2.	Opis funkcionalnosti	4
2. Diz	ajn baze	6
3. Sli	ke sajta	7
3.1.	index.php	7
3.2.	<pre>index.php?page=allbeers</pre>	8
3.3.	<pre>index.php?page=allbeers&amp;proizvod=</pre>	9
3.4.	<pre>index.php?page=register</pre>	10
3.5.	<pre>index.php?page=login</pre>	11
3.6.	admin.php	12
3.7.	<pre>index.php?page=aboutme</pre>	15
4. Sli	ka strukture projekta	16
5. Kod	ovi	17
5.1.	<pre>index.php</pre>	17
5.2.	admin.php	17
5.3.	.htaccess	18
5.4.	views/fixed/footer.php	18
5.5.	views/fixed/head.php	19
5.6.	views/fixed/header.php	20
5.7.	views/.htaccess	20
5.8.	views/403_404.php	20
	views/beers.php	
5.9.	views/login.php	23
5.10	. views/oMeni.php	23
5.10	. views/pocetna.php	24
5.11	. views/register.php	24
5.12	. models/functions.php	25
5.13	. models/admin/pristupSajtu.php	26
5.14	. models/autor/functions.php	26
5.15	. models/autor/podaciOAutoru.php	27
5.16	. models/korisnici/deleteKorisnika.php	27
5.17	. models/korisnici/dohvatiKorisnika.php	27
5.18	. models/korisnici/dohvatiUlogu.php	28
5.19	. models/korisnici/functions.php	28
5.20	. models/korisnici/prikazi.php	28
5.21	. models/korisnici/prikaziKorisnike.php	28
5.22	. models/korisnici/updateKorisnika.php	29

5.23.	models/login/login.php
5.24.	models/login/logout.php
5.25.	models/meni/functions.php31
5.26.	models/ocene/dohvatiOcenuZaProizvod.php
5.27.	models/ocene/functions.php
5.28.	models/ocene/insertUpdateOcene.php32
5.29.	models/ocene/prikazi.php
5.30.	models/proizvodi/deleteProizvoda.php
5.31.	models/proizvodi/dohvatanjePoKriterijumima.php
5.32.	models/proizvodi/dohvatiKategorije.php
5.33.	models/proizvodi/dohvatiProizvod.php
5.34.	models/proizvodi/exportExcel.php
5.35.	models/proizvodi/functions.php
5.36.	models/proizvodi/izmenaProizvoda.php
5.37.	models/proizvodi/prikazi.php
5.38.	models/proizvodi/proizvodiFiltriranje.php
5.39.	models/proizvodi/unosProizvoda.php
5.40.	models/register/functions.php
5.41.	models/register/register.php
5.42.	models/stranicenje/dohvatanjeProizvoda.php42
5.43.	models/stranicenje/functions.php42
5.44.	data/error.txt
5.45.	data/log.txt
5.46.	config/.env
5.47.	config/config.php
5.48.	config/connection.php
5.49.	assets/css/style.css
5.50.	assets/js/script.js 52

#### 1. Uvod

#### 1.1. Korišćeni programski jezici

Za potrebe ovog sajta korišćeni su: HTML, CSS, Bootstrap, JavaScript, jQuery, Ajax i PHP. Okruženje u kome je rađeno je PHP Storm.

#### 1.2. Opis funkcionalnosti

#### Privilegije po ulogama:

Administratori – jedini imaju pristup admin panelu Autorizovani korisnici – oceniti proizvod mogu samo registrovani korisnici Neautorizovani korisnici – mogu da pristupe samo index stranici i stranicama za logovanje i registrovanje. Takođe, mogu da pogledaju proizvode koje žele, ali ne mogu ih oceniti.

#### Sve stranice:

Na svim stranicama se nalazi navigacioni meni koji se dinamički učitava iz baze podataka i ispisuje. Navigacioni meni se prikazuje drugačije za autorizovanog korisnika, a drugačije za neautorizovanog. Takođe, administratoru se prikazuje drugačiji meni u odnosu na korisnike.

#### admin.php (Admin panel):

Samo ulogovani administrator ima pristup ovoj stranici. Sadrži update i delete za korisnike, insert, update i delete za proizvode i pregled ocena proizvoda od strane korisnika. Takođe, samim dolaskom na stranicu, procentualno su iz log fajla ispisani pristupi stranicama u poslednja 24 sata.

#### index.php:

Na index stranici se nalazi meni koji je učitan iz baze i kratka istorija Brenda

#### index.php?page=allbeers&proizvod=

Na toj stranici se prikazuju svi proizvodi koji su dinamički ispisani iz baze, i prikazuju se 3 proizvoda po stranici (paginacija). Slike proizvoda su dobijene putem PHP koda i ovde se prikazuju manje slike. Takođe se proizvodi mogu pretražiti po unetom stringu u tekstualno polje, filtrirati po kategoriji, kao i sortirati po nazivu i alkoholu. Sve je odrađeno korišćenjem isključivo serverskog filtriranja, sortiranja i paginacije, gde PHP strana vraća JSON.

Klikom na određeni proizvod, preko URL adrese odlazimo do stranice gde su dinamički ispisani detalji za selektovan proizvod. Slika zasebnog proizvoda je takođe dobijena putem PHP koda i ovde se prikazuje veća slika. Ovde autorizovani korisnik može oceniti proizvod (insert), kao i izmeniti svoju ocenu (update), nakon čega se prikazuje prosek ocena za taj proizvod. Ponovnim dolaskom na stranicu za glasani proizvod, zvezdice su obojene u odnosu na ocenu kojom je korisnik ocenio proizvod.

Takođe, ovde se može preuzeti Excel document u kome su ispisani svi proizvodi.

Napomena: Radi na localhostu, na InfinityFree Web Hostu ne radi.

#### index.php?page=register:

Stranica za registraciju sadrži formu, za registraciju korisnika. Provera unetih podataka se vrši kako na klijentskoj, tako i na serverskoj strani. Svakim izlaskom iz polja, korisnik se obaveštava ako je napravio grešku vezanu za popunjavanje tog polja.

#### index.php?page=login:

Nakon registracije, korisnik se loguje sa njegovim korisničkim imenom i lozinkom. Takođe se vrši provera podataka na klijentskoj i serverskoj strani. Svakim izlaskom iz polja, korisnik se obaveštava ako je napravio grešku vezanu za popunjavanje tog polja. Logovanjem, u meniju mu se sklanjaju linkovi za logovanje i registraciju, a pojavljuje mu se link za logout. Neuspešnim logovanjem, tj. u slučaju da je korisnik pogrešio lozinku, šalje mu se mejl da je neko pokušao da pristupi njegovom nalogu sa date IP adrese.

#### logout.php:


Služi za odjavljivanje korisnika koji je ulogovan.

#### index.php?page=aboutme

Na ovoj stranici je dinamički ispisani fotografija i tekst o autoru sajta, odnosno o meni. Takođe se može preuzeti Word dokument gde se iz baze dohvataju podaci o autoru.


Napomena: Radi na localhostu, na InfinityFree Web Hostu ne radi.

## 2. Dizajn baze




# 3. Slike sajta


# 3.1. index.php




# 3.2. index.php?page=allbeers




# 3.3. index.php?page=allbeers&proizvod=




# 3.4. index.php?page=register




# 3.5. index.php?page=login




## 3.6. admin.php










# 3.7. index.php?page=aboutme



## 4. Slika strukture projekta



#### 5. Kodovi

#### 5.1. index.php

```
<?php
session_start();
require_once "config/connection.php";
include "views/fixed/head.php";
include "views/fixed/header.php";
if(isset($_GET["page"])){
    $page=$_GET["page"];
    switch($page){
        case "home":
            include "views/pocetna.php";
            break;
        case "allbeers":
            include "views/beers.php";
            break;
        case "register":
            include "views/register.php";
            break;
        case "login":
            include "views/login.php";
            break;
        case "aboutme":
            include "views/oMeni.php";
            break;
        case "403_404":
            include "views/403_404.php";
            break;
        case "404_404":
            include "views/403_404.php";
            break;
        default:
            include "views/pocetna.php";
            break;
else{
    include "views/pocetna.php";
include "views/fixed/footer.php";
```

#### 5.2. admin.php

#### 5.3. .htaccess

```
ErrorDocument 403 http://bigrock.epizy.com/index.php?page=403_404
ErrorDocument 404 http://bigrock.epizy.com/index.php?page=403_404
```

## 5.4. views/fixed/footer.php

```
nav class="navbar navbar-expand-sm navbar-light bg-light" id="futerMeni">
   <button class="navbar-toggler" data-toggle="collapse" data-</pre>
target="#navbarMenu">
       <span class="navbar-toggler-icon"></span>
   </button>
    <?php
                  require_once "models/functions.php";
                   if(isset($_SESSION['korisnik'])){
                      $podaci=dohvatiMeni(2, $_SESSION['korisnik']->id_uloga);
                  else{
                      $podaci=dohvatiMeni(2, 3);
                   foreach ($podaci as $podatak): ?>
                      <a href="<?= $podatak->putanja ?>"
class="nav-link"><?= $podatak->naziv ?></a>
                  <?php endforeach; ?>
 </nav>
 <nav class="navbar navbar-expand-sm navbar-light bg-light" id="futerMeni">
target="#navbarMenu">
       <span class="navbar-toggler-icon"></span>
   <a href="https://www.facebook.com/BigRockBrewery"</pre>
target="_blank" data-event="social" data-track-link="facebook"><img
src="assets/images/facebook.png" alt="Facebook"></a> 
       <a href="https://www.instagram.com/bigrockbrewery/"</pre>
target="_blank" data-event="social" data-track-link="facebook"><img
```

```
src="assets/images/instagram.png" alt="Instagram"></a> 
        <a href="https://twitter.com/bigrockbrewery"</pre>
src="assets/images/twitter.png" alt="Twitter"></a> 
    </div>
 <div class="copyrightDiv">
 EST. 1985<br/><br/>&copy;2019 Stefan Dimitrijević. Logo, naziv i slike brenda
</div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.0/jquery.min.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>
<script src="assets/js/script.js"></script>
</body>
```

#### 5.5. views/fixed/head.php

```
<!doctype html>
<head>
    <meta charset="UTF-8">
    <meta name="viewport'</pre>
maximum-scale=1.0, minimum-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="icon" type="image/x-icon" href="assets/images/favicon.ico">
        <?php
        if(isset($_GET["page"])){
            $page=$_GET["page"];
            switch ($page){
                case "home":
                    echo "Home";
                    break;
                case "allbeers":
                    echo "Our beers";
                    break;
                case "register":
                    echo "Register";
                    break;
                case "login":
                    echo "Login";
                     break;
                case "aboutme":
                    echo "About me";
                    break;
                default:
                     echo "Home";
                    break;
```

```
echo "Home";
}
?>
</title>
</link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="assets/css/style.css">
</head>
<body>
```

#### 5.6. views/fixed/header.php

```
<nav class="navbar fixed-top navbar-expand-sm navbar-light bg-light">
height="50"/><img src="assets/images/logo-text-white.png" alt="Logo"/>
target="#navbarMenu">
       <span class="navbar-toggler-icon"></span>
   </button>
   <div class="collapse navbar-collapse" id="navbarMenu">
   <?php
               require_once "models/meni/functions.php";
               if(isset($_SESSION['korisnik'])){
                   $podaci=dohvatiMeni(1, $_SESSION['korisnik']->id_uloga);
               else{
                   $podaci=dohvatiMeni(1, 3);
               foreach ($podaci as $podatak): ?>
                   <a href="<?= $podatak->putanja
?>" class="nav-link"><?= $podatak->naziv ?></a>
               <?php endforeach; ?>
    </div>
```

#### 5.7. views/.htaccess

Deny from all

#### 5.8. views/403\_404.php

#### 5.9. views/beers.php

```
<?php
        if(isset($_GET['proizvod'])){
        $idProizvod=$_GET['proizvod'];
        $upit="SELECT * FROM proizvod WHERE id_proizvod=$idProizvod";
        $rezultat=$konekcija->query($upit)->fetch();
            <input type="hidden" value="<?= $idProizvod ?>" class="proizvodOcena"
            <div class="slikaOriginal">
                <img width="600" height="600" class="img-responsive"</pre>
src="assets/images/beers/<?= $rezultat->slika ?>">
            </div>
        </div>
            <hl class="nazivPivaZasebno"><?= $rezultat->naziv_proizvoda ?></hl>
            <?= $rezultat->opis ?>
            <?= $rezultat->alkohol ?>%
            <?= $rezultat->beer_story ?>
            <?php
            if(isset($_SESSION['korisnik'])){ ?>
                        <i class="fa fa-star fa-4x" data-id="1"></i></i>
                    </div>
                    <br/>
                    <div class="prosek"></div>
                </div>
            <?php
             } else {
        </div>
        <?php } else { ?>
danger">Preuzmi podatke o proizvodima u Excel formatu</a>
            <input type="text" class="trazi" placeholder="Search"/>
                <h2 class="filterNaziv">Styles</h2>
                require_once "models/functions.php";
                $podaci=dohvati('kategorija');
                foreach($podaci as $podatak): ?>
                    <label class="containerr"><?= $podatak->naziv_kategorije ?>
<input type="radio" name="radioKategorija"</pre>
class="radioKategorija" value="<?= $podatak->id_kategorija ?>" />
                    <span class="checkmark"></span>
                <?php endforeach;?>
            </div>
```

```
<h2 class="filterNaziv">Sort</h2>
                <label class="containerr">Name >
                    <input type="radio" name="radioSort" class="radioSort"</pre>
                    <span class="checkmark"></span>
                    <input type="radio" name="radioSort" class="radioSort"</pre>
                    <span class="checkmark"></span>
                </label>
                    <input type="radio" name="radioSort" class="radioSort"</pre>
                    <span class="checkmark"></span>
                </label>
                <label class="containerr">< Alcohol</pre>
                    <span class="checkmark"></span>
            </div>
        </div>
                <?php
                require_once "models/stranicenje/functions.php";
                $podaci=dohvatiPoStranici(3);
                foreach ($podaci as $podatak):
                <div class="col-md-4 slikaMalaDiv">
                    <a href="index.php?page=allbeers&proizvod=<?= $podatak -</pre>
>id_proizvod?>"><img src="assets/images/beers/<?= $podatak->mala_slika ?>"
width="330" height="330" alt="<?= $podatak->naziv_proizvoda ?>"></a>
                    <?= $podatak->naziv_proizvoda ?>
                    Alcohol: <?= $podatak->alkohol ?> %
                    <?= $podatak->opis ?>
                </div>
                <?php endforeach; ?>
                    $brojLinkova=brojLinkova(3);
                        for($i=0; $i<$brojLinkova; $i++):</pre>
                            $index=$i+1;
                        <a id="<?= $i?>" data-id="<?= $index?>" class="page-
link stranicenjeBroj" href="#"><?= $index?></a>
                        <?php endfor; ?>
                    </div>
        </div>
        <?php } ?>
 /div>
```

#### 5.9. views/login.php

```
if(!isset($_SESSION['korisnik'])){ ?>
    <div class="registracijaForma">
            <div class="form-group">
                <input type="text" class="form-control" id="username"</pre>
name="username" placeholder="Username" onblur="proveriUsername()">
                <h4 class="regularniFalse">Please, enter a valid username with
minimum 5 characters.</h4>
            </div>
            <div class="form-group">
name="password" placeholder="Password" onblur="proveriPassword()">
               <h4 class="regularniFalse">Please, enter a valid password with
minimum 5 characters.</h4>
           </div>
            <input type="button" class="btn btn-outline-primary " value="Submit"</pre>
        </form>
href="index.php?page=register">Register here</a> 
<?php }
else{ ?>
    </div>
</div>
<?php } ?>
```

#### 5.10. views/oMeni.php

#### 5.10. views/pocetna.php

## 5.11. views/register.php

```
<?php
if(!isset($_SESSION['korisnik'])){ ?>
<div class="registracija container-fluid">
    <div class="registracijaTekst">
        <h2>Become a Big Rocker</h2>
        Get insider scoop on exclusive events, <br/>br/>new beers and much more
    </div>
    <div class="registracijaForma">
                 <input type="text" class="form-control" id="ime" name="ime"</pre>
placeholder="First Name" onblur="proveriIme()">
minimum 3 letters which first is capital letter.</h4>
            </div>
placeholder="Last Name" onblur="proveriPrezime()">
minimum 3 letters which first is capital letter.</h4>
            </div>
            <div class="form-group">
                 <input type="text" class="form-control" id="username"</pre>
name="username" placeholder="Username" onblur="proveriUsername()">
minimum 5 characters.</h4>
            </div>
            <div class="form-group">
                 <input type="password" class="form-control" id="password"</pre>
name="password" placeholder="Password" onblur="proveriPassword()">
                <h4 class="regularniFalse">Please, enter a valid password with
minimum 5 characters.</h4>
            <div class="form-group">
                <input type="text" class="form-control" id="email" name="email"</pre>
placeholder="Email Address" onblur="proveriEmail()">
address.</h4>
            </div>
            <input type="button" class="btn btn-outline-primary " value="Submit"</pre>
            <div class="modal-dialog">
```

```
<div class="modal-header">
dismiss="modal">×</button>
                    </div>
                        You have successfully registered. Now you can log in
with your username and password.
                        <button type="button" id="zatvori" class="btn btn-default"</pre>
data-dismiss= modal">Log in</button>
                    </div>
                </div>
        </div>
            <div class="modal-dialog">
                <div class="modal-content">
                        <button type="button" class="close" data-</pre>
dismiss="modal">×</button>
                         <h3 class="modal-title">Oooops!</h3>
                    </div>
                    <div class="modal-body">
                    </div>
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
            </div>
        </div>
href="index.php?page=login">Log in here</a> 
</div>
<?php }
else{ ?>
    <div class="registracija">
        </div>
    </div>
<?php } ?>
```

#### 5.12. models/functions.php

```
<?php
function dohvati($tabela){
    global $konekcija;
    $upit="SELECT * FROM $tabela";
    $rezultat=$konekcija->query($upit)->fetchAll();
    return $rezultat;
}
```

#### 5.13. models/admin/pristupSajtu.php

```
$file = file(LOG_FAJL);
$trenutnoVreme = time();
$stranice = ['Home', 'Our beers', 'Register', 'Login', 'About Me', 'One beer'];
$stranicePosete = [0,0,0,0,0,0];
$zbir = 0;
foreach($file as $row){
    $rowData = explode("\t", $row);
    if($trenutnoVreme - strtotime($rowData[1]) <= 86400){</pre>
        if(strpos($rowData[0], 'index.php?') !== false){
   $url = explode('=', $rowData[0]);
            $page = $url[1];
            switch($page){
                case 'home': $stranicePosete[0]+=1;
                 break;
                 case 'allbeers': $stranicePosete[1]+=1;
                 break;
                 case 'register': $stranicePosete[2]+=1;
                 break;
                 case 'login': $stranicePosete[3]+=1;
                 break;
                 case 'aboutme': $stranicePosete[4]+=1;
                 break;
                 default: $stranicePosete[5]+=1;
                 break;
            $zbir = $zbir + 1;
for($i=0; $i<count($stranice); $i++){</pre>
    $procenat = round($stranicePosete[$i]/$zbir*100);
    $ispis = '<div class="row">
                 <div class="col-11">
                  <div class="progress">
                   <div class="progress-bar" aria-valuenow="' . $procenat .'" aria-</pre>
valuemin="0" aria-valuemax="100" style="width:' . $procenat . '%">
                   </div>
                  </div>
                 </div>
                <div class="col-1"> <label>' . $procenat . '% ' . $stranice[$i] .
'</label> </div> </div>';
    echo $ispis;
```

#### 5.14. models/autor/functions.php

```
<?php
function dohvatiAutora(){
    global $konekcija;

    $autor=$konekcija->query("SELECT * FROM autor")->fetch();
    return $autor;
}
```

#### 5.15. models/autor/podaciOAutoru.php

```
<?php include "../../config/connection.php";
include "functions.php";
$autor = dohvatiAutora();

$word = new COM("word.application", NULL, CP_UTF8) or die("Unable to instantiate
Word object");
$word->Visible = true;
$word->Documents->Add();
$word->Documents->Add();
$word->Selection->TypeText("$autor->ime $autor->prezime, $autor->indeks\n$autor->opis");
$word->ActiveDocument->SaveAs("oAutoru.doc");

header("Location: ../../index.php");
?>
```

#### 5.16. models/korisnici/deleteKorisnika.php

#### 5.17. models/korisnici/dohvatiKorisnika.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";
if(isset($_POST['id'])){
    $id=$_POST['id'];
    $upit="SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_uloga=u.id_uloga
WHERE id_korisnik=?";
    $priprema=$konekcija->prepare($upit);
    $priprema->execute([$id]);
    $rezultat=$priprema->fetch();
    echo json_encode($rezultat);
}
```

#### 5.18. models/korisnici/dohvatiUlogu.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";
$upit="SELECT * from uloga";
$rezultat=$konekcija->query($upit)->fetchAll();
echo json_encode($rezultat);
```

#### 5.19. models/korisnici/functions.php

```
<?php

use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader
require '../../vendor/autoload.php';

function dohvatiKorisnikaPoUsername($username){
    global $konekcija;

    $upit = "SELECT * FROM korisnik WHERE username=?";
    $priprema = $konekcija->prepare($upit);
    $priprema->execute([$username]);
    if($priprema->rowCount()==0)
        return false;
    else
        return $priprema->fetch();
}
```

## 5.20. models/korisnici/prikazi.php

#### 5.21. models/korisnici/prikaziKorisnike.php

```
response(500, $exception->getMessage());
}
```

#### 5.22. models/korisnici/updateKorisnika.php

```
<!php

include "../../config/connection.php";

if(isset($_POST['id']) && isset($_POST['uloga'])){
    $id=$_POST['id'];
    $uloga=$_POST['uloga'];

    $upit="UPDATE korisnik SET id_uloga=? WHERE id_korisnik=?";
    $priprema=$konekcija->prepare($upit);
    try{
          $priprema->execute([$uloga, $id]);
          response(204, "");
    }

    catch (PDOException $exception){
          echo json_encode($exception->getMessage());
          response(500, $exception->getMessage());
    }
}
else{
    response(400, "");
}
```

#### 5.23. models/login/login.php

```
<?php
session_start();
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader
require '../../vendor/autoload.php';
if(isset($_POST['username']) && isset($_POST['password'])) {
    require_once "../../config/connection.php";
    $username = $_POST['username'];
    $password = $_POST['password'];
    $kriptovaniPassword = md5($password);
    regUsername = "/^[A-z0-9]{5,}$/";
    property = \frac{1}{2} A - z^{0-9} \{5, \} 
    $greske = [];
    if (!$username) {
        array_push($greske, "Polje za username je obavezno!");
     elseif (!preg_match($regUsername, $username)) {
        array_push($greske, "Polje za username nije dobro popunjeno");
    if (!$password) {
        array_push($greske, "Polje za lozinku je obavezno!");
    } elseif (!preg_match($regPassword, $password)) {
        array_push($greske, "Polje za lozinku nije dobro popunjeno");
    if (count($greske) == 0) {
            require_once "../korisnici/functions.php";
            $korisnik = dohvatiKorisnikaPoUsername($username);
```

```
if(!$korisnik) response(404, "Korisnik nije pronadjen.");
            if($korisnik->password == $kriptovaniPassword){
                $_SESSION['korisnik'] = $korisnik;
                response(200, "");
            else{
                 if($korisnik->username==$username) {
                     $mejl = $korisnik->email;
                     $ime = $korisnik->ime;
                                                                       // Passing
                    $mail = new PHPMailer(true);
 `true` enables exceptions
                    try
                         //Server settings
                         \frac{\text{smail}-\text{sMTPDebug} = 2;}{\text{smail}}
Enable verbose debug output
                         $mail->isSMTP();
Set mailer to use SMTP
                         $mail->Host = 'smtp.gmail.com';
Specify main and backup SMTP servers
                         $mail->SMTPAuth = true;
Enable SMTP authentication
                         $mail->Username = 'stefanphpmailer@gmail.com';
SMTP username
                         $mail->Password = 'st3fanphpma113r';
SMTP password
                         $mail->SMTPSecure = 'tls';
Enable TLS encryption, `ssl` also accepted
                         $mail->Port = 587;
TCP port to connect to
                         //Recipients
                         $mail->setFrom('stefanphpmailer@gmail.com', 'Big Rock');
                         $mail->addAddress($mejl, $ime);  // Add a recipient
                         //Content
                         $mail->isHTML(true);
Set email format to HTML
                         $mail->Subject = 'Alert';
                         $mail->Body = "Someone just tried to login into your
account from IP address: " . $_SERVER['REMOTE_ADDR'] . "! Was that you?";
                         $mail->AltBody = 'Someone just tried to login into your
account! Was that you?';
                         $mail->send();
                     } catch (Exception $e) {
                         return false;
                    response(409, "Pogresna lozinka");
        }catch (PDOException $e) {
            response(500, $e->getMessage());
    else{
        response(422, "");
else{
    response(400, "");
```

#### 5.24. models/login/logout.php

```
<?php
session_start();
unset($_SESSION['korisnik']);
header("Location: ../../index.php");
?>
```

#### 5.25. models/meni/functions.php

```
<?php
function dohvatiMeni($pozicija, $uloga){
    global $konekcija;

    $upit="SELECT * FROM meni m INNER JOIN meni_uloga mu ON m.id_meni=mu.id_meni
WHERE m.id_pozicija_meni=:pozicija AND mu.id_uloga=:uloga ORDER BY redosled";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":pozicija", $pozicija);
    $priprema->bindParam(":uloga", $uloga);
    $priprema->execute();
    $rezultat=$priprema->fetchAll();

    return $rezultat;
}
```

## 5.26. models/ocene/dohvatiOcenuZaProizvod.php

```
<?php
session_start();
header("Content-Type: application/json");
include "../../config/connection.php";
if(isset($_POST['idProizvod'])){
    $idProizvod=$_POST['idProizvod'];
    $idKorisnik=$_SESSION['korisnik']->id_korisnik;
    try{
        $upit=$konekcija->prepare("SELECT * FROM korisnik_proizvod WHERE
id_korisnik=? AND id_proizvod=?");
        $upit->execute([$idKorisnik, $idProizvod]);
        $podatak=$upit->fetch();
        $upit2=$konekcija->prepare("SELECT AVG(ocena) AS prosek FROM
korisnik_proizvod WHERE id_proizvod=?");
        $upit2->execute([$idProizvod]);
        $prosek=$upit2->fetch();
        echo json_encode([ "podatak"=> $podatak, "prosek"=> $prosek ]);
        response(200, "");
    catch(PDOException $exception){
        response(500, $exception->getMessage());
else{
http_response_code(400);
```

#### 5.27. models/ocene/functions.php

```
<?php

function daLiJeGlasao($idKorisnik, $idProizvod){
    global $konekcija;
    $podatak=$konekcija->query("SELECT * FROM korisnik_proizvod WHERE
id_korisnik=$idKorisnik AND id_proizvod=$idProizvod")->fetch();
    return $podatak;
}
```

## 5.28. models/ocene/insertUpdateOcene.php

```
<?php
session_start();
include "../../config/connection.php";
include "functions.php";
if(isset($_POST['ocena']) && isset($_POST['idProizvod'])){
    $idKorisnik=$_SESSION['korisnik']->id_korisnik;
    $idProizvod=$_POST['idProizvod'];
$ocena=$_POST['ocena']+1;
    $podatak=daLiJeGlasao($idKorisnik, $idProizvod);
    if($podatak){
        try{
            $upit=$konekcija->prepare("UPDATE korisnik_proizvod SET ocena=? WHERE
id_korisnik_proizvod=$podatak->id_korisnik_proizvod");
            $rezultat=$upit->execute([$ocena]);
            response(204, "");
        catch (PDOException $exception){
            response(500, $exception->getMessage());
    else{
        try{
            $upit=$konekcija->prepare("INSERT INTO korisnik proizvod (id korisnik,
id_proizvod, ocena) VALUES (?, ?, ?)");
            $rezultat=$upit->execute([$idKorisnik, $idProizvod, $ocena]);
            response(201, "");
        catch (PDOException $exception){
            response(500, $exception->getMessage());
else{
    response(400, "");
```

## 5.29. models/ocene/prikazi.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";

$upit="SELECT * FROM korisnik k INNER JOIN korisnik_proizvod kp ON
k.id_korisnik=kp.id_korisnik INNER JOIN proizvod p ON
kp.id_proizvod=p.id_proizvod";
try{</pre>
```

```
$rezultat=$konekcija->query($upit)->fetchAll();
   echo json_encode($rezultat);
   response(200, "");
}
catch (PDOException $exception){
   echo json_encode($exception->getMessage());
   response(500, $exception->getMessage());
}
```

#### 5.30. models/proizvodi/deleteProizvoda.php

## 5.31. models/proizvodi/dohvatanjePoKriterijumima.php

```
<?php
header("Content-type: application/json");
require_once "../../config/connection.php";
if(isset($_POST['ok'])) {
    $pretraga= $_POST['pretraga'];
    $sort = isset($_POST['sort']) ? $_POST['sort'] : 1;
    $stranica = $_POST['stranica'];
    $upitDodatak = [];
    $upitKraj = [];
    $upit = "SELECT * FROM proizvod p INNER JOIN kategorija k on p.id_kategorija =
k.id_kategorija";
    if($pretraga)
        array_push($upitDodatak, " p.naziv_proizvoda LIKE '%$pretraga%' ");
    if(isset($_POST['kategorija'])) {
        $kategorija= $_POST['kategorija'];
        array_push($upitDodatak," p.id_kategorija=$kategorija ");
    if($sort == 1)
        array_push($upitKraj, " ORDER BY p.naziv_proizvoda ASC ");
    else if ($sort == 2)
        array_push($upitKraj, " ORDER BY p.naziv_proizvoda DESC ");
    else if (\$sort == 3)
       array_push($upitKraj, " ORDER BY p.alkohol ASC ");
    else if (\$sort == 4)
        array_push($upitKraj, " ORDER BY p.alkohol DESC ");
```

```
$stranica = ($stranica-1) * 3;
   array_push($upitKraj, " LIMIT $stranica ,3");
   if(count($upitDodatak)) {
       $upit .= " WHERE ";
       $upit .= implode(" AND ", $upitDodatak);
   $broj = $konekcija->query($upit);
   $broj = $broj->rowCount();
   $upit .= implode($upitKraj);
   try{
       $podaci = $konekcija->query($upit)->fetchAll();
       echo json_encode([ "proizvodi"=> $podaci, "broj"=> $broj ]);
       response(200, "");
   catch (PDOException $exception) {
       response(500, $exception->getMessage());
else
   response(403, "");
```

#### 5.32. models/proizvodi/dohvatiKategorije.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";
$upit = "SELECT * FROM kategorija";
try {
    $rezultat = $konekcija->query($upit)->fetchAll();
    echo json_encode($rezultat);
    response(200, "");
} catch (PDOException $exception) {
    echo json_encode($exception->getMessage());
    response(500, $exception->getMessage());
}
```

## 5.33. models/proizvodi/dohvatiProizvod.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";
if(isset($_POST['id'])){
    $id=$_POST['id'];
    $upit="SELECT * FROM proizvod p INNER JOIN kategorija k ON
p.id_kategorija=k.id_kategorija WHERE id_proizvod=?";
    $priprema=$konekcija->prepare($upit);
    $priprema->execute([$id]);
    $rezultat=$priprema->fetch();

    echo json_encode($rezultat);
}
```

#### 5.34. models/proizvodi/exportExcel.php

```
require_once "../../config/connection.php";
require_once "functions.php";
$proizvodi = dohvatiProizvode();
$excel = new COM("Excel.Application");
$excel->Visible = 1;
$workbook = $excel->Workbooks->Open("http://localhost/bigRock/data/proizvodi.xlsx")
or die('Did not open filename');
$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;
foreach($proizvodi as $proizvod){
    $polje = $sheet->Range("A{$br}");
    $polje->activate;
    $polje->value = $proizvod->id_proizvod;
    $polje = $sheet->Range("B{$br}");
    $polje->activate;
    $polje->value = $proizvod->naziv_proizvoda;
    $polje = $sheet->Range("C{$br}");
    $polje->activate;
    $polje->value = $proizvod->opis;
    $polje = $sheet->Range("D{$br}");
    $polje->activate;
    $polje->value = $proizvod->beer_story;
    $polje = $sheet->Range("E{$br}");
    $polje->activate;
    $polje->value = $proizvod->alkohol;
    $polje = $sheet->Range("F{$br}");
    $polje->activate;
    $polje->value = $proizvod->id_kategorija;
    $br++;
$workbook->_SaveAs("http://localhost/bigRock/data/proizvodi.xlsx", -4143);
$workbook->Save();
$workbook->Saved=true;
$workbook->Close;
$excel->Workbooks->Close();
$excel->Quit();
unset($sheet);
unset($workbook);
unset($excel);
```

#### 5.35. models/proizvodi/functions.php

```
<?php
function dohvatiProizvode(){
    global $konekcija;
    $proizvodi = $konekcija->query("SELECT * FROM proizvod")->fetchAll();
    return $proizvodi;
function dohvatiProizvod($id)
    global $konekcija;
    $proizvod = $konekcija->query("SELECT * FROM proizvod WHERE id_proizvod =
$id")->fetch();
    return $proizvod;
function radSaSlikom($slikaNaziv, $slikaTmp, $slikaTip, $slikaVelicina,
$dimenzijeSirina, $dimenzijevisina, $izbor )
    $greske = [];
    $dozvoljeniTipovi = ['image/jpeg', 'image/jpg', 'image/png'];
    property = \frac{1}{9}[0-9]?(\.\d)?
    if (!in_array($slikaTip, $dozvoljeniTipovi)) {
    array_push($greske, "Tip fajla nije odgovarajući.");
    if ($slikaVelicina > 2*1024*1024) {
        array_push($greske, "Veličina fajla nije odgovarajuća.");
    if (count($greske) == 0) {
        $dimenzije = getimagesize($slikaTmp);
        $sirina = $dimenzije[0];
        $visina = $dimenzije[1];
        $postojecaSlika = null;
        switch ($slikaTip) {
            case 'image/jpeg':
                $postojecaSlika = imagecreatefromjpeg($slikaTmp);
                break;
            case 'image/png':
                $postojecaSlika = imagecreatefrompng($slikaTmp);
        $novaSirina = $dimenzijeSirina;
        $novaVisina = $dimenzijevisina;
        $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
        //Transparentnost
        imagesavealpha($novaSlika, true);
        $color = imagecolorallocatealpha($novaSlika, 0, 0, 0, 127);
        imagefill($novaSlika, 0, 0, $color);
        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0, $novaSirina,
$novaVisina, $sirina, $visina);
        if($izbor=="velika")
```

## 5.36. models/proizvodi/izmenaProizvoda.php

```
<?php
if(isset($_POST['izmenaProizvodaDugme'])) {
    include '../../config/connection.php';
    include 'functions.php';
    $id = $_POST['updateDeleteId'];
    $naziv = $_POST['nazivPro'];
    $opis = $_POST['opisUnos'];
    $beerStory = $_POST['beerStoryUnos'];
    $alkohol = $_POST['alkoholUnos'];
    $kategorija = $_POST['kategorijaIzbor'];
    $errors = [];
    property = \frac{1}{2} ([1-9][0-9]?)(\.\d)?
    if(strlen($naziv)==0 || strlen($naziv)>50){
        array_push($errors, "Morate upisati naziv i on ne sme biti veći od 50
karaktera.");
    if(strlen($opis)==0){
        array_push($errors, "Morate upisati opis.");
    if(strlen($beerStory)==0){
        array_push($errors, "Morate upisati beer story.");
    if(!preg_match($regAlkohol, $alkohol)){
        array_push($errors, "Alkohol morate uneti kao ceo broj ili kao decimalni
broj sa jednim mestom nakon tacke! Primer: 5 ili 5.3");
    if($kategorija=="Izaberite..."){
        array_push($errors, "Morate izabrati kategoriju.");
    if (empty($_FILES['slikaUnos']['name'])) {
        if (count($errors) == 0) {
                $upit = $konekcija->prepare("UPDATE proizvod SET naziv_proizvoda =
?, opis = ?, beer_story = ?, alkohol = ?, id_kategorija = ? WHERE id_proizvod =
```

```
?");
                if($upit->execute([$naziv, $opis, $beerStory, $alkohol,
$kategorija, $id]))
                    header("Location: ../../admin.php");
                else
                    header("Location: ../../index.php");
            } catch (PDOException $ex) {
                echo $ex->getMessage();
        else
            echo "d";
    } else {
        $slika = $_FILES['slikaUnos'];
        $slikaVelicina = $slika['size'];
        $slikaTip = $slika['type'];
        $slikaTmp = $slika['tmp_name'];
        $slikaNaziv = $slika['name'];
        $putanjaMalaSlika = radSaSlikom($slikaNaziv, $slikaTmp, $slikaTip,
$slikaVelicina, 330, 330, "mala");
        $putanjaVelikaSlika = radSaSlikom($slikaNaziv, $slikaTmp, $slikaTip,
$slikaVelicina, 600, 600, "velika");
        if (count($errors) == 0) {
            if ($putanjaMalaSlika && $putanjaVelikaSlika) {
                $upit = $konekcija->prepare("UPDATE proizvod SET naziv_proizvoda=?,
opis=?, beer_story=?, slika=?, mala_slika=?, alkohol=?, id_kategorija=? WHERE
id_proizvod=?");
                    $rezultat = $upit->execute([$naziv, $opis, $beerStory,
$putanjaVelikaSlika, $putanjaMalaSlika, $alkohol, $kategorija, $id]);
                    header("Location: ../../admin.php");
                } catch (PDOException $ex) {
                    header ("Location: ../../index.php");
}else{
   header("Location: index.php");
```

# 5.37. models/proizvodi/prikazi.php

## 5.38. models/proizvodi/proizvodiFiltriranje.php

```
<?php
header("Content-Type: application/json");
include "../../config/connection.php";
if(isset($_POST['value'])){
    $value=trim($_POST['value']);
    $vrednost="%$value%";
    try{
        $upit=$konekcija->prepare("SELECT * FROM proizvod WHERE naziv_proizvoda
LIKE ? OR opis LIKE ? OR beer_story LIKE ?");
        $upit->execute([$vrednost, $vrednost, $vrednost]);
        $podaci=$upit->fetchAll();
        echo json_encode($podaci);
        response(200, "");
    catch (PDOException $exception){
        response(500, $exception->getMessage());
else{
    response(400, "");
```

# 5.39. models/proizvodi/unosProizvoda.php

```
//define("FILE_SIZE", 2*1024*1024); //2MB
if(isset($_POST['unosProizvodaDugme'])){
    include "../../config/connection.php";
    include "functions.php";
    $slika=$_FILES['slikaUnos'];
    $slikaVelicina=$slika['size'];
    $slikaTip=$slika['type'];
    $slikaTmp=$slika['tmp_name'];
    $slikaNaziv=$slika['name'];
    $putanjaMalaSlika=radSaSlikom($slikaNaziv, $slikaTmp, $slikaTip,
$slikaVelicina, 330, 330, "mala");
    $putanjaVelikaSlika=radSaSlikom($slikaNaziv, $slikaTmp, $slikaTip,
$slikaVelicina, 600, 600, "velika");
    $naziv=$_POST['nazivPro'];
    $opis=$_POST['opisUnos'];
    $beerStory=$_POST['beerStoryUnos'];
    $alkohol=$_POST['alkoholUnos'];
    $kategorija=$_POST['kategorijaIzbor'];
    $errors=[];
    $regAlkohol="/^([1-9][0-9]?)(\.\d)?$/";
    if(strlen($naziv)==0 || strlen($naziv)>50){
       array_push($errors, "Morate upisati naziv i on ne sme biti veći od 50
karaktera.");
    if(strlen($opis)==0){
        array_push($errors, "Morate upisati opis.");
```

```
if(strlen($beerStory)==0){
         array_push($errors, "Morate upisati beer story.");
     if(!preg_match($regAlkohol, $alkohol)){
    array_push($errors, "Alkohol morate uneti kao ceo broj ili kao decimalni
broj sa jednim mestom nakon tacke! Primer: 5 ili 5.3");
     if($kategorija=="Izaberite..."){
         array_push($errors, "Morate izabrati kategoriju.");
     if(count($errors)==0){
         if($putanjaMalaSlika && $putanjaVelikaSlika){
$upit=$konekcija->prepare("INSERT INTO proizvod (naziv_proizvoda, opis,
beer_story, slika, mala_slika, alkohol, id_kategorija) VALUES (?, ?, ?, ?, ?, ?,
?)");
              try
                   $rezultat = $upit->execute([$naziv, $opis, $beerStory,
$putanjaVelikaSlika, $putanjaMalaSlika, $alkohol, $kategorija]);
                  header("Location: ../../admin.php");
              } catch(PDOException $ex){
                  echo $ex->getMessage();
    else{
         foreach ($errors as $error)
             echo $error;
  else {
```

## 5.40. models/register/functions.php

```
<?php
function proveriKorisnik($username, $email){
    global $konekcija;

    $upit="SELECT * FROM korisnik WHERE username=? OR email=?";
    $priprema=$konekcija->prepare($upit);
    $priprema->execute([$username, $email]);

    return $priprema;
}
```

# 5.41. models/register/register.php

```
<?php

if(isset($_POST['ime']) && isset($_POST['prezime']) && isset($_POST['username']) &&
    isset($_POST['password']) && isset($_POST['email'])){
        require_once "../../config/connection.php";
        require_once "functions.php";

    $ime=$_POST['ime'];
    $prezime=$_POST['prezime'];
    $username=$_POST['username'];
    $password=$_POST['password'];
</pre>
```

```
$kriptovaniPassword=md5($password);
    $email=$_POST['email'];
   $datum=time();
   $regImePrezime="/^[A-ZŠĐČĆŽ][a-zšđčćž]{2,25}(\s[A-ZŠĐČĆŽ][a-zšđčćž]{2,25})*$/";
   $regUsername="/^[A-z0-9]{5,}$/";
   $regPassword="/^[A-z0-9]{5,}$/";
   $greske=[];
   if(!$ime){
       array_push($greske, "Polje za ime je obavezno!");
   elseif(!preg_match($regImePrezime, $ime)){
       array_push($greske, "Polje za ime nije dobro popunjeno");
    if(!$prezime){
       array_push($greske, "Polje za prezime je obavezno!");
   elseif(!preg_match($regImePrezime, $prezime)){
       array_push($greske, "Polje za prezime nije dobro popunjeno");
   if(!$username){
       array_push($greske, "Polje za username je obavezno!");
   elseif(!preg_match($regUsername, $username)){
       array_push($greske, "Polje za username nije dobro popunjeno");
   if(!$password){
       array_push($greske, "Polje za lozinku je obavezno!");
   elseif(!preg_match($regPassword, $password)){
       array_push($greske, "Polje za lozinku nije dobro popunjeno");
   if(!$email){
       array_push($greske, "Polje za email je obavezno!");
   elseif(!filter_var($email, FILTER_VALIDATE_EMAIL)){
       array_push($greske, "Email nije dobar");
   if(count($greske)==0){
        $rezultat=proveriKorisnik($username, $email);
        if($rezultat->rowCount()==0){
            $upit="INSERT INTO korisnik VALUES('', ?, ?, ?, ?, ?, ?, ?)";
            $priprema=$konekcija->prepare($upit);
            try{
                $rezultat=$priprema->execute([$ime, $prezime, $username,
$kriptovaniPassword, $email, $datum]);
               response(201, "");
            catch (PDOException $exception){
                response(500, $exception->getMessage());
        else{
           response(409, "Username ili email vec postoje.");
    else{
       response(422, "");
```

```
}
}
else{
    response(404, "");
}
?>
```

# 5.42. models/stranicenje/dohvatanjeProizvoda.php

## 5.43. models/stranicenje/functions.php

```
function dohvatiPoStranici($brojPoStranici){
    global $konekcija;

    $upit = "SELECT * FROM proizvod LIMIT 0, $brojPoStranici";
    $rezultat = $konekcija->query($upit)->fetchAll();

    return $rezultat;
}

function brojLinkova($brojPoStranici){
    global $konekcija;

    $upit="SELECT COUNT(*) AS broj FROM proizvod";
    $brojProizvoda=$konekcija->query($upit)->fetch();
    $brojLinkova=ceil($brojProizvoda->broj/$brojPoStranici);

    return $brojLinkova;
}

?>
```

# 5.44. data/error.txt

```
login.php 09.07.2019 17:02:15 ::1 409 Pogresna lozinka register.php 09.07.2019 17:46:04 ::1 500 SQLSTATE[42S02]: Base table or view not found: 1146 Table 'bigrock.korissnik' doesn't exist login.php 09.07.2019 19:24:40 ::1 404 Korisnik nije pronadjen.
```

## 5.45. data/log.txt

```
updateKorisnika.php 08.07.2019 15:54:01 ::1
prikazi.php 08.07.2019 15:54:34 ::1
dohvatiKorisnika.php 08.07.2019 15:54:36 ::1
prikazi.php 08.07.2019 15:54:36 ::1
prikazi.php 08.07.2019 15:54:40 ::1
deleteKorisnika.php 08.07.2019 15:54:45 ::1
prikaziKorisnike.php 08.07.2019 15:54:45 ::1
prikazi.php 08.07.2019 15:55:07 ::1
dohvatiKategorije.php 08.07.2019 15:55:24 ::1
dohvatiProizvod.php 08.07.2019 15:55:24 ::1
prikazi.php 08.07.2019 15:55:31 ::1
dohvatiKategorije.php 08.07.2019 15:55:31 ::1
prikazi.php 08.07.2019 15:55:31 ::1
dohvatiKategorije.php 08.07.2019 15:55:47 ::1
dohvatiKategorije.php 08.07.2019 15:55:49 ::1
```

## 5.46. config/.env

```
BAZA=epiz_24162528_bigrock
SERVER=sql107.epizy.com
USERNAME=epiz_24162528
PASSWORD=nic4vzsG47
```

#### 5.47. config/config.php

```
<?php
define("APSOLUTNA_PUTANJA", $_SERVER["DOCUMENT_ROOT"]);
define("ENV_FAJL", APSOLUTNA_PUTANJA."/config/.env");
define("LOG_FAJL", APSOLUTNA_PUTANJA."/data/log.txt");
define("ERROR_FAJL", APSOLUTNA_PUTANJA."/data/error.txt");
define("BAZA", env("BAZA"));
define("SERVER", env("SERVER"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($naziv){
    $podaci=file(ENV_FAJL);
    $vrednost="";
    foreach ($podaci as $podatak) {
        $konfig=explode("=", $podatak);
        if($konfig[0]==$naziv){
            $vrednost=trim($konfig[1]);
    return $vrednost;
```

## 5.48. config/connection.php

```
include "config.php";
pristupStranicama();
try{
    $konekcija=new PDO("mysql:host=".SERVER."; dbname=".BAZA."; charset=utf8",
USERNAME, PASSWORD );
    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
catch (PDOException $exception){
    echo "Greška sa konekcijom: ".$exception->getMessage();
function pristupStranicama(){
   $file = fopen(LOG_FAJL, "a");
    $string = basename($_SERVER['REQUEST_URI']) . "\t" . date("d.m.Y H:i:s") . "\t"
 $_SERVER['REMOTE_ADDR'] . "\n";
    fwrite($file, $string);
    fclose($file);
function response($code, $poruka){
    if($code >= 400){
        $file = fopen(ERROR_FAJL, "a");
        $string = basename($_SERVER['REQUEST_URI']) . "\t" . date("d.m.Y H:i:s") .
"\t" . $_SERVER['REMOTE_ADDR'] . "\t" . $code . "\t" . $poruka. "\n";
        fwrite($file, $string);
        fclose($file);
    http_response_code($code); }
```

# 5.49. assets/css/style.css

```
*{
    margin: 0px;
    padding: 0px;
    font-family: Brandon_med;
}
body{
    background-color: #fbf7ed;
}

@font-face {
    font-family: Sucrose-BoldOne;
    src: url(../fonts/Sucrose-BoldOne.otf);
}

@font-face {
    font-family: Brandon_med;
    src: url(../fonts/Brandon_med.otf);
}

@font-face {
    font-family: Brandon_bld;
    src: url(../fonts/Brandon_bld.otf);
}

@font-face {
    font-family: ThirstyRoughBolOne;
    src: url(../fonts/ThirstyRoughBolOne.ttf);
```

```
font-family: Brandon_reg;
   background: url(../images/registerBackground.jpg) no-repeat left;
background-color: #c63022;
    background-size: 845px;
    background: url(../images/registerBackground.jpg) no-repeat left;
   padding: 46px 40px;
text-align: left;
.registracijaTekst{
    padding-top: 70px;
.registracijaTekst h2{
   color:white;
    margin-bottom: 10px;
    font-family: Sucrose-BoldOne;
text-align: center;
.registracijaTekst p{
    letter-spacing: -.5px;
.registracijaForma{
    margin:0 auto;
    font-size: 28px;
    font-family: Brandon_reg;
.btn-outline-primary{
   margin:0 auto;
```

```
margin-left:15px;
    font-family: Brandon_med;
    border: 0px solid;
.btn-outline-primary:hover {
.form-control::-webkit-input-placeholder { color: #db8d88; }
.form-control:-moz-placeholder { color: #db8d88; }
.form-control::-moz-placeholder { color: #db8d88; }
.already{
    font-size:20px;
    color:white;
    color:white;
.modal-body p{
    font-size:20px;
    background-color: black!important;
.navbar-nav{
    position: absolute;
    font-family: Brandon_bld;
    letter-spacing: .6px;
.navbar-toggler \{
    background-color: white;
```

```
.pozadina{
    background-color: #8b2219;
    padding-left:0px;
    padding-right: Opx;
#futerMeni{
.copyrightDiv{
    padding-top: 50px;
    font-family: Brandon_reg;
    font-size: 18px;
    letter-spacing: .6px;
    left: 50%;
position: absolute;
.copyright{
    font-family: Brandon_reg;
    letter-spacing: .6px;
    left: 50%;
position: absolute;
    position: relative;
.pocetnaPozadina{
    background-color: #f5f0e5;
    text-transform: uppercase;
```

```
text-align:center;
    font-family: Sucrose-BoldOne;
.opis{
    font-family: Brandon_reg;
.slikaMalaDiv{
    margin: 0px;
    padding-top: 50px;
   font-family: Sucrose-BoldOne;
margin-top: 20px;
font-size: 20px;
    border-bottom: 1px solid #555; padding-bottom: 10px;
    font-size: 14px;
    letter-spacing: 1px;
text-transform: uppercase;
    margin: 0 auto;
   max-width: 340px;
    font-family: Brandon_reg;
    letter-spacing: 1px;
    margin-top: 20px;
text-align: center;
    margin-top: 76px;
```

```
.filterNaziv{
    padding: 14px 6px 10px 22px;
    font-size:20px;
   display: block;
position: relative;
    padding-left: 25px;
    line-height: 26px;
font-family: Brandon_reg;
    text-transform: uppercase;
    font-weight: 700;
   position: absolute;
    opacity: 0;
    border-radius: 50%;
   content: "";
position: absolute;
    display: none;
   display: block;
   width: 7px;
height: 7px;
    border-radius: 50%;
    background: black;
```

```
.prikazPiva{
.kategorija{
    line-height: 28px;
font-family: ThirstyRoughBolOne;
border-bottom: 2px solid black;
    display: table;
    padding-top: 6px;
    margin-bottom: 30px;
.adminForma{
.tabelaHeader{
    background-color: #8b2219;
    color:white;
#registrujSe{
    margin-bottom: 0px;
.ulogaDdl{
.ispis{
    padding-top:30px;
.slikaZasebno{
.opisZasebno{
```

```
.slikaOriginal{
   margin:0 auto;
.nazivPivaZasebno{
   margin-bottom: 6%;
.opisPivaZasebno{
   font-family: Brandon_reg;
   margin-bottom: 34px;
.naslovZasebno{
   letter-spacing: .6px;
   font-family: Brandon_bld;
   font-size: 18px;
   line-height: 26px;
   margin-bottom: 4%;
   font-family: Brandon_reg;
.page-link{
   background-color: black;
.page-link:hover{
   background-color: #fbf7ed;
.brojeviPaginacija{
   margin: 0 auto;
.pagination {
   padding-top: 100px;
   padding-top: 15px;
```

```
height: 200px; color: #495057;
#pasusOMeni{
    margin: auto;
    margin-top: 60px;
    display: block;
.progress-bar{
.regularniFalse {
    display: none;
    text-align: center;
    padding-top:100px;
.greskeIspis{
    margin-top:50px;
```

# 5.50. assets/js/script.js

```
let rateId=-1;

$(document).ready(function(){
    $(".headerLink").hover(
        function(){
        $(this).addClass('pozadina');
    },
    function(){
        $(this).removeClass('pozadina');
    }
}

$(document).on("click", "#registrujSe", function(){
    let ime=$("#ime").val();
    let prezime=$("#prezime").val();
    let username=$("#username").val();
    let password=$("#password").val();
    let email=$("#email").val();
    let greske = [];
```

```
zšďčćž]{2,25})*$/;

let regUsername = /^[A-z0-9]{5,}$/;
       let regPassword = /^[A-z0-9]{5,}$/;
           greske.push("Ime nije u odgovarajućem formatu");
        if (!regImePrezime.test(prezime)) {
           greske.push("Prezime nije u odgovarajućem formatu");
            greske.push("Korisničko ime nije u odgovarajućem formatu");
           greske.push("Lozinka nije u odgovarajućem formatu");
           greske.push("E-mail nije u odgovarajućem formatu");
            $.ajax({
                    email:email,
                error: function(podaci) {
    switch (podaci.status) {
                             alert("Invalid data");
            alert("Data are not in good format!");
```

```
var greske = [];
    var regPassword = /^[A-z0-9]{5,}$/;
        greske.push("Korisničko ime nije u odgovarajućem formatu");
    if (!regPassword.test(password)) {
        greske.push("Lozinka nije u odgovarajućem formatu");
            error: function(podaci) {
                         alert("Invalid data.");
                         alert("User not found. Try again.");
                         alert("Wrong password! Try again.");
    e.preventDefault();
    var izabranaOpcija=$(".ddLista").val();
    prikazAdmin(izabranaOpcija);
$(document).on("click", ".izmeniKorisnika", function(){
    let id=$(this).data("id");
        success: function(podatak){
                 success: function(podaci){
                     let ispis=`<h2>Izmeni korisnika</h2><form>
```

```
value="${podatak.ime}" readonly/>
value="${podatak.username}" readonly/>
                          for(let podatak2 of podaci){
                          if(podatak.id_uloga==podatak2.id_uloga)
                              ispis+=`<option ${selektovano}</pre>
value="${podatak2.id_uloga}">${podatak2.naziv}</option>`;
                          ispis+=`</select>`;
ispis+=`<button type="button" data-</pre>
        let uloga=$('#uloga').val();
        if(confirm("Do you really want to delete this user?")){
             $.ajax({
```

```
$.ajax({
                 success: function(podaci){
                     ispisiKorisnike(podaci);
             $.ajax({
                 dataType: "json",
success: function(podaci){
                     ispisiProizvode(podaci);
dohvatanjePoKriterijumima(1);
dohvatanjePoKriterijumima(1);
dohvatanjePoKriterijumima(1);
e.preventDefault();
dohvatanjePoKriterijumima($(this).data("id"));
let id=$(this).data("id");
$.ajax({
    success: function(podatak){
```

```
$.ajax({
                  dataType: "json",
success: function(podaci){
                      let ispis=`<h2>Izmeni proizvod</h2><form</pre>
name="nazivPro" value="${podatak.naziv_proizvoda}" />
id='opisUnos'>${podatak.opis}</textarea>
<input type="hidden" value="${podatak.id_proizvod}"</pre>
                      for(let podatak2 of podaci){
                          if(podatak.id_kategorija==podatak2.id_kategorija)
                          ispis+=`<option ${selektovano}</pre>
value="${podatak2.id_kategorija}">${podatak2.naziv_kategorije}</option>`;
                      ispis+=`<button type="submit" name="izmenaProizvodaDugme"</pre>
                      $(".ispis").html(ispis);
```

```
resetujBojeZvezde();
   proizvodKorisnikGlas();
   $('.fa-star').on("click", function () {
    rateId=parseInt($(this).data('id'));
                 idProizvod: idProizvod
            success:function (podaci, status, xhr) {
                         alert("You have successfully voted!");
                 proizvodKorisnikGlas();
        resetujBojeZvezde();
        let trenutniId=parseInt($(this).data('id'));
        setujZvezdice(trenutniId);
        resetujBojeZvezde();
            setujZvezdice(rateId);
function setujZvezdice(max){
function resetujBojeZvezde(){
function prikazProizvodi(id, kategorija) {
            kategorija: kategorija
        success: function (podaci) {
            var ispis = "";
```

```
ispis += `<div class="col-md-4 slikaMalaDiv">
href="index.php?page=allbeers&proizvod=${podatak.id_proizvod}"><img
src="assets/images/beers/${podatak.slika}" width="330" height="330"
alt="${podatak.naziv_proizvoda}"></a>
                 ${podatak.naziv_proizvoda}
                 ABV: ${podatak.alkohol} %
${podatak.opis}
              $(".jedanProizvod").html(ispis);
          alert(xhr.status);
function prikazAdmin(opcija){
      dataType: "json",
success: function(podaci){
          if(opcija=="korisnici"){
              ispisiKorisnike(podaci);
          else if(opcija=="proizvodi"){
              formaZaUnosProizvoda();
              ispisiProizvode(podaci);
          else if(opcija=="ocene"){
              ispisiOcene(podaci);
unction ispisiKorisnike(podaci){
   let ispis=`
       let mytime=myDate.toGMTString();
       ispis+=`
                     ${podatak.ime}
                     ${podatak.prezime}
                     ${podatak.username}
                     ${podatak.password}
                     ${podatak.email}
```

```
${mytime}
                    ${podatak.naziv}
id="${podatak.id_korisnik}">Izmeni</button>
id="${podatak.id_korisnik}">0briši</button>
   ispis+=``;
   $(".ispis").html(ispis);
function ispisiProizvode(podaci) {
                    ${brojac}
                    ${podatak.naziv_proizvoda}
                    ${podatak.beer_story}
                    <img src="assets/images/beers/${podatak.mala_slika}"
width="150" height="150" alt="${podatak.naziv_proizvoda}"/>
                    ${podatak.alkohol}
id="${podatak.id_proizvod}">0briši</button>
      brojac++;
   $(".ispis2").html(ispis);
function ispisiOcene(podaci){
   for(let podatak of podaci ){
```

```
scope="row">${brojac}
                      ${podatak.ime} ${podatak.prezime}
                      ${podatak.username}
                      ${podatak.naziv_proizvoda}
                      <img src="assets/images/beers/${podatak.mala_slika}"
width="150" height="150" alt="${podatak.naziv_proizvoda}"/>
                      ${podatak.ocena}
   $(".ispis").html(ispis);
function formaZaUnosProizvoda(){
   $.ajax({
       dataType: "json",
success: function(podaci){
                        for(let podatak of podaci){
value=${podatak.id_kategorija}>${podatak.naziv_kategorije}</option>`;
```

```
function proveraProizvod(){
    let slika=$("#slikaUnos").val();
    let regAlkohol=/^([1-9][0-9]?)(\.\d)?$/;
    if(naziv.length==0 || naziv.length>50){
    nizGreske.push("Morate upisati naziv i on ne sme biti veći od 50
        nizGreske.push("Morate upisati opis.");
        nizGreske.push("Morate upisati beer story.");
nizGreske.push("Vrednost u polje alkohol morate uneti kao ceo broj ili kao decimalan broj sa jednim mestom nakon tačke! Primer: 5 ili 5.3");
        nizGreske.push("Morate izabrati kategoriju");
        nizGreske.push("Morate izabrati sliku.");
             ispis+=""+greska+"";
         ispis+="";
function proveraProizvodIzmena(){
    let opis = $("#opisUnos").val();
    let alkohol=$("#alkoholUnos").val();
let kategorija=$( "#kategorijaIzbor option:selected" ).val();
let slika=$("#slikaUnos").val();
    let nizGreske=[];
        nizGreske.push("Morate upisati naziv i on ne sme biti veći od 50
```

```
if(opis.length==0){
        nizGreske.push("Morate upisati opis.");
        nizGreske.push("Morate upisati beer story.");
nizGreske.push("Vrednost u polje alkohol morate uneti kao ceo broj ili kao
decimalan broj sa jednim mestom nakon tačke! Primer: 5 ili 5.3");
    if(kategorija=="Izaberite..."){
       nizGreske.push("Morate izabrati kategoriju");
    if(nizGreske.length!=0){
        for(let greska of nizGreske){
            ispis+=""+greska+"";
        ispis+="";
function dohvatanjePoKriterijumima(stranica) {
    let kategorija = $('input[name=radioKategorija]:checked').val();
            pretraga: pretraga,
        success: function (podaci) {
            proizvodiPoKriterijumima(podaci);
        error: function (xhr) {
function proizvodiPoKriterijumima(podaci){
   let ispis=""
    let ispis2="";
```

```
href="index.php?page=allbeers&proizvod=${proizvod.id_proizvod}"><img
src="assets/images/beers/${proizvod.slika}" width="330" height="330"
alt="${proizvod.naziv_proizvoda}"></a>
                   ${proizvod.naziv_proizvoda}
                   ABV: ${proizvod.alkohol} %
${proizvod.opis}
       let brojProizvoda=podaci.broj;
       let brojStrana =Math.ceil(brojProizvoda/3);
          ispisStranica= "";
       ispis2 = "<h2>Sorry, your search did not match any products. Please try
   $(".jedanProizvod").html(ispis);
   $(".pagination").html(ispisStranica);
function proizvodKorisnikGlas(){
   $.ajax({
       success:function(podaci){
           let podatak=podaci.podatak;
           let prosek=podaci.prosek;
           console.log(prosek);
           setujZvezdice(podatak.ocena-1);
           let ispis="AVERAGE RATING: "+prosek.prosek.substr(0, 3)+"/5";
           $(".prosek").html(ispis);
 unction proveriIme() {
```

```
let ime = document.getElementById("ime").value;
       document.getElementById("ime").style.border = "2px solid black";
        document.getElementById("ime").style.borderRadius = "initial";
       document.getElementById("ime").style.border = "2px solid #8b2219";
        document.getElementById("ime").style.borderRadius = "10px";
        document.getElementById("ime").style.borderColor = "initial";
       document.getElementById("ime").style.border = "1px solid #ced4da";
document.getElementById("ime").style.borderRadius = ".25rem";
function proveriPrezime() {
    let prezime = document.getElementById("prezime").value;
    if (!regImePrezime.test(prezime)) {
       document.getElementById("prezime").style.border = "2px solid black";
        document.getElementById("prezime").style.borderRadius = "initial";
        document.getElementById("prezime").style.borderRadius = "10px";
       document.getElementById("prezime").style.borderColor = "initial";
       document.getElementById("prezime").style.border = "1px solid #ced4da";
document.getElementById("prezime").style.borderRadius = ".25rem";
function proveriUsername() {
    let username = document.getElementById("username").value;
        document.getElementById("username").style.border = "2px solid black";
        document.getElementById("username").style.borderRadius = "initial";
        document.getElementById("username").style.border = "2px solid #8b2219";
        document.getElementById("username").style.borderRadius = "10px";
```

```
document.getElementById("username").style.borderColor = "initial";
        document.getElementById("username").style.border = "lpx solid #ced4da";
document.getElementById("username").style.borderRadius = ".25rem";
function proveriPassword() {
    let password = document.getElementById("password").value;
    if (!regPassword.test(password)) {
        document.getElementById("password").style.border = "2px solid black";
        document.getElementById("password").style.borderRadius = "initial";
        document.getElementById("password").style.border = "2px solid #8b2219";
        document.getElementById("password").style.borderRadius = "10px";
        document.getElementById("password").style.borderColor = "initial";
        document.getElementById("password").style.borderRadius = ".25rem";
function proveriEmail() {
    let email = document.getElementById("email").value;
    if (!regEmail.test(email)) {
        document.getElementById("email").style.border = "2px solid black";
        document.getElementById("email").style.borderRadius = "initial";
        document.getElementById("email").style.border = "2px solid #8b2219";
        document.getElementById("email").style.borderRadius = "10px";
        document.getElementById("email").style.borderColor = "initial";
document.getElementById("email").style.border = "lpx solid #ced4da";
document.getElementById("email").style.borderRadius = ".25rem";
```