

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by css

```
<!DOCTYPE html>
<html lang="en" class="h-full">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="csrf-token" content="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh">
  <title>WhatsUP</title>
  <script defer src="http://127.0.0.1:8000/js/app.js"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
    href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,opsz,w
  >
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 22, column 75; to line 22, column 150](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" /></head>
```

- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 147, column 13; to line 148, column 66](#)

```
-
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 147, column 13; to line 148, column 66](#)

```
  
class="size-7 rounded-full object-cover mr-2" />
```

4. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 155, column 17; to line 156, column 67](#)

```
  
class="size-10 rounded-full object-cover mr-2" />
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 155, column 17; to line 156, column 67](#)

```
  
class="size-10 rounded-full object-cover mr-2" />
```

6. **Error** Bad value `Interface / Settings` for attribute `id` on element `g`: Not a valid XML 1.0 name.

[From line 170, column 19; to line 170, column 47](#)

```
<g id="Interface / Settings">
```

7. **Error** Bad value for attribute `action` on element `form`: Must be non-empty.

[From line 301, column 9; to line 301, column 54](#)

```
><form id="reportForm" method="POST" action="">
```

8. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 302, column 13; to line 302, column 115](#)

```
<input type="hidden" name="_token"  
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

9. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 351, column 11; to line 352, column 72](#)

```

```

10. **Error** Duplicate ID `reportModal`.

[From line 375, column 17; to line 375, column 128](#)

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center"> <
```

11. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center"> <
```

12. **Error** Duplicate ID `reportForm`.

[From line 377, column 9; to line 377, column 54](#)

```
> <form id="reportForm" method="POST" action="">
```

13. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
> <form id="reportForm" method="POST" action="">
```

14. **Error** Bad value `for` attribute `action` on element `form`: Must be non-empty.

[From line 377, column 9; to line 377, column 54](#)

```
> <form id="reportForm" method="POST" action="">
```

15. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 378, column 13; to line 378, column 115](#)

```
<input type="hidden" name="_token" value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

16. **Error** Duplicate ID `reportTitle`.

[From line 382, column 17; to line 382, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

17. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report

18. **Error** Duplicate ID `reason`.

[From line 385, column 17; to line 391, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

19. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

20. **Error** Duplicate ID `report_type`.

[From line 393, column 17; to line 393, column 73](#)

```
<input type="hidden" id="report_type" ...  
name="report_type">...
```

21. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">...
```

22. **Error** Duplicate ID `reported_id`.

[From line 394, column 17; to line 394, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

23. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

24. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 579, column 17; to line 580, column 52](#)

```

```

25. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 587, column 5; to line 587, column 106](#)

```
p-4"> <input type="radio" name="toggle" id="editor-write-toggle-thread" class="hidden peer/write" checked /> <
```

26. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 593, column 5; to line 593, column 102](#)

```
bel> <input type="radio" name="toggle" id="editor-preview-toggle-thread" class="hidden peer/preview" /> <
```

27. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 635, column 9; to line 635, column 100](#)

```
> 
```

28. **Error** Element `div` not allowed as child of element `summary` in this context.
(Suppressing further errors from this subtree.)

[From line 644, column 9; to line 644, column 39](#)

```
> <div class="px-2 text-sm mb-5">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

29. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 665, column 15; to line 665, column 117](#)

```
<input type="hidden" name="_token" value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

30. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles.](#)

[From line 673, column 15; to line 674, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

31. **Error** Duplicate ID `Layer_2`.

[From line 712, column 13; to line 712, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

32. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

33. **Error** Duplicate ID `invisible_box`.

[From line 713, column 15; to line 713, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

34. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

35. **Error** Duplicate ID `icons_Q2`.

[From line 717, column 15; to line 717, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

36. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

37. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 729, column 5; to line 729, column 101](#)

```
p-4"> <input type="radio" name="toggle" id="editor-write-toggle-1"
class="hidden peer/write" checked /> <
```

38. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 735, column 5; to line 735, column 97](#)

```
bel><input type="radio" name="toggle" id="editor-preview-toggle-1"
class="hidden peer/preview" /> <
```

39. **Error** Attribute [name](#) not allowed on element [div](#) at this point.

[From line 765, column 7; to line 765, column 40](#)

```
<div class="ml-12" name="replies">
```

Attributes for element [div](#):

[Global attributes](#)

40. **Error** An [img](#) element must have an [alt](#) attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 770, column 9; to line 770, column 100](#)

```

```

41. **Error** Element [div](#) not allowed as child of element [summary](#) in this context.

(Suppressing further errors from this subtree.)

[From line 779, column 9; to line 779, column 39](#)

```
<div class="px-2 text-sm mb-5">
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [summary](#):

[Phrasing content](#), optionally intermixed with [heading content](#).

42. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 789, column 15; to line 789, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

43. **Warning** Article lacks heading. Consider using [h2](#)-[h6](#) elements to [add identifying headings to all articles](#).

[From line 797, column 15; to line 798, column 188](#)

```
<article data-text="markdown" class="font-volkorn max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

44. **Error** Duplicate ID `Layer_2`.

[From line 836, column 13; to line 836, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

45. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

46. **Error** Duplicate ID `invisible_box`.

[From line 837, column 15; to line 837, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

47. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

48. **Error** Duplicate ID `icons_Q2`.

[From line 841, column 15; to line 841, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

49. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

50. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 853, column 5; to line 853, column 101](#)

```
p-4"> <input type="radio" name="toggle" id="editor-write-toggle-2" class="hidden peer/write" checked /> <
```

51. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 859, column 5; to line 859, column 97](#)

```
bel><input type="radio" name="toggle" id="editor-preview-toggle-2"
class="hidden peer/preview" /><
```

52. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 889, column 7; to line 889, column 39](#)

```
<div class="ml-7" name="replies">
```

Attributes for element `div`:

[Global attributes](#)

53. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 894, column 9; to line 894, column 100](#)

```

```

54. **Error** Element `div` not allowed as child of element `summary` in this context.
(Suppressing further errors from this subtree.)

[From line 903, column 9; to line 903, column 39](#)

```
<div class="px-2 text-sm mb-5">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

55. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 924, column 15; to line 924, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

56. **Warning** Article lacks heading. Consider using `h2`–`h6` elements to [add identifying headings to all articles](#).

[From line 932, column 15; to line 933, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

57. **Error** Duplicate ID `Layer_2`.

[From line 971, column 13; to line 971, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

58. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

59. **Error** Duplicate ID `invisible_box`.

[From line 972, column 15; to line 972, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

60. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

61. **Error** Duplicate ID `icons_Q2`.

[From line 976, column 15; to line 976, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

62. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

63. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 988, column 5; to line 988, column 102](#)

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-59" class="hidden peer/write" checked />... <
```

64. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 994, column 5; to line 994, column 98](#)

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-59" class="hidden peer/preview" />... <
```

65. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 1024, column 7; to line 1024, column 41](#)

```
| ↵      <div class="ml-4.5" name="replies">↵
```

Attributes for element [div](#):

[Global attributes](#)

66. **Error** Duplicate ID [reportModal](#).

[From line 1035, column 9; to line 1035, column 120](#)

```
| ↵          <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">↵      <
```

67. **Warning** The first occurrence of ID [reportModal](#) was here.

[From line 299, column 9; to line 299, column 120](#)

```
| ↵          <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">↵      <
```

68. **Error** Duplicate ID [reportForm](#).

[From line 1037, column 9; to line 1037, column 54](#)

```
| >↵          <form id="reportForm" method="POST" action="">↵
```

69. **Warning** The first occurrence of ID [reportForm](#) was here.

[From line 301, column 9; to line 301, column 54](#)

```
>↵          <form id="reportForm" method="POST" action="">↵
```

70. **Error** Bad value [for attribute \[action\]](#) on element [form](#): Must be non-empty.

[From line 1037, column 9; to line 1037, column 54](#)

```
| >↵          <form id="reportForm" method="POST" action="">↵
```

71. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 1038, column 13; to line 1038, column 115](#)

```
|           <input type="hidden" name="_token"  
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
```

72. **Error** Duplicate ID [reportTitle](#).

[From line 1042, column 17; to line 1042, column 72](#)

```
|           <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

73. **Warning** The first occurrence of ID [reportTitle](#) was here.

[From line 306, column 17; to line 306, column 72](#)

<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report

74. **Error** Duplicate ID `reason`.[From line 1045, column 17; to line 1051, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

75. **Warning** The first occurrence of ID `reason` was here.[From line 309, column 17; to line 315, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

76. **Error** Duplicate ID `report_type`.[From line 1053, column 17; to line 1053, column 73](#)

```
<input type="hidden" id="report_type" ...  
name="report_type">...
```

77. **Warning** The first occurrence of ID `report_type` was here.[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">...
```

78. **Error** Duplicate ID `reported_id`.[From line 1054, column 17; to line 1054, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

79. **Warning** The first occurrence of ID `reported_id` was here.[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

80. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).[From line 1077, column 9; to line 1077, column 100](#)

```
>         
```

81. **Error** Element `div` not allowed as child of element `summary` in this context.

(Suppressing further errors from this subtree.)

[From line 1086, column 9; to line 1086, column 39](#)

```
>         <div class="px-2 text-sm mb-5">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

82. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1107, column 15; to line 1107, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

83. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

[From line 1115, column 15; to line 1116, column 188](#)

```
<article data-text="markdown" class="font-vollkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

84. **Error** Duplicate ID `Layer_2`.

[From line 1154, column 13; to line 1154, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

85. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

86. **Error** Duplicate ID `invisible_box`.

[From line 1155, column 15; to line 1155, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

87. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

88. **Error** Duplicate ID `icons_Q2`.

[From line 1159, column 15; to line 1159, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

89. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

90. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1171, column 5; to line 1171, column 102](#)

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-91" class="hidden peer/write" checked />... <
```

91. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1177, column 5; to line 1177, column 98](#)

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-91" class="hidden peer/preview" />... <
```

92. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 1207, column 7; to line 1207, column 41](#)

```
... <div class="ml-4.5" name="replies">...
```

Attributes for element `div`:

[Global attributes](#)

93. **Error** Duplicate ID `reportModal`.

[From line 1218, column 9; to line 1218, column 120](#)

```
... <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">... <
```

94. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
... <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">... <
```

95. **Error** Duplicate ID `reportForm`.

[From line 1220, column 9; to line 1220, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

96. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

97. **Error** Bad value `for` attribute `action` on element `form`: Must be non-empty.

[From line 1220, column 9; to line 1220, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

98. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1221, column 13; to line 1221, column 115](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
```

99. **Error** Duplicate ID `reportTitle`.

[From line 1225, column 17; to line 1225, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

100. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

101. **Error** Duplicate ID `reason`.

[From line 1228, column 17; to line 1234, column 29](#)

```
<textarea ↵          id="reason" ↵
name="reason" ↵          rows="4" ↵
class="w-full border border-gray-300 rounded p-2" ↵
```

102. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea ↵          id="reason" ↵
name="reason" ↵          rows="4" ↵
class="w-full border border-gray-300 rounded p-2" ↵
```

103. **Error** Duplicate ID `report_type`.

[From line 1236, column 17; to line 1236, column 73](#)

```
<input type="hidden" id="report_type"  
name="report_type">...
```

104. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">...
```

105. **Error** Duplicate ID `reported_id`.

[From line 1237, column 17; to line 1237, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"  
value="1">...
```

106. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"  
value="1">...
```

107. **Error** Duplicate ID `reportModal`.

[From line 1266, column 9; to line 1266, column 120](#)

```
...<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">... <
```

108. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
...<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">... <
```

109. **Error** Duplicate ID `reportForm`.

[From line 1268, column 9; to line 1268, column 54](#)

```
...<form id="reportForm" method="POST" action="">...
```

110. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
...<form id="reportForm" method="POST" action="">...
```

111. **Error** Bad value `for` attribute `action` on element `form`: Must be non-empty.

[From line 1268, column 9; to line 1268, column 54](#)

```
<form id="reportForm" method="POST" action=""></form>
```

112. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1269, column 13; to line 1269, column 115](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off"></input>
```

113. **Error** Duplicate ID `reportTitle`.

[From line 1273, column 17; to line 1273, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

114. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

115. **Error** Duplicate ID `reason`.

[From line 1276, column 17; to line 1282, column 29](#)

```
<textarea id="reason" rows="4" class="w-full border border-gray-300 rounded p-2">
</textarea>
```

116. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea id="reason" rows="4" class="w-full border border-gray-300 rounded p-2">
</textarea>
```

117. **Error** Duplicate ID `report_type`.

[From line 1284, column 17; to line 1284, column 73](#)

```
<input type="hidden" id="report_type"
name="report_type"></input>
```

118. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type"></input>
```

119. **Error** Duplicate ID `reported_id`.

[From line 1285, column 17; to line 1285, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><!--
```

120. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><!--
```

121. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 1318, column 9; to line 1318, column 100](#)

```
<!--> <!--
```

122. **Error** Element `div` not allowed as child of element `summary` in this context.

(Suppressing further errors from this subtree.)

[From line 1327, column 9; to line 1327, column 39](#)

```
<!--> <div class="px-2 text-sm mb-5"><!--
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

123. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1348, column 15; to line 1348, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

124. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

[From line 1356, column 15; to line 1357, column 188](#)

```
<article data-text="markdown"><!--> class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
```

125. **Error** Duplicate ID `Layer_2`.

From line 1395, column 13; to line 1395, column 48

```
<g id="Layer_2" data-name="Layer 2">...
```

126. **Warning** The first occurrence of ID `Layer_2` was here.

From line 466, column 13; to line 466, column 48

```
<g id="Layer_2" data-name="Layer 2">...
```

127. **Error** Duplicate ID `invisible_box`.

From line 1396, column 15; to line 1396, column 62

```
<g id="invisible_box" data-name="invisible box">...
```

128. **Warning** The first occurrence of ID `invisible_box` was here.

From line 467, column 15; to line 467, column 62

```
<g id="invisible_box" data-name="invisible box">...
```

129. **Error** Duplicate ID `icons_Q2`.

From line 1400, column 15; to line 1400, column 52

```
<g id="icons_Q2" data-name="icons Q2">...
```

130. **Warning** The first occurrence of ID `icons_Q2` was here.

From line 471, column 15; to line 471, column 52

```
<g id="icons_Q2" data-name="icons Q2">...
```

131. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1412, column 5; to line 1412, column 101

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-3" class="hidden peer/write" checked />... <
```

132. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1418, column 5; to line 1418, column 97

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-3" class="hidden peer/preview" />... <
```

133. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 1448, column 7; to line 1448, column 40](#)

```
<div class="ml-12" name="replies">
```

Attributes for element [div](#):

[Global attributes](#)

134. **Error** An [img](#) element must have an [alt](#) attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 1453, column 9; to line 1453, column 100](#)

```

```

135. **Error** Element [div](#) not allowed as child of element [summary](#) in this context.
(Suppressing further errors from this subtree.)

[From line 1462, column 9; to line 1462, column 39](#)

```
<div class="px-2 text-sm mb-5">
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [summary](#):

[Phrasing content](#), optionally intermixed with [heading content](#).

136. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 1483, column 15; to line 1483, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

137. **Warning** Article lacks heading. Consider using [h2-h6](#) elements to [add identifying headings to all articles](#).

[From line 1491, column 15; to line 1492, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

138. **Error** Duplicate ID [Layer_2](#).

[From line 1530, column 13; to line 1530, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

139. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

140. **Error** Duplicate ID `invisible_box`.

[From line 1531, column 15; to line 1531, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

141. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

142. **Error** Duplicate ID `icons_Q2`.

[From line 1535, column 15; to line 1535, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

143. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

144. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1547, column 5; to line 1547, column 102](#)

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-57" class="hidden peer/write" checked />... <
```

145. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1553, column 5; to line 1553, column 98](#)

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-57" class="hidden peer/preview" />... <
```

146. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 1583, column 7; to line 1583, column 39](#)

```
... <div class="ml-7" name="replies">...
```

Attributes for element `div`:

[Global attributes](#)

147. **Error** Duplicate ID `reportModal`.

[From line 1594, column 9; to line 1594, column 120](#)

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center"><
```

148. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center"><
```

149. **Error** Duplicate ID `reportForm`.

[From line 1596, column 9; to line 1596, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

150. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

151. **Error** Bad value for attribute `action` on element `form`: Must be non-empty.

[From line 1596, column 9; to line 1596, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

152. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1597, column 13; to line 1597, column 115](#)

```
<input type="hidden" name="_token"  
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off"><
```

153. **Error** Duplicate ID `reportTitle`.

[From line 1601, column 17; to line 1601, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

154. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

155. **Error** Duplicate ID `reason`.

[From line 1604, column 17; to line 1610, column 29](#)

```
<textarea ↵           id="reason" ↵
  name="reason" ↵           rows="4" ↵
  class="w-full border border-gray-300 rounded p-2" ↵
```

156. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea ↵           id="reason" ↵
  name="reason" ↵           rows="4" ↵
  class="w-full border border-gray-300 rounded p-2" ↵
```

157. **Error** Duplicate ID `report_type`.

[From line 1612, column 17; to line 1612, column 73](#)

```
<input type="hidden" id="report_type"
  name="report_type">↵
```

158. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">↵
```

159. **Error** Duplicate ID `reported_id`.

[From line 1613, column 17; to line 1613, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
  value="1">↵
```

160. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
  value="1">↵
```

161. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 1636, column 9; to line 1636, column 99](#)

```
>↵      ↵
```

162. **Error** Element `div` not allowed as child of element `summary` in this context.
(Suppressing further errors from this subtree.)

[From line 1645, column 9; to line 1645, column 39](#)

```
>e      <div class="px-2 text-sm mb-5">e
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [summary](#):

[Phrasing content](#), optionally intermixed with [heading content](#).

163. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 1666, column 15; to line 1666, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

164. **Warning** Article lacks heading. Consider using [h2](#)–[h6](#) elements to [add identifying headings to all articles](#).

[From line 1674, column 15; to line 1675, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

165. **Error** Duplicate ID [Layer_2](#).

[From line 1713, column 13; to line 1713, column 48](#)

```
<g id="Layer_2" data-name="Layer_2">e
```

166. **Warning** The first occurrence of ID [Layer_2](#) was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer_2">e
```

167. **Error** Duplicate ID [invisible_box](#).

[From line 1714, column 15; to line 1714, column 62](#)

```
<g id="invisible_box" data-name="invisible box">e
```

168. **Warning** The first occurrence of ID [invisible_box](#) was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">e
```

169. **Error** Duplicate ID [icons_Q2](#).

[From line 1718, column 15; to line 1718, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

170. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

171. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1730, column 5; to line 1730, column 102](#)

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-75" class="hidden peer/write" checked />... <
```

172. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1736, column 5; to line 1736, column 98](#)

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-75" class="hidden peer/preview" />... <
```

173. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 1766, column 7; to line 1766, column 39](#)

```
... <div class="ml-7" name="replies">...
```

Attributes for element `div`:

[Global attributes](#)

174. **Error** Duplicate ID `reportModal`.

[From line 1777, column 9; to line 1777, column 120](#)

```
... <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">... <
```

175. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
... <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">... <
```

176. **Error** Duplicate ID `reportForm`.

[From line 1779, column 9; to line 1779, column 54](#)

```
>... <form id="reportForm" method="POST" action="">...
```

177. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

178. **Error** Bad value [for attribute `action` on element `form`]: Must be non-empty.

[From line 1779, column 9; to line 1779, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

179. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1780, column 13; to line 1780, column 115](#)

```
<input type="hidden" name="_token"  
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
```

180. **Error** Duplicate ID `reportTitle`.

[From line 1784, column 17; to line 1784, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

181. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

182. **Error** Duplicate ID `reason`.

[From line 1787, column 17; to line 1793, column 29](#)

```
<textarea ↵                      id="reason" ↵  
name="reason" ↵                      rows="4" ↵  
class="w-full border border-gray-300 rounded p-2" ↵
```

183. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea ↵                      id="reason" ↵  
name="reason" ↵                      rows="4" ↵  
class="w-full border border-gray-300 rounded p-2" ↵
```

184. **Error** Duplicate ID `report_type`.

[From line 1795, column 17; to line 1795, column 73](#)

```
<input type="hidden" id="report_type"  
name="report_type">↵
```

185. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">
```

186. **Error** Duplicate ID `reported_id`.

[From line 1796, column 17; to line 1796, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1">
```

187. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1">
```

188. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 1829, column 9; to line 1829, column 100](#)

```
> 
```

189. **Error** Element `div` not allowed as child of element `summary` in this context.

(Suppressing further errors from this subtree.)

[From line 1838, column 9; to line 1838, column 39](#)

```
> <div class="px-2 text-sm mb-5">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

190. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 1859, column 15; to line 1859, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

191. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles.](#)

[From line 1867, column 15; to line 1868, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

192. **Error** Duplicate ID `Layer_2`.

[From line 1906, column 13; to line 1906, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

193. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

194. **Error** Duplicate ID `invisible_box`.

[From line 1907, column 15; to line 1907, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

195. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

196. **Error** Duplicate ID `icons_Q2`.

[From line 1911, column 15; to line 1911, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

197. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

198. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1923, column 5; to line 1923, column 102](#)

```
p-4"> <input type="radio" name="toggle" id="editor-write-toggle-31"
class="hidden peer/write" checked /> <
```

199. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 1929, column 5; to line 1929, column 98](#)

```
bel>↔ <input type="radio" name="toggle" id="editor-preview-toggle-31"
class="hidden peer/preview" />↔ <
```

200. **Error** Attribute [name](#) not allowed on element [div](#) at this point.

[From line 1959, column 7; to line 1959, column 40](#)

```
↔ <div class="ml-12" name="replies">↔
```

Attributes for element [div](#):

[Global attributes](#)

201. **Error** An [img](#) element must have an [alt](#) attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 1964, column 9; to line 1964, column 100](#)

```
>↔ ↔
```

202. **Error** Element [div](#) not allowed as child of element [summary](#) in this context.

(Suppressing further errors from this subtree.)

[From line 1973, column 9; to line 1973, column 39](#)

```
↔ <div class="px-2 text-sm mb-5">↔
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [summary](#):

[Phrasing content](#), optionally intermixed with [heading content](#).

203. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 1994, column 15; to line 1994, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

204. **Warning** Article lacks heading. Consider using [h2-h6](#) elements to [add identifying headings to all articles](#).

[From line 2002, column 15; to line 2003, column 188](#)

```
<article data-text="markdown" class="font-volkorn max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

205. **Error** Duplicate ID `Layer_2`.

[From line 2041, column 13; to line 2041, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

206. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

207. **Error** Duplicate ID `invisible_box`.

[From line 2042, column 15; to line 2042, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

208. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

209. **Error** Duplicate ID `icons_Q2`.

[From line 2046, column 15; to line 2046, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

210. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

211. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2058, column 5; to line 2058, column 102](#)

```
p-4"> <input type="radio" name="toggle" id="editor-write-toggle-32" class="hidden peer/write" checked /> <
```

212. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2064, column 5; to line 2064, column 98](#)

```
bel><input type="radio" name="toggle" id="editor-preview-toggle-32"
class="hidden peer/preview" /><
```

213. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 2094, column 7; to line 2094, column 39](#)

```
<div class="ml-7" name="replies">
```

Attributes for element `div`:

[Global attributes](#)

214. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 2099, column 9; to line 2099, column 100](#)

```
>
```

215. **Error** Element `div` not allowed as child of element `summary` in this context.
(Suppressing further errors from this subtree.)

[From line 2108, column 9; to line 2108, column 39](#)

```
><div class="px-2 text-sm mb-5">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

216. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 2129, column 15; to line 2129, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

217. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

[From line 2137, column 15; to line 2138, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

218. **Error** Duplicate ID `Layer_2`.

[From line 2176, column 13; to line 2176, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

219. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

220. **Error** Duplicate ID `invisible_box`.

[From line 2177, column 15; to line 2177, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

221. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">...
```

222. **Error** Duplicate ID `icons_Q2`.

[From line 2181, column 15; to line 2181, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

223. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

224. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2193, column 5; to line 2193, column 102](#)

```
p-4">... <input type="radio" name="toggle" id="editor-write-toggle-33" class="hidden peer/write" checked />... <
```

225. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2199, column 5; to line 2199, column 98](#)

```
bel>... <input type="radio" name="toggle" id="editor-preview-toggle-33" class="hidden peer/preview" />... <
```

226. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 2229, column 7; to line 2229, column 41](#)

```
|     ↵      <div class="ml-4.5" name="replies">
```

Attributes for element [div](#):

[Global attributes](#)

227. **Error** Duplicate ID [reportModal](#).

[From line 2240, column 9; to line 2240, column 120](#)

```
|     ↵      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">↵      <
```

228. **Warning** The first occurrence of ID [reportModal](#) was here.

[From line 299, column 9; to line 299, column 120](#)

```
     ↵      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">↵      <
```

229. **Error** Duplicate ID [reportForm](#).

[From line 2242, column 9; to line 2242, column 54](#)

```
|     ↵      <form id="reportForm" method="POST" action="">↵      |
```

230. **Warning** The first occurrence of ID [reportForm](#) was here.

[From line 301, column 9; to line 301, column 54](#)

```
>     ↵      <form id="reportForm" method="POST" action="">↵      |
```

231. **Error** Bad value [for attribute \[action\]](#) on element [form](#): Must be non-empty.

[From line 2242, column 9; to line 2242, column 54](#)

```
|     ↵      <form id="reportForm" method="POST" action="">↵      |
```

232. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 2243, column 13; to line 2243, column 115](#)

```
|     ↵      <input type="hidden" name="_token"  
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵      |
```

233. **Error** Duplicate ID [reportTitle](#).

[From line 2247, column 17; to line 2247, column 72](#)

```
|     ↵      <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

234. **Warning** The first occurrence of ID [reportTitle](#) was here.

[From line 306, column 17; to line 306, column 72](#)

<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report

235. **Error** Duplicate ID reason.[From line 2250, column 17; to line 2256, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

236. **Warning** The first occurrence of ID reason was here.[From line 309, column 17; to line 315, column 29](#)

```
<textarea ... id="reason" ...  
name="reason" ... rows="4" ...  
class="w-full border border-gray-300 rounded p-2" ...
```

237. **Error** Duplicate ID report_type.[From line 2258, column 17; to line 2258, column 73](#)

```
<input type="hidden" id="report_type" ...  
name="report_type">...
```

238. **Warning** The first occurrence of ID report_type was here.[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">...
```

239. **Error** Duplicate ID reported_id.[From line 2259, column 17; to line 2259, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

240. **Warning** The first occurrence of ID reported_id was here.[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id" ...  
value="1">...
```

241. **Error** Duplicate ID reportModal.[From line 2288, column 9; to line 2288, column 120](#)

```
... <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black ...  
bg-opacity-50 flex items-center justify-center">... <
```

242. **Warning** The first occurrence of ID reportModal was here.

[From line 299, column 9; to line 299, column 120](#)

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
bg-opacity-50 flex items-center justify-center"><
```

243. **Error** Duplicate ID `reportForm`.

[From line 2290, column 9; to line 2290, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

244. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

245. **Error** Bad value `for` for attribute `action` on element `form`: Must be non-empty.

[From line 2290, column 9; to line 2290, column 54](#)

```
<form id="reportForm" method="POST" action=""><
```

246. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 2291, column 13; to line 2291, column 115](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off"><
```

247. **Error** Duplicate ID `reportTitle`.

[From line 2295, column 17; to line 2295, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

248. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

249. **Error** Duplicate ID `reason`.

[From line 2298, column 17; to line 2304, column 29](#)

```
<textarea id="reason" rows="4" class="w-full border border-gray-300 rounded p-2">
```

250. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea <...>
          id="reason" <...>
name="reason" <...>
rows="4" <...>
class="w-full border border-gray-300 rounded p-2" <...>
```

251. **Error** Duplicate ID `report_type`.

[From line 2306, column 17; to line 2306, column 73](#)

```
<input type="hidden" id="report_type"
name="report_type"><...>
```

252. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type"><...>
```

253. **Error** Duplicate ID `reported_id`.

[From line 2307, column 17; to line 2307, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><...>
```

254. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><...>
```

255. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 2330, column 9; to line 2330, column 100](#)

```
<...>      <...>
```

256. **Error** Element `div` not allowed as child of element `summary` in this context.

(Suppressing further errors from this subtree.)

[From line 2339, column 9; to line 2339, column 39](#)

```
<...>      <div class="px-2 text-sm mb-5"><...>
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `summary`:

[Phrasing content](#), optionally intermixed with [heading content](#).

257. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 2360, column 15; to line 2360, column 117](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

258. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

[From line 2368, column 15; to line 2369, column 188](#)

```
<article data-text="markdown" class="font-volkorn
max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
```

259. **Error** Duplicate ID `Layer_2`.

[From line 2407, column 13; to line 2407, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

260. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 466, column 13; to line 466, column 48](#)

```
<g id="Layer_2" data-name="Layer 2">
```

261. **Error** Duplicate ID `invisible_box`.

[From line 2408, column 15; to line 2408, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

262. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 467, column 15; to line 467, column 62](#)

```
<g id="invisible_box" data-name="invisible box">
```

263. **Error** Duplicate ID `icons_Q2`.

[From line 2412, column 15; to line 2412, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

264. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 471, column 15; to line 471, column 52](#)

```
<g id="icons_Q2" data-name="icons Q2">
```

265. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2424, column 5; to line 2424, column 103](#)

```
p-4">↵      <input type="radio" name="toggle" id="editor-write-toggle-104" class="hidden peer/write" checked />↵      <
```

266. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 2430, column 5; to line 2430, column 99](#)

```
bel>↵      <input type="radio" name="toggle" id="editor-preview-toggle-104" class="hidden peer/preview" />↵      <
```

267. **Error** Attribute `name` not allowed on element `div` at this point.

[From line 2460, column 7; to line 2460, column 39](#)

```
↵      <div class="ml-7" name="replies">↵
```

Attributes for element `div`:

[Global attributes](#)

268. **Error** Duplicate ID `reportModal`.

[From line 2471, column 9; to line 2471, column 120](#)

```
↵      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">↵      <
```

269. **Warning** The first occurrence of ID `reportModal` was here.

[From line 299, column 9; to line 299, column 120](#)

```
↵      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">↵      <
```

270. **Error** Duplicate ID `reportForm`.

[From line 2473, column 9; to line 2473, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

271. **Warning** The first occurrence of ID `reportForm` was here.

[From line 301, column 9; to line 301, column 54](#)

```
>↵      <form id="reportForm" method="POST" action="">↵
```

272. **Error** Bad value `"` for attribute `action` on element `form`: Must be non-empty.

[From line 2473, column 9; to line 2473, column 54](#)

```
<form id="reportForm" method="POST" action="">
```

273. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 2474, column 13; to line 2474, column 115](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

274. **Error** Duplicate ID `reportTitle`.

[From line 2478, column 17; to line 2478, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

275. **Warning** The first occurrence of ID `reportTitle` was here.

[From line 306, column 17; to line 306, column 72](#)

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

276. **Error** Duplicate ID `reason`.

[From line 2481, column 17; to line 2487, column 29](#)

```
<textarea id="reason"
name="reason" rows="4"
class="w-full border border-gray-300 rounded p-2" ...
```

277. **Warning** The first occurrence of ID `reason` was here.

[From line 309, column 17; to line 315, column 29](#)

```
<textarea id="reason"
name="reason" rows="4"
class="w-full border border-gray-300 rounded p-2" ...
```

278. **Error** Duplicate ID `report_type`.

[From line 2489, column 17; to line 2489, column 73](#)

```
<input type="hidden" id="report_type"
name="report_type">
```

279. **Warning** The first occurrence of ID `report_type` was here.

[From line 317, column 17; to line 317, column 73](#)

```
<input type="hidden" id="report_type" name="report_type">
```

280. **Error** Duplicate ID `reported_id`.

[From line 2490, column 17; to line 2490, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><!--
```

281. **Warning** The first occurrence of ID `reported_id` was here.

[From line 318, column 17; to line 318, column 83](#)

```
<input type="hidden" id="reported_id" name="reported_id"
value="1"><!--
```

Document checking completed.

Source

```

1. ~
2. <!DOCTYPE html>
3. <html lang="en" class="h-full">
4. ~
5. <head>
6.   <meta charset="utf-8">
7.   <meta name="viewport" content="width=device-width, initial-scale=1">
8.   <meta name="csrf-token"
content="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh">
9.   <title>WhatsUP</title>
10.  <script defer src="http://127.0.0.1:8000/js/app.js"></script>
11.  <link rel="preconnect" href="https://fonts.googleapis.com">
12.  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
13.  <link>
14.    href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
sz,wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
0..900;1,400..900&display=swap">
15.    rel="stylesheet">
16. ~
17.  <link rel="apple-touch-icon" sizes="180x180"
href="http://127.0.0.1:8000/images/apple-touch-icon.png">
18.  <link rel="icon" type="image/png" sizes="32x32"
href="http://127.0.0.1:8000/images/favicon-32x32.png">
19.  <link rel="icon" type="image/png" sizes="16x16"
href="http://127.0.0.1:8000/images/favicon-16x16.png">
20. ~
21. ~
22.  <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
<link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"
/></head>
23. ~
24. <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk ">
25.   <div class="min-h-screen flex flex-col">
26.     <!-- Top Header -->
27.     <header>
28.       class="flex items-center justify-between h-12 border-b-2 border-
black fixed top-0 left-0 right-0 z-50 bg-[#F4F2ED]">
29.         <!-- Logo Section -->
30.         <div class="w-32 md:w-48 bg-pastelGreen h-full flex items-center
border-r-2 border-black">
31.           <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-
bold text-4xl tracking-tight">
32.             <span class="block md:hidden">w.UP</span>
33.             <span class="hidden md:block">WhatsUP</span>
34.           </a>
35.         </div>
```

```
36.      <!-- Search Section -->~
37.      <div class="flex-1 bg-pastelRed h-full flex items-center pl-2 md:pl-
4 relative">~
38.          <svg class="w-5 h-5 text-[#F4F2ED]/80" fill="none"
39.              stroke="currentColor" viewBox="0 0 24 24">~
40.                  <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="2"~
41.                      d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />~
42.          </svg>~
43.          <input id="search-input" type="text" placeholder="search"~
44.              class="w-full bg-transparent border-none text-[#F4F2ED]~
placeholder-[#F4F2ED] px-2 md:px-3 py-2 focus:outline-none ">~
45.      <!-- Enhanced Search Results Dropdown -->~
46.      <div id="search-results"~
47.          class="absolute left-2 md:left-4 right-2 md:right-4 top-full mt-
2 bg-[#F4F2ED] backdrop-blur-sm rounded-xl shadow-2xl border-2 border-
black overflow-hidden transform opacity-0 scale-95 transition-all
duration-200 ease-out pointer-events-none z-50 max-w-full md:max-w-
[calc(100%-16rem)]">~
48.          <!-- Communities Section -->~
49.          <div class="border-b border-gray-200 bg-gradient-to-r from-red-
50 to-blue-50">~
50.              <div class="p-4">~
51.                  <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
items-center gap-2">~
52.                      <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">~
53.                          <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2"~
54.                              d="M7 20l4-16m2 16l4-16M6 9h14M4 15h14" />~
55.                      </svg>~
56.                      Communities~
57.                  </h3>~
58.                  <div~
59.                      class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
scrollbar-thumb-gray-300 scrollbar-track-transparent">~
60.                      <div class="p-3 rounded-lg hover:bg-gray-50 transition-
colors duration-200 cursor-pointer">~
61.                          <div class="flex items-center gap-2">~
62.                              <div class="w-2 h-2 rounded-full bg-green-500"></div>~
63.                              <span class="text-sm text-gray-700"></span>~
64.                          </div>~
65.                      </div>~
66.                  </div>~
67.              </div>~
68.          </div>~
69.      <!-- Posts Section -->~
70.      <div class="border-b border-gray-200 bg-gradient-to-r from-blue-
50 to-green-50">~
71.          <div class="p-4">~
72.              <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
items-center gap-2">~
73.                  <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">~
74.                      <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2"~
75.                          d="M19 11H5m14 0a2 2 0 012 2v6a2 2 0 01-2 2H5a2 2 0
01-2-2v-6a2 2 0 012-2m14 0V9a2 2 0 00-2-2M5 11V9a2 2 0 012-2m0 0V5a2 2 0
012-2h6a2 2 0 012 2v2M7 7h10" />~
76.                      </svg>~
77.                      Posts~
78.                  </h3>~
79.                  <div~
80.                      class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
scrollbar-thumb-gray-300 scrollbar-track-transparent">~
81.                      <!-- Example post result item -->~
82.                      <div class="p-3 rounded-lg hover:bg-gray-50 transition-
colors duration-200 cursor-pointer">~
83.                          <span class="text-sm text-gray-700"></span>~
84.                      </div>~

```

```
85.          </div>↵
86.          </div>↵
87.          </div>↵
88.          </div>↵
89.      ↵
90.      <!-- Users Section -->↵
91.      <div class="bg-gradient-to-r from-green-50 to-red-50">↵
92.          <div class="p-4">↵
93.              <h3 class="text-sm font-semibold text-gray-700 mb-3 flex items-center gap-2">↵
94.                  <svg class="w-4 h-4 text-gray-500" fill="none" stroke="currentColor" viewBox="0 0 24 24">↵
95.                      <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7 20v-2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0 3 3 0 016 0zm6 3a2 2 0 11-4 0 2 2 0 014 0zM7 10a2 2 0 11-4 0 2 2 0 014 0z" />↵
96.              </svg>↵
97.              Users↵
98.          </h3>↵
99.          <div class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin scrollbar-thumb-gray-300 scrollbar-track-transparent">↵
100.              <div class="p-3 rounded-lg hover:bg-gray-50 transition-colors duration-200 cursor-pointer">↵
101.                  <div class="flex items-center gap-3">↵
102.                      <div class="w-6 h-6 rounded-full bg-blue-500"></div>↵
103.                      <span class="text-sm text-gray-700"></span>↵
104.                  </div>↵
105.              </div>↵
106.          </div>↵
107.          </div>↵
108.      </div>↵
109.      </div>↵
110.      </div>↵
111.      </div>↵
112.  </div>↵
113.  ↵
114.  ↵
115.  <!-- Right Section -->↵
116.  <div class="bg-pastelBlue h-full w-32 md:w-64 flex items-center border-l-2 border-black justify-evenly">↵
117.      <a href="http://127.0.0.1:8000/posts/create">↵
118.          <svg class="w-5 h-5 fill-[#3C3D37] hover:fill-[#3C3D37]/80 hover:rotate-180 transition-all" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 455 455" xml:space="preserve">↵
119.              <polygon points="455,212.5 242.5,212.5 242.5,0 212.5,0 212.5,212.5 0,212.5 0,242.5 212.5,242.5 212.5,455 242.5,455 242.5,242.5 455,242.5" />↵
120.          </svg>↵
121.      </a>↵
122.  </div>↵
123.  ↵
124.  <a href="http://127.0.0.1:8000/notifications?2" class="text-[#3C3D37] hover:text-[#3C3D37] transition-colors hidden md:block relative">↵
125.      <div class="absolute -top-2 -right-2">↵
126.          <div class="absolute w-5 h-5 bg-pastelRed rounded-full animate-ping opacity-75"></div>↵
127.      </div>↵
128.      <div class="relative bg-pastelRed text-white text-[10px] font-bold rounded-full w-5 h-5 flex items-center justify-center px-1" data-bbox="238 818 838 868">↵
129.          <div>3</div>↵
130.      </div>↵
131.      <div>3</div>↵
132.      <div class="relative bg-pastelRed text-white text-[10px] font-bold rounded-full w-5 h-5 flex items-center justify-center px-1" data-bbox="238 868 838 918">↵
133.          <div>3</div>↵
134.      </div>↵
135.      </div>↵
136.      <div>3</div>↵
137.      <div class="relative bg-pastelRed text-white text-[10px] font-bold rounded-full w-5 h-5 flex items-center justify-center px-1" data-bbox="238 918 838 968">↵
138.          <div>3</div>↵
```

```

139.          <path stroke-linecap="round" stroke-linejoin="round" stroke-
140.            width="1.5" >
141.            d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002
142.              6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0
143.                .538-.214 1.055-.595 1.436L4 17h5m6 0v1a3 3 0 11-6 0v-1m6 0H9" />
144.          </svg>
145.        </a>
146.      </div>
147.      <a href="#" class="relative fill-transparent text-[#3C3D37]
148.        hover:text-[#3C3D37]/80 transition-colors">
149.          id="profileIcon">
150.            
151.          </a>
152.        <div id="dropdownMenu" class="absolute right-0 mt-4 bg-white border border-gray-200
153.          w-48 rounded-lg shadow-lg hidden z-50">
154.            <a href="http://127.0.0.1:8000/users/2/profile" class="block py-2 text-gray-700 hover:bg-gray-100 border-b
155.            border-gray-200">
156.              <div class="flex items-center justify-around px-4 py-3">
157.                
158.                <div class="flex flex-col text-left">
159.                  <div class="font-medium text-gray-900">Tiago
160.                    Monteiro</div>
161.                  <div class="text-gray-500 text-sm">View profile</div>
162.                </div>
163.              <a href="http://127.0.0.1:8000/admin?2" class="block px-4 py-2 text-gray-700 hover:bg-gray-100">
164.                <svg viewBox="0 0 24 24" class="stroke-gray-700 w-4 h-4 mr-2
165.                inline-block" xmlns="http://www.w3.org/2000/svg" fill="none">
166.                  <g id="SVGRepo_bgCarrier" stroke-width="0"></g>
167.                  <g id="SVGRepo_tracerCarrier" stroke-linecap="round"
168.                    stroke-linejoin="round"></g>
169.                  <g id="SVGRepo_iconCarrier">
170.                    <b><g id="Interface / Settings">
171.                      <g id="Vector">
172.                        <path>
173.                          d="M20.3499 8.92293L19.9837 8.7192C19.9269 8.68756
19.8989 8.67169 19.8714 8.65524C19.5983 8.49165 19.3682 8.26564 19.2002
7.99523C19.1833 7.96802 19.1674 7.93949 19.1348 7.8831C19.1023 7.82677
19.0858 7.79823 19.0706 7.76998C18.92 7.48866 18.8385 7.17515 18.8336
6.85606C18.8331 6.82398 18.8332 6.79121 18.8343 6.72604L18.8415
6.30078C18.8529 5.62025 18.8587 5.27894 18.763 4.97262C18.6781 4.70053
18.536 4.44993 18.3462 4.23725C18.1317 3.99685 17.8347 3.82534 17.2402
3.48276L16.7464 3.1982C16.1536 2.85658 15.8571 2.68571 15.5423
2.62057C15.2639 2.56294 14.9765 2.56561 14.6991 2.62789C14.3859 2.69819
14.0931 2.87351 13.5079 3.22396L13.5045 3.22555L13.1507 3.43741C13.0948
3.47091 13.0665 3.48779 13.0384 3.50338C12.7601 3.6581 12.4495 3.74365
12.1312 3.75387C12.0992 3.7549 12.0665 3.7549 12.0013 3.7549C11.9365
3.7549 11.9024 3.7549 11.8704 3.75387C11.5515 3.74361 11.2402 3.65759
10.9615 3.50224C10.9334 3.48658 10.9056 3.46956 10.8496 3.4359L10.4935
3.22213C9.90422 2.86836 9.60915 2.69121 9.29427 2.62057C9.0157 2.55807
8.72737 2.55634 8.44791 2.61471C8.13236 2.68062 7.83577 2.85276 7.24258
3.19703L7.23994 3.1982L6.75228 3.48124L6.74688 3.48454C6.15904 3.82572
5.86441 3.99672 5.6517 4.23614C5.46294 4.4486 5.32185 4.69881 5.2374
4.97018C5.14194 5.27691 5.14703 5.61896 5.15853 6.3027L5.16568
6.72736C5.16676 6.79166 5.16864 6.82362 5.16817 6.85525C5.16343 7.17499
5.08086 7.48914 4.92974 7.77096C4.9148 7.79883 4.8987 7.8267 4.86654
7.88237C4.83436 7.93809 4.81877 7.96579 4.80209 7.99268C4.63336 8.26452
4.40214 8.49186 4.12733 8.65572C4.10015 8.67193 4.0715 8.68752 4.01521
8.71871L3.65365 8.91908C3.05208 9.25245 2.75137 9.41928 2.53256
9.65669C2.33898 9.86672 2.19275 10.1158 2.10349 10.3872C2.00259 10.6939
2.00267 11.0378 2.00424 11.7255L2.00551 12.2877C2.00706 12.9708 2.00919
13.3122 2.11032 13.6168C2.19979 13.8863 2.34495 14.134 2.53744
14.3427C2.75502 14.5787 3.05274 14.7445 3.64974 15.0766L4.00808

```

15.276C4.06907 15.3099 4.09976 15.3266 4.12917 15.3444C4.40148 15.5083
 4.63089 15.735 4.79818 16.0053C4.81625 16.0345 4.8336 16.0648 4.8683
 16.1255C4.90256 16.1853 4.92009 16.2152 4.93594 16.2452C5.08261 16.5229
 5.16114 16.8315 5.16649 17.1455C5.16707 17.1794 5.16658 17.2137 5.16541
 17.2827L5.15853 17.6902C5.14695 18.3763 5.1419 18.7197 5.23792
 19.0273C5.32287 19.2994 5.46484 19.55 5.65463 19.7627C5.86915 20.0031
 6.16655 20.1745 6.76107 20.5171L7.25478 20.8015C7.84763 21.1432 8.14395
 21.3138 8.45869 21.379C8.73714 21.4366 9.02464 21.4344 9.30209
 21.3721C9.61567 21.3017 9.90948 21.1258 10.4964 20.7743L10.8502
 20.5625C10.9062 20.5289 10.9346 20.5121 10.9626 20.4965C11.2409 20.3418
 11.5512 20.2558 11.8695 20.2456C11.9015 20.2446 11.9342 20.2446 11.9994
 20.2446C12.0648 20.2446 12.0974 20.2446 12.1295 20.2456C12.4484 20.2559
 12.7607 20.3422 13.0394 20.4975C13.0639 20.5112 13.0885 20.526 13.1316
 20.5519L13.5078 20.7777C14.0971 21.1315 14.3916 21.3081 14.7065
 21.3788C14.985 21.4413 15.2736 21.4438 15.5531 21.3855C15.8685 21.3196
 16.1657 21.1471 16.7586 20.803L17.2536 20.5157C17.8418 20.1743 18.1367
 20.0031 18.3495 19.7636C18.5383 19.5512 18.6796 19.3011 18.764
 19.0297C18.8588 18.7252 18.8531 18.3858 18.8417 17.7119L18.8343
 17.2724C18.8332 17.2081 18.8331 17.1761 18.8336 17.1445C18.8383 16.8247
 18.9195 16.5104 19.0706 16.2286C19.0856 16.2007 19.1018 16.1726 19.1338
 16.1171C19.166 16.0615 19.1827 16.0337 19.1994 16.0068C19.3681 15.7349
 19.5995 15.5074 19.8744 15.3435C19.9012 15.3275 19.9289 15.3122 19.9838
 15.2818L19.9857 15.2809L20.3472 15.0805C20.9488 14.7472 21.2501 14.5801
 21.4689 14.3427C21.6625 14.1327 21.8085 13.8839 21.8978 13.6126C21.9981
 13.3077 21.9973 12.9658 21.9958 12.2861L21.9945 11.7119C21.9929 11.0287
 21.9921 10.6874 21.891 10.3828C21.8015 10.1133 21.6555 9.86561 21.463
 9.65685C21.2457 9.42111 20.9475 9.25526 20.3517 8.92378L20.3499 8.92293Z"~
 174. stroke-width="2" stroke-linecap="round" stroke-
 175. linejoin="round"></path>~
 176. <path~
 177. d="M8.00033 12C8.00033 14.2091 9.79119 16.12.0003
 16C14.2095 16.16.0003 14.2091 16.0003 12C16.0003 9.79082 14.2095 7.99996
 12.0003 7.99996C9.79119 7.99996 8.00033 9.79082 8.00033 12Z"~
 178. stroke-width="2" stroke-linecap="round" stroke-
 179. linejoin="round"></path>~
 180. </g>~
 181. </g>~
 182. </svg>~
 183. Admin Options~
 184. ~
 185. ~
 186. <a href="http://127.0.0.1:8000/logout"~
 187. class="block px-4 py-2 text-gray-700 hover:bg-gray-100">~
 188. <svg class="w-4 h-4 mr-2 inline-block" fill="none"
 189. stroke="currentColor" viewBox="0 0 24 24">~
 190. <path stroke-linecap="round" stroke-linejoin="round"
 191. stroke-width="2"~
 192. d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0
 01-3-3V7a3 3 0 013-3h4a3 3 0 013 3v1" />~
 193. </svg>~
 194. Logout~
 195. ~
 196. </div>~
 197. </div>~
 198. <!-- Mobile Menu Button -->~
 199. <button id="mobile-menu-button"~
 200. class="md:hidden fixed bottom-4 right-4 z-50 bg-pastelBlue text-[#F4F2ED] p-3 rounded-full shadow-lg transition-transform duration-300">~
 201. <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">~
 202. <path stroke-linecap="round" stroke-linejoin="round" stroke-
 203. width="2" d="M4 6h16M4 12h16m-7 6h7" />~
 204. </svg>~
 205. </button>~
 206. <!-- Left Sidebar -->~

```
207.      <aside id="left-sidebar">
208.        class=" [&:: -webkit-scrollbar]:hidden text-[#3C3D37] text-lg fixed
    inset-y-0 left-0 w-48 bg-[#F4F2ED] border-r-2 border-black z-40 overflow-
    y-auto max-h-screen transform -translate-x-full md:translate-x-0
    transition-transform duration-300 ease-in-out">
209.        <nav class="divide-y-2 divide-black">
210.          <!-- Primary Links -->
211.          <div class="pt-14 pb-2">
212.            <div class="*:*:underline-effect *:px-4 *:py-1 flex flex-col
    text-xl ml-2">
213.              <a href="http://127.0.0.1:8000/home" class=" mr-auto">
214.                <span class="">home</span>
215.              </a>
216.              <a href="http://127.0.0.1:8000/global" class="">
217.                <span class="">global</span>
218.              </a>
219.              <a href="http://127.0.0.1:8000/recent" class="">
220.                <span class="">recent</span>
221.              </a>
222.            </div>
223.          </div>
224.        <
225.        <
226.        <div class="py-4">
227.          <h3 class="px-4 font-light text-gray-600 mb-1">recent</h3>
228.          <div class="space-y-1 *:transition-colors *:pl-4">
229.            </div>
230.          </div>
231.        <
232.        <div class="pt-4">
233.          <h3 class="px-4 font-light text-gray-600 mb-1">hubs</h3>
234.        <
235.          <div class="space-y-1 *:transition-colors *:pl-4">
236.            <a href="/hub/1">
237.              class="flex items-center space-x-2 px-4 py-2 hover:bg-
    [#3C3D37] hover:text-[#F4F2ED]">
238.            <
239.              
240.              class=" h-8 w-8 rounded-full object-cover">
241.              <span class="break-all text-sm">h/AnimeFans</span>
242.            </a>
243.            <a href="/hub/2">
244.              class="flex items-center space-x-2 px-4 py-2 hover:bg-
    [#3C3D37] hover:text-[#F4F2ED]">
245.            <
246.              
247.              class=" h-8 w-8 rounded-full object-cover">
248.              <span class="break-all text-sm">h/Superheroes</span>
249.            </a>
250.            <a href="/hub/3">
251.              class="flex items-center space-x-2 px-4 py-2 hover:bg-
    [#3C3D37] hover:text-[#F4F2ED]">
252.            <
253.              
254.              class=" h-8 w-8 rounded-full object-cover">
255.              <span class="break-all text-sm">h/Mythology</span>
256.            </a>
257.            <a href="/hub/16">
258.              class="flex items-center space-x-2 px-4 py-2 hover:bg-
    [#3C3D37] hover:text-[#F4F2ED]">
259.            <
260.              
261.              class=" h-8 w-8 rounded-full object-cover">
262.              <span class="break-all text-sm">h/MovieBuffs</span>
263.            </a>
264.            <a href="/hub/23">
```

```

265.         class="flex items-center space-x-2 px-4 py-2 hover:bg-
266.             [<img alt="PetLovers image" class="h-8 w-8 rounded-full object-cover" href="http://127.0.0.1:8000/images/hub23.jpg"/>
267.             <span class="break-all text-sm">h/PetLovers</span>
268.         </a></div>
269.         <a href="http://127.0.0.1:8000/hubs/create" class="flex items-center space-x-2 px-4 py-2 hover:bg-
270.             [<span class="" href="#">create hub</span>
271.             </a></div>
272.             <!-- Info Section -->
273.             <div class="py-4">
274.                 <h3 class="px-4 font-light text-gray-600 mb-1">info</h3>
275.                 <div class="flex flex-col text-ml-2">
276.                     <a href="http://127.0.0.1:8000/about-us" class="">
277.                         <span class="">about us</span>
278.                     </a>
279.                     <a href="http://127.0.0.1:8000/bestof" class="">
280.                         <span class="">best of</span>
281.                     </a>
282.                     <a href="http://127.0.0.1:8000/all-hubs" class="">
283.                         <span class="">hubs</span>
284.                     </a>
285.                 </div>
286.             </div>
287.             </nav>
288.         </aside>
289.     <!-- Main Content -->
290.     <main class="flex-1">
291.         <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">
292.             <div class="relative bg-white p-6 rounded shadow-lg w-96">
293.                 <form id="reportForm" method="POST" action="">
294.                     <input type="hidden" name="token" value="9Suk64UAIxrrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
295.                     <fieldset>
296.                         <legend class="sr-only">Submit a Report</legend>
297.                         <h2 id="reportTitle" class="text-ml-2 font-semibold mb-4">Report</h2>
298.                         <label for="reason" class="block mb-2 text-sm font-medium">Reason for Reporting:</label>
299.                         <textarea id="reason" name="reason" rows="4" class="w-full border border-gray-300 rounded p-2" placeholder="Write your reason here..." required></textarea>
300.                         <input type="hidden" id="report_type" name="report_type" value="1">
301.                         <input type="hidden" id="reported_id" name="reported_id" value="1">
302.                         <div class="mt-4 flex justify-end gap-2">
303.                             <button type="button" class="px-4 py-2 bg-gray-200 text-gray-700 rounded hover:bg-gray-300" onclick="document.getElementById('reportModal').classList.add('hidden')">

```

```

325.           Cancel↵
326.           </button>↵
327.           <button ↵
328.               type="submit" ↵
329.               class="px-4 py-2 bg-red-500 text-white rounded
330.               hover:bg-red-600">↵
331.               Submit Report↵
332.           </button>↵
333.           </div>↵
334.           </form>↵
335.       </div>↵
336.   </div>↵
337.   ↵
338.   <section id="content">↵
339.       ↵
340.   ↵
341.   ↵
342. <span class="hidden" id="postId">1</span>↵
343. <div class="font-grotesk divide-y-2 divide-[black]">↵
344.   ↵
345.   <div class="flex flex-row bg-pastelYellow" id="post-header" >↵
346.     <div class="px-8 py-4 w-1/2 flex flex-col grow">↵
347.       <div class="flex items-center h-8 relative">↵
348.         <a class="flex items-center"↵
349.             href="http://127.0.0.1:8000/hub/1">↵
350.         </a>↵
351.         ↵
353.         <span class="text-2xl font-light underline-effect px-
354. 2">h/AnimeFans</span>↵
355.     </a>↵
356.   <div class="ml-auto">↵
357.     <input type="checkbox" class="peer hidden" id="l-options">↵
358.     <label for="l-options">↵
359.       <svg class="ml-auto h-4 w-4 fill-[#3C3D37] group-
360. hover/wrapper:fill-[#F4F2ED] z-0"↵
361.         xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16">↵
362.         <path class="cls-1"↵
363.           d="M8,6.5A1.5,1.5,0,1,1,6.5,8,1.5,1.5,0,0,1,8,6.5ZM.5,8A1.5,1.5,0,1,0,2,6.
364. 5,1.5,1.5,0,0,0,.5,8Zm12,0A1.5,1.5,0,1,0,14,6.5,1.5,1.5,0,0,0,12.5,8Z" />↵
365.       </svg>↵
366.     </label>↵
367.   <div class="z-50 transition-all absolute right-0 top-6 invisible peer-
368. checked:visible opacity-0 peer-checked:opacity-100 bg-[#F4F2ED] text-
369. [&#3C3D37] border border-[#3C3D37] rounded-md shadow-lg py-1 min-w-28">↵
370.     <ul class="">↵
371.       <li class="py-1 px-4 hover:bg-black/[.10]">↵
372.         <a href="javascript:reportNews()" class="">
373.           Report post
374.         </a>↵
375.       </li>↵
376.     </ul>↵
377.   </div>   <div id="reportModal" class="hidden fixed inset-0 z-50 bg-
378. black bg-opacity-50 flex items-center justify-center">↵
379.     <div class="relative bg-white p-6 rounded shadow-lg w-96">↵
380.       <form id="reportForm" method="POST" action="">↵
381.         <input type="hidden" name="token"
382. value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
383.         <fieldset>
384.           <legend class="sr-only">Submit a Report</legend>↵
385.           <h2 id="reportTitle" class="text-xl font-semibold mb-
386. 4">Report</h2>↵
387.           <label for="reason" class="block mb-2 text-sm font-
388. medium">Reason for Reporting:</label>↵

```

```
385.      <textarea ~
386.          id="reason" ~
387.          name="reason" ~
388.          rows="4" ~
389.          class="w-full border border-gray-300 rounded p-2" ~
390.          placeholder="Write your reason here..." ~
391.          required></textarea>~
392.      ~
393.      <input type="hidden" id="report_type" name="report_type">~
394.      <input type="hidden" id="reported_id" name="reported_id"
395.          value="1">~
396.      ~
397.      <div class="mt-4 flex justify-end gap-2">~
398.          <button ~
399.              type="button" ~
400.              class="px-4 py-2 bg-gray-200 text-gray-700 rounded
401.              hover:bg-gray-300">~
402.          onclick="document.getElementById('reportModal').classList.add('hidden')">~
403.              Cancel<~
404.          </button>~
405.          <button ~
406.              type="submit" ~
407.              class="px-4 py-2 bg-red-500 text-white rounded
408.              hover:bg-red-600">~
409.              Submit Report<~
410.          </button>~
411.      </form>~
412.  </div>~
413. ~
414. ~
415. ~
416.     <a href="https://www.emergingtechbrew.com/stories/2024/12/13/small-
417.         business-ai-amex-census">~
418.             <p class="my-4 text-4xl md:text-5xl lg:text-6xl font-medium
419.             tracking-tight line-clamp-4 overflow-visible">The Rise of AI</p>~
420.         </a>~
421. ~
422.     <!-- report first -->~
423.     <div id="post-actions" class="flex flex-row mt-auto text-xl gap-2
424.         items-center">~
425. ~
426.         <input id="favorite-1" type="checkbox" class="hidden
427.             peer/favorite" ~
428.             name="favorite"~
429.             onchange="toggleFavorite(1)">~
430. ~
431.         <label for="favorite-1"~
432.             class="peer-checked/favorite:fill-pink-500 cursor-pointer
433.             group-hover/wrapper:hover:fill-pink-500 fill-[#3C3D37] transition-all
434.             ease-out group-hover/wrapper:fill-[#F4F2ED]">~
435.             <svg class="h-6" viewBox="0 0 24 24"
436.                 xmlns="http://www.w3.org/2000/svg">~
437.                 <path~
438.                     d="M12 21.35l-1.45-1.32C5.4 15.36 2 12.28 2 8.5 2 5.42
439.                     4.42 3 7.5 3c1.74 0 3.41.81 4.5 2.09C13.09 3.81 14.76 3 16.5 3 19.58 3 22
440.                     5.42 22 8.5c0 3.78-3.4 6.86-8.55 11.54L12 21.35z" />~
441.             </svg>~
442.         </label>~
443. ~
444.     </div>~
445. ~
446.     <div>~
447.         <input id="1-upvote" type="checkbox" class="hidden peer/upvote"
448.             name="vote"~
449.             onclick="handleVisitor('http://127.0.0.1:8000/login')">~
450.             <label for="1-upvote"~
```

```
442.         class="peer-checked/upvote:fill-blue-400 cursor-pointer
443.         hover:fill-blue-400 fill-[#3C3D37] transition-all ease-out">↔
444.             <svg class="h-6" viewBox="0 0 24 24"
445.                 <path d="M21,21H3L12,3Z" />↔
446.             </svg>↔
447.             </label>↔
448.         </div>↔
449.         <span class="mr-2" id="1-score">↔
450.             11           </span>↔
451.         </div>↔
452.         <div class="">↔
453.             <input id="1-downvote" type="checkbox" class="hidden
454.             peer/downvote" name="vote">↔
455.                 onclick="handleVisitor('http://127.0.0.1:8000/login')">↔
456.                 <label for="1-downvote">↔
457.                     class="cursor-pointer peer-checked/downvote:fill-red-400
458.                     hover:fill-red-400 fill-[#3C3D37] transition-all ease-out">↔
459.                         <svg class="h-6 rotate-180" viewBox="0 0 24 24"
460.                             <path d="M21,21H3L12,3Z" />↔
461.                         </svg>↔
462.                     </label>↔
463.                 </div>↔
464.             <button data-toggle="reply-form" data-target="thread">↔
465.                 <svg class="cursor-pointer ml-4 h-5 min-w-5 hover:fill-blue-400
466.                 transition-all ease-out fill-[#3C3D37]">↔
467.                     viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↔
468.                     <g id="Layer 2" data-name="Layer 2">↔
469.                         <g id="invisible box" data-name="invisible box">↔
470.                             <rect width="48" height="48" fill="none" />↔
471.                             <rect width="48" height="48" fill="none" />↔
472.                         </g>↔
473.                         <g id="icons_Q2" data-name="icons Q2">↔
474.                             <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
475.                               0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
476.                         </g>↔
477.                     </svg>↔
478.                 </button>↔
479.             <span>6</span>↔
480.         </div>↔
481.     </div>↔
482.     <div class="ml-auto hidden text-sm lg:text-base sm:block relative
483.     transition-all transform">↔
484.         <span>↔
485.             1 hour ago by↔
486.         </span>↔
487.         <div class="inline cursor-pointer group italic">
488.             contributors↔
489.             <div class="transition-all absolute right-0 bottom-6 invisible group-
490.               hover:visible opacity-0 hover:opacity-100 group-
491.               hover:opacity-100 bg-[#F4F2ED] text-[#3C3D37] border border-[#3C3D37]
492.               rounded-md shadow-lg py-4 px-2 min-w-28">↔
493.                 <ul>↔
494.                   <li class="mb-1">↔
495.                     <a href="http://127.0.0.1:8000/users/29/profile" class="underline-
496.                     effect">↔
497.                         @tony↔
498.                     </a>↔
499.                   </li>↔
500.                   <li class="mb-1">↔
501.                     <a href="http://127.0.0.1:8000/users/44/profile" class="underline-
502.                     effect">↔
503.                         @icarus↔
504.                   </li>↔
505.                 </ul>↔
506.             </div>↔
507.         </div>↔
508.     </div>↔
509. </div>↔
```

```
498.          </a>↵
499.      </li>↵
500.          <li class="mb-1">↵
501.              <a href="http://127.0.0.1:8000/users/48/profile" class="underline-↵
502.                  @marty↵
503.              </a>↵
504.          </li>↵
505.          <li class="mb-1">↵
506.              <a href="http://127.0.0.1:8000/users/53/profile" class="underline-↵
507.                  @r2d2↵
508.              </a>↵
509.          </li>↵
510.          <li class="mb-1">↵
511.              <a href="http://127.0.0.1:8000/users/56/profile" class="underline-↵
512.                  @ultron↵
513.              </a>↵
514.          </li>↵
515.          <li class="mb-1">↵
516.              <a href="http://127.0.0.1:8000/users/82/profile" class="underline-↵
517.                  @professor↵
518.              </a>↵
519.          </li>↵
520.          <li class="mb-1">↵
521.              <a href="http://127.0.0.1:8000/users/90/profile" class="underline-↵
522.                  @huey↵
523.              </a>↵
524.          </li>↵
525.          <li class="mb-1">↵
526.              <a href="http://127.0.0.1:8000/users/91/profile" class="underline-↵
527.                  @dewey↵
528.              </a>↵
529.          </li>↵
530.          <li class="mb-1">↵
531.              <a href="http://127.0.0.1:8000/users/92/profile" class="underline-↵
532.                  @louie↵
533.              </a>↵
534.          </li>↵
535.      </ul>↵
536.  </div>↵
537. </div>           </div>↵
538. </div>↵
539. </div>↵
540. </div>↵
541. ↵
542. <div id="post-content" class="py-4 px-8 flex flex-col gap-4 flex-↵
543. none">↵
544.     <div id="contributors-container" class="flex items-center space-x-2">↵
545.         <div class="flex -space-x-4 rtl:space-x-reverse items-center transition-all" id="contributors-images">↵
546.             <a href="http://127.0.0.1:8000/users/29/profile" class="group">↵
547.                 ↵
549.             </a>↵
550.             <a href="http://127.0.0.1:8000/users/44/profile" class="group">↵
551.                 ↵
553.             </a>↵
554.         <a href="http://127.0.0.1:8000/users/48/profile" class="group">
```

```
554.      
556.          class="w-10 h-10 border-2 border-white rounded-full object-
557.          cover ">
558.          </a>
559.          <a href="http://127.0.0.1:8000/users/53/profile"
560.              class="group">
561.              
562.              class="w-10 h-10 border-2 border-white rounded-full object-
563.              cover ">
564.              </a>
565.              <button id="expand-button">
566.                  class="flex items-center justify-center w-10 h-10 text-xs font-
567.                  medium text-white bg-slate-600 border-2 border-white rounded-full object-
568.                  coverhover:bg-gray-600">
569.                  +5
570.                  </button>
571.                  </div>
572.              </div>
573.          </div>
574.      </div>
575.      <div data-text="markdown">
576.          <div class="break-words font-volkorn max-w-[95%] prose prose-a:text-
577.          [&#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] prose-blockquote:border-
578.          l-4 prose-blockquote:border-[#4793AF]/[.50] prose-code:bg-white/[.50]
579.          prose-code:p-1 prose-code:rounded prose-code:text-[#4793AF]">
580.          Artificial Intelligence is revolutionizing the world.
581.      </div>
582.  </div>
583.  <div class="gap-y-2">
584.      <div class="flex flex-row items-center cursor-text p-8" id="thread-
585.      placeholder">
586.          <a class="size-8 rounded-full href="">
587.              
588.          </a>
589.          <span class="px-2 text-xl font-light ml-4">start a thread</span>
590.      </div>
591.      <div id="thread-editor" class="px-8 py-6 hidden">
592.          <div class="flex flex-row gap-4">
593.              <input type="radio" name="toggle" id="editor-write-toggle-thread" class="hidden peer/write" checked />
594.              <label for="editor-write-toggle-thread">
595.                  class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">
596.                  write
597.              </label>
598.          </div>
599.          <input type="radio" name="toggle" id="editor-preview-toggle-thread" class="hidden peer/preview" />
600.          <label for="editor-preview-toggle-thread">
601.              class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">
602.              preview
603.          </label>
604.      </div>
605.      <div class="flex flex-col mt-2" id="thread-editors">
606.          <!-- Textarea for Markdown Input -->
607.          <textarea id="editor-thread-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
608.      </textarea>
609.      <!-- Markdown Preview -->
610.      <div id="editor-thread-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
611.      " style="background-color: #f0f0f0; border: 1px solid #ccc; padding: 10px; margin-top: 10px">
```

```
a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4"">~  
608.     </div>~  
609.   </div>~  
610.   <div class="justify-end flex gap-4 mt-4">~  
611.   ~  
612.     <button name="cancel-btn">~  
613.       class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">~  
614.         cancel~  
615.     </button>~  
616.     <button name="submit-btn">~  
617.       class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">~  
618.         submit~  
619.     </button>~  
620.   </div>~  
621. </div>  </div>~  
622. ~  
623. ~  
624. <div class="flex flex-col px-12 py-4 font-grotesk">~  
625. ~  
626. ~  
627. ~  
628. ~  
629. <div class="min-w-72">~  
630.   ~  
631.     <div class="relative mb-3 min-w-72 max-w-full" id="c-1"  
632.       data-id="1" data-parent-id="null">~  
633.     <div class="flex flex-row mt-5">~  
634.       <div class="size-8 rounded-full object-cover">~  
635.         <a href="">~  
636.           ~  
637.         </a>~  
638.       <a href="#c-1">~  
639.         class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px  
640.           hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>~  
641.     </div>~  
642.     <details open class="group/details mt-2 grow">~  
643.       ~  
644.       <summary class="list-none">~  
645.         <div class="px-2 text-sm mb-5">~  
646.           <a href="http://127.0.0.1:8000/users/3/profile"  
647.             class="underline-effect">~  
648.               vasco_admin~  
649.             </a>~  
650.           <span>•</span>~  
651.           <span>1 hour ago</span>~  
652.           <span>•</span>~  
653.           <span class="underline-effect cursor-pointer group-open/details-1:before:content-['hide']">~  
654.             <button >  
655.               onclick=" document.getElementById('reportForm').action =  
656.                             'http://127.0.0.1:8000/report';  
657.                             document.getElementById('report_type').value =  
658.                               'comment_report';  
659.                               document.getElementById('reported_id').value =  
660.                                 '1';  
661.                                 document.getElementById('reportTitle').textContent  
662.                               = 'Report vasco_admin\'s comment ';  
663.                               document.getElementById('reportModal').classList.remove('hidden');">~  
664.             Report Comment~  
665.           </button>~  
666.         </span>~  
667.       <span>•</span>~
```

```

664.      <form action="http://127.0.0.1:8000/comment/1/delete"
665.          method="POST" style="display: inline;">↵
666.          <input type="hidden" name="token" value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
667.          <input type="hidden" name="method" value="PUT">                                <button
668.          type="submit" class="underline-effect text-red-600 hover:text-red-800
669.          delete-comment-button" data-comment-id="1">↵
670.          Delete Comment<br>
671.      </form>↵
672.      </div>↵
673.      <article data-text="markdown">↵
674.          class="font-vollkorn max-w-full prose prose-a:text-
675.          [#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
676.          2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
677.          I think AI is definitely the future! But it does raise a lot of
678.          ethical questions.<br>
679.      </article>↵
680.      <div>↵
681.          <input id="1-upvote-c" type="checkbox" class="hidden
682.          peer/upvote">↵
683.          <label for="1-upvote-c">↵
684.              class="peer-checked/upvote:fill-blue-400 cursor-pointer
685.              hover:fill-blue-400 transition-all ease-out">↵
686.              <svg class="w-5 h-5" viewBox="0 0 24 24"
687.                  xmlns="http://www.w3.org/2000/svg">↵
688.                  <path d="M21,21H3L12,3Z" />↵
689.              </svg>↵
690.          </label>↵
691.          <!-- Report Button -->↵
692.      </div>↵
693.      <span class="mr-2" id="1-score-c">↵
694.          4 </span>↵
695.      </span>↵
696.      <div>↵
697.          <input id="1-downvote-c" type="checkbox" class="hidden
698.          peer/downvote">↵
699.          <label for="1-downvote-c">↵
700.              class="cursor-pointer peer-checked/downvote:fill-red-400
701.              hover:fill-red-400 transition-all ease-out">↵
702.              <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
703.                  xmlns="http://www.w3.org/2000/svg">↵
704.                  <path d="M21,21H3L12,3Z" />↵
705.              </svg>↵
706.          </label>↵
707.      </div>↵
708.      <button data-toggle="reply-form" data-target="1-editor">↵
709.          <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
710.          transition-all ease-out" viewBox="0 0 48 48">↵
711.              xmlns="http://www.w3.org/2000/svg">↵
712.              <g id="Layer 2" data-name="Layer 2">↵
713.                  <g id="invisible box" data-name="invisible box">↵
714.                      <rect width="48" height="48" fill="none" />↵
715.                      <rect width="48" height="48" fill="none" />↵
716.                  </g>↵
717.                  <g id="icons_Q2" data-name="icons Q2">↵
718.                      <path/>↵

```

```
719.     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
720.         0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
721.             </g>↵
722.             </svg>↵
723.             </button>↵
724.             <span>1</span>↵
725.             </footer>↵
726.         ↵
727.         <div id="1-editor" class="px-8 py-6 hidden">↵
728.             <div class="flex flex-row gap-4">↵
729.                 <input type="radio" name="toggle" id="editor-write-toggle-1"
730.                     class="hidden peer/write" checked />↵
731.                     <label for="editor-write-toggle-1">
732.                         class="underline-effect cursor-pointer peer-checked:aria-selected
733.                         peer-checked/write:font-bold">↵
734.                         write↵
735.                     </label>↵
736.                 <input type="radio" name="toggle" id="editor-preview-toggle-1"
737.                     class="hidden peer/preview" />↵
738.                     <label for="editor-preview-toggle-1">
739.                         class="underline-effect cursor-pointer peer-checked:aria-selected
740.                         peer-checked/preview:font-bold">↵
741.                         preview↵
742.                     </label>↵
743.                 </div>↵
744.             <div class="flex flex-col mt-2" id="1-editors">↵
745.                 <!-- Textarea for Markdown Input -->↵
746.                 <div id="editor-1-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
747.                     font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
748.                     <!-- Markdown Preview -->↵
749.                     <div id="editor-1-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
750.                         font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
751.                         a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
752.                         blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
753.                     </div>↵
754.                     </div>↵
755.                     <div class="justify-end flex gap-4 mt-4">↵
756.                         <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
757.                             [#4793AF]/[.80] text-white font-bold">cancel</button>↵
758.                         <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
759.                             [#4793AF]/[.80] text-white font-bold">submit</button>↵
760.                     </div>↵
761.                 </div>↵
762.             </div>↵
763.         </div>↵
764.         ↵
765.         <div class="ml-12" name="replies">↵
766.             <div class="relative mb-3 min-w-72 max-w-full" id="c-2"
767.                 data-id="2" data-parent-id="1">↵
768.                 <div class="flex flex-row mt-5">↵
769.                     <div class="size-8 rounded-full object-cover">↵
770.                         <a href="">↵
771.                             ↵
773.                         </a>↵
774.                     </div>↵
775.                     <a href="#c-2">
```

```

774.         class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
775.         hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>
776.     </div>
777.     <details open class="group/details mt-2 grow">
778.         <summary class="list-none">
779.             <div class="px-2 text-sm mb-5">
780.                 <a href="http://127.0.0.1:8000/users/2/profile"
781.                     class="underline-effect">
782.                     tiago_admin<
783.                 </a>
784.                 <span>•</span>
785.                 <span>1 hour ago</span>
786.                 <
787.                     <span>•</span>
788.                 <form action="http://127.0.0.1:8000/comment/2/delete"
789.                     method="POST" style="display: inline;">
790.                     <input type="hidden" name="token"
791.                         value="9Suk64UAIxrxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
792.                     <input type="hidden" name="method" value="PUT">
793.                     <button type="submit" class="underline-effect text-red-600 hover:text-red-800
794.                         delete-comment-button" data-comment-id="2">
795.                         Delete Comment<
796.                     </button>
797.                 </form>
798.             </div>
799.         </summary>
800.         <article data-text="markdown">
801.             <class="font-vollkorn max-w-full prose prose-a:text-
802.                 [&#4793AF]/[.80] hover:prose-a:text-[&#4793AF]/[1] ml-1 prose-blockquote:my-
803.                 2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4"&gt;
804.             Agreed, especially when it comes to job displacement. It's a big
805.             concern.&lt;
806.             &lt;/article&gt;
807.             &lt;
808.             &lt;footer class="flex gap-x-1 items-center mt-4"&gt;
809.                 &lt;div&gt;
810.                     &lt;input id="2-upvote-c" type="checkbox" class="hidden
811.                         peer/upvote"&gt;
812.                     &lt;label for="2-upvote-c"&gt;
813.                         &lt;class="peer-checked/upvote:fill-blue-400 cursor-pointer
814.                             hover:fill-blue-400 transition-all ease-out"&gt;
815.                             &lt;svg class="w-5 h-5" viewBox="0 0 24 24"
816.                                 xmlns="http://www.w3.org/2000/svg"&gt;
817.                                 &lt;path d="M21,21H3L12,3Z" /&gt;
818.                             &lt;/svg&gt;
819.                         &lt;/label&gt;
820.                         &lt;!-- Report Button --&gt;
821.                     &lt;/div&gt;
822.                     &lt;
823.                     &lt;span class="mr-2" id="2-score-c"&gt;
824.                         11
825.                     &lt;/span&gt;
826.                     &lt;div&gt;
827.                         &lt;input id="2-downvote-c" type="checkbox" class="hidden
828.                             peer/downvote"&gt;
829.                         &lt;label for="2-downvote-c"&gt;
830.                             &lt;class="cursor-pointer peer-checked/downvote:fill-red-400
831.                                 hover:fill-red-400 transition-all ease-out"&gt;
832.                                 &lt;svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
833.                                     xmlns="http://www.w3.org/2000/svg"&gt;
834.                                     &lt;path d="M21,21H3L12,3Z" /&gt;
835.                                 &lt;/svg&gt;
</pre>
</div>
<div data-bbox="34 967 267 982" data-label="Page-Footer"><a href="https://validator.w3.org/nu/#textarea">https://validator.w3.org/nu/#textarea</a></div>
<div data-bbox="920 967 970 981" data-label="Page-Footer">55/86</div>
```

```
829.          </label>↵
830.        </div>↵
831.      ↵
832.      ↵
833.      <button data-toggle="reply-form" data-target="2-editor">↵
834.        <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400" transition-all ease-out viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↵
835.          <g id="Layer 2" data-name="Layer 2">↵
836.            <g id="invisible_box" data-name="invisible box">↵
837.              <rect width="48" height="48" fill="none" />↵
838.              <rect width="48" height="48" fill="none" />↵
839.            </g>↵
840.          <g id="icons_Q2" data-name="icons Q2">↵
841.            <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
842.          </g>↵
843.        </g>↵
844.      </span>2</span>↵
845.    </footer>↵
846.  ↵
847.  </div id="2-editor" class="px-8 py-6 hidden">↵
848.    <div class="flex flex-row gap-4">↵
849.      <input type="radio" name="toggle" id="editor-write-toggle-2" class="hidden peer/write" checked />↵
850.      <label for="editor-write-toggle-2" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">↵
851.        write↵
852.      </label>↵
853.    <input type="radio" name="toggle" id="editor-preview-toggle-2" class="hidden peer/preview" />↵
854.    <label for="editor-preview-toggle-2" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">↵
855.      preview↵
856.    </label>↵
857.  </div>↵
858.  ↵
859.  <div class="flex flex-col mt-2" id="2-editors">↵
860.    <!-- Textarea for Markdown Input -->↵
861.    <textarea id="editor-2-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
862.    </textarea>↵
863.  </div>↵
864.  ↵
865.  <!-- Markdown Preview -->↵
866.  <div id="editor-2-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
867.  </div>↵
868.  </div>↵
869.  <div class="justify-end flex gap-4 mt-4">↵
870.    <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
871.      cancel↵
872.    </button>↵
873.    <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
874.      submit↵
875.    </button>↵
876.  </div>↵
877.  ↵
```

```
886. </div>↔
887. </div>↔
888. ↵
889. <div class="ml-7" name="replies">↔
890.     <div class="relative mb-3 min-w-72 max-w-full" id="c-59" data-id="59" data-parent-id="2">↔
891.     <div class="flex flex-row mt-5">↔
892.         <div class="size-8 rounded-full object-cover">↔
893.             <a href="">↔
894.                 ↔
895.             </a>↔
896.         ↵
897.         <a href="#c-59">↔
898.             class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↔
899.         </div>↔
900.         <details open class="group/details mt-2 grow">↔
901.             ↵
902.             <summary class="list-none">↔
903.                 <div class="px-2 text-sm mb-5">↔
904.                     <a href="http://127.0.0.1:8000/users/8/profile" class="underline-effect">↔
905.                         consulting_detective↔
906.                     </a>↔
907.             ↵
908.             <span>•</span>↔
909.             <span>1 hour ago</span>↔
910.                 <span>•</span>↔
911.                 <span class="underline-effect cursor-pointer group-open/details-59:before:content-['hide']">↔
912.                     <button ↵
913.                         onclick=" document.getElementById('reportForm').action = 'http://127.0.0.1:8000/report';" ↵
914.                         document.getElementById('report_type').value = 'comment_report';" ↵
915.                         document.getElementById('reported_id').value = '59';" ↵
916.                         document.getElementById('reportTitle').textContent = 'Report consulting_detective\'s comment ';" ↵
917.             document.getElementById('reportModal').classList.remove('hidden');"↔
918.                 Report Comment↔
919.             </button>↔
920.             </span>↔
921.             ↵
922.             <span>•</span>↔
923.             <form action="http://127.0.0.1:8000/comment/59/delete" method="POST" style="display: inline;">↔
924.                 <input type="hidden" name="token" value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
925.                 <input type="hidden" name="method" value="PUT"> <button type="submit" class="underline-effect text-red-600 hover:text-red-800 delete-comment-button" data-comment-id="59">↔
926.                     Delete Comment↔
927.                 </button>↔
928.             </form>↔
929.             ↵
930.         </div>↔
931.     </summary>↔
932.     ↵
933.     <article data-text="markdown">↔
934.         class="font-volkorn max-w-full prose prose-a:text-[#4793AF1]/[.80] hover:prose-a:text-[#4793AF1]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔
935.             I can't wait for the new VR titles coming out. It's amazing how immersive the experience is getting.↔
936.         </article>↔
937.         ↵
938.     <footer class="flex gap-x-1 items-center mt-4">↔
```

```
939.      ~
940.      <div>~
941.          <input id="59-upvote-c" type="checkbox" class="hidden
942.             peer/upvote">~
943.              <label for="59-upvote-c"~
944.                  class="peer-checked/upvote:fill-blue-400 cursor-pointer
945.                      hover:fill-blue-400 transition-all ease-out">~
946.                      <svg class="w-5 h-5" viewBox="0 0 24 24"
947.                          xmlns="http://www.w3.org/2000/svg">~
948.                          <path d="M21,21H3L12,3Z" />~
949.                      </svg>~
950.                  </label>~
951.          <!-- Report Button -->~
952.      ~
953.      <span class="mr-2" id="59-score-c">~
954.          15
955.      </span>~
956.      ~
957.      <div>~
958.          <input id="59-downvote-c" type="checkbox" class="hidden
959.             peer/downvote">~
960.               <label for="59-downvote-c"~
961.                   class="cursor-pointer peer-checked/downvote:fill-red-400
962.                       hover:fill-red-400 transition-all ease-out">~
963.                       <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
964.                           xmlns="http://www.w3.org/2000/svg">~
965.                           <path d="M21,21H3L12,3Z" />~
966.                       </svg>~
967.                   </label>~
968.      <button data-toggle="reply-form" data-target="#59-editor">~
969.          <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
970.              transition-all ease-out" viewBox="0 0 48 48">~
971.              xmlns="http://www.w3.org/2000/svg">~
972.              <g id="Layer 2" data-name="Layer 2">~
973.                  <g id="invisible_box" data-name="invisible box">~
974.                      <rect width="48" height="48" fill="none" />~
975.                      <rect width="48" height="48" fill="none" />~
976.                  </g>~
977.                  <g id="icons_Q2" data-name="icons Q2">~
978.                      <path~
d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
0,0,0,2-2V6a2,2,0,0,0-2-2Z" />~
979.                      </g>~
980.                  </g>~
981.                  </svg>~
982.              </button>~
983.              <span>0</span>~
984.          </footer>~
985.      ~
986.      <div id="59-editor" class="px-8 py-6 hidden">~
987.      <div class="flex flex-row gap-4">~
988.          <input type="radio" name="toggle" id="editor-write-toggle-59"
989.              class="hidden peer/write" checked />~
990.              <label for="editor-write-toggle-59"~
991.                  class="underline-effect cursor-pointer peer-checked:aria-selected
992.                  peer-checked/write:font-bold">~
993.                  write~
994.              </label>~
995.          <input type="radio" name="toggle" id="editor-preview-toggle-59"
996.              class="hidden peer/preview" />~
997.              <label for="editor-preview-toggle-59"~
998.                  class="underline-effect cursor-pointer peer-checked:aria-selected
999.                  peer-checked/preview:font-bold">~
```

```
997.         preview~  
998.     </label>~  
999.   </div>~  
1000. ~<  
1001.   <div class="flex flex-col mt-2" id="59-editors">~  
1002.     <!-- Textarea for Markdown Input -->~  
1003.     <textarea id="editor-59-input"~  
1004.       class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y  
font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">  
</textarea>~  
1005. ~<  
1006.   <!-- Markdown Preview -->~  
1007.     <div id="editor-59-preview"~  
1008.       class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full  
font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-  
a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-  
blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">~  
1009.     </div>~  
1010.   </div>~  
1011.   <div class="justify-end flex gap-4 mt-4">~  
1012. ~<  
1013.   <button name="cancel-btn"~  
1014.     class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-  
[#4793AF]/[.80] text-white font-bold">~  
1015.     cancel~  
1016.   </button>~  
1017.   <button name="submit-btn"~  
1018.     class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-  
[#4793AF]/[.80] text-white font-bold">~  
1019.     submit~  
1020.   </button>~  
1021.   </div>~  
1022. </div>~  
1023. ~<  
1024.   <div class="ml-4.5" name="replies">~  
1025.     </div>~  
1026. ~<  
1027.   ~<  
1028.     </details>~  
1029.   </div>~  
1030. </div>~  
1031. ~<  
1032. ~<  
1033. ~<  
1034. ~<  
1035.   <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
bg-opacity-50 flex items-center justify-center">~  
1036.     <div class="relative bg-white p-6 rounded shadow-lg w-96">~  
1037.       <form id="reportForm" method="POST" action="">~  
1038.         <input type="hidden" name="token"  
value="9Suk64UAIxrxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">~  
1039.           <fieldset>~  
1040.             <legend class="sr-only">Submit a Report</legend>~  
1041.           <  
1042.             <h2 id="reportTitle" class="text-xl font-semibold mb-  
4">Report</h2>~  
1043.           ~<  
1044.             <label for="reason" class="block mb-2 text-sm font-  
medium">Reason for Reporting:</label>~  
1045.             <textarea ~  
1046.               id="reason" ~  
1047.               name="reason" ~  
1048.               rows="4" ~  
1049.               class="w-full border border-qgray-300 rounded p-2" ~  
1050.               placeholder="Write your reason here..." ~  
1051.               required></textarea>~  
1052.           ~<  
1053.             <input type="hidden" id="report_type" name="report_type">~  
1054.             <input type="hidden" id="reported_id" name="reported_id"  
value="1">~  
1055.           ~<
```

```

1056.          <div class="mt-4 flex justify-end gap-2">↵
1057.              <button ↵
1058.                  type="button" ↵
1059.                  class="px-4 py-2 bg-gray-200 text-gray-700 rounded
1060. hover:bg-gray-300"↵
1061.          onclick="document.getElementById('reportModal').classList.add('hidden')">↵
1062.              Cancel↵
1063.          </button>↵
1064.          <button ↵
1065.              type="submit" ↵
1066.              class="px-4 py-2 bg-red-500 text-white rounded
1067. hover:bg-red-600"↵
1068.          Submit Report↵
1069.      </div>↵
1070.  </form>↵
1071. </div>↵
1072. </div>↵
1073.     <div class="relative mb-3 min-w-72 max-w-full" id="c-91"
1074. data-id="91" data-parent-id="2">↵
1075.     <div class="flex flex-row mt-5">↵
1076.         <div class="size-8 rounded-full object-cover">↵
1077.             <a href="">↵
1078.                 ↵
1080.             </a>↵
1081.         <a href="#c-91"↵
1082.             class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
1083. hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↵
1084.     </div>↵
1085.     <details open class="group/details mt-2 grow">↵
1086.         <summary class="list-none">↵
1087.             <div class="px-2 text-sm mb-5">↵
1088.                 <a href="http://127.0.0.1:8000/users/5/profile"
1089. class="underline-effect">↵
1090.                     diana_admin<↵
1091.                 </a>↵
1092.             <span>•</span>↵
1093.             <span>1 hour ago</span>↵
1094.             <span>•</span>↵
1095.             <span class="underline-effect cursor-pointer group-open/details-
91:before:content-['hide']">↵
1096.                 <button ↵
1097.                     onclick=" document.getElementById('reportForm').action =
1098. 'http://127.0.0.1:8000/report';↵
1099.                     document.getElementById('report_type').value =
1100. 'comment_report';↵
1101.                     document.getElementById('reported_id').value =
1102. '91';↵
1103.                     document.getElementById('reportTitle').textContent
1104. = 'Report diana_admin\'s comment ';<
1105.                     document.getElementById('reportModal').classList.remove('hidden');">↵
1106.                     Report Comment<
1107.                 </button>↵
1108.             </span>↵
1109.             <span>•</span>↵
1110.             <form action="http://127.0.0.1:8000/comment/91/delete"
method="POST" style="display: inline;">↵
1111.                 <input type="hidden" name="token"
1112. value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1113.                 <input type="hidden" name="_method" value="PUT">           <button
1114. type="submit" class="underline-effect text-red-600 hover:text-red-800
1115. delete-comment-button" data-comment-id="91">↵
1116.             Delete Comment<
```

```
1109.          </button>↵
1110.      </form>↵
1111.      ↵
1112.      </div>↵
1113.      </summary>↵
1114.      ↵
1115.          <article data-text="markdown">↵
1116.              class="font-volkorn max-w-full prose prose-a:text-[#4793AF1/1.801 hover:prose-a:text-[#4793AF1/11 ml-1 prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4]">↵
1117.                  I've started switching to sustainable brands. It's a small step, but it makes a difference!↵
1118.          </article>↵
1119.      ↵
1120.      ↵
1121.      <footer class="flex gap-x-1 items-center mt-4">↵
1122.          ↵
1123.          <div>↵
1124.              <input id="91-upvote-c" type="checkbox" class="hidden peer/upvote">↵
1125.                  <label for="91-upvote-c">↵
1126.                      class="peer-checked/upvote:fill-blue-400 cursor-pointer hover:fill-blue-400 transition-all ease-out">↵
1127.                          <svg class="w-5 h-5" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">↵
1128.                              <path d="M21,21H3L12,3Z" />↵
1129.                          </svg>↵
1130.                      </label>↵
1131.                  <!-- Report Button -->↵
1132.          ↵
1133.          </div>↵
1134.      ↵
1135.      ↵
1136.          <span class="mr-2" id="91-score-c">↵
1137.              1          </span>↵
1138.      ↵
1139.      ↵
1140.          <div>↵
1141.              <input id="91-downvote-c" type="checkbox" class="hidden peer/downvote">↵
1142.                  <label for="91-downvote-c">↵
1143.                      class="cursor-pointer peer-checked/downvote:fill-red-400 hover:fill-red-400 transition-all ease-out">↵
1144.                          <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">↵
1145.                              <path d="M21,21H3L12,3Z" />↵
1146.                          </svg>↵
1147.                      </label>↵
1148.          </div>↵
1149.      ↵
1150.      ↵
1151.          <button data-toggle="reply-form" data-target="91-editor">↵
1152.              <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400 transition-all ease-out" viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↵
1153.                  <g id="Layer 2" data-name="Layer 2">↵
1154.                      <g id="invisible_box" data-name="invisible box">↵
1155.                          <rect width="48" height="48" fill="none" />↵
1156.                          <rect width="48" height="48" fill="none" />↵
1157.                      </g>↵
1158.                      <g id="icons_Q2" data-name="icons Q2">↵
1159.                          <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
1160.                      </g>↵
1161.                  </g>↵
1162.              </g>↵
1163.          </g>↵
1164.      </svg>↵
1165.      </button>↵
1166.      <span>0</span>↵
1167.  </footer>↵
```

```
1168. ↵
1169.     <div id="91-editor" class="px-8 py-6 hidden">↵
1170.         <div class="flex flex-row gap-4">↵
1171.             <input type="radio" name="toggle" id="editor-write-toggle-91" class="hidden peer/write" checked />↵
1172.             <label for="editor-write-toggle-91" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">↵
1173.                 write↵
1174.             </label>↵
1175.         ↵
1176.         <input type="radio" name="toggle" id="editor-preview-toggle-91" class="hidden peer/preview" />↵
1177.             <label for="editor-preview-toggle-91" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">↵
1178.                 preview↵
1179.             </label>↵
1180.         </div>↵
1181.     ↵
1182.     <div class="flex flex-col mt-2" id="91-editors">↵
1183.         <!-- Textarea for Markdown Input -->↵
1184.         <textarea id="editor-91-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
1185.     </textarea>↵
1186.     ↵
1187.     <!-- Markdown Preview -->↵
1188.     <div id="editor-91-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
1189.         </div>↵
1190.     </div>↵
1191.     <div class="justify-end flex gap-4 mt-4">↵
1192.         <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
1193.             cancel</button>↵
1194.         <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
1195.             submit</button>↵
1196.         </div>↵
1197.     </div>↵
1198.     <div class="ml-4.5" name="replies">↵
1199.         </div>↵
1200.     </div>↵
1201.     </div>↵
1202.     </div>↵
1203.     </div>↵
1204.     </div>↵
1205.     </div>↵
1206.     ↵
1207.     <div class="ml-4.5" name="replies">↵
1208.         </div>↵
1209.     </div>↵
1210.     ↵
1211.     </details>↵
1212. </div>↵
1213. </div>↵
1214. ↵
1215. ↵
1216. ↵
1217. ↵
1218.     <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black bg-opacity-50 flex items-center justify-center">↵
1219.         <div class="relative bg-white p-6 rounded shadow-lg w-96">↵
1220.             <form id="reportForm" method="POST" action="">↵
1221.                 <input type="hidden" name="token" value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
1222.                 <fieldset>↵
1223.                     <legend class="sr-only">Submit a Report</legend>↵
1224.             </form>↵
1225.         </div>↵
1226.     </div>↵
1227. 
```

```

1225. 4">Report</h2>
1226. ~
1227. <label for="reason" class="block mb-2 text-sm font-
medium">Reason for Reporting:</label>
1228. <textarea ~
1229.   id="reason" ~
1230.   name="reason" ~
1231.   rows="4" ~
1232.   class="w-full border border-gray-300 rounded p-2" ~
1233.   placeholder="Write your reason here..." ~
1234.   required></textarea>
1235. ~
1236. <input type="hidden" id="report_type" name="report_type">
1237. <input type="hidden" id="reported_id" name="reported_id"
1238. value="1">
1239. ~
1240. <div class="mt-4 flex justify-end gap-2">
1241.   <button ~
1242.     type="button" ~
1243.     class="px-4 py-2 bg-gray-200 text-gray-700 rounded
hover:bg-gray-300">
1244.   onclick="document.getElementById('reportModal').classList.add('hidden')">
1245.     Cancel~
1246.   </button>
1247.   <button ~
1248.     type="submit" ~
1249.     class="px-4 py-2 bg-red-500 text-white rounded
hover:bg-red-600">
1250.       Submit Report~
1251.     </button>
1252.   </div>
1253. </form>
1254. </div>
1255. </div>
1256. </div>
1257. ~
1258. ~
1259. </details>
1260. </div>
1261. </div>
1262. ~
1263. ~
1264. ~
1265. ~
1266. <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
bg-opacity-50 flex items-center justify-center">
1267.   <div class="relative bg-white p-6 rounded shadow-lg w-96">
1268.     <form id="reportForm" method="POST" action="">
1269.       <input type="hidden" name="token"
1270. value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1271.       <fieldset>
1272.         <legend class="sr-only">Submit a Report</legend>
1273.         <h2 id="reportTitle" class="text-xl font-semibold mb-
4">Report</h2>
1274. ~
1275. <label for="reason" class="block mb-2 text-sm font-
medium">Reason for Reporting:</label>
1276. <textarea ~
1277.   id="reason" ~
1278.   name="reason" ~
1279.   rows="4" ~
1280.   class="w-full border border-gray-300 rounded p-2" ~
1281.   placeholder="Write your reason here..." ~
1282.   required></textarea>
1283. ~
1284. <input type="hidden" id="report_type" name="report_type">

```

```

1285.      <input type="hidden" id="reported_id" name="reported_id" value="1">↵
1286.      ↵
1287.      <div class="mt-4 flex justify-end gap-2">↵
1288.          <button ↵
1289.              type="button" ↵
1290.              class="px-4 py-2 bg-gray-200 text-gray-700 rounded hover:bg-gray-300"↵
1291.              onclick="document.getElementById('reportModal').classList.add('hidden')">↵
1292.                  Cancel<↵
1293.              </button>↵
1294.              <button ↵
1295.                  type="submit" ↵
1296.                  class="px-4 py-2 bg-red-500 text-white rounded hover:bg-red-600"↵
1297.                      Submit Report<↵
1298.                  </button>↵
1299.          </div>↵
1300.      </fieldset>↵
1301.  </form>↵
1302. </div>↵
1303. </div>↵
1304.     </div>↵
1305. ↵
1306.     </details>↵
1307.   </div>↵
1308. </div>↵
1309. </div>↵
1310. ↵
1311. ↵
1312. ↵
1313. ↵
1314.     <div class="relative mb-3 min-w-72 max-w-full" id="c-3" data-id="3" data-parent-id="null">↵
1315.     <div class="flex flex-row mt-5">↵
1316.         <div class="size-8 rounded-full object-cover">↵
1317.             <a href="">↵
1318.                 ↵
1319.             </a>↵
1320.         </div>↵
1321.         <a href="#c-3" ↵
1322.             class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px h-[calc(100%-32px)] cursor-pointer"></a>↵
1323.     </div>↵
1324.     <details open class="group/details mt-2 grow">↵
1325.         <summary class="list-none">↵
1326.             <div class="px-2 text-sm mb-5">↵
1327.                 <a href="http://127.0.0.1:8000/users/3/profile" class="underline-effect">↵
1328.                     vasco_admin<↵
1329.                 </a>↵
1330.             </div>↵
1331.         <span>•</span>↵
1332.         <span>1 hour ago</span>↵
1333.         <span>•</span>↵
1334.         <span class="underline-effect cursor-pointer group-open/details-3:before:content-['hide']">↵
1335.             <button ↵
1336.                 onclick=" document.getElementById('reportForm').action = 'http://127.0.0.1:8000/report';" ↵
1337.                 document.getElementById('report_type').value = 'comment_report';" ↵
1338.                 document.getElementById('reported_id').value = '3';" ↵
1339.                 document.getElementById('reportTitle').textContent = 'Report vasco_admin\'s comment ';" ↵
1340.             document.getElementById('reportModal').classList.remove('hidden');" >↵
1341. 
```

```

1342.          Report Comment↔
1343.          </button>↔
1344.        </span>↔
1345.          ↵
1346.          <span>•</span>↔
1347.          <form action="http://127.0.0.1:8000/comment/3/delete"
1348.            method="POST" style="display: inline;">↔
1349.            <input type="hidden" name="token"
1350.              value="9Suk64UAIZxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1351.            <input type="hidden" name="method" value="PUT">           <button
1352.              type="submit" class="underline-effect text-red-600 hover:text-red-800
1353.              delete-comment-button" data-comment-id="3">↔
1354.          Delete Comment↔
1355.          </button>↔
1356.        </form>↔
1357.      </div>↔
1358.    </summary>↔
1359.    ↵
1360.    <article data-text="markdown">↔
1361.      class="font-vollkorn max-w-full prose prose-a:text-
1362.      [#4793AF1/1.80] hover:prose-a:text-[#4793AF1/1] ml-1 prose-blockquote:my-
1363.      2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔
1364.      AI is already revolutionizing industries, but it's not without
1365.      its problems.↔
1366.      </article>↔
1367.      ↵
1368.      <footer class="flex gap-x-1 items-center mt-4">↔
1369.        <div>↔
1370.          <input id="3-upvote-c" type="checkbox" class="hidden
1371.          peer/upvote">↔
1372.          <label for="3-upvote-c">↔
1373.            class="peer-checked/upvote:fill-blue-400 cursor-pointer
1374.            hover:fill-blue-400 transition-all ease-out">↔
1375.            <svg class="w-5 h-5" viewBox="0 0 24 24"
1376.              xmlns="http://www.w3.org/2000/svg">↔
1377.              <path d="M21,21H3L12,3Z" />↔
1378.            </svg>↔
1379.          </label>↔
1380.          <!-- Report Button -->↔
1381.        </div>↔
1382.        <span class="mr-2" id="3-score-c">↔
1383.          7           </span>↔
1384.        </span>↔
1385.        <div>↔
1386.          <input id="3-downvote-c" type="checkbox" class="hidden
1387.          peer/downvote">↔
1388.          <label for="3-downvote-c">↔
1389.            class="cursor-pointer peer-checked/downvote:fill-red-400
1390.            hover:fill-red-400 transition-all ease-out">↔
1391.            <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
1392.              xmlns="http://www.w3.org/2000/svg">↔
1393.              <path d="M21,21H3L12,3Z" />↔
1394.            </svg>↔
1395.          </label>↔
1396.        </div>↔
1397.        <button data-toggle="reply-form" data-target="3-editor">↔
1398.          <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
1399.            transition-all ease-out" viewBox="0 0 48 48">↔
1400.            xmlns="http://www.w3.org/2000/svg">↔
1401.            <g id="Layer 2" data-name="Layer 2">↔
1402.              <g id="invisible_box" data-name="invisible_box">↔
1403.                <rect width="48" height="48" fill="none" />↔

```

```
1398.             <rect width="48" height="48" fill="none" />↵
1399.         </g>↵
1400.     <g id="icons_Q2" data-name="icons Q2">↵
1401.         <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
1402.         </g>↵
1403.     </g>↵
1404.     </svg>↵
1405.   </button>↵
1406.   <span>2</span>↵
1407. </footer>↵
1408. ↵
1409.     <div id="3-editor" class="px-8 py-6 hidden">↵
1410.       <div class="flex flex-row gap-4">↵
1411.         <input type="radio" name="toggle" id="editor-write-toggle-3" class="hidden peer/write" checked />↵
1412.         <label for="editor-write-toggle-3" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">↵
1413.           write↵
1414.         </label>↵
1415.       ↵
1416.       <input type="radio" name="toggle" id="editor-preview-toggle-3" class="hidden peer/preview" />↵
1417.         <label for="editor-preview-toggle-3" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">↵
1418.           preview↵
1419.         </label>↵
1420.       </div>↵
1421.     ↵
1422.     <div class="flex flex-col mt-2" id="3-editors">↵
1423.       <!-- Textarea for Markdown Input -->↵
1424.       <textarea id="editor-3-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
1425.     </textarea>↵
1426.   ↵
1427.   <!-- Markdown Preview -->↵
1428.   <div id="editor-3-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
1429.     </div>↵
1430.   </div>↵
1431.   <div class="justify-end flex gap-4 mt-4">↵
1432.     <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
1433.       cancel↵
1434.     </button>↵
1435.     <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">↵
1436.       submit↵
1437.     </button>↵
1438.   </div>↵
1439. </div>↵
1440. </div>↵
1441. </div>↵
1442. </div>↵
1443. </div>↵
1444. </div>↵
1445. </div>↵
1446. </div>↵
1447.   ↵
1448.   <div class="ml-12" name="replies">↵
1449.     <div class="relative mb-3 min-w-72 max-w-full" id="c-57" data-id="57" data-parent-id="3">↵
1450.       <div class="flex flex-row mt-5">↵
1451.         <div class="size-8 rounded-full object-cover">↵
1452.           <a href="#">↵
1453.             ↵
```

```
1454.      </a>↵
1455.  ↵
1456.      <a href="#c-57"↵
1457.          class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
1458.          hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↵
1459.      <details open class="group/details mt-2 grow">↵
1460.          ↵
1461.          <summary class="list-none">↵
1462.              <div class="px-2 text-sm mb-5">↵
1463.                  <a href="http://127.0.0.1:8000/users/7/profile"
1464.                      class="underline-effect"›
1465.                      saiyan_warrior
1466.                  </a>↵
1467.          <span>•</span>↵
1468.          <span>1 hour ago</span>↵
1469.              <span>•</span>↵
1470.          <span class="underline-effect cursor-pointer group-open/details-
1471. 57:before:content-['hide']">↵
1472.              <button &
1473.                  onclick=" document.getElementById('reportForm').action =
1474. 'http://127.0.0.1:8000/report';"›
1475.                  document.getElementById('report_type').value =
1476. 'comment_report';›
1477.                  document.getElementById('reported_id').value =
1478. '57';›
1479.                  document.getElementById('reportTitle').textContent
1480. = 'Report saiyan_warrior's comment ';
```

```
1481.          document.getElementById('reportModal').classList.remove('hidden');">↵
1482.          Report Comment
1483.      </button>↵
1484.  ↵
1485.      <span>•</span>↵
1486.      <form action="http://127.0.0.1:8000/comment/57/delete"
1487. method="POST" style="display: inline;">↵
1488.          <input type="hidden" name="token"
1489. value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1490.          <input type="hidden" name="method" value="PUT">
1491.          <button type="submit" class="underline-effect text-red-600 hover:text-red-800
1492. delete-comment-button" data-comment-id="57">↵
1493.          Delete Comment
1494.      </button>↵
1495.  ↵
1496.  ↵
1497.      <article data-text="markdown">↵
1498.          <div class="font-vollkorn max-w-full prose prose-a:text-
1499.  [&#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
1500.  2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
1501.          Some of the older ones are classics, but I'm really excited
1502.          about the new mysteries.
1503.      </article>↵
1504.  ↵
1505.  ↵
1506.      <footer class="flex gap-x-1 items-center mt-4">↵
1507.          <div>↵
1508.              <input id="57-upvote-c" type="checkbox" class="hidden
1509. peer/upvote">↵
1510.              <label for="57-upvote-c"›
1511.                  class="peer-checked/upvote:fill-blue-400 cursor-pointer
1512.                  hover:fill-blue-400 transition-all ease-out">↵
1513.                  <svg class="w-5 h-5" viewBox="0 0 24 24"
1514. xmlns="http://www.w3.org/2000/svg">↵
1515.                      <path d="M21,21H3L12,3Z" />↵
1516.                  </svg>↵
1517.          </div>↵
1518.      </footer>↵
1519.  ↵
```

```
1506.          </label>↵
1507.          <!-- Report Button -->↵
1508.          ↵
1509.          </div>↵
1510. ↵
1511.          ↵
1512.          <span class="mr-2" id="57-score-c">↵
1513.              5          </span>↵
1514. ↵
1515.          ↵
1516.          <div>↵
1517.              <input id="57-downvote-c" type="checkbox" class="hidden peer/downvote">↵
1518.                  <label for="57-downvote-c">↵
1519.                      class="cursor-pointer peer-checked/downvote:fill-red-400 hover:fill-red-400 transition-all ease-out">↵
1520.                          <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">↵
1521.                              <path d="M21,21H3L12,3Z" />↵
1522.                      </svg>↵
1523.                  </label>↵
1524.          </div>↵
1525. ↵
1526.          ↵
1527.          <button data-toggle="reply-form" data-target="57-editor">↵
1528.              <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400 transition-all ease-out" viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↵
1529.                  <g id="Layer 2" data-name="Layer 2">↵
1530.                      <g id="invisible_box" data-name="invisible box">↵
1531.                          <rect width="48" height="48" fill="none" />↵
1532.                          <rect width="48" height="48" fill="none" />↵
1533.                      </g>↵
1534.                      <g id="icons_Q2" data-name="icons Q2">↵
1535.                          <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
1536.                      </g>↵
1537.                  </g>↵
1538.              </svg>↵
1539.          </button>↵
1540.          <span>0</span>↵
1541.      </footer>↵
1542. ↵
1543.          <div id="57-editor" class="px-8 py-6 hidden">↵
1544.              <div class="flex flex-row gap-4">↵
1545.                  <input type="radio" name="toggle" id="editor-write-toggle-57" class="hidden peer/write" checked />↵
1546.                      <label for="editor-write-toggle-57" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">↵
1547.                          write↵
1548.                      </label>↵
1549.              <input type="radio" name="toggle" id="editor-preview-toggle-57" class="hidden peer/preview" />↵
1550.                  <label for="editor-preview-toggle-57" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">↵
1551.                      preview↵
1552.                  </label>↵
1553.              </div>↵
1554.          </div>↵
1555.      <div class="flex flex-col mt-2" id="57-editors">↵
1556.          <!-- Textarea for Markdown Input -->↵
1557.          <textarea id="editor-57-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
1558.          </textarea>↵
1559.      </div>↵
1560.  ↵
1561.  <!-- Textarea for Markdown Input -->↵
1562.  <textarea id="editor-57-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
1563.  </textarea>↵
1564.  ↵
```

```
1565.      <!-- Markdown Preview -->
1566.      <div id="editor-57-preview">
1567.          class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">
1568.          </div>
1569.      </div>
1570.      <div class="justify-end flex gap-4 mt-4">
1571.      <
1572.          <button name="cancel-btn">
1573.              class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
[#4793AF]/[.80] text-white font-bold">
1574.              cancel
1575.          </button>
1576.          <button name="submit-btn">
1577.              class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
[#4793AF]/[.80] text-white font-bold">
1578.              submit
1579.          </button>
1580.      </div>
1581.  </div>
1582.      <
1583.          <div class="ml-7" name="replies">
1584.              </div>
1585.      <
1586.          <
1587.              </details>
1588.          </div>
1589.      </div>
1590.      <
1591.      <
1592.      <
1593.      <
1594.          <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
bg-opacity-50 flex items-center justify-center">
1595.              <div class="relative bg-white p-6 rounded shadow-lg w-96">
1596.                  <form id="reportForm" method="POST" action="">
1597.                      <input type="hidden" name="token"
value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1598.                      <fieldset>
1599.                          <legend class="sr-only">Submit a Report</legend>
1600.                      <
1601.                          <h2 id="reportTitle" class="text-xl font-semibold mb-
4">Report</h2>
1602.                      <
1603.                          <label for="reason" class="block mb-2 text-sm font-
medium">Reason for Reporting:</label>
1604.                          <textarea
id="reason" name="reason" rows="4" class="w-full border border-gray-300 rounded p-2" placeholder="Write your reason here..." required></textarea>
1605.                      <
1606.                          <input type="hidden" id="report_type" name="report_type">
1607.                          <input type="hidden" id="reported_id" name="reported_id"
value="1">
1608.                      <
1609.                          <div class="mt-4 flex justify-end gap-2">
1610.                              <button type="button" class="px-4 py-2 bg-gray-200 text-gray-700 rounded
hover:bg-gray-300">
1611.                                  onclick="document.getElementById('reportModal').classList.add('hidden')">
1612.                                  Cancel
1613.                              </button>
1614.                              <button type="submit" >
1615. 
```

Showing results for contents of text-input area - Nu Html Checker

```

1624.      hover:bg-red-600">↔
1625.          Submit Report↔
1626.      </button>↔
1627.      </div>↔
1628.      </fieldset>↔
1629.      </form>↔
1630.  </div>↔
1631. </div>↔
1632.      <div class="relative mb-3 min-w-72 max-w-full" id="c-75"
1633.      data-id="75" data-parent-id="3">↔
1634.          <div class="flex flex-row mt-5">↔
1635.              <div class="size-8 rounded-full object-cover">↔
1636.                  <a href="">↔
1637.                      ↔
1639.                  </a>↔
1640.          <a href="#c-75">↔
1641.              class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
1642.              hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↔
1643.      </div>↔
1644.      <details open class="group/details mt-2 grow">↔
1645.          <summary class="list-none">↔
1646.              <div class="px-2 text-sm mb-5">↔
1647.                  <a href="http://127.0.0.1:8000/users/18/profile"
1648.                  class="underline-effect">↔
1649.                      ian↔
1650.                  </a>↔
1651.          <span>•</span>↔
1652.          <span>1 hour ago</span>↔
1653.          <span>•</span>↔
1654.          <span class="underline-effect cursor-pointer group-open/details-
1655. 75:before:content-['hide']">↔
1656.              <button >
1657.                  onclick=" document.getElementById('reportForm').action =
1658. 'http://127.0.0.1:8000/report';"↔
1659.                  document.getElementById('report_type').value =
1660. 'comment_report';↔
1661.                  document.getElementById('reported_id').value =
1662. '75';↔
1663.                  document.getElementById('reportTitle').textContent
1664. = 'Report ian\'s comment ';&gt;
1665.          document.getElementById('reportModal').classList.remove('hidden');">↔
1666.          Report Comment↔
1667.      </button>↔
1668.  </span>↔
1669.      <span>•</span>↔
1670.      <form action="http://127.0.0.1:8000/comment/75/delete"
1671.      method="POST" style="display: inline;">↔
1672.          <input type="hidden" name="token"
1673. value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1674.          <input type="hidden" name="method" value="PUT">           <button
1675.          type="submit" class="underline-effect text-red-600 hover:text-red-800
1676.          delete-comment-button" data-comment-id="75">↔
1677.              Delete Comment↔
1678.          </button>↔
1679.      </form>↔
1680.  </div>↔
1681. </summary>↔
1682.  <article data-text="markdown">↔
1683.      class="font-volkorn max-w-full prose prose-a:text-
1684.      [&#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
1685.      2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔

```

```
1676. I've been trying a lot of new recipes. It's fun to see what
       works and what doesn't!↵
1677.     </article>↵
1678.     ↵
1679.     ↵
1680.     <footer class="flex gap-x-1 items-center mt-4">↵
1681.         ↵
1682.         <div>↵
1683.             <input id="75-upvote-c" type="checkbox" class="hidden
       peer/upvote">↵
1684.                 <label for="75-upvote-c">↵
1685.                     class="peer-checked/upvote:fill-blue-400 cursor-pointer
       hover:fill-blue-400 transition-all ease-out">↵
1686.                         <svg class="w-5 h-5" viewBox="0 0 24 24"
       xmlns="http://www.w3.org/2000/svg">↵
1687.                             <path d="M21,21H3L12,3Z" />↵
1688.                         </svg>↵
1689.                     </label>↵
1690.                 <!-- Report Button -->↵
1691.             ↵
1692.         </div>↵
1693.     ↵
1694.     ↵
1695.     <span class="mr-2" id="75-score-c">↵
1696.         16           </span>↵
1697.     ↵
1698.     ↵
1699.     <div>↵
1700.         <input id="75-downvote-c" type="checkbox" class="hidden
       peer/downvote">↵
1701.             <label for="75-downvote-c">↵
1702.                 class="cursor-pointer peer-checked/downvote:fill-red-400
       hover:fill-red-400 transition-all ease-out">↵
1703.                     <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
       xmlns="http://www.w3.org/2000/svg">↵
1704.                         <path d="M21,21H3L12,3Z" />↵
1705.                         </svg>↵
1706.                     </label>↵
1707.     </div>↵
1708.     ↵
1709.     ↵
1710.     <button data-toggle="reply-form" data-target="#75-editor">↵
1711.         <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
       transition-all ease-out" viewBox="0 0 48 48">↵
1712.             xmlns="http://www.w3.org/2000/svg">↵
1713.             <g id="Layer 2" data-name="Layer 2">↵
1714.                 <g id="invisible_box" data-name="invisible box">↵
1715.                     <rect width="48" height="48" fill="none" />↵
1716.                     <rect width="48" height="48" fill="none" />↵
1717.                 </g>↵
1718.                 <g id="icons_Q2" data-name="icons Q2">↵
1719.                     <path d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
       0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
1720.             </g>↵
1721.             </g>↵
1722.             </g>↵
1723.             </svg>↵
1724.         </button>↵
1725.         <span>0</span>↵
1726.     </footer>↵
1727.     ↵
1728.     <div id="75-editor" class="px-8 py-6 hidden">↵
1729.         <div class="flex flex-row gap-4">↵
1730.             <input type="radio" name="toggle" id="editor-write-toggle-75"
       class="hidden peer/write" checked />↵
1731.                 <label for="editor-write-toggle-75">↵
1732.                     class="underline-effect cursor-pointer peer-checked:aria-selected
       peer-checked/write:font-bold">↵
1733.                         write
1734.                     </label>↵
```

```
1735. ↵
1736.   <input type="radio" name="toggle" id="editor-preview-toggle-75"
1737.     class="hidden peer/preview" />↵
1738.   <label for="editor-preview-toggle-75"↵
1739.     class="underline-effect cursor-pointer peer-checked:aria-selected
1740.       peer-checked/preview:font-bold">↵
1741.   </label>↵
1742. </div>↵
1743. <div class="flex flex-col mt-2" id="75-editors">↵
1744.   <!-- Textarea for Markdown Input -->↵
1745.   <textarea id="editor-75-input"↵
1746.     class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
1747.       font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
1748.   </textarea>↵
1749.   <!-- Markdown Preview -->↵
1750.   <div id="editor-75-preview"↵
1751.     class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
1752.       font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
1753.       a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
1754.       blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
1755.   </div>↵
1756. </div>↵
1757. <div class="justify-end flex gap-4 mt-4">↵
1758.   <button name="cancel-btn"↵
1759.     class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
1760.       [#4793AF]/[.80] text-white font-bold">↵
1761.     cancel</button>↵
1762.   <button name="submit-btn"↵
1763.     class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
1764.       [#4793AF]/[.80] text-white font-bold">↵
1765.     submit</button>↵
1766. </div>↵
1767. <div class="ml-7" name="replies">↵
1768. </div>↵
1769. <details>↵
1770. </div>↵
1771. </div>↵
1772. </div>↵
1773. </div>↵
1774. </div>↵
1775. </div>↵
1776. </div>↵
1777. <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
1778.   bg-opacity-50 flex items-center justify-center">↵
1779.   <div class="relative bg-white p-6 rounded shadow-lg w-96">↵
1780.     <form id="reportForm" method="POST" action="">↵
1781.       <input type="hidden" name="token"
1782.         value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
1783.       <fieldset>↵
1784.         <legend class="sr-only">Submit a Report</legend>↵
1785.       <h2 id="reportTitle" class="text-xl font-semibold mb-
1786. 4">Report</h2>↵
1787.       <label for="reason" class="block mb-2 text-sm font-
1788. medium">Reason for Reporting:</label>↵
1789.       <textarea id="reason" name="reason" rows="4" class="w-full border border-gray-300 rounded p-2" placeholder="Write your reason here...">
```

```
1793.           required></textarea>↵
1794.   ↵
1795.   <input type="hidden" id="report_type" name="report_type">↵
1796.   <input type="hidden" id="reported_id" name="reported_id" value="1">↵
1797.   ↵
1798.   <div class="mt-4 flex justify-end gap-2">↵
1799.     <button type="button" class="px-4 py-2 bg-gray-200 text-gray-700 rounded hover:bg-gray-300" onclick="document.getElementById('reportModal').classList.add('hidden')">Cancel</button>↵
1800.     <button type="submit" class="px-4 py-2 bg-red-500 text-white rounded hover:bg-red-600">Submit Report</button>↵
1801.   </div>↵
1802. </form>↵
1803. </div>↵
1804. </div>↵
1805. </div>↵
1806. </div>↵
1807. </div>↵
1808. </div>↵
1809. </div>↵
1810. </div>↵
1811. </div>↵
1812. </div>↵
1813. </div>↵
1814. </div>↵
1815. </div>↵
1816. ↵
1817.   </details>↵
1818. </div>↵
1819. </div>↵
1820. </div>↵
1821. ↵
1822. ↵
1823. ↵
1824. ↵
1825.           <div class="relative mb-3 min-w-72 max-w-full" id="c-31" data-id="31" data-parent-id="null">↵
1826.             <div class="flex flex-row mt-5">↵
1827.               <div class="size-8 rounded-full object-cover">↵
1828.                 <a href="#">↵
1829.                   ↵
1830.                 </a>↵
1831.             </div>↵
1832.             <a href="#c-31" class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px h-[calc(100%-32px)] cursor-pointer"></a>↵
1833.           </div>↵
1834.           <div open class="group/details mt-2 grow">↵
1835.             <summary class="list-none">↵
1836.               <div class="px-2 text-sm mb-5">↵
1837.                 <a href="http://127.0.0.1:8000/users/31/profile" class="underline-effect">↵
1838.                   victor</a>↵
1839.                 </div>↵
1840.             <span>•</span>↵
1841.             <span>1 hour ago</span>↵
1842.             <span>•</span>↵
1843.             <span class="underline-effect cursor-pointer group-open/details-31:before:content-['hide']">↵
1844.               <button onclick="document.getElementById('reportForm').action = 'http://127.0.0.1:8000/report'; document.getElementById('report_type').value = 'comment_report'; document.getElementById('reported_id').value = '31';" type="button">Report</button>↵
1845.             </span>↵
1846.           </span>↵
1847.         </div>↵
1848.       </div>↵
1849.     </div>↵
1850.   </div>↵
```

```
1851.     document.getElementById('reportTitle').textContent
1852.     = 'Report victor\'s comment ';<
1853.     document.getElementById('reportModal').classList.remove('hidden');">↵
1854.             Report Comment<
1855.             </button><
1856.             </span><
1857.             <span>•</span><
1858.             <form action="http://127.0.0.1:8000/comment/31/delete"
1859.                 method="POST" style="display: inline;"><
1860.                     <input type="hidden" name="token"
1861.                         value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
1862.                     <input type="hidden" name="method" value="PUT"> <button
1863.                         type="submit" class="underline-effect text-red-600 hover:text-red-800
1864.                         delete-comment-button" data-comment-id="31"><
1865.                         Delete Comment<
1866.                     </button><
1867.                 </form><
1868.             </div><
1869.         </summary><
1870.         <article data-text="markdown">
1871.             class="font-vollkorn max-w-full prose prose-a:text-
1872. [#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
1873. 2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4"><
1874.             I use AI for everyday tasks like shopping recommendations and
1875.             scheduling.<
1876.             </article><
1877.             <
1878.             <
1879.             <footer class="flex gap-x-1 items-center mt-4"><
1880.                 <
1881.                 <div><
1882.                     <input id="31-upvote-c" type="checkbox" class="hidden
1883.                     peer/upvote"><
1884.                     <label for="31-upvote-c">
1885.                         class="peer-checked/upvote:fill-blue-400 cursor-pointer
1886.                         hover:fill-blue-400 transition-all ease-out"><
1887.                         <svg class="w-5 h-5" viewBox="0 0 24 24"
1888.                             xmlns="http://www.w3.org/2000/svg"><
1889.                             <path d="M21,21H3L12,3Z" /><
1890.                         </svg><
1891.                     </label><
1892.                     <!-- Report Button --><
1893.                     <
1894.                     <div><
1895.                         <input id="31-downvote-c" type="checkbox" class="hidden
1896.                         peer/downvote"><
1897.                         <label for="31-downvote-c">
1898.                             class="cursor-pointer peer-checked/downvote:fill-red-400
1899.                             hover:fill-red-400 transition-all ease-out"><
1900.                             <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
1901.                                 xmlns="http://www.w3.org/2000/svg"><
1902.                                 <path d="M21,21H3L12,3Z" /><
1903.                                 </svg><
1904.                                 </label><
1905.                             </div><
```

```

1905.      xmlns="http://www.w3.org/2000/svg">↵
1906.      <g id="Layer 2" data-name="Layer 2">↵
1907.          <g id="invisible_box" data-name="invisible box">↵
1908.              <rect width="48" height="48" fill="none" />↵
1909.              <rect width="48" height="48" fill="none" />↵
1910.          </g>↵
1911.          <g id="icons_Q2" data-name="icons Q2">↵
1912.              <path>↵
1913.                  d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
1914.          </g>↵
1915.      </g>↵
1916.  </svg>↵
1917. </button>↵
1918. <span>2</span>↵
1919. </footer>↵
1920. ↵
1921.     <div id="31-editor" class="px-8 py-6 hidden">↵
1922.     <div class="flex flex-row gap-4">↵
1923.         <input type="radio" name="toggle" id="editor-write-toggle-31" class="hidden peer/write" checked />↵
1924.         <label for="editor-write-toggle-31" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/write:font-bold">↵
1925.             write↵
1926.         </label>↵
1927.     </div>↵
1928.     <input type="radio" name="toggle" id="editor-preview-toggle-31" class="hidden peer/preview" />↵
1929.     <label for="editor-preview-toggle-31" class="underline-effect cursor-pointer peer-checked:aria-selected peer-checked/preview:font-bold">↵
1930.         preview↵
1931.     </label>↵
1932. </div>↵
1933. ↵
1934. <div class="flex flex-col mt-2" id="31-editors">↵
1935.     <!-- Textarea for Markdown Input -->↵
1936.     <textarea id="editor-31-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">↵
1937.     </textarea>↵
1938.     <!-- Markdown Preview -->↵
1939.     <div id="editor-31-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
1940.     </div>↵
1941.     <!-- Textarea for Markdown Input -->↵
1942.     <div class="justify-end flex gap-4 mt-4">↵
1943.         <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">cancel</button>↵
1944.         <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-[#4793AF]/[.80] text-white font-bold">submit</button>↵
1945.     </div>↵
1946. </div>↵
1947. ↵
1948. <div class="ml-12" name="replies">↵
1949.     <div class="relative mb-3 min-w-72 max-w-full" id="c-32" data-id="32" data-parent-id="31">↵
1950.         <div class="flex flex-row mt-5">↵

```

```
1962.      <div class="size-8 rounded-full object-cover">↵
1963.          <a href="">↵
1964.              ↵
1966.          </a>↵
1967.      <a href="#c-32">↵
1968.          class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
1969.          hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↵
1970.      </div>↵
1971.      <details open class="group/details mt-2 grow">↵
1972.          <summary class="list-none">↵
1973.              <div class="px-2 text-sm mb-5">↵
1974.                  <a href="http://127.0.0.1:8000/users/32/profile"
1975.                      class="underline-effect">↵
1976.                      will
1977.                  </a>↵
1978.                  <span>•</span>↵
1979.                  <span>1 hour ago</span>↵
1980.                      <span>•</span>↵
1981.                  <span class="underline-effect cursor-pointer group-open/details-
32:before:content-['hide']">↵
1982.                      <button >
1983.                          onclick=" document.getElementById('reportForm').action =
'http://127.0.0.1:8000/report';" ↵
1984.                          document.getElementById('report_type').value =
'comment_report';" ↵
1985.                          document.getElementById('reported_id').value =
'32';" ↵
1986.                          document.getElementById('reportTitle').textContent
= 'Report will\'s comment ';" ↵
1987.          document.getElementById('reportModal').classList.remove('hidden');" >↵
1988.              Report Comment
1989.          </button>↵
1990.      </span>↵
1991.          <span>•</span>↵
1992.          <form action="http://127.0.0.1:8000/comment/32/delete"
1993.          method="POST" style="display: inline;">↵
1994.              <input type="hidden" name="token"
value="9Suk64UAIxrrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="method" value="PUT">          <button
type="submit" class="underline-effect text-red-600 hover:text-red-800
delete-comment-button" data-comment-id="32">↵
1995.                  Delete Comment
1996.              </button>↵
1997.          </form>↵
1998.      </div>↵
1999.  </summary>↵
2000.  </div>↵
2001.  <article data-text="markdown">↵
2002.      class="font-volkorn max-w-full prose prose-a:text-
[#4793AF1/.801 hover:prose-a:text-[#4793AF1/[1] ml-1 prose-blockquote:my-
2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4]">↵
2004.          Same here! It's convenient, but I do worry about privacy
sometimes.↵
2005.      </article>↵
2006.      </div>↵
2007.      </div>↵
2008.      <footer class="flex gap-x-1 items-center mt-4">↵
2009.          <div>↵
2010.              <input id="32-upvote-c" type="checkbox" class="hidden
peer/upvote">↵
2012.              <label for="32-upvote-c">↵
2013.                  class="peer-checked/upvote:fill-blue-400 cursor-pointer
hover:fill-blue-400 transition-all ease-out">↵
```

```

2014.      <svg class="w-5 h-5" viewBox="0 0 24 24"
2015.        xmlns="http://www.w3.org/2000/svg">↵
2016.          <path d="M21,21H3L12,3Z" />↵
2017.        </svg>↵
2018.        </label>↵
2019.        <!-- Report Button -->↵
2020.      </div>↵
2021.    ↵
2022.    ↵
2023.      <span class="mr-2" id="32-score-c">↵
2024.        16           </span>↵
2025.    ↵
2026.    ↵
2027.      <div>↵
2028.        <input id="32-downvote-c" type="checkbox" class="hidden
peer/downvote">↵
2029.        <label for="32-downvote-c">↵
2030.          class="cursor-pointer peer-checked/downvote:fill-red-400
hover:fill-red-400 transition-all ease-out">↵
2031.          <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
2032.            xmlns="http://www.w3.org/2000/svg">↵
2033.              <path d="M21,21H3L12,3Z" />↵
2034.            </svg>↵
2035.          </label>↵
2036.      </div>↵
2037.    ↵
2038.      <button data-toggle="reply-form" data-target="#32-editor">↵
2039.        <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
transition-all ease-out" viewBox="0 0 48 48">↵
2040.          xmlns="http://www.w3.org/2000/svg">↵
2041.          <g id="Layer 2" data-name="Layer 2">↵
2042.            <g id="invisible_box" data-name="invisible box">↵
2043.              <rect width="48" height="48" fill="none" />↵
2044.              <rect width="48" height="48" fill="none" />↵
2045.            </g>↵
2046.            <g id="icons_Q2" data-name="icons Q2">↵
2047.              <path>↵
2048.                d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
2049.      0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
2050.            </g>↵
2051.            </g>↵
2052.          </svg>↵
2053.        <span>1</span>↵
2054.      </footer>↵
2055.    ↵
2056.      <div id="32-editor" class="px-8 py-6 hidden">↵
2057.        <div class="flex flex-row gap-4">↵
2058.          <input type="radio" name="toggle" id="editor-write-toggle-32"
2059.            class="hidden peer/write" checked />↵
2060.            <label for="editor-write-toggle-32">↵
2061.              class="underline-effect cursor-pointer peer-checked:aria-selected
peer-checked/write:font-bold">↵
2062.              write
2063.            </label>↵
2064.          <input type="radio" name="toggle" id="editor-preview-toggle-32"
2065.            class="hidden peer/preview" />↵
2066.            <label for="editor-preview-toggle-32">↵
2067.              class="underline-effect cursor-pointer peer-checked:aria-selected
peer-checked/preview:font-bold">↵
2068.              preview
2069.            </label>↵
2070.        </div>↵
2071.        <div class="flex flex-col mt-2" id="32-editors">↵
2072.          <!-- Textarea for Markdown Input -->↵
2073.          <textarea id="editor-32-input">

```

```
2074.         class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
  font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
</textarea>↔
2075. ↔
2076.     <!-- Markdown Preview -->↔
2077.     <div id="editor-32-preview">↔
2078.         class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
  font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
  a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
  blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔
2079.         </div>↔
2080.     </div>↔
2081.     <div class="justify-end flex gap-4 mt-4">↔
2082. ↔
2083.     <button name="cancel-btn">↔
2084.         class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
  [#4793AF]/[.80] text-white font-bold">↔
2085.         cancel↔
2086.     </button>↔
2087.     <button name="submit-btn">↔
2088.         class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
  [#4793AF]/[.80] text-white font-bold">↔
2089.         submit↔
2090.     </button>↔
2091.     </div>↔
2092. </div>↔
2093. ↔
2094.     <div class="ml-7" name="replies">↔
2095.         <div class="relative mb-3 min-w-72 max-w-full" id="c-33"
  data-id="33" data-parent-id="32">↔
2096.         <div class="flex flex-row mt-5">↔
2097.             <div class="size-8 rounded-full object-cover">↔
2098.                 <a href="">↔
2099.                     ↔
2100.                 </a>↔
2101. ↔
2102.     <a href="#c-33">↔
2103.         class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
  hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↔
2104.     </div>↔
2105.     <details open class="group/details mt-2 grow">↔
2106.         ↔
2107.         <summary class="list-none">↔
2108.             <div class="px-2 text-sm mb-5">↔
2109.                 <a href="http://127.0.0.1:8000/users/33/profile"
  class="underline-effect">↔
2110.                     xena↔
2111.                 </a>↔
2112.         ↔
2113.         <span>•</span>↔
2114.         <span>1 hour ago</span>↔
2115.             <span>•</span>↔
2116.             <span class="underline-effect cursor-pointer group-open/details-
  33:before:content-['hide']">↔
2117.                 <button >
2118.                     onclick=" document.getElementById('reportForm').action =
  'http://127.0.0.1:8000/report';"
2119.                         document.getElementById('report_type').value =
  'comment_report';"
2120.                         document.getElementById('reported_id').value =
  '33';"
2121.                         document.getElementById('reportTitle').textContent
= 'Report xena\'s comment ';">
2122.             document.getElementById('reportModal').classList.remove('hidden');">↔
2123.                 Report Comment↔
2124.             </button>↔
2125.             </span>↔
2126.             <span>•</span>↔
2127.             <span>•</span>↔
```

```

2128.      <form action="http://127.0.0.1:8000/comment/33/delete"
2129.      method="POST" style="display: inline;">↵
2130.          <input type="hidden" name="token" value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
2131.          <input type="hidden" name="method" value="PUT">                                <button
2132.          type="submit" class="underline-effect text-red-600 hover:text-red-800
2133.          delete-comment-button" data-comment-id="33">↵
2134.          Delete Comment<br>
2135.      </form>↵
2136.      </div>↵
2137.      <article data-text="markdown">↵
2138.          class="font-vollkorn max-w-full prose prose-a:text-
2139.          [&#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
2140.          2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
2141.          That's a valid concern. AI is great, but the data collection can
2142.          be a bit unsettling.<br>
2143.      </article>↵
2144.      <div>↵
2145.          <input id="33-upvote-c" type="checkbox" class="hidden
2146.          peer/upvote">↵
2147.          <label for="33-upvote-c">↵
2148.              class="peer-checked/upvote:fill-blue-400 cursor-pointer
2149.              hover:fill-blue-400 transition-all ease-out">↵
2150.                  <svg class="w-5 h-5" viewBox="0 0 24 24"
2151.                      xmlns="http://www.w3.org/2000/svg">↵
2152.                      <path d="M21,21H3L12,3Z" />↵
2153.                  <!-- Report Button -->↵
2154.          </label>↵
2155.      </div>↵
2156.      <div>↵
2157.          <span class="mr-2" id="33-score-c">↵
2158.              10          </span>↵
2159.          </div>↵
2160.      <div>↵
2161.          <input id="33-downvote-c" type="checkbox" class="hidden
2162.          peer/downvote">↵
2163.          <label for="33-downvote-c">↵
2164.              class="cursor-pointer peer-checked/downvote:fill-red-400
2165.              hover:fill-red-400 transition-all ease-out">↵
2166.                  <svg class="w-5 h-5 rotate-180" viewBox="0 0 24 24"
2167.                      xmlns="http://www.w3.org/2000/svg">↵
2168.                      <path d="M21,21H3L12,3Z" />↵
2169.                  </svg>↵
2170.          </label>↵
2171.      </div>↵
2172.      <div>↵
2173.          <button data-toggle="reply-form" data-target="33-editor">↵
2174.              <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
2175.              transition-all ease-out" viewBox="0 0 48 48">↵
2176.                  xmlns="http://www.w3.org/2000/svg">↵
2177.                  <g id="Layer 2" data-name="Layer 2">↵
2178.                      <g id="invisible box" data-name="invisible box">↵
2179.                          <rect width="48" height="48" fill="none" />↵
2180.                          <rect width="48" height="48" fill="none" />↵
2181.                      </g>↵
2182.                      <g id="icons_Q2" data-name="icons Q2">↵
2183.                          <path>↵

```

```
2183.     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
2184.         0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
2185.         </g>↵
2186.         </svg>↵
2187.         </button>↵
2188.         <span>0</span>↵
2189.     </footer>↵
2190. ↵
2191.     <div id="33-editor" class="px-8 py-6 hidden">↵
2192.     <div class="flex flex-row gap-4">↵
2193.         <input type="radio" name="toggle" id="editor-write-toggle-33"
2194.             class="hidden peer/write" checked />↵
2195.             <label for="editor-write-toggle-33">
2196.                 class="underline-effect cursor-pointer peer-checked:aria-selected
2197.                     peer-checked/write:font-bold">↵
2198.             write↵
2199.         </label>↵
2200.         <input type="radio" name="toggle" id="editor-preview-toggle-33"
2201.             class="hidden peer/preview" />↵
2202.             <label for="editor-preview-toggle-33">
2203.                 class="underline-effect cursor-pointer peer-checked:aria-selected
2204.                     peer-checked/preview:font-bold">↵
2205.             preview↵
2206.         </label>↵
2207.     </div>↵
2208.     <div class="flex flex-col mt-2" id="33-editors">↵
2209.         <!-- Textarea for Markdown Input -->↵
2210.         <textarea id="editor-33-input" class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
2211.             font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
2212.         </textarea>↵
2213.         <!-- Markdown Preview -->↵
2214.         <div id="editor-33-preview" class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
2215.             font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
2216.             a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
2217.             blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
2218.         </div>↵
2219.         </div>↵
2220.         <div class="justify-end flex gap-4 mt-4">↵
2221.             <button name="cancel-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
2222.                 [#4793AF]/[.80] text-white font-bold">cancel</button>↵
2223.             <button name="submit-btn" class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
2224.                 [#4793AF]/[.80] text-white font-bold">submit</button>↵
2225.         </div>↵
2226.     </div>↵
2227. </div>↵
2228.     <div class="ml-4.5" name="replies">↵
2229.         </div>↵
2230.     </div>↵
2231. </div>↵
2232.     </details>↵
2233. </div>↵
2234. </div>↵
2235. </div>↵
2236. </div>↵
2237. </div>↵
2238. </div>↵
2239. </div>
```

```
2240.      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
2241.        bg-opacity-50 flex items-center justify-center">~  
2242.          <div class="relative bg-white p-6 rounded shadow-lg w-96">~  
2243.            <form id="reportForm" method="POST" action="">~  
2244.              <input type="hidden" name="token"  
2245.                value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">~  
2246.                <fieldset>~  
2247.                  <legend class="sr-only">Submit a Report</legend>~  
2248.                ~  
2249.                  <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report</h2>~  
2250.                ~  
2251.                  <label for="reason" class="block mb-2 text-sm font-medium">Reason for Reporting:</label>~  
2252.                  <textarea id="reason" name="reason" rows="4" class="w-full border border-gray-300 rounded p-2" placeholder="Write your reason here..." required></textarea>~  
2253.                ~  
2254.                  <input type="hidden" id="report_type" name="report_type">~  
2255.                  <input type="hidden" id="reported_id" name="reported_id" value="1">~  
2256.                ~  
2257.                <div class="mt-4 flex justify-end gap-2">~  
2258.                  <button type="button" class="px-4 py-2 bg-gray-200 text-gray-700 rounded hover:bg-gray-300">~  
2259.                    onclick="document.getElementById('reportModal').classList.add('hidden')">~  
2260.                      Cancel</button>~  
2261.                    <button type="submit" class="px-4 py-2 bg-red-500 text-white rounded hover:bg-red-600">~  
2262.                      Submit Report</button>~  
2263.                    </div>~  
2264.                  </fieldset>~  
2265.                </div>~  
2266.              </div>~  
2267.            </details>~  
2268.          </div>~  
2269.        </div>~  
2270.      </div>~  
2271.    </div>~  
2272.  </div>~  
2273. </div>~  
2274. ~  
2275. ~  
2276. ~  
2277. ~  
2278. ~  
2279. ~  
2280. ~  
2281. ~  
2282. ~  
2283. ~  
2284. ~  
2285. ~  
2286. ~  
2287. ~  
2288.      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black  
2289.        bg-opacity-50 flex items-center justify-center">~  
2290.          <div class="relative bg-white p-6 rounded shadow-lg w-96">~  
2291.            <form id="reportForm" method="POST" action="">~  
2292.              <input type="hidden" name="token"  
2293.                value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">~  
2294.                <fieldset>~  
2295.                  <legend class="sr-only">Submit a Report</legend>~  
2296.                  ~  
2297.                  <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report</h2>~  
2298.                  ~  
2299.                  <label for="reason" class="block mb-2 text-sm font-medium">Reason for Reporting:</label>~  
2300.                  <textarea>
```

```

2299.
2300.
2301.
2302.      id="reason" ~
2303.      name="reason" ~
2304.      rows="4" ~
2305.      class="w-full border border-gray-300 rounded p-2" ~
2306.      placeholder="Write your reason here..." ~
2307.      required></textare>~
2308.      ~
2309.      <input type="hidden" id="report_type" name="report_type">~
2310.      <input type="hidden" id="reported_id" name="reported_id" ~
2311.      value="1">~
2312.      ~
2313.      <div class="mt-4 flex justify-end gap-2">~
2314.          <button ~
2315.              type="button" ~
2316.              class="px-4 py-2 bg-gray-200 text-gray-700 rounded ~
2317.              hover:bg-gray-300">~
2318.          onclick="document.getElementById('reportModal').classList.add('hidden')">~
2319.              Cancel~
2320.          </button>~
2321.          <button ~
2322.              type="submit" ~
2323.              class="px-4 py-2 bg-red-500 text-white rounded ~
2324.              hover:bg-red-600">~
2325.              Submit Report~
2326.          </button>~
2327.      </div>~
2328.      </fieldset>~
2329.  </form>~
2330. </div>~
2331. <div class="relative mb-3 min-w-72 max-w-full" id="c-104" ~
2332.     data-id="104" data-parent-id="31">~
2333.     <div class="flex flex-row mt-5">~
2334.         <div class="size-8 rounded-full object-cover">~
2335.             <a href="#">~
2336.                 ~
2338.             </a>~
2339.         <a href="#c-104" ~
2340.             class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px ~
2341.             hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>~
2342.         </div>~
2343.         <details open class="group/details mt-2 grow">~
2344.             ~
2345.             <summary class="list-none">~
2346.                 <div class="px-2 text-sm mb-5">~
2347.                     <a href="http://127.0.0.1:8000/users/19/profile" ~
2348.                         class="underline-effect">~
2349.                         jack~
2350.                     </a>~
2351.                 </div>~
2352.             <span>•</span>~
2353.             <span>1 hour ago</span>~
2354.             <span>•</span>~
2355.             <span class="underline-effect cursor-pointer group-open/details- ~
2356. 104:before:content-['hide']">~
2357.                 <button ~
2358.                     onclick=" document.getElementById('reportForm').action = ~
2359. 'http://127.0.0.1:8000/report'; ~
2360.                     document.getElementById('report_type').value = ~
2361. 'comment_report'; ~
2362.                     document.getElementById('reported_id').value = ~
2363. '104'; ~
2364.                     document.getElementById('reportTitle').textContent ~
2365. = 'Report jack\'s comment ';>~
2366.                 <button ~
2367.                     Report Comment~
2368.                 </button>~

```

```
2356.             </span>↵
2357.             ↵
2358.             <span>•</span>↵
2359.             <form action="http://127.0.0.1:8000/comment/104/delete" method="POST" style="display: inline; ">↵
2360.             <input type="hidden" name="token" value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
2361.             <button type="submit" class="underline-effect text-red-600 hover:text-red-800 delete-comment-button" data-comment-id="104">Delete Comment</button>↵
2362.             </form>↵
2363.         </div>↵
2364.     </div>↵
2365.     </div>↵
2366. </summary>↵
2367. </div>↵
2368.         <article data-text="markdown">↵
2369.             class="font-vollkorn max-w-full prose prose-a:text-[#4793AF]/[.80] prose-a:link-[#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
2370.             Science is evolving so quickly, it's hard to keep up sometimes, but it's exciting!↵
2371.         </article>↵
2372.         <br/>↵
2373.         <br/>↵
2374.         <div class="flex gap-x-1 items-center mt-4">↵
2375.             <div>↵
2376.                 <input id="104-upvote-c" type="checkbox" class="hidden peer/upvote">↵
2377.                 <label for="104-upvote-c" class="peer-checked/upvote:fill-blue-400 cursor-pointer hover:fill-blue-400 transition-all ease-out">↵
2378.                     <img alt="Upvote button icon" class="w-5 h-5" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">↵
2379.                         <path d="M21,21H3L12,3Z" />↵
2380.                     </img>↵
2381.                 </label>↵
2382.             <!-- Report Button -->↵
2383.             <div>↵
2384.                 <!-- Report Button -->↵
2385.             </div>↵
2386.         </div>↵
2387.     <br/>↵
2388.     <br/>↵
2389.     <div class="flex gap-x-1 items-center mt-4">↵
2390.         <div>↵
2391.             <span class="mr-2" id="104-score-c">6</span>↵
2392.         </div>↵
2393.         <div>↵
2394.             <input id="104-downvote-c" type="checkbox" class="hidden peer/downvote">↵
2395.             <label for="104-downvote-c" class="cursor-pointer peer-checked/downvote:fill-red-400 hover:fill-red-400 transition-all ease-out">↵
2396.                 <img alt="Downvote button icon" class="w-5 h-5 rotate-180" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg">↵
2397.                     <path d="M21,21H3L12,3Z" />↵
2398.                 </img>↵
2399.             </label>↵
2400.         </div>↵
2401.     <br/>↵
2402.     <br/>↵
2403.     <button data-toggle="reply-form" data-target="104-editor">↵
2404.         <img alt="Reply button icon" class="w-2 h-[18px] w-[18px] hover:fill-blue-400 transition-all ease-out" viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↵
2405.             <g id="Layer 2" data-name="Layer 2">↵
2406.                 <rect width="48" height="48" fill="none" />↵
2407.                 <rect width="48" height="48" fill="none" />↵
2408.             </g>↵
2409.             <g id="invisible_box" data-name="invisible_box">↵
2410.                 <rect width="48" height="48" fill="none" />↵
2411.             </g>↵
```

```

2412.          <g id="icons_Q2" data-name="icons Q2">↵
2413.            <path>↵
2414.              d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
2415.                0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
2416.            </g>↵
2417.          </svg>↵
2418.        </button>↵
2419.        <span>0</span>↵
2420.      </footer>↵
2421.    ↵
2422.    <div id="104-editor" class="px-8 py-6 hidden">↵
2423.      <div class="flex flex-row gap-4">↵
2424.        <input type="radio" name="toggle" id="editor-write-toggle-104"
2425.          class="hidden peer/write" checked />↵
2426.          <label for="editor-write-toggle-104">↵
2427.            class="underline-effect cursor-pointer peer-checked:aria-selected
2428.              peer-checked/write:font-bold">↵
2429.            write↵
2430.          </label>↵
2431.        <input type="radio" name="toggle" id="editor-preview-toggle-104"
2432.          class="hidden peer/preview" />↵
2433.          <label for="editor-preview-toggle-104">↵
2434.            class="underline-effect cursor-pointer peer-checked:aria-selected
2435.              peer-checked/preview:font-bold">↵
2436.            preview↵
2437.          </label>↵
2438.      </div>↵
2439.      <div class="flex flex-col mt-2" id="104-editors">↵
2440.        <!-- Textarea for Markdown Input -->↵
2441.        <textarea id="editor-104-input"↵
2442.          class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
2443.            font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
2444.        </textarea>↵
2445.        <!-- Markdown Preview -->↵
2446.        <div id="editor-104-preview"↵
2447.          class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
2448.            font-volkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
2449. a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
2450. blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↵
2451.        </div>↵
2452.      </div>↵
2453.      <div class="justify-end flex gap-4 mt-4">↵
2454.        <button name="cancel-btn"↵
2455.          class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
2456. [#4793AF]/[.80] text-white font-bold">↵
2457.          cancel↵
2458.        </button>↵
2459.        <button name="submit-btn"↵
2460.          class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
2461. [#4793AF]/[.80] text-white font-bold">↵
2462.          submit↵
2463.        </button>↵
2464.      </div>↵
2465.    </div>↵
2466.  </div>↵
2467.  ↵
2468.  ↵
2469.  ↵

```

```
2470. ↵
2471.     <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
2472.         bg-opacity-50 flex items-center justify-center">↵
2473.         <div class="relative bg-white p-6 rounded shadow-lg w-96">↵
2474.             <form id="reportForm" method="POST" action="">↵
2475.                 <input type="hidden" name="token"
2476.                     value="9Suk64UAIxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↵
2477.                 <fieldset>↵
2478.                     <legend class="sr-only">Submit a Report</legend>↵
2479.                 <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report</h2>↵
2480.                 <label for="reason" class="block mb-2 text-sm font-medium">Reason for Reporting:</label>↵
2481.                 <textarea
2482.                     id="reason" ↵
2483.                     name="reason" ↵
2484.                     rows="4" ↵
2485.                     class="w-full border border-gray-300 rounded p-2" ↵
2486.                     placeholder="Write your reason here..." ↵
2487.                     required></textarea>↵
2488.             <input type="hidden" id="report_type" name="report_type">↵
2489.             <input type="hidden" id="reported_id" name="reported_id"
2490.                 value="1">↵
2491.         <div class="mt-4 flex justify-end gap-2">↵
2492.             <button
2493.                 type="button" ↵
2494.                 class="px-4 py-2 bg-gray-200 text-gray-700 rounded
2495.                 hover:bg-gray-300">↵
2496.             onclick="document.getElementById('reportModal').classList.add('hidden')">↵
2497.                 Cancel</button>↵
2498.             <button
2499.                 type="submit" ↵
2500.                 class="px-4 py-2 bg-red-500 text-white rounded
2501.                 hover:bg-red-600">↵
2502.                 Submit Report</button>↵
2503.             </div>↵
2504.         </fieldset>↵
2505.     </form>↵
2506. </div>↵
2507. </div>↵
2508. </div>↵
2509. </div>↵
2510. <div
2511.     <details>↵
2512.     </details>↵
2513. </div>↵
2514. </div>↵
2515. <div
2516. </div>↵
2517. <div
2518. </div>↵
2519. </div>↵
2520. <div
2521. </div>↵
2522. </div>↵
2523. <script>↵
2524. function reportNews() {↵
2525.     const authors = [29,44,48,53,56,82,90,91,92];↵
2526.     const form = document.getElementById('reportForm')↵
2527.     form.reset();↵
2528.     authors.forEach(authorId => {↵
2529.         const input = document.createElement('input')↵
2530.         input.type = 'hidden'↵
2531.         input.value = `authorId=${authorId}`↵
2532.         form.appendChild(input)↵
2533.     })↵
2534. }
```

```
2533.     input.name = 'reported_user_id[]'↵
2534.     input.value = authorId↵
2535.     form.appendChild(input) ↵
2536.   });↵
2537.   document.getElementById('reportForm').action =
  'http://127.0.0.1:8000/report'↵
2538.   document.getElementById('report_type').value = 'item_report'↵
2539.   document.getElementById('reported_id').value = '1'↵
2540.   document.getElementById('reportTitle').textContent = 'Report all
  authors'↵
2541.   document.getElementById('reportModal').classList.remove('hidden')↵
2542. }↵
2543. </script>↵
2544. ↵
2545. ↵
2546. <script>↵
2547.   function handleVisitor(loginUrl) {↵
2548.     }↵
2549. </script>↵
2550. ↵
2551.       </section>↵
2552.       </main>↵
2553. ↵
2554.       <!-- Right Sidebar -->↵
2555.       </div>↵
2556.     </div>↵
2557.   </body>↵
2558. ↵
2559. </html>
```

Used the HTML parser.

Total execution time 202 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.11.29