Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 22, column 75; to line 22, column 150

></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" /></head
```

```
2. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 147, column 13; to line 148, column 66

<img src="http://127.0.0.1:8000/images/user59.jpg"eclass="size-7 rounded-full object-cover mr-2" />eclass="size-7 rounded-
```

3. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 147, column 13; to line 148, column 66

<img src="http://127.0.0.1:8000/images/user59.jpg":
class="size-7 rounded-full object-cover mr-2" />:

4. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 155, column 17; to line 156, column 67

<img src="http://127.0.0.1:8000/images/user59.jpg"...

class="size-10 rounded-full object-cover mr-2" />...

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 155, column 17; to line 156, column 67

class="size-10 rounded-full object-cover mr-2" />

interacts badly with unquoted standards and interacts badly with unquoted standards and interacts badly with unquoted standards and interacts badly with unquoted attribute values.

6. Error Bad value Interface / Settings for attribute id on element g: Not a valid XML 1.0 name.

From line 170, column 19; to line 170, column 47

<g id="Interface / Settings">

<e style="column 47" | Column 47 | Column

7. Error Bad value for attribute action on element form: Must be non-empty.

From line 308, column 9; to line 308, column 54

>= <form id="reportForm" method="POST" action="">==

8. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 309, column 13; to line 309, column 115

<input type="hidden" name="_token"

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="off">

va

9. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 365, column 13; to line 365, column 115

```
Showing results for contents of text-input area - Nu Html Checker
                <input type="hidden" name="_token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
10.
    Error An input element with a type attribute whose value is hidden must
    not have an autocomplete attribute whose value is on or off.
    From line 387, column 13; to line 387, column 115
                <input type="hidden" name="_token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
    Error An img element must have an alt attribute, except under certain
11.
    conditions. For details, consult guidance on providing text alternatives for
    images.
    From line 458, column 9; to line 461, column 51
                                src="http://127.0.0.1:8000/images/hub2.jpg"

    onerror="this.onerror=null; this.src='https://www.redditstatic.com/avatars
    /defaults/v2/avatar default 3.png';"↩
                                                        class="size-8 rounded-full
     Error Duplicate ID reportModal.
12.
    From line 487, column 15; to line 487, column 126
                <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">←
     Warning The first occurrence of ID reportModal was here.
13.
    From line 306, column 9; to line 306, column 120
               <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">↔
     Error Duplicate ID reportForm.
14.
    From line 489, column 9; to line 489, column 54
                <form id="reportForm" method="POST" action="">←
     Warning The first occurrence of ID reportForm was here.
15.
    From line 308, column 9; to line 308, column 54
               <form id="reportForm" method="POST" action="">←
     Error Bad value for attribute action on element form: Must be non-empty.
16.
    From line 489, column 9; to line 489, column 54
```

<form id="reportForm" method="POST" action="">←

```
17.
     Error An input element with a type attribute whose value is hidden must
    not have an autocomplete attribute whose value is on or off.
    From line 490, column 13; to line 490, column 115
                <input type="hidden" name=" token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
     Error Duplicate ID reportTitle.
18.
    From line 494, column 17; to line 494, column 72
                <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Warning | The first occurrence of ID | reportTitle | was here.
19.
    From line 313, column 17; to line 313, column 72
               <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Error Duplicate ID reason.
20.
    From line 497, column 17; to line 503, column 29
                                                  id="reason" ↔
                <textarea ←
                                           rows="4" ←
    name="reason" ←
    class="w-full border border-gray-300 rounded p-2" ↔
     Warning The first occurrence of ID reason was here.
21.
    From line 316, column 17; to line 322, column 29
                                                  id="reason" ←
               <textarea ↩
    name="reason" ←
                                           rows="4" ↔
    class="w-full border border-gray-300 rounded p-2" ↔
     Error Duplicate ID report_type.
22.
    From line 505, column 17; to line 505, column 73
                <input type="hidden" id="report_type"</pre>
    name="report type">↩
     Warning The first occurrence of ID report type was here.
23.
    From line 324, column 17; to line 324, column 73
               <input type="hidden" id="report type" name="report type">↩
     Error Duplicate ID reported id.
24.
    From line 506, column 17; to line 506, column 83
```

```
12/22/24, 6:12 PM
                                      Showing results for contents of text-input area - Nu Html Checker
                      <input type="hidden" id="reported id" name="reported id"</pre>
          value="2">↩↩
     25.
          Warning The first occurrence of ID reported id was here.
          From line 325, column 17; to line 325, column 83
                     <input type="hidden" id="reported_id" name="reported_id"</pre>
          value="1">↩↩
          Error An img element must have an alt attribute, except under certain
     26.
          conditions. For details, consult guidance on providing text alternatives for
          <u>images</u>.
          From line 754, column 9; to line 757, column 51
                                       src="http://127.0.0.1:8000/images/hub2.jpg"

          onerror="this.onerror=null; this.src='https://www.redditstatic.com/avatars
          /defaults/v2/avatar default 3.png';"↩
                                                               class="size-8 rounded-full
          Error Duplicate ID reportModal.
     27.
          From line 783, column 15; to line 783, column 126
                      <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
          bg-opacity-50 flex items-center justify-center">→
          Warning | The first occurrence of ID | reportModal | was here.
     28.
          From line 306, column 9; to line 306, column 120
                     <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
          bg-opacity-50 flex items-center justify-center">↩
          Error Duplicate ID report Form.
     29.
          From line 785, column 9; to line 785, column 54
                      <form id="reportForm" method="POST" action="">↩
          ب<
          Warning The first occurrence of ID report Form was here.
     30.
          From line 308, column 9; to line 308, column 54
                     <form id="reportForm" method="POST" action="">↩
          Error Bad value for attribute action on element form: Must be non-empty.
     31.
          From line 785, column 9; to line 785, column 54
                      <form id="reportForm" method="POST" action="">←
          ب<
```

```
32.
     Error An input element with a type attribute whose value is hidden must
    not have an autocomplete attribute whose value is on or off.
    From line 786, column 13; to line 786, column 115
                <input type="hidden" name=" token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
     Error Duplicate ID reportTitle.
33.
    From line 790, column 17; to line 790, column 72
                <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Warning | The first occurrence of ID | reportTitle | was here.
34.
    From line 313, column 17; to line 313, column 72
               <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Error Duplicate ID reason.
35.
    From line 793, column 17; to line 799, column 29
                                                   id="reason" ↔
                <textarea ←
                                           rows="4" ←
    name="reason" ←
    class="w-full border border-gray-300 rounded p-2" ↔
36.
     Warning The first occurrence of ID reason was here.
    From line 316, column 17; to line 322, column 29
                                                  id="reason" ←
               <textarea ↩
    name="reason" ←
                                           rows="4" ↔
    class="w-full border border-gray-300 rounded p-2" ↔
     Error Duplicate ID report_type .
37.
    From line 801, column 17; to line 801, column 73
                <input type="hidden" id="report_type"</pre>
    name="report type">↩
     Warning The first occurrence of ID report type was here.
38.
    From line 324, column 17; to line 324, column 73
               <input type="hidden" id="report type" name="report type">↩
     Error Duplicate ID reported id.
39.
    From line 802, column 17; to line 802, column 84
```

```
<input type="hidden" id="reported_id" name="reported_id" value="26">ಎಎ
```

40. Warning The first occurrence of ID reported id was here.

From line 325, column 17; to line 325, column 83

<input type="hidden" id="reported_id" name="reported_id"
</pre>

value="1"><u>~</u>

41. Error Duplicate ID Layer_2.

From line 880, column 11; to line 880, column 46

<g id="Layer_2" data-name="Layer 2"><u>↔</u>

42. Warning The first occurrence of ID Layer_2 was here.

From line 584, column 11; to line 584, column 46

<g id="Layer_2" data-name="Layer 2">←

43. **Error Duplicate ID** invisible_box.

From line 881, column 13; to line 881, column 60

<g id="invisible box" data-name="invisible box">↩

44. Warning The first occurrence of ID invisible box was here.

From line 585, column 13; to line 585, column 60

<g id="invisible box" data-name="invisible box">↩

45. **Error Duplicate ID** icons Q2.

From line 885, column 13; to line 885, column 50

<g id="icons_Q2" data-name="icons Q2">↔

46. Warning The first occurrence of ID icons_Q2 was here.

From line 589, column 13; to line 589, column 50

<g id="icons_Q2" data-name="icons Q2">↩

47. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 1015, column 9; to line 1018, column 51

>- <img- src="http://127.0.0.1:8000/images/hub2.jpg"↔

onerror="this.onerror=null; this.src='https://www.redditstatic.com/avatars

```
Error Duplicate ID reportModal.
48.
    From line 1044, column 15; to line 1044, column 126
                <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">↔
49.
     Warning | The first occurrence of ID | reportModal | was here.
    From line 306, column 9; to line 306, column 120
               <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">↔
     Error Duplicate ID reportForm.
50.
    From line 1046, column 9; to line 1046, column 54
                <form id="reportForm" method="POST" action="">↔
     Warning The first occurrence of ID report Form was here.
51.
    From line 308, column 9; to line 308, column 54
               <form id="reportForm" method="POST" action="">←
    >↩
     Error Bad value for attribute action on element form: Must be non-empty.
52.
    From line 1046, column 9; to line 1046, column 54
                <form id="reportForm" method="POST" action="">↔
     Error An input element with a type attribute whose value is hidden must
53.
    not have an autocomplete attribute whose value is on or off.
    From line 1047, column 13; to line 1047, column 115
                <input type="hidden" name="_token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
54.
     Error Duplicate ID reportTitle.
    From line 1051, column 17; to line 1051, column 72
                <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Warning | The first occurrence of ID | reportTitle | was here.
55.
    From line 313, column 17; to line 313, column 72
               <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Error Duplicate ID reason.
56.
```

```
Showing results for contents of text-input area - Nu Html Checker
     From line 1054, column 17; to line 1060, column 29
                 <textarea ←
                                                    id="reason" ↔
                                             rows="4" ↔
    name="reason" ↔
    class="w-full border border-gray-300 rounded p-2" ←
57.
     Warning The first occurrence of ID reason was here.
     From line 316, column 17; to line 322, column 29
                <textarea ↩
                                                   id="reason" ↩
                                             rows="4" ↔
    name="reason" ←
     class="w-full border border-gray-300 rounded p-2" ↔
     Error Duplicate ID report_type.
58.
     From line 1062, column 17; to line 1062, column 73
                <input type="hidden" id="report type"</pre>
     name="report_type">↩
     Warning The first occurrence of ID report type was here.
59.
     From line 324, column 17; to line 324, column 73
                <input type="hidden" id="report_type" name="report_type">↩
     Error Duplicate ID reported id.
60.
     From line 1063, column 17; to line 1063, column 85
                 <input type="hidden" id="reported id" name="reported id"</pre>
     value="102">↩↩
     Warning The first occurrence of ID reported id was here.
61.
     From line 325, column 17; to line 325, column 83
                <input type="hidden" id="reported id" name="reported id"</pre>
     value="1">↩↩
     Error Duplicate ID Layer_2.
62.
     From line 1141, column 11; to line 1141, column 46
                <g id="Layer 2" data-name="Layer 2">↔
     Warning The first occurrence of ID Layer 2 was here.
63.
     From line 584, column 11; to line 584, column 46
                <g id="Layer 2" data-name="Layer 2">↔
```

Error Duplicate ID invisible box.

```
From line 1142, column 13; to line 1142, column 60
                <q id="invisible box" data-name="invisible box">₽
65.
     Warning The first occurrence of ID invisible box was here.
    From line 585, column 13; to line 585, column 60
               <g id="invisible_box" data-name="invisible box">↩
     Error Duplicate ID icons_Q2.
66.
    From line 1146, column 13; to line 1146, column 50
                <q id="icons Q2" data-name="icons Q2">↔
     Warning The first occurrence of ID icons Q2 was here.
67.
    From line 589, column 13; to line 589, column 50
               <g id="icons_Q2" data-name="icons Q2">↔
     Error An input element with a type attribute whose value is hidden must
68.
    not have an autocomplete attribute whose value is on or off.
    From line 1262, column 17; to line 1262, column 119
                <input type="hidden" name=" token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
     Error The element button must not appear as a descendant of the a
69.
    element.
    From line 1262, column 203; to line 1263, column 117
                <button type="submit"↔
                                                            class="px-3.5 py-2.5
    text-sm font-medium rounded-lg bg-[#F4F2ED] text-black border-2 border-
    black">₽
```

Document checking completed.

Source

```
1. \( \text{?} \)
2. \( \text{!DOCTYPE html>} \tau \)
3. \( \text{html lang="en" class="h-full">} \tau \)
4. \( \text{?} \)
5. \( \text{head>} \tau \)
6. \( \text{meta charset="utf-8">} \tau \)
7. \( \text{meta name="viewport" content="width=device-width, initial-scale=1">} \text{?} \)
8. \( \text{meta name="csrf-token"} \)
\( \text{content="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh">} \text{?} \)
9. \( \text{ctitle>WhatsUP</title>} \text{?} \)
10. \( \text{script defer src="http://127.0.0.1:8000/js/app.js"></script>} \)
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">↩
11.
      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↩
12.
13.
      link↔
14.
        href="https://fonts.googleapis.com/css2?
    family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
    sz, wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
    0..900;1,400..900&display=swap"↔
15.
        rel="stylesheet">↔
16. ↩
      <link rel="apple-touch-icon" sizes="180x180"</pre>
17.
    href="http://127.0.0.1:8000/images/apple-touch-icon.png">↔
   k rel="icon" type="image/png" sizes="32x32"
href="http://127.0.0.1:8000/images/favicon-32x32.png">\(\circ\)
k rel="icon" type="image/png" sizes="16x16"
18.
19.
    href="http://127.0.0.1:8000/images/favicon-16x16.png">→
20. ↩
21.
22.
      <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
    <link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"</pre>
    /></head>↔
23. ↩
24. <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk ">↔
      <div class="min-h-screen flex flex-col">↔
25.
26.
        <!-- Top Header -->₽
27.
        <header←
    class="flex items-center justify-between h-12 border-b-2 border-black fixed top-0 left-0 right-0 z-50 bg-[#F4F2ED]">→
28.
          <!-- Logo Section -->⊷
29.
          <div class="w-32 md:w-48 bg-pastelGreen h-full flex items-center</pre>
30.
    border-r-2 border-black">↩
             <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-</pre>
31.
    bold text-4xl tracking-tight">↩
               <span class="block md:hidden">w.UP</span>↔
32.
               <span class="hidden md:block">whatsUP</span>↔
33.
34.
             </a>←
          </div>↩
35.
          <!-- Search Section -->↩
36.
37.
          <div class="flex-1 bg-pastelRed h-full flex items-center pl-2 md:pl-</pre>
    4 relative">↩
38.
             <svg class="w-5 h-5 text-[#F4F2ED]/80" fill="none"</pre>
    stroke="currentColor" viewBox="0 0 24 24">
               <path stroke-linecap="round" stroke-linejoin="round" stroke-</pre>
39.
                 d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />↔
40.
41.
             </svg>↩
             <input id="search-input" type="text" placeholder="search"
</pre>
42.
43.
               class="w-full bg-transparent border-none text-[#F4F2ED]
    placeholder-[#F4F2ED] px-2 md:px-3 py-2 focus:outline-none ">↩
44.
45.
             <!-- Enhanced Search Results Dropdown -->↔
             <div id="search-results"↔
46.
               class="absolute left-2 md:left-4 right-2 md:right-4 top-full mt-
47.
    2 bg-[#F4F2ED] backdrop-blur-sm rounded-xl shadow-2xl border-2 border-
    black overflow-hidden transform opacity-0 scale-95 transition-all
    duration-200 ease-out pointer-events-none z-50 max-w-full md:max-w-
    [calc(100%-16rem)]">↔
48.
               <!-- Communities Section -->↔
49.
               <div class="border-b border-gray-200 bg-gradient-to-r from-red-</pre>
    50 to-blue-50">↔
                 <div class="p-4">↔
50.
                   <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
51.
    items-center gap-2">↩
                      <svg class="w-4 h-4 text-gray-500" fill="none"</pre>
52.
    stroke="currentColor" viewBox="0 0 24 24">↔
                        <path stroke-linecap="round" stroke-linejoin="round"</pre>
53.
    stroke-width="2"↔
                          d="M7 2014-16m2 1614-16M6 9h14M4 15h14" />↔
54.
55.
                      </svg>↩
                      Communities↩
56.
57.
                   </h3>↔
                   <div↩
58.
```

```
class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
 59.
    scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
 60.
                     <div class="p-3 rounded-lg hover:bg-gray-50 transition-</pre>
    colors duration-200 cursor-pointer">↩
                       <div class="flex items-center gap-2">
  <div class="w-2 h-2 rounded-full bg-green-500"></div>
  <span class="text-sm text-gray-700"></span>
 61.
 62.
 63.
 64.
                       </div>↩
 65.
                     </div>↩
                   </div>↩
 66.
 67.
                 </div>↩
               </div>↩
 68.
 69.
               <!-- Posts Section -->↩
 70.
               <div class="border-b border-gray-200 bg-gradient-to-r from-blue-</pre>
 71.
    50 to-green-50">↔
 72.
                 <div class="p-4">↩
                   <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
 73.
    items-center gap-2">↩
    <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">

 74.
                       <path stroke-linecap="round" stroke-linejoin="round"</pre>
 75.
    stroke-width="2"↔
 76.
                          d="M19 11H5m14 0a2 2 0 012 2v6a2 2 0 01-2 2H5a2 2 0
    77.
                     </svg>↩
 78.
                     Posts↩
 79.
                   </h3>↔
 80.
                   <div↩
 81.
                     class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
    scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
 82.
                     <!-- Example post result item -->↔
 83.
                     <div class="p-3 rounded-lg hover:bg-gray-50 transition-
    colors duration-200 cursor-pointer">↩
                       <span class="text-sm text-gray-700"></span>↔
 84.
 85.
                     </div>↩
                   </div>↔
 86.
 87.
                 </div>↩
 88.
               </div>↔
 4 .98
 90.
               <!-- Users Section -->↩
               <div class="bg-gradient-to-r from-green-50 to-red-50">←
 91.
                 <div class="p-4">↔
 92.
                   <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
 93.
    items-center gap-2">↔
    94.
                       <path stroke-linecap="round" stroke-linejoin="round"</pre>
 95.
    stroke-width="2"↩
                         d="M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-
 96.
    2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7 20v-
    2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0
    3 3 0 016 0zm6 3a2 2 0 11-4 0 2 2 0 014 0zM7 10a2 2 0 11-4 0 2 2 0 014 0z"
    />↩
 97.
                     </svq>↩
 98.
                     Users↩
99.
                   </h3>↔
100.
                   <div↩
                     class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
101.
    scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
102.
                     <div class="p-3 rounded-lg hover:bg-gray-50 transition-</pre>
    colors duration-200 cursor-pointer">↩
                       <div class="flex items-center gap-3">↔
103.
                          <div class="w-6 h-6 rounded-full bg-blue-500"></div>↩
104.
                          <span class="text-sm text-gray-700"></span>↔
105.
106.
                       </div>↩
107.
                     </div>↩
108.
                   </div>↩
109.
                 </div>↩
110.
               </div>↔
```

```
111.
             </div>↩
112.
           </div>↔
113. ↩
114. ↩
           <!-- Right Section -->↔
115.
           <div class="bg-pastelBlue h-full w-32 md:w-64 flex items-center</pre>
116.
    117.
118.
                    class="w-5 h-5 fill-[#3C3D37] hover:fill-[#3C3D37]/80
    hover:rotate-ĭ80 transition-all"↔
                 xmlns="http://www.w3.org/2000/svg" viewBox="0 0 455 455"
119.
    xml:space="preserve">↩
120.
                 <polygon↔
                   points="455,212.5 242.5,212.5 242.5,0 212.5,0 212.5,212.5
121.
    0,212.5 0,242.5 212.5,242.5 212.5,455 242.5,455 242.5,242.5 455,242.5" />↩
122.
               </svg>↩
123.
             </a>↔
124.
             <a href="http://127.0.0.1:8000/notifications?2"↔
125.
               class="text-[#3C3D37] hover:text-[#3C3D37] transition-colors
126.
    hidden md:block relative">↩
127.
                          <div class="absolute -top-2 -right-2">↔
128.
129.
                 <div class="absolute w-5 h-5 bg-pastelRed rounded-full</pre>
    animate-ping opacity-75"></div>↔
130.
131.
                 <div↩
132.
                   class="relative bg-pastelRed text-white text-[10px] font-
    bold rounded-full w-5 h-5 flex items-center justify-center px-1">→
133.
                   3↔
134.
                 </div>↔
135.
               </div>↩
136.
137.
               <svg class="w-6 h-6 hover:fill-pastelYellow fill-transparent</pre>
    transition-colors" stroke="currentColor"↔
                 viewBox="0 0 24 24">↩
138.
139.
                 <path stroke-linecap="round" stroke-linejoin="round" stroke-
    width="1.5"↔
    d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002 6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0
140.
     .538-.214 1.055-.595 1.436L4 17h5m6 0v1a3 3 0 11-6 0v-1m6 0H9" />↔
141.
               </svq>↔
142.
             </a>↔
143.
144.
             <div class="relative">↩
               <a href="#" class="relative fill-transparent text-[#3C3D37]</pre>
145.
    hover:text-[#3C3D37]/80 transition-colors"↔
                 id="profileIcon">↩
146.
147.
                 <img src="http://127.0.0.1:8000/images/user59.jpg"
</pre>
                        class="size-7 rounded-full object-cover mr-2" />↩
148.
149.
               </a>↩
150.
               <div id="dropdownMenu"↔
151.
                 class="absolute right-0 mt-4 bg-white border border-gray-200
    w-48 rounded-lg shadow-lg hidden z-50">↔
152.
                 <a href="http://127.0.0.1:8000/users/2/profile"↔
                   class="block py-2 text-gray-700 hover:bg-gray-100 border-b
153.
    border-gray-200">↔
                   <div class="flex items-center justify-around px-4 py-3">←
154.
                      <imq src="http://127.0.0.1:8000/images/user59.jpg"
</pre>
155.
156.
                        class="size-10 rounded-full object-cover mr-2" />↩
157.
                     <div class="flex flex-col text-left">←
                        <div class="font-medium text-gray-900">Tiago
158.
    Monteiro</div>↔
159.
                        <div class="text-gray-500 text-sm">View profile</div>↔
160.
                      </div>↩
                   </div>↩
161.
162.
                 </a>↩
                              <a href="http://127.0.0.1:8000/admin?2"↔
163.
                   class="block px-4 py-2 text-gray-700 hover:bg-gray-100">↔
164.
                   <svg viewBox="0 0 24 24" class="stroke-gray-700 w-4 h-4 mr-2</pre>
165.
    inline-block"↩
```

```
xmlns="http://www.w3.org/2000/svg" fill="none">↔
166.
                                      <g id="SVGRepo_bgCarrier" stroke-width="0"></q>↩
167.
                                      <g id="SVGRepo_tracerCarrier" stroke-linecap="round"
168.
        stroke-linejoin="round"></g>↔
                                      <g id="SVGŘepo iconCarrier">↩
169.
170.
                                          <g id="Interface / Settings">↩
171.
                                              <g id="Vector">↩
172.
                                                  <path↩
        d="M20.3499 8.92293L19.9837 8.7192C19.9269 8.68756 19.8989 8.67169 19.8714 8.65524C19.5983 8.49165 19.3682 8.26564 19.2002 7.99523C19.1833 7.96802 19.1674 7.93949 19.1348 7.8831C19.1023 7.82677
173.
        19.0858 7.79823 19.0706 7.76998C18.92 7.48866 18.8385 7.17515 18.8336
        6.85606C18.8331 6.82398 18.8332 6.79121 18.8343 6.72604L18.8415 6.30078C18.8529 5.62025 18.8587 5.27894 18.763 4.97262C18.6781 4.70053
        18.536 4.44993 18.3462 4.23725C18.1317 3.99685 17.8347 3.82534 17.2402
        3.48276L16.7464 3.1982C16.1536 2.85658 15.8571 2.68571 15.5423 2.62057C15.2639 2.56294 14.9765 2.56561 14.6991 2.62789C14.3859 2.69819
        14.0931 2.87351 13.5079 3.22396L13.5045 3.22555L13.1507 3.43741C13.0948 3.47091 13.0665 3.48779 13.0384 3.50338C12.7601 3.6581 12.4495 3.74365 12.1312 3.75387C12.0992 3.7549 12.0665 3.7549 12.0013 3.7549C11.9365
        3.7549 11.9024 3.7549 11.8704 3.75387C11.5515 3.74361 11.2402 3.65759
        3.7549 11.9024 3.7549 11.8704 3.75387C11.5515 3.74301 11.2402 3.65759 10.9615 3.50224C10.9334 3.48658 10.9056 3.46956 10.8496 3.4359L10.4935 3.22213C9.90422 2.86836 9.60915 2.69121 9.29427 2.62057C9.0157 2.55807 8.72737 2.55634 8.44791 2.61471C8.13236 2.68062 7.83577 2.85276 7.24258 3.19703L7.23994 3.1982L6.75228 3.48124L6.74688 3.48454C6.15904 3.82572 5.86441 3.99672 5.6517 4.23614C5.46294 4.4486 5.32185 4.69881 5.2374 4.97018C5.14194 5.27691 5.14703 5.61896 5.15853 6.3027L5.16568 6.72736C5.16676 6.79166 5.16864 6.82362 5.16817 6.85525C5.16343 7.17499 5.08086 7.48914 4.92974 7.77096C4.9148 7.79883 4.8987 7.8267 4.86654 7.88237C4 83436 7.93809 4.81877 7.96579 4.80209 7.99268C4 63336 8.26452
        7.88237C4.83436 7.93809 4.81877 7.96579 4.80209 7.99268C4.63336 8.26452
        4.40214 8.49186 4.12733 8.65572C4.10015 8.67193 4.0715 8.68752 4.01521
        8.71871L3.65365 8.91908C3.05208 9.25245 2.75137 9.41928 2.53256 9.65669C2.33898 9.86672 2.19275 10.1158 2.10349 10.3872C2.00259 10.6939
        2.00267 11.0378 2.00424 11.7255L2.00551 12.2877C2.00706 12.9708 2.00919
        13.3122 2.11032 13.6168C2.19979 13.8863 2.34495 14.134 2.53744 14.3427C2.75502 14.5787 3.05274 14.7445 3.64974 15.0766L4.00808
        15.276C4.06907 15.3099 4.09976 15.3266 4.12917 15.3444C4.40148 15.5083
        4.63089 15.735 4.79818 16.0053C4.81625 16.0345 4.8336 16.0648 4.8683 16.1255C4.90256 16.1853 4.92009 16.2152 4.93594 16.2452C5.08261 16.5229 5.16114 16.8315 5.16649 17.1455C5.16707 17.1794 5.16658 17.2137 5.16541 17.2827L5.15853 17.6902C5.14695 18.3763 5.1419 18.7197 5.23792 19.0273C5.32287 19.2994 5.46484 19.55 5.65463 19.7627C5.86915 20.0031 6.16655 20.1745 6.76107 20.5171L7.25478 20.8015C7.84763 21.1432 8.14395
        21.3138 8.45869 21.379C8.73714 21.4366 9.02464 21.4344 9.30209
        21.3721C9.61567 21.3017 9.90948 21.1258 10.4964 20.7743L10.8502 20.5625C10.9062 20.5289 10.9346 20.5121 10.9626 20.4965C11.2409 20.3418
        11.5512 20.2558 11.8695 20.2456C11.9015 20.2446 11.9342 20.2446 11.9994
        20.2446C12.0648 20.2446 12.0974 20.2446 12.1295 20.2456C12.4484 20.2559 12.7607 20.3422 13.0394 20.4975C13.0639 20.5112 13.0885 20.526 13.1316
        20.5519L13.5078 20.7777C14.0971 21.1315 14.3916 21.3081 14.7065
        21.3788C14.985 21.4413 15.2736 21.4438 15.5531 21.3855C15.8685 21.3196 16.1657 21.1471 16.7586 20.803L17.2536 20.5157C17.8418 20.1743 18.1367
        20.0031 18.3495 19.7636C18.5383 19.5512 18.6796 19.3011 18.764
        19.0297C18.8588 18.7252 18.8531 18.3858 18.8417 17.7119L18.8343 17.2724C18.8332 17.2081 18.8331 17.1761 18.8336 17.1445C18.8383 16.8247 18.9195 16.5104 19.0706 16.2286C19.0856 16.2007 19.1018 16.1726 19.1338
        16.1171C19.166 16.0615 19.1827 16.0337 19.1994 16.0068C19.3681 15.7349 19.5995 15.5074 19.8744 15.3435C19.9012 15.3275 19.9289 15.3122 19.9838 15.2818L19.9857 15.2809L20.3472 15.0805C20.9488 14.7472 21.2501 14.5801 21.4689 14.3427C21.6625 14.1327 21.8085 13.8839 21.8978 13.6126C21.9981 13.3077 21.9973 12.9658 21.9958 12.2861L21.9945 11.77119C21.9929 11.0287
        21.9921 10.6874 21.891 10.3828C21.8015 10.1133 21.6555 9.86561 21.463
        9.65685C21.2457 9.42111 20.9475 9.25526 20.3517 8.92378L20.3499 8.92293Z"↔
                                                     stroke-width="2" stroke-linecap="round" stroke-
174.
        linejoin="round"></path>↔
175.
                                                  <path↩
                                                     d="M8.00033 12C8.00033 14.2091 9.79119 16 12.0003
176.
        16C14.2095 16 16.0003 14.2091 16.0003 12C16.0003 9.79082 14.2095 7.99996
        12.0003 7.99996C9.79119 7.99996 8.00033 9.79082 8.00033 12Z"↔
177.
                                                     stroke-width="2" stroke-linecap="round" stroke-
        linejoin="round"></path>↔
```

```
178.
                          </g>↔
179.
                        </g>ب
180.
                     181.
                   </svg>↔
182.
                   Admin Options↔
183.
                 </a>~
184.
                              <a href="http://127.0.0.1:8000/logout"
185.
    186.
    stroke="currentColor" viewBox="0 0 24 24">↩
                      <path stroke-linecap="round" stroke-linejoin="round"
187.
    stroke-width="2"↔
                        d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0
188.
    01-3-3V7a3 3 0 013-3h4a3 3 0 013 3v1" />↔
189.
                   </svq>↩
190.
                   Logout↩
191.
                 </a>↩
               </div>↩
192.
193.
             </div>↩
194.
                   </div>↔
         </header>↩
195.
196. ↔
197.
         <div class="flex pt-12 ml-0 md:ml-48">↔
198.
           <!-- Mobile Menu Button -->↔
           <button id="mobile-menu-button"↔
199.
             class="md:hidden fixed bottom-4 right-4 z-50 bg-pastelBlue text-
200.
     201.
202.
               <path stroke-linecap="round" stroke-linejoin="round" stroke-</pre>
    width="2" d="M4 6h16M4 12h16m-7 6h7" />~
203.
             </svq>↩
204.
           </button>↩
205. ↔
           <!-- Left Sidebar -->↩
206.
           <aside id="left-sidebar"↔
207.
208.
             class="[&::-webkit-scrollbar]:hidden text-[#3C3D37] text-lg fixed
    inset-y-0 left-0 w-48 bg-[#F4F2ED] border-r-2 border-black z-40 overflow-
    y-auto max-h-screen transform -translate-x-full md:translate-x-0
    transition-transform duration-300 ease-in-out">↔
             <nav class="divide-y-2 divide-black">↔
209.
               <!-- Primary Links -->↔
<div class="pt-14 pb-2">↔
210.
211.
                 <div class="*:*:underline-effect *:px-4 *:py-1 flex flex-col</pre>
212.
    text-xl ml-2">↔
                   <a href="http://127.0.0.1:8000/home" class=" mr-auto">\sim <span class="">home</span>\sim
213.
214.
215.
                   </a>↩
216.
                   <a href="http://127.0.0.1:8000/global" class="">↩
                      <span class="">global</span>↔
217.
218.
                   </a>~
219.
                   <a href="http://127.0.0.1:8000/recent" class="">↔
220.
                      <span class="">recent</span>↔
221.
                   </a>∻
222.
                 </div>↩
223.
               </div>↔
224. ↔
225.
               <div class="py-4">↔
  <h3 class="px-4 font-light text-gray-600 mb-1">recent</h3>↔
  <div class="space-y-1 *:transition-colors *:pl-4">↔
226.
227.
228.
                                  <a href="/hub/2"↔
229.
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
230.
     [#3C3D37] hover:text-[#F4F2ED]">↔
231.
232.
                     <img src="http://127.0.0.1:8000/images/hub2.jpg"</pre>
    alt="Superheroes image"↩
                        class=" h-8 w-8 rounded-full object-cover">↔
233.
234.
                      <span class="break-all text-sm">h/Superheroes</span>↔
235.
```

```
236.
                                              </div>↩
237.
               </div>↩
238. ↩
239.
               <div class="pt-4">↔
240.
                 <h3 class="px-4 font-light text-gray-600 mb-1">hubs</h3>↔
241. ←
242.
                 <div class="space-y-1 *:transition-colors *:pl-4">←
                                  <a href="/hub/1"↔
243.
                     class="flex items-center space-x-2 px-4 py-2 hover:bg-
244.
     [#3C3D37] hover:text-[#F4F2ED]">↔
245.
    246.
247.
                       class=" h-8 w-8 rounded-full object-cover">↔
248.
                     <span class="break-all text-sm">h/AnimeFans</span>↔
249.
                                                 <a href="/hub/2"↔
250.
                     class="flex items-center space-x-2 px-4 py-2 hover:bg-
251.
     [#3C3D37] hover:text-[#F4F2ED]">↔
252.
253.
                     <img src="http://127.0.0.1:8000/images/hub2.jpg"</pre>
    alt="Superheroes image"↔
254.
                       class=" h-8 w-8 rounded-full object-cover">↔
255.
                     <span class="break-all text-sm">h/Superheroes</span>↔
256.
                   </a>∻
257.
                                                 <a href="/hub/3"↔
                     class="flex items-center space-x-2 px-4 py-2 hover:bg-
258.
    [#3C3D37] hover:text-[#F4F2ED]">↔
259.
260.
                     <img src="http://127.0.0.1:8000/images/hub3.jpg"</pre>
    alt="Mythology image"↔
261.
                       člass=" h-8 w-8 rounded-full object-cover">↔
262.
                     <span class="break-all text-sm">h/Mythology</span>↔
263.
                                                 <a href="/hub/16"↔
264.
                     class="flex items-center space-x-2 px-4 py-2 hover:bg-
265.
    [#3C3D37] hover:text-[#F4F2ED]">↔
266.
                     <img src="http://127.0.0.1:8000/images/hub16.jpg"</pre>
267.
    alt="MovieBuffs image"↔
268.
                       class=" h-8 w-8 rounded-full object-cover">↔
                     <span class="break-all text-sm">h/MovieBuffs</span>↔
269.
270.
                   </a>↩
271.
                                                 <a href="/hub/23"↔
                     class="flex items-center space-x-2 px-4 py-2 hover:bg-
272.
     [#3C3D37] hover:text-[#F4F2ED]">↔
273.
                     <img src="http://127.0.0.1:8000/images/hub23.jpg"</pre>
274.
    alt="PetLovers image"↔
                       člass=" h-8 w-8 rounded-full object-cover">↩
275.
276.
                     <span class="break-all text-sm">h/PetLovers</span>↔
277.
278.
                                              </div>↔
279.
                 <a href="http://127.0.0.1:8000/hubs/create"

←
                   class="flex_items-center space-x-2 px-4 py-2 hover:bg-
280.
    [#3C3D37] hover:text-[#F4F2ED] ">↔
281.
                   <span class="">+ create hub</span>↔
282.
                 </a>∻
283.
               </div>↩
               <!-- Info Section -->↩
284.
               <div class="py-4">
<h3 class="px-4 font-light text-gray-600 mb-1">info</h3>

285.
286.
                 <div class="*:*:underline-effect*:px-4 *:py-1 flex flex-col</pre>
287.
    text-xl ml-2">↩
288.
                   <a href="http://127.0.0.1:8000/about-us" class="">↔
                     <span class="">about us</span>↔
289.
290.
291.
                   <a href="http://127.0.0.1:8000/bestof" class="">↔
292.
                     <span class="">best of</span>↔
293.
294.
                   <a href="http://127.0.0.1:8000/all-hubs" class="">↔
```

```
class="rounded-full ring-2 ring-black h-36 w-36 sm:h-24 sm:w-24
355.
    md:h-32 md:w-32 lg:h-40 lg:w-40 object-cover">↔
356.
           <div>↩
             <div class="flex items-center gap-2">↔
357.
358.
               <!-- Community Name -->↔
               <hl class="tracking-tighter font-medium text-
359.
    6xl">h/Superheroes</h1>↔
360.
361.
               <!-- Form for Privacy Toggle -->↔
362.
363.
               <form action="http://127.0.0.1:8000/hub/2/privacy"</pre>
    method="POST"↔
                 class="inline-flex items-center gap-2">↔ <input type="hidden" name=" token"
364.
365.
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
    <input type="hidden" name=" method" value="POST">←
                 <!-- Dropdown for Privacy Selection -->↔
366.
                                           <div data-route="2"↩
367.
368.
                    class="cursor-pointer inline-flex items-center gap-1.5 px-3
    py-1.5 text-sm font-medium rounded-full bg-green-100 text-green-700">↔
    369.
370.
                     stroke-linejoin="round">↔
<rect x="3" y="11" width="18" height="11" rx="2" ry="2">
371.
    </rect>↩
372.
                      <path d="M7 11V7a5 5 0 0 1 10 0v4"></path>←
                      <path d="M7 11h10"></path>↔
373.
                   </svg>↔
374.
                   Public↔
375.
376.
                                </div>↩
377.
                                         </form>↔
378.
             </div>↔
379.
             All about comic book and
380.
    movie superheroes↔
381. ↩
382. ↩
             <!-- Sort by and + post button -->\omega <div class="flex items-center gap-4 mt-6">\omega
383.
384.
385.
               <form action="http://127.0.0.1:8000/hub/2/leave" method="POST"</pre>
386.
    class="inline">↩
    <input type="hidden" name=" token"
value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
387.
    <input type="hidden" name="_method" value="DELETE">
                                                                        <but
    type="submit"↔
388.
                   class="inline-flex items-center justify-center px-6 py-2
    font-medium hover:text-[#F4F2ED] rounded-lg border-2 border-black
    hover:border-pastelRed hover:bg-pastelRed transition-colors">↔
389.
                   unfollow -↔
390.
                 </button>↩
391.
               </form>↩
392.
                                                          <a
    href="http://127.0.0.1:8000/posts/create"↔
393.
                 class="relative inline-flex items-center justify-center px-6
    py-2 overflow-hidden font-medium text-white transition duration-300 ease-
    out border-2 border-black rounded-lg shadow-md group bg-black text-
     [#F4F2ED] hover:opacity-80">↔
394.
                 <span←
395.
                    class="absolute inset-0 flex items-center justify-center w-
    full h-full text-white duration-300 -translate-x-full bg-pastelGreen
    group-hover:translate-x-0 ease">↩
    <svg class="w-6 h-6" fill="none" stroke="currentColor"
viewBox="0 0 24 24"↔</pre>
396.
397.
                      xmlns="http://www.w3.org/2000/svg">↔
                      <path stroke-linecap="round" stroke-linejoin="round"
398.
    stroke-width="2" d="M14 5l7 7m0 0l-7 7m7-7H3">↔
399.
                      </path>↩
400.
                    </svg>↩
                 </span>→
401.
```

```
402.
                  <span←
                     class="absolute flex items-center text-base font-semibold
403.
     justify-center w-full h-full text-white transition-all duration-300
     transform group-hover:translate-x-full ease">↔
404.
                    post +↩
405.
                  </snan>↔
406.
                  <span class="relative text-base font-semibold invisible">post
     +</span>↔
407.
                </a>←
408. ↔
409. ↔
                                    </div>↔
410.
411.
           </div>↔
            <div class="grid grid-cols-2 mt-auto tracking-tight text-lg text-</pre>
412.
     left items-center">↔
413.
              <span class="text-2xl font-medium text-right mr-2">5</span>↔
              <a href="http://127.0.0.1:8000/hub/2/followers" class="underline-
414.
     effect font-light ">followers</a>↔
415.
416.
              <span class="text-2xl text-right mr-2">4</span>↔
417.
              <span class="font-light ">posts</span>↔
418.
            </div>↔
419.
         </div>↩
420.
       </div>↔
421. ↔
422.
423. ↔
       <nav class="border-b-2 border-black w-full font-light text-xl tracking-</pre>
424.
     tighter px-6 flex flex-wrap gap-4 md:gap-8">↔
<a href="http://127.0.0.1:8000/hub/2?tab=news&amp;sort=newest"↔
425.
426.
            class="py-4 relative group text-gray-900 border-b-2 border-black">↔
427.
428.
429.
         <a href="http://127.0.0.1:8000/hub/2?tab=topics&amp;sort=newest"↔
430.
            class="py-4 relative group text-gray-500 hover:text-gray-700">↔
431.
            topics↩
432.
         </a>→
433.
              <a href="http://127.0.0.1:8000/hub/2/moderation"↔
            class="py-4 relative group text-gray-500 hover:text-gray-700">↔
434.
435.
           moderation↩
436.
         </a>↩
              <form action="http://127.0.0.1:8000/hub/2" method="GET" class="ml-</pre>
437.
     auto flex items-center gap-2">↔
           <input type="hidden" name="tab" value="news">↔
<select name="sort" class="bg-transparent focus:outline-none</pre>
438.
439.
     *:text-sm" onchange="this.form.submit()">

--
440.
              <option value="newest" selected>recent</option>↔
              <option value="top" >top</option>↔
441.
              <option value="trending" >trending</option>↔
442.
443.
            </select>↩
444.
         </form>↩
445.
       </nav>↩
446. ↔
447. ↔
       <!-- Posts Section -->↔
448.
449.
         <div>↩
450.
         <!-- Posts Grid -->↩
         <div class="divide-y-2 border-b-2 border-black divide-black">↔
451.
                         <div data-post="2"↔
452.
       class="p-4 hover:bg-[#3C3D37] hover:text-[#F4F2ED] transition ease-out
453.
     group/wrapper h-full w-full flex flex-row-reverse">↔ <div class="h-full w-full flex-col flex gap-4">↔
454.
         <header class="flex items-center relative">←
455.
            <a class="flex items-center h-8"↔
456.
457.
              href="http://127.0.0.1:8000/hub/2">↔
458.
              <ima↩
459.
                src="http://127.0.0.1:8000/images/hub2.jpg"↩
460.
     onerror="this.onerror=null;this.src='https://www.redditstatic.com/avatars/
     defaults/v2/avatar default 3.png';"↩
                class="size-8 rounded-full object-cover">↩
461.
```

```
462.
463.
              <span class="text-xl font-light underline-effect-light px-</pre>
     2">h/Superheroes</span>↔
464.
            </a>~
465.
            <span class="ml-2 text-xs font-semibold px-2 py-1 rounded-md ↔</pre>
         bg-pastelBlue text-[#F4F2ED] transition ease-out">↔
466.
467.
468.
            </span>↔
           <div class="inline cursor-pointer pb-4 group ml-auto z-0">
  <input type="checkbox" class="peer hidden" id="2-options">
  <label for="2-options">

469.
470.
471.
                <svg class="ml-auto h-4 w-4 fill-[#3C3D37] group-</pre>
472.
     hover/wrapper:fill-[#F4F2ED] z-0"↔
473.
                  xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16">↔
                  <path class="cls-1"↔
474.
475.
     d="M8,6.5A1.5,1.5,0,1,1,6.5,8,1.5,1.5,0,0,1,8,6.5ZM.5,8A1.5,1.5,0,1,0,2,6.
     5,1.5,1.5,0,0,0,.5,8Zm12,0A1.5,1.5,0,1,0,14,6.5,1.5,1.5,0,0,0,12.5,8Z" />↔
476.
                </svg>↩
477.
              </label้>↩
478.
                       <div↩
479.
       class="z-50 transition-all absolute right-0 top-6 invisible peer-
     checked:visible opacity-0 peer-checked:opacity-100 bg-[#F4F2ED] text-
     [#3C3D37] border border-[#3C3D37] rounded-md shadow-ĭg py-1 min-w-28">↔
       class="">↔
480.
481.
              class="py-1 px-4 hover:bg-black/[.10] ">↔
            <a href="javascript:reportNews()" class="">↩
482.
              Report post↔
483.
484.
            </a>∻
         485.
486.
            <div id="reportModal" class="hidden fixed inset-0 z-50 bg-</pre>
487.
     </div>
     black bg-opacity-50 flex items-center justify-center">

<div class="relative bg-white p-6 rounded shadow-lg w-96">

←
488.
              <form id="reportForm" method="POST" action="">്
489.
                  <input type="hidden" name=" token"</pre>
490.
     value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
491.
                  <fieldset>↩
                       <legend class="sr-only">Submit a Report</legend>↔
492.
493.
494.
                       <h2 id="reportTitle" class="text-xl font-semibold mb-
     4">Report</h2>↔
495.
                       <label for="reason" class="block mb-2 text-sm font-</pre>
496.
     medium">Reason for Reporting:</label>↩
497.
                       <textarea ↩
                           id="reason" ←
498.
499.
                           name="reason" ↩
                           rows="4" ↔
500.
501.
                           class="w-full border border-gray-300 rounded p-2" ←
                           placeholder="Write your reason here..." ←
502.
503.
                           required></textarea>↩
504. ↔
505.
                       <input type="hidden" id="report type" name="report type">↩
                       <input type="hidden" id="reported_id" name="reported_id"</pre>
506.
     value="2">↩
507.
508.
                       <div class="mt-4 flex justify-end gap-2">↔
509.
                           <button ←
                                type="button" ↔
510.
511.
                                class="px-4 py-2 bg-gray-200 text-gray-700 rounded
     hover:bg-gray-300"↔
512.
     onclick="document.getElementById('reportModal').classList.add('hidden')">↔
513.
                                Cancel↩
514.
                           </button>↩
515.
                           <button ←
                                type="submit" ↔
516.
517.
                                class="px-4 py-2 bg-red-500 text-white rounded
     hover:bg-red-600">↔
                                Submit Report↔
518.
```

```
519.
                           </button>↩
520.
                      </div>↩
521.
                  </fieldset>↩
             </form>↔
522.
523.
         </div>↩
524. </div>↔
525.
           </div>↩
526.
527.
         </header>↩
528. ↩
         <div class="grow">↔
529.
530. ↔
531.
532.
           <a href="http://127.0.0.1:8000/news/2"↔
             class="inline my-4 text-4xl md:text-5xl lg:text-6xl font-medium
533.
     tracking-tight line-clamp-4 overflow-visible">↔
534.
             Must-Read Books of 2024</a>↩
535. ↩
536.
                  ے
537.
538.
         </div>↔
539. ↔
540.
         ے
541. ₽
542.
         <footer class="flex flex-row mt-auto text-lg gap-2 items-center">↔
543.
           <div>↩
              <input id="favorite-2" type="checkbox" class="hidden</pre>
544.
     peer/favorite"
             name="favorite"↔
545.
546.
             onchange="toggleFavorite(2)">↔
547.
548.
             <label for="favorite-2"↔
549.
                class="cursor-pointer peer-checked/favorite:fill-pink-500
     cursor-pointer group-hover/wrapper:hover:fill-pink-500 fill-[#3C3D37]
     transition-all ease-out group-hover/wrapper:fill-[#F4F2ED]">\infty svg class="h-6" viewBox="0 0 24 24"
550.
     xmlns="http://www.w3.org/2000/svg">↔
                  <path↩
551.
     d="M12 21.35l-1.45-1.32C5.4 15.36 2 12.28 2 8.5 2 5.42 4.42 3 7.5 3c1.74 0 3.41.81 4.5 2.09C13.09 3.81 14.76 3 16.5 3 19.58 3 22 5.42
552.
     22 8.5c0 3.78-3.4 6.86-8.55 11.54L12 21.35z" />↩
553.
                </svq>↩
             </label>↩
554.
555.
           </div>↩
556.
                  <div>↩
             <input id="2-upvote" type="checkbox" class="hidden peer/upvote"</pre>
557.
     name="vote">↔
             <label for="2-upvote"↔
558.
559.
                class=" peer-checked/upvote:fill-blue-400 cursor-pointer group-
     hover/wrapper:hover:fill-blue-400 fill-[#3C3D37] transition-all ease-out
     560.
     xmlns="http://www.w3.org/2000/svg">↔
                  <path d="M21,21H3L12,3Z" />↔
561.
                </svg>↔
562.
              </labeĺ>↩
563.
564.
           </div>↔
565. ↔
           <span class="mr-2" id="2-score">↔
566.
              19
567.
                      </span>↔
568. ↔
           <div class="">↩
569.
             <input id="2-downvote" type="checkbox" class="hidden</pre>
570.
     peer/downvoite"
                      name="vote">↔
             <label for="2-downvote"↔
571.
572.
                class="cursor-pointer peer-checked/downvote:fill-red-400
                                                                               group-
     hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-red-400 fill-
     [#3C3D37] transition-all ease-out">↔
                <svg class="h-6 rotate-180" viewBox="0 0 24 24"</pre>
573.
     xmlns="http://www.w3.org/2000/svg">↔
                  <path d="M21,21H3L12,3Z" />↔
574.
```

```
575.
                </svg>↩
576.
              </label>↩
577.
            </div>↩
578. ↩
579.
            <a href="http://127.0.0.1:8000/news/2" >↔
580.
581.
              <svq↔
     class="cursor-pointer ml-4 h-5 min-w-5 hover:fill-blue-400 transition-all ease-out fill-[#3C3D37] group-hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-blue-400"
582.
                viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">→
583.
                <g id="Laver 2" data-name="Laver 2">↩
584.
                   <g id="invisible_box" data-name="invisible box">↩
585.
                     <rect width="48" height="48" fill="none" />↔
586.
                     <rect width="48" height="48" fill="none" />↩
587.
588.
                   <g id="icons Q2" data-name="icons Q2">↩
589.
590.
                     <path↔
591.
     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
     0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
592.
                   </g>~
593.
                </g>بّ
594.
              </svg>↔
595.
            </a>↩
596. ↔
597.
            ب
598. ↔
599.
            <span>6</span>↔
600. ↔
601. ↔
602. ↔
603. ↔
604.
            <div class="relative ml-auto hidden text-sm lg:text-base sm:block">↔
605.
              <span>↩
                l hour ago↩
606.
                by↩
607.
608.
              </span>↩
                       <div class="inline cursor-pointer group italic">
609.
     contributors↩
     <div class="transition-all absolute right-0 bottom-6 invisible group-
hover:visible hover:visible opacity-0 hover:opacity-100 group-
610.
     hover:opacity-100 bg-[#F4F2ED] text-[#3C3D37] border border-[#3C3D37]
     rounded-md shadow-lg py-4 px-2 min-w-28">→
611.
          →
612.
                   class="mb-1">↔
613.
              <a href="http://127.0.0.1:8000/users/45/profile" class="underline-</pre>
     effect">↩
614.
                @jules↩
615.
              </a>~
616.
            ↩
617.
618.
              <a href="http://127.0.0.1:8000/users/46/profile" class="underline-</pre>
     effect">↩
                @katniss↩
619.
              </a>↔
620.
621.
            622.
                   ↩
              <a href="http://127.0.0.1:8000/users/50/profile" class="underline-</pre>
623.
     effect">↩
624.
                @oliver↩
625.
              </a>→
626.
            class="mb-1">↔
627.
628.
              <a href="http://127.0.0.1:8000/users/52/profile" class="underline-</pre>
     effect">↩
629.
                @quasimodo↩
630.
              </a>↔
631.
            ↔
632.
                   class="mb-1">↔
```

```
<a href="http://127.0.0.1:8000/users/54/profile" class="underline-</pre>
633.
    effect">↩
634.
               @spongebob↔
635.
             </a>→
636.
           ↩
637.
                 class="mb-1">↔
638.
             <a href="http://127.0.0.1:8000/users/55/profile" class="underline-</pre>
    effect">↩
639.
               @thor↩
640.
             </a>↩
641.
           ↔
                 class="mb-1">↔
642.
643.
             <a href="http://127.0.0.1:8000/users/57/profile" class="underline-</pre>
    effect">↩
644.
               @violet↩
645.
             </a>↔
           ↩
646.
                 class="mb-1">↔
647.
             <a href="http://127.0.0.1:8000/users/58/profile" class="underline-</pre>
648.
    effect">↩
649.
               @wolverine↔
650.
             </a>↔
           651.
652.
                 class="mb-1">↔
653.
             <a href="http://127.0.0.1:8000/users/59/profile" class="underline-</pre>
    effect">↩
654.
               @xmen↔
655.
             </a>↔
           656.
657.
                 class="mb-1">↔
658.
             <a href="http://127.0.0.1:8000/users/65/profile" class="underline-
    effect">↩
               @wednesday↔
659.
660.
             </a>↔
           661.
                 ↩
662.
             <a href="http://127.0.0.1:8000/users/67/profile" class="underline-</pre>
663.
    effect">↩
664.
               @eleven↔
665.
             </a>~
666.
           class="mb-1">↔
667.
             <a href="http://127.0.0.1:8000/users/68/profile" class="underline-</pre>
668.
    effect">↩
669.
               @hopper↔
670.
             </a>→
           ↩
671.
                 class="mb-1">↔
672.
673.
             <a href="http://127.0.0.1:8000/users/69/profile" class="underline-</pre>
    effect">↩
674.
               @bojack↔
             </a>→
675.
           676.
                 class="mb-1">↔
677.
678.
             <a href="http://127.0.0.1:8000/users/71/profile" class="underline-</pre>
    effect">↩
679.
               @mike↩
680.
             </a>~
           681.
682.
                 class="mb-1">↔
683.
             <a href="http://127.0.0.1:8000/users/73/profile" class="underline-</pre>
    effect">↩
684.
               @otis↩
             </a>↔
685.
686.
           class="mb-1">↔
687.
688.
             <a href="http://127.0.0.1:8000/users/74/profile" class="underline-</pre>
    effect">↩
689.
               @maeve↩
690.
             </a>↔
           ↔
691.
```

```
692.
                  class="mb-1">↔
693.
              <a href="http://127.0.0.1:8000/users/77/profile" class="underline-</pre>
     effect">↩
694.
                @luther↔
695.
              </a>↩
696.
            ↩
697.
                   class="mb-1">↔
              <a href="http://127.0.0.1:8000/users/78/profile" class="underline-</pre>
698.
     effect">↩
699.
                @klaus↩
700.
              </a>↩
            701.
                702.
       </div>↩
703.
                            </div>↔
704. </div>
705.
          </footer>↩
       </div>↩
706.
707.
       </div>↩
708. ↔
709. <script>↔
710.
711. function reportNews() { 
712. const authors = [45,46,50,52,54,55,57,58,59,65,67,68,69,71,73,74,77,78];
713.
       const form = document.getElementById('reportForm'); ←
714.
       form.reset();↔
715.
       authors.forEach(authorId => {↩
716.
          const input = document.createElement('input'); ↔
          input.type = 'hidden';↔
717.
         input.name = 'reported user id[]'; ↔
718.
719.
          input.value = authorId; ↔
720.
          form.appendChild(input); 
721.
          });↩
       document.getElementById('reportForm').action =
722.
     'http://127.0.0.1:8000/report';↩
       document.getElementById('report_type').value = 'item_report';↔
document.getElementById('reported_id').value = '2';↔
723.
724.
725.
       document.getElementById('reportTitle').textContent = 'Report all
     authors';↩
726.
       document.getElementById('reportModal').classList.remove('hidden');↔
727. }↩
728.
729. function reportTopic() {↔
       const authors = [45,46,50,52,54,55,57,58,59,65,67,68,69,71,73,74,77,78];
730.
731.
       const form = document.getElementById('reportForm'); ←
732.
       form.reset(); ↔
       authors.forEach(authorId => {↩
733.
734.
          const input = document.createElement('input'); ←
          input.type = 'hidden';↔
735.
          input.name = 'reported user id[]'; ←
736.
          input.value = authorId; ↔
737.
738.
          form.appendChild(input); 
739.
          });↩
740.
       document.getElementById('reportForm').action =
     'http://127.0.0.1:8000/report';↩
       document.getElementById('report_type').value = 'topic_report';
document.getElementById('reported_id').value = '2';
document.getElementById('reportTitle').textContent = 'Report all
741.
742.
743.
     authors';↩
       document.getElementById('reportModal').classList.remove('hidden'); ←
744.
745.
746. }↔
747. ↔
748. </script>
                             <div data-post="26"↔
       class="p-4 hover:bq-[#3C3D37] hover:text-[#F4F2ED] transition ease-out
749.
     group/wrapper h-full w-full flex flex-row-reverse">→
750.
       <div class="h-full w-full flex-col flex gap-4">←
751.
          <header class="flex items-center relative">←
            <a class="flex items-center h-8"↔
752.
              href="http://127.0.0.1:8000/hub/2">↔
753.
```

```
<imq↩
754.
755.
                src="http://127.0.0.1:8000/images/hub2.jpg"↔
756.
     onerror="this.onerror=null;this.src='https://www.redditstatic.com/avatars/
     defaults/v2/avatar default 3.png';"↩
                class="size-8 rounded-full object-cover">↩
757.
758.
759.
             <span class="text-xl font-light underline-effect-light px-</pre>
     2">h/Superheroes</span>↔
760.
           </a>↩
761.
           <span class="ml-2 text-xs font-semibold px-2 py-1 rounded-md ↔</pre>
         bg-pastelBlue text-[#F4F2ED] transition ease-out">↩
762.
763.
764.
           </span>↩
           <div class="inline cursor-pointer pb-4 group ml-auto z-0">←
765.
766.
             <input type="checkbox" class="peer hidden" id="26-options">←
             <label for="26-options">↔
767.
                <svg class="ml-auto h-4 w-4 fill-[#3C3D37] group-</pre>
768.
     hover/wrapper:fill-[#F4F2ED] z-0"↔
769.
                  xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16">↔
770.
                  <path class="cls-1"↔
771.
      \begin{array}{l} d="M8,6.5A1.5,1.5,0,1,1,6.5,8,1.5,1.5,0,0,1,8,6.5ZM.5,8A1.5,1.5,0,1,0,2,6.5,1.5,1.5,0,0,0,0,.5,8Zm12,0A1.5,1.5,0,1,0,14,6.5,1.5,1.5,0,0,0,12.5,8Z" /> & \\ \end{array} 
772.
                </svg>↩
773.
             </label>↩
774.
                       <div↩
775.
       class="z-50 transition-all absolute right-0 top-6 invisible peer-
     checked:visible opacity-0 peer-checked:opacity-100 bg-[#F4F2ED] text-
     [#3C3D37] border border-[#3C3D37] rounded-md shadow-lg py-1 min-w-28">↔
776.
       ul class="">₽
777.
              class="py-1 px-4 hover:bg-black/[.10] ">↔
           <a href="javascript:reportNews()" class="">↩
778.
             Report post↔
779.
           </a>→
780.
         781.
           ↔
782.
783.
                    <div id="reportModal" class="hidden fixed inset-0 z-50 bg-</pre>
    </div>
     black bg-opacity-50 flex items-center justify-center">

<div class="relative bg-white p-6 rounded shadow-lg w-96">

←
784.
    785.
786.
787.
                  <fieldset>↔
                       <legend class="sr-only">Submit a Report</legend>↩
788.
789.
790.
                      <h2 id="reportTitle" class="text-xl font-semibold mb-
     4">Report</h2>↔
791.
                      <label for="reason" class="block mb-2 text-sm font-</pre>
792.
     medium">Reason for Reporting:</label>↔
793.
                      <textarea ↩
794.
                           id="reason" ←
795.
                           name="reason" ↩
                           rows="4" ←
796.
797.
                           class="w-full border border-gray-300 rounded p-2" ←
798.
                           placeholder="Write your reason here..." ←
799.
                           required></textarea>↔
800. ↔
801.
                      <input type="hidden" id="report type" name="report type">↩
                      <input type="hidden" id="reported_id" name="reported_id"</pre>
802.
     value="26">↩
803.
                      <div class="mt-4 flex justify-end gap-2">←
804.
805.
                           <button ↔
                               type="button" ↔
806.
807.
                               class="px-4 py-2 bg-gray-200 text-gray-700 rounded
     hover:bg-gray-300"↔
808.
     onclick="document.getElementById('reportModal').classList.add('hidden')">↔
                               Cancel↩
809.
```

```
class="cursor-pointer peer-checked/downvote:fill-red-400
868.
                                                                                 group-
     hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-red-400 fill-
     [#3C3D37] transition-all ease-out">↔
                <svg class="h-6 rotate-180" viewBox="0 0 24 24"</pre>
869.
     xmlns="http://www.w3.org/2000/svg">↔
<path d="M21,21H3L12,3Z" />↔
870.
871.
                </svq>ب
872.
              </label>↩
873.
           </div>↩
874. ↔
875.
876.
           <a href="http://127.0.0.1:8000/news/26" >↔
877.
              <svg↔
                class="cursor-pointer ml-4 h-5 min-w-5 hover:fill-blue-400
878.
     transition-all ease-out fill-[#3C3D37] group-hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-blue-400"↔
                viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↔
879.
                <g id="Laver 2" data-name="Laver 2">↩
880.
                  <g id="invisible box" data-name="invisible box">↔
  <rect width="48" height="48" fill="none" />↔
881.
882.
                     <rect width="48" height="48" fill="none" />↩
883.
884.
                  </q>↩
                  <g id="icons_Q2" data-name="icons Q2">↩
885.
                     <path↩
886.
887.
     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
     0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
888.
                  </g>~
889.
                </q>بّ
890.
              </svg>↔
891.
           </a>↩
892. ↔
893.
894. ↔
895.
           <span>0</span>↔
896. ↔
897. ↩
898. ↩
899. ↔
900.
           <div class="relative ml-auto hidden text-sm lg:text-base sm:block">↔
              <span>↩
901.
902.
                1 hour ago↩
903.
                bv↩
904.
              </span>↔
905.
                       <div class="inline cursor-pointer group italic">
     contributors↩
       <div class="transition-all absolute right-0 bottom-6 invisible group-</pre>
906.
     hover:visible hover:visible opacity-0 hover:opacity-100 group-
     hover:opacity-100 bg-[#F4F2ED] text-[#3C3D37] border border-[#3C3D37]
     rounded-md shadow-lg py-4 px-2 min-w-28">↔
907.
         →
908.
                  class="mb-1">↔
909.
              <a href="http://127.0.0.1:8000/users/29/profile" class="underline-</pre>
     effect">↩
910.
                @tony↩
911.
              </a>↔
912.
           913.
                  ↩
              <a href="http://127.0.0.1:8000/users/40/profile" class="underline-</pre>
914.
     effect">↩
915.
                @elliot↩
916.
              </a>→
917.
           class="mb-1">↔
918.
919.
              <a href="http://127.0.0.1:8000/users/44/profile" class="underline-</pre>
     effect">↔
920.
                @icarus↩
              </a>→
921.
922.
           ↔
                  class="mb-1">↔
923.
```

```
<a href="http://127.0.0.1:8000/users/48/profile" class="underline-</pre>
924.
    effect">↩
925.
               @marty↔
926.
             </a>↔
           ↩
927.
928.
                 class="mb-1">↔
929.
             <a href="http://127.0.0.1:8000/users/53/profile" class="underline-</pre>
    effect">↩
930.
               @r2d2↩
931.
             </a>~
932.
           ↔
933.
                 ↩
934.
             <a href="http://127.0.0.1:8000/users/56/profile" class="underline-</pre>
    effect">↩
935.
               @ultron↩
936.
             </a>↔
           ↩
937.
938.
                 class="mb-1">↔
             <a href="http://127.0.0.1:8000/users/82/profile" class="underline-
939.
    effect">↩
940.
               @professor↔
             </a>↩
941.
           942.
943.
                 class="mb-1">↩
944.
             <a href="http://127.0.0.1:8000/users/90/profile" class="underline-</pre>
    effect">↩
945.
               @huey↩
946.
             </a>↔
           947.
948.
                 class="mb-1">↔
949.
             <a href="http://127.0.0.1:8000/users/91/profile" class="underline-</pre>
    effect">↩
950.
               @dewey↔
951.
             </a>↔
952.
           ↩
953.
954.
             <a href="http://127.0.0.1:8000/users/92/profile" class="underline-</pre>
    effect">↩
955.
               @louie↩
956.
             </a>~
957.
           ↩
                 class="mb-1">↔
958.
             <a href="http://127.0.0.1:8000/users/97/profile" class="underline-</pre>
959.
    effect">↩
960.
               @genie←
961.
             </a>→
962.
           ↔
               963.
964.
       </div>↩
965. </div>
                         </div>↔
966.
         </footer>↩
       </div>↔
967.
968.
       </div>↩
969. ↔
970. <script>↔
971.
972. function reportNews() {↩
       const authors = [29,40,44,48,53,56,82,90,91,92,97]; \leftrightarrow
973.
       const form = document.getElementById('reportForm'); ↔
974.
975.
       form.reset();↔
976.
       authors.forEach(authorId => {↩
        const input = document.createElement('input'); 
input.type = 'hidden'; 

977.
978.
         input.name = 'reported user id[]'; ↔
979.
980.
         input.value = authorId; ←
981.
         982.
         });↩
       document.getElementById('reportForm').action =
983.
     'http://127.0.0.1:8000/report';↩
       document.getElementById('report type').value = 'item report';↔
984.
       document.getElementBýId('reported'id').value = '26';ਦ
985.
```

```
document.getElementById('reportTitle').textContent = 'Report all
 986.
      authors';↩
 987.
        document.getElementById('reportModal').classList.remove('hidden');
 988. }↔
 989. ↩
 990. function reportTopic() {↩
        const authors = [29,40,44,48,53,56,82,90,91,92,97]; \leftarrow const form = document.getElementById('reportForm'); \leftarrow
 991.
992.
993.
        form.reset(); ←
994.
        authors.forEach(authorId => {↔
995.
          const input = document.createElement('input'); ←
          input.type = 'hidden';↔
996.
          input.name = 'reported_user_id[]'; ↔ input.value = authorId; ↔
997.
998.
          form.appendChild(input); ←
999.
1000.
          });↩
1001.
        document.getElementById('reportForm').action =
      'http://127.0.0.1:8000/report';↩
        document.getElementById('report_type').value = 'topic_report'; ← document.getElementById('reported_id').value = '26'; ←
1002.
1003.
        document.getElementById('reportTitle').textContent = 'Report all
1004.
1005.
        document.getElementById('reportModal').classList.remove('hidden');
1006.
1007. }↔
1008.
1009.
     </script>
                             <div data-post="102"↩
        class="p-4 hover:bg-[#3C3D37] hover:text-[#F4F2ED] transition ease-out
1010.
      group/wrapper h-full w-full flex flex-row-reverse">↔
        <div class="h-full w-full flex-col flex gap-4">↔
1011.
1012.
          <header class="flex items-center relative">↔
             <a class="flex items-center h-8"↔
1013.
1014.
               href="http://127.0.0.1:8000/hub/2">↔
1015.
               <ima↩
1016.
                 src="http://127.0.0.1:8000/images/hub2.jpg"↔
1017.
      onerror="this.onerror=null; this.src='https://www.redditstatic.com/avatars/
      defaults/v2/avatar default 3.png';"↩
1018.
                 class="size-8 rounded-full object-cover">↩
1019. ↔
1020.
               <span class="text-xl font-light underline-effect-light px-</pre>
      2">h/Superheroes</span>↔
1021.
            </a>↩
1022.
            <span class="ml-2 text-xs font-semibold px-2 py-1 rounded-md ↔</pre>
1023.
          bg-pastelBlue text-[#F4F2ED] transition ease-out">↔
1024.
               News↩
1025.
            </span>↔
1026.
            <div class="inline cursor-pointer pb-4 group ml-auto z-0">↔
1027.
               <input type="checkbox" class="peer hidden" id="102-options">↔
               <label for="102-options">↔
1028.
1029.
                 <svg class="ml-auto h-4 w-4 fill-[#3C3D37] group-</pre>
      hover/wrapper:fill-[#F4F2ED] z-0"↔
1030.
                   xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16">↔
1031.
                   <path class="cls-1"↔
1032.
      d="M8,6.5A1.5,1.5,0,1,1,6.5,8,1.5,1.5,0,0,1,8,6.5ZM.5,8A1.5,1.5,0,1,0,2,6.
      5,1.5,1.5,0,0,0,.5,8Zm12,0A1.5,1.5,0,1,0,14,6.5,1.5,1.5,0,0,0,12.5,8Z" />↔
1033.
                 </sva>↩
               </label>↩
1034.
1035.
                        <div↩
1036.
        class="z-50 transition-all absolute right-0 top-6 invisible peer-
      checked:visible opacity-0 peer-checked:opacity-100 bg-[#F4F2ED] text-
      [#3C3D37] border border-[#3C3D37] rounded-md shadow-l̄g py-1 min-w-28">↔
        ul class="">↔
1037.
1038.
               class="py-1 px-4 hover:bg-black/[.10] ">↔
1039.
             <a href="javascript:reportNews()" class="">↩
               Report post↔
1040.
1041.
            </a>↩
1042.
          ↩
            ↔
1043.
```

```
<div id="reportModal" class="hidden fixed inset-0 z-50 bg-</pre>
1044. </div>
      black bg-opacity-50 flex items-center justify-center">

<div class="relative bg-white p-6 rounded shadow-lg w-96">

←
1045.
               <form id="reportForm" method="POST" action="">ം്
1046.
1047.
                    <input type="hidden" name=" token"</pre>
      value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
                    <fieldset>↩
1048.
                         <legend class="sr-only">Submit a Report</legend>↔
1049.
1050.
                         <h2 id="reportTitle" class="text-xl font-semibold mb-
1051.
      4">Report</h2>~
1052.
                         <label for="reason" class="block mb-2 text-sm font-</pre>
1053.
      medium">Reason for Reporting:</label>↔
1054.
                         <textarea ↩
1055.
                              id="reason" ←
                              name="reason" ↩
1056.
1057.
                              rows="4" ↔
                              class="w-full border border-gray-300 rounded p-2" ←
1058.
1059.
                              placeholder="Write your reason here..." ↩
1060.
                              required></textarea>↔
1061. ↔
                         <input type="hidden" id="report type" name="report type">
<input type="hidden" id="reported_id" name="reported_id"</pre>
1062.
1063.
      value="102">←
1064.
1065.
                         <div class="mt-4 flex justify-end gap-2">←
1066.
                              <button ↩
                                  type="button" ↔
1067.
                                  class="px-4 py-2 bg-gray-200 text-gray-700 rounded
1068.
      hover:bg-gray-300"↔
1069.
      onclick="document.getElementById('reportModal').classList.add('hidden')">↔
1070.
                                  Cancel↩
1071.
                              </button>↩
                              <button ←
1072.
1073.
                                  type="submit" ↔
1074.
                                  class="px-4 py-2 bg-red-500 text-white rounded
      hover:bg-red-600">↩
1075.
                                  Submit Report↔
1076.
                              </button>↩
1077.
                         </div>↔
                    </fieldset>↩
1078.
1079.
               </form>↩
1080.
           </div>↔
1081. </div>↔
1082.
1083.
             </div>↔
1084.
           </header>↩
1085. ↔
1086.
           <div class="grow">₽
1087. ↔
1088.
1089.
             <a href="http://127.0.0.1:8000/news/102"↔
      class="inline my-4 text-4xl md:text-5xl lg:text-6xl font-medium tracking-tight line-clamp-4 overflow-visible">→
1090.
1091.
               The Psychology of Superheroes</a>↔
1092. ↔
1093.
1094.
1095.
           </div>↩
1096. ↔
1097.
1098. ↔
1099.
           <footer class="flex flex-row mt-auto text-lg gap-2 items-center">↔
1100.
             <div>↩
               <input id="favorite-102" type="checkbox" class="hidden</pre>
1101.
      peer/favorite" ↔
               name="favorite"↔
1102.
1103.
               onchange="toggleFavorite(102)">↩
1104. ↔
```

```
1106.
                  class="cursor-pointer peer-checked/favorite:fill-pink-500
      cursor-pointer group-hover/wrapper:hover:fill-pink-500 fill-[#3C3D37]
      transition-all ease-out group-hover/wrapper:fill-[#F4F2ED]">↔
1107.
                  <svg class="h-6" viewBox="0 0 24 24"</pre>
      xmlns="http://www.w3.org/2000/svg">↔
1108.
                    <path↔
      d="M12 21.35l-1.45-1.32C5.4 15.36 2 12.28 2 8.5 2 5.42 4.42 3 7.5 3c1.74 0 3.41.81 4.5 2.09C13.09 3.81 14.76 3 16.5 3 19.58 3 22 5.42 22 8.5c0 3.78-3.4 6.86-8.55 11.54L12 21.35z" />₽
1109.
1110.
                  </svq>↩
               </label>↔
1111.
1112.
             </div>↩
1113.
                    <div>↩
               <input id="102-upvote" type="checkbox" class="hidden peer/upvote"</pre>
1114.
      name="vote">↔
               <label for="102-upvote"↔
1115.
                  class=" peer-checked/upvote:fill-blue-400 cursor-pointer group-
1116.
      hover/wrapper:hover:fill-blue-400 fill-[#3C3D37] transition-all ease-out
      group-hover/wrapper:fill-[#F4F2ED]">↔
                  <svg class="h-6" viewBox="0 0 24 24"</pre>
1117.
      xmlns="http://www.w3.org/2000/svg">↔
<path d="M21,21H3L12,3Z" />↔
1118.
1119.
                  </svg>↩
1120.
                </label>↩
1121.
             </div>↩
1122. ↩
             <span class="mr-2" id="102-score">↔
1123.
1124.
               15
                         </span>↔
1125. ↩
1126.
             <div class="">↔
1127.
               <input id="102-downvote" type="checkbox" class="hidden</pre>
      peer/downvote"
                         name="vote">↔
               <label for="102-downvote"↔
1128.
                  class="cursor-pointer peer-checked/downvote:fill-red-400
1129.
      hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-red-400 fill-
      [#3C3D37] transition-all ease-out">↔
                  <svg class="h-6 rotate-180" viewBox="0 0 24 24"</pre>
1130.
      xmlns="http://www.w3.org/2000/svg">↔
<path d="M21,21H3L12,3Z" />↔
1131.
1132.
                  </sva>↔
1133.
               </label>↩
1134.
             </div>↔
1135. ↔
1136.
1137.
             <a href="http://127.0.0.1:8000/news/102" >↔
1138.
               <svg←
                  class="cursor-pointer ml-4 h-5 min-w-5 hover:fill-blue-400
1139.
      transition-all ease-out fill-[#3C3D37] group-hover/wrapper:fill-[#F4F2ED] group-hover/wrapper:hover:fill-blue-400"→
                  viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">→
1140.
                  <g id="Layer 2" data-name="Layer 2">↔
1141.
1142.
                     <g id="invisible_box" data-name="invisible box">↩
                       <rect width="48" height="48" fill="none" />↔ <rect width="48" height="48" fill="none" />↔
1143.
1144.
1145.
                    </a>→
1146.
                    <g id="icons Q2" data-name="icons Q2">↩
                       <path↔
1147.
1148.
      d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
      0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
1149.
                    </g>~
1150.
                  </g>⊷
               </svḡ>↔
1151.
1152.
             </a>↔
1153. ↔
1154.
1155. ↩
1156.
             <span>0</span>↔
1157. ↔
1158. ↔
```

```
12/22/24, 6:12 PM
                                         Showing results for contents of text-input area - Nu Html Checker
   1159. ↔
   1160. ↔
   1161.
                 <div class="relative ml-auto hidden text-sm lg:text-base sm:block">↔
                   <span>↩
   1162.
   1163.
                      .
1 hour ago↩
                      by↩
   1164.
   1165.
                   </span>↔
                             <a data-name="authors" class="underline-effect-light"↔
   1166.
                      href="http://127.0.0.1:8000/users/21/profile">↔
   1167.
   1168.
                      liam↩
   1169.
                   </a>↔
   1170.
                           </div>↩
   1171.
              </footer>↩
            </div>↩
   1172.
            </div>↩
   1173.
   1174. ↔
   1175. <script>↔
   1176.
   1177. function reportNews() {↔
            const authors = [21]; \leftarrow
   1178.
   1179.
            const form = document.getElementById('reportForm'); ←
            form.reset();↔
   1180.
   1181.
            authors.forEach(authorId => {↔
   1182.
               const input = document.createElement('input'); ←
              input.type = 'hidden';↔
   1183.
              input.type = "Induen", e
input.name = 'reported_user_id[]'; ↔
input.value = authorId; ↔
   1184.
   1185.
               form.appendChild(input); 
   1186.
   1187.
               });↩
   1188.
            document.getElementById('reportForm').action =
          'http://127.0.0.1:8000/report';
            document.getElementById('report_type').value = 'item_report'; ← document.getElementById('reported_id').value = '102'; ←
   1189.
   1190.
            document.getElementById('reportTitle').textContent = 'Report all
   1191.
          authors':↩
   1192.
            document.getElementById('reportModal').classList.remove('hidden');↔
   1193. }↔
   1194. ↔
   1195. function reportTopic() {↔ 1196. const authors = [21]; ↔
   1197.
            const form = document.getElementById('reportForm'); ↔
   1198.
            form.reset();←
            authors.forEach(authorId => {↩
   1199.
   1200.
               const input = document.createElement('input'); ←
               input.type = 'hidden';↔
   1201.
              input.name = 'reported_user_id[]'; ↔
input.value = authorId; ↔
   1202.
   1203.
               form.appendChild(input); 
   1204.
   1205.
               });↩
            document.getElementById('reportForm').action =
   1206.
          'http://127.0.0.1:8000/report';↔
            document.getElementById('report_type').value = 'topic_report';↔
document.getElementById('reported_id').value = '102';↔
   1207.
   1208.
   1209.
            document.getElementById('reportTitle').textContent = 'Report all
            document.getElementById('reportModal').classList.remove('hidden');↔
   1210.
   1211.
   1212. }↩
   1213. ↔
   1214. </script>
                                        </div>↩
   1215. ↩
   1216. ↔
   1217.
              <!-- Pagination -->₽
   1218.
                 </div>→
   1219.
   1220. ↔
   1221. ↔
   1222.
            </div>↔
   1223. ↔
                   </section>↩
   1224.
   1225.
                 </main>↩
```

```
12/22/24, 6:12 PM
                                     Showing results for contents of text-input area - Nu Html Checker
   1226. ↔
   1227.
                <!-- Right Sidebar -->↩
   1228.
                      <aside id="right-sidebar"↩
   1229.
                  class="fixed inset-y-0 right-0 transform translate-x-full
         md:translate-x-0 md:static md:w-64 bg-[#F4F2ED] border-l-2 border-black
         transition-transform duration-200 ease-in-out overflow-y-auto min-h-
         screen">↩
                  <!-- Hubs Section -->↩
   1230.
                  <div class="border-b-2 border-black">←
  <a class="p-4 flex flex-col hover:bg-[#3C3D37] hover:text-</pre>
   1231.
   1232.
         [#F4F2ED] transition-all group"↔
   1233.
                      href="http://127.0.0.1:8000/hub/2">↔
                      <img src="http://127.0.0.1:8000/images/hub2.jpg" alt="hub</pre>
   1234.
         image"↩
   1235.
                         class="rounded-full h-20 w-20 mx-auto ring-2 group-
         hover:ring-[#F4F2ED] ring-[#3C3D37] object-cover">↔
   1236.
                      <hl class="mt-4 mb-1 font-medium tracking-tight text-xl text-
         center">h/Superheroes</h1>↩
                      .
<p class="text-sm font-light break-all tracking-tight text-
   1237.
         center">All about comic book and movie superheroes↔
          <div class="flex items-center justify-center text-sm font-
light break-all tracking-tight text-center">

   1238.
         <svg xmlns="http://www.w3.org/2000/svg"
class="h-5 w-5 text-green-500 mr-2" viewBox="0 0 24 24"↔</pre>
   1239.
                           fill="currentColor">↔
   1240.
                           <path↩
   1241.
   1242.
                             d="M12 2C6.486 2 2 6.486 2 12s4.486 10 10 10 10-4.486
         10-10S17.514 2 12 2zm0 18c-4.411 0-8-3.589-8-8s3.589-8 8-8 8 3.589 8 8-
         3.589 8-8 8z">↔
   1243.
                           </path>↩
   1244.
                           <path d="M11 14h2v2h-2zm0-8h2v6h-2z"></path>←
   1245.
                         </svg>↩
   1246.
                         public↩
   1247.
                                      </div>↩
                      <div class="flex flex-row justify-center gap-8 mt-4">↔
   1248.
   1249.
                         <div class="flex items-center">↔
   1250.
                           <span class="font-medium text-lg">5</span>↔
   1251.
                           <span class="ml-1 text-sm ">followers</span>↔
   1252.
                         </div>↔
   1253.
                         <div class="flex items-center">↩
   1254.
                           <span class="font-medium text-lq">4</span>↔
                           <span class="ml-1 text-sm t">posts</span>↔
   1255.
   1256.
                         </div>↔
   1257.
                      </div>↩
   1258. ↩
                      <div class="flex justify-center mt-6">↔
   1259.
   1260.
                         <form action="http://127.0.0.1:8000/hub/2/leave"</pre>
   1261.
         method="POST">↔
                           <input type="hidden" name=" token"</pre>
   1262.
         value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
         <input type="hidden" name=" method" value="DELETE">
                                                                                    <button
         type="submit"₽
   1263.
                             class="px-3.5 py-2.5 text-sm font-medium rounded-lg bg-
         [#F4F2ED] text-black border-2 border-black">↩
   1264.
                             unfollow -↔
   1265.
                           </button>↩
   1266.
                         </form>↔
                                                      </div>↔
   1267.
   1268.
                    </a>↩
   1269.
                  </div>↔
   1270. ↔
   1271.
                  <!-- Moderators Section -->↔
   1272.
                  <div class="p-4">↔
                    <h3 class="text-sm font-medium text-gray-500 mb-</pre>
   1273.
         3">moderators</h3>↩
   1274.
                    <div class="space-y-3">↔
   1275.
         href="http://127.0.0.1:8000/users/2/profile">↔
                         <div class="flex items-center space-x-2 py-2">↔
   1276.
```

Total execution time 110 milliseconds.

About this checker • Report an issue • Version: 24.11.29