

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en" class="h-full">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="csrf-token" content="9Suk64UAIzxrs3GUlJ10mY81F4f3G1vC07EHGWh">
  <title>WhatsUP</title>
  <script defer src="http://127.0.0.1:8000/js/app.js"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
    href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,opsz,w
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 22, column 75; to line 22, column 150](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" /></head
```

2. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 147, column 13; to line 148, column 66](#)

```

```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 147, column 13; to line 148, column 66](#)

```

```

4. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 155, column 17; to line 156, column 67](#)

```

```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 155, column 17; to line 156, column 67](#)

```

```

6. **Error** Bad value `Interface / Settings` for attribute `id` on element `g`: Not a valid XML 1.0 name.

[From line 170, column 19; to line 170, column 47](#)

```
<g id="Interface / Settings">
```

7. **Error** Bad value  for attribute `action` on element `form`: Must be non-empty.

[From line 308, column 9; to line 308, column 54](#)

```
> <form id="reportForm" method="POST" action="">
```

8. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 309, column 13; to line 309, column 115](#)

```
<input type="hidden" name="_token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
```

9. **Error** Element `p` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 563, column 37; to line 563, column 39](#)

```
<p> 22</p>
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

10. **Error** Element `p` not allowed as child of element `button` in this context.  
(Suppressing further errors from this subtree.)

[From line 601, column 37; to line 601, column 39](#)

```
<p> 10</p>
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

11. **Error** Duplicate ID `Layer_2`.

[From line 610, column 41; to line 610, column 76](#)

```
<g id="Layer_2" data-name="Layer 2">␣
```

12. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 572, column 41; to line 572, column 76](#)

```
<g id="Layer_2" data-name="Layer 2">␣
```

13. **Error** Duplicate ID `invisible_box`.

[From line 611, column 41; to line 611, column 88](#)

```
<g id="invisible_box" data-name="invisible box">␣
```

14. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 573, column 41; to line 573, column 88](#)

```
<g id="invisible_box" data-name="invisible box">␣
```

15. **Error** Duplicate ID `icons_Q2`.

[From line 615, column 41; to line 615, column 78](#)

```
<g id="icons_Q2" data-name="icons Q2">␣
```

16. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 577, column 41; to line 577, column 78](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

17. **Error** Element `p` not allowed as child of element `button` in this context.  
(Suppressing further errors from this subtree.)

[From line 641, column 37; to line 641, column 39](#)

```
<p> 9</p>
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

18. **Error** Duplicate ID `Layer_2`.

[From line 650, column 41; to line 650, column 76](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

19. **Warning** The first occurrence of ID `Layer_2` was here.

[From line 572, column 41; to line 572, column 76](#)

```
<g id="Layer_2" data-name="Layer 2">...
```

20. **Error** Duplicate ID `invisible_box`.

[From line 651, column 41; to line 651, column 88](#)

```
<g id="invisible_box" data-name="invisible box">...
```

21. **Warning** The first occurrence of ID `invisible_box` was here.

[From line 573, column 41; to line 573, column 88](#)

```
<g id="invisible_box" data-name="invisible box">...
```

22. **Error** Duplicate ID `icons_Q2`.

[From line 655, column 41; to line 655, column 78](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

23. **Warning** The first occurrence of ID `icons_Q2` was here.

[From line 577, column 41; to line 577, column 78](#)

```
<g id="icons_Q2" data-name="icons Q2">...
```

24. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 545, column 17; to line 545, column 34](#)

```
<section class="">↵
```

Document checking completed.

## Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en" class="h-full">↵
4.  ↵
5.  <head>↵
6.    <meta charset="utf-8">↵
7.    <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.    <meta name="csrf-token"
content="9Suk64UAIzxxrs3GulJ10mY81F4f3G1vC07EHGWh">↵
9.    <title>WhatsUP</title>↵
10.   <script defer src="http://127.0.0.1:8000/js/app.js"></script>↵
11.   <link rel="preconnect" href="https://fonts.googleapis.com">↵
12.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
13.   <link
14.     href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
sz,wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
0..900;1,400..900&display=swap"
15.     rel="stylesheet">↵
16.   ↵
17.   <link rel="apple-touch-icon" sizes="180x180"
href="http://127.0.0.1:8000/images/apple-touch-icon.png">↵
18.   <link rel="icon" type="image/png" sizes="32x32"
href="http://127.0.0.1:8000/images/favicon-32x32.png">↵
19.   <link rel="icon" type="image/png" sizes="16x16"
href="http://127.0.0.1:8000/images/favicon-16x16.png">↵
20.   ↵
21.   ↵
22.   <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
<link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"
/></head>↵
23.   ↵
24.   <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk ">↵
25.     <div class="min-h-screen flex flex-col">↵
26.       <!-- Top Header -->↵
27.       <header
28.         class="flex items-center justify-between h-12 border-b-2 border-
black fixed top-0 left-0 right-0 z-50 bg-[#F4F2ED]">↵
29.         <!-- Logo Section -->↵
30.         <div class="w-32 md:w-48 bg-pastelGreen h-full flex items-center
border-r-2 border-black">↵
31.           <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-
bold text-4xl tracking-tight">↵
32.             <span class="block md:hidden">w.UP</span>↵
33.             <span class="hidden md:block">whatsUP</span>↵
34.           </a>↵
35.         </div>↵
36.         <!-- Search Section -->↵
37.         <div class="flex-1 bg-pastelRed h-full flex items-center pl-2 md:pl-
4 relative">↵
38.           <svg class="w-5 h-5 text-[#F4F2ED]/80" fill="none"
stroke="currentColor" viewBox="0 0 24 24">↵
39.             <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="2"
40.               d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />↵
41.           </svg>↵
42.           <input id="search-input" type="text" placeholder="search">↵

```

```

43.         class="w-full bg-transparent border-none text-[#F4F2ED]
placeholder-[#F4F2ED] px-2 md:px-3 py-2 focus:outline-none ">
44.
45.         <!-- Enhanced Search Results Dropdown -->
46.         <div id="search-results"
47.         class="absolute left-2 md:left-4 right-2 md:right-4 top-full mt-
2 bg-[#F4F2ED] backdrop-blur-sm rounded-xl shadow-2xl border-2 border-
black overflow-hidden transform opacity-0 scale-95 transition-all
duration-200 ease-out pointer-events-none z-50 max-w-full md:max-w-
[calc(100%-16rem)]">
48.         <!-- Communities Section -->
49.         <div class="border-b border-gray-200 bg-gradient-to-r from-red-
50 to-blue-50">
50.             <div class="p-4">
51.                 <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
items-center gap-2">
52.                     <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
53.                         <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2"
54.                             d="M7 20l4-16m2 16l4-16M6 9h14M4 15h14" />
55.                     </svg>
56.                     Communities
57.                 </h3>
58.                 <div
59.                 class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
scrollbar-thumb-gray-300 scrollbar-track-transparent">
60.                     <div class="p-3 rounded-lg hover:bg-gray-50 transition-
colors duration-200 cursor-pointer">
61.                         <div class="flex items-center gap-2">
62.                             <div class="w-2 h-2 rounded-full bg-green-500"></div>
63.                             <span class="text-sm text-gray-700"></span>
64.                         </div>
65.                     </div>
66.                 </div>
67.             </div>
68.         </div>
69.
70.         <!-- Posts Section -->
71.         <div class="border-b border-gray-200 bg-gradient-to-r from-blue-
50 to-green-50">
72.             <div class="p-4">
73.                 <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
items-center gap-2">
74.                     <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
75.                         <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2"
76.                             d="M19 11h5m14 0a2 2 0 012 2v6a2 2 0 01-2 2H5a2 2 0
01-2-2v-6a2 2 0 012-2m14 0V9a2 2 0 00-2-2M5 11V9a2 2 0 012-2m0 0V5a2 2 0
012-2h6a2 2 0 012 2v2M7 7h10" />
77.                     </svg>
78.                     Posts
79.                 </h3>
80.                 <div
81.                 class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
scrollbar-thumb-gray-300 scrollbar-track-transparent">
82.                     <!-- Example post result item -->
83.                     <div class="p-3 rounded-lg hover:bg-gray-50 transition-
colors duration-200 cursor-pointer">
84.                         <span class="text-sm text-gray-700"></span>
85.                     </div>
86.                 </div>
87.             </div>
88.         </div>
89.
90.         <!-- Users Section -->
91.         <div class="bg-gradient-to-r from-green-50 to-red-50">
92.             <div class="p-4">
93.                 <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
items-center gap-2">

```

```

94.         <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
95.             <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2">
96.                 d="M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-
2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7 20v-
2c0-.656-.126-1.283-.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0
3 3 0 016 0zm6 3a2 2 0 11-4 0 2 2 0 014 0zM7 10a2 2 0 11-4 0 2 2 0 014 0z"
/>
97.         </svg>
98.         Users
99.     </h3>
100. </div>
101.     <div class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
scrollbar-thumb-gray-300 scrollbar-track-transparent">
102.         <div class="p-3 rounded-lg hover:bg-gray-50 transition-
colors duration-200 cursor-pointer">
103.             <div class="flex items-center gap-3">
104.                 <div class="w-6 h-6 rounded-full bg-blue-500"></div>
105.                 <span class="text-sm text-gray-700"></span>
106.             </div>
107.         </div>
108.     </div>
109. </div>
110. </div>
111. </div>
112. </div>
113.
114.
115.     <!-- Right Section -->
116.     <div class="bg-pastelBlue h-full w-32 md:w-64 flex items-center
border-l-2 border-black justify-evenly">
117.         <a href="http://127.0.0.1:8000/posts/create">
118.             <svg class="w-5 h-5 fill-[#3C3D37] hover:fill-[#3C3D37]/80
hover:rotate-180 transition-all"
119.                 xmlns="http://www.w3.org/2000/svg" viewBox="0 0 455 455"
xml:space="preserve">
120.                 <polygon
121.                     points="455,212.5 242.5,212.5 242.5,0 212.5,0 212.5,212.5
0,212.5 0,242.5 212.5,242.5 212.5,455 242.5,455 242.5,242.5 455,242.5" />
122.                 </svg>
123.             </a>
124.
125.             <a href="http://127.0.0.1:8000/notifications?2">
126.                 class="text-[#3C3D37] hover:text-[#3C3D37] transition-colors
hidden md:block relative">
127.
128.                 <div class="absolute -top-2 -right-2">
129.                     <div class="absolute w-5 h-5 bg-pastelRed rounded-full
animate-ping opacity-75"></div>
130.
131.                 <div
132.                     class="relative bg-pastelRed text-white text-[10px] font-
bold rounded-full w-5 h-5 flex items-center justify-center px-1">
133.                     3
134.                 </div>
135.             </div>
136.
137.             <svg class="w-6 h-6 hover:fill-pastelYellow fill-transparent
transition-colors" stroke="currentColor"
138.                 viewBox="0 0 24 24">
139.                 <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="1.5">
140.                     d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002
6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0
.538-.214 1.055-.595 1.436L4 17h5m6 0v1a3 3 0 11-6 0v-1m6 0H9" />
141.                 </svg>
142.             </a>
143.
144.             <div class="relative">

```



```
145.     <a href="#" class="relative fill-transparent text-[#3C3D37]
hover:text-[#3C3D37]/80 transition-colors"
146.         id="profileIcon">
147.         
149.     </a>
150.     <div id="dropdownMenu"
151.         class="absolute right-0 mt-4 bg-white border border-gray-200
w-48 rounded-lg shadow-lg hidden z-50">
152.         <a href="http://127.0.0.1:8000/users/2/profile"
153.             class="block py-2 text-gray-700 hover:bg-gray-100 border-b
border-gray-200">
154.             <div class="flex items-center justify-around px-4 py-3">
155.                 
157.                 <div class="flex flex-col text-left">
158.                     <div class="font-medium text-gray-900">Tiago
Monteiro</div>
159.                     <div class="text-gray-500 text-sm">View profile</div>
160.                 </div>
161.             </div>
162.         </a>
163.         <a href="http://127.0.0.1:8000/admin?2"
164.             class="block px-4 py-2 text-gray-700 hover:bg-gray-100">
165.             <svg viewBox="0 0 24 24" class="stroke-gray-700 w-4 h-4 mr-2
inline-block"
166.                 xmlns="http://www.w3.org/2000/svg" fill="none">
167.                 <g id="SVGRepo_bgCarrier" stroke-width="0"></g>
168.                 <g id="SVGRepo_tracerCarrier" stroke-linecap="round"
stroke-linejoin="round"></g>
169.                 <g id="SVGRepo_iconCarrier">
170.                     <g id="Interface / Settings">
171.                         <g id="Vector">
172.                             <path
173.                                 d="M20.3499 8.92293L19.9837 8.7192C19.9269 8.68756
19.8989 8.67169 19.8714 8.65524C19.5983 8.49165 19.3682 8.26564 19.2002
7.99523C19.1833 7.96802 19.1674 7.93949 19.1348 7.8831C19.1023 7.82677
19.0858 7.79823 19.0706 7.76998C18.92 7.48866 18.8385 7.17515 18.8336
6.85606C18.8331 6.82398 18.8332 6.79121 18.8343 6.72604L18.8415
6.30078C18.8529 5.62025 18.8587 5.27894 18.763 4.97262C18.6781 4.70053
18.536 4.44993 18.3462 4.23725C18.1317 3.99685 17.8347 3.82534 17.2402
3.48276L16.7464 3.1982C16.1536 2.85658 15.8571 2.68571 15.5423
2.62057C15.2639 2.56294 14.9765 2.56561 14.6991 2.62789C14.3859 2.69819
14.0931 2.87351 13.5079 3.22396L13.5045 3.22555L13.1507 3.43741C13.0948
3.47091 13.0665 3.48779 13.0384 3.50338C12.7601 3.6581 12.4495 3.74365
12.1312 3.75387C12.0992 3.7549 12.0665 3.7549 12.0013 3.7549C11.9365
3.7549 11.9024 3.7549 11.8704 3.75387C11.5515 3.74361 11.2402 3.65759
10.9615 3.50224C10.9334 3.48658 10.9056 3.46956 10.8496 3.4359L10.4935
3.22213C9.90422 2.86836 9.60915 2.69121 9.29427 2.62057C9.0157 2.55807
8.72737 2.55634 8.44791 2.61471C8.13236 2.68062 7.83577 2.85276 7.24258
3.19703L7.23994 3.1982L6.75228 3.48124L6.74688 3.48454C6.15904 3.82572
5.86441 3.99672 5.6517 4.23614C5.46294 4.4486 5.32185 4.69881 5.2374
4.97018C5.14194 5.27691 5.14703 5.61896 5.15853 6.3027L5.16568
6.72736C5.16676 6.79166 5.16864 6.82362 5.16817 6.85525C5.16343 7.17499
5.08086 7.48914 4.92974 7.77096C4.9148 7.79883 4.8987 7.8267 4.86654
7.88237C4.83436 7.93809 4.81877 7.96579 4.80209 7.99268C4.63336 8.26452
4.40214 8.49186 4.12733 8.65572C4.10015 8.67193 4.0715 8.68752 4.01521
8.71871L3.65365 8.91908C3.05208 9.25245 2.75137 9.41928 2.53256
9.65669C2.33898 9.86672 2.19275 10.1158 2.10349 10.3872C2.00259 10.6939
2.00267 11.0378 2.00424 11.7255L2.00551 12.2877C2.00706 12.9708 2.00919
13.3122 2.11032 13.6168C2.19979 13.8863 2.34495 14.134 2.53744
14.3427C2.75502 14.5787 3.05274 14.7445 3.64974 15.0766L4.00808
15.276C4.06907 15.3099 4.09976 15.3266 4.12917 15.3444C4.40148 15.5083
4.63089 15.735 4.79818 16.0053C4.81625 16.0345 4.8336 16.0648 4.8683
16.1255C4.90256 16.1853 4.92009 16.2152 4.93594 16.2452C5.08261 16.5229
5.16114 16.8315 5.16649 17.1455C5.16707 17.1794 5.16658 17.2137 5.16541
17.2827L5.15853 17.6902C5.14695 18.3763 5.1419 18.7197 5.23792
19.0273C5.32287 19.2994 5.46484 19.55 5.65463 19.7627C5.86915 20.0031
6.16655 20.1745 6.76107 20.5171L7.25478 20.8015C7.84763 21.1432 8.14395
21.3138 8.45869 21.379C8.73714 21.4366 9.02464 21.4344 9.30209
21.3721C9.61567 21.3017 9.90948 21.1258 10.4964 20.7743L10.8502
```



```

20.5625C10.9062 20.5289 10.9346 20.5121 10.9626 20.4965C11.2409 20.3418
11.5512 20.2558 11.8695 20.2456C11.9015 20.2446 11.9342 20.2446 11.9994
20.2446C12.0648 20.2446 12.0974 20.2446 12.1295 20.2456C12.4484 20.2559
12.7607 20.3422 13.0394 20.4975C13.0639 20.5112 13.0885 20.526 13.1316
20.5519L13.5078 20.7777C14.0971 21.1315 14.3916 21.3081 14.7065
21.3788C14.985 21.4413 15.2736 21.4438 15.5531 21.3855C15.8685 21.3196
16.1657 21.1471 16.7586 20.803L17.2536 20.5157C17.8418 20.1743 18.1367
20.0031 18.3495 19.7636C18.5383 19.5512 18.6796 19.3011 18.764
19.0297C18.8588 18.7252 18.8531 18.3858 18.8417 17.7119L18.8343
17.2724C18.8332 17.2081 18.8331 17.1761 18.8336 17.1445C18.8383 16.8247
18.9195 16.5104 19.0706 16.2286C19.0856 16.2007 19.1018 16.1726 19.1338
16.1171C19.166 16.0615 19.1827 16.0337 19.1994 16.0068C19.3681 15.7349
19.5995 15.5074 19.8744 15.3435C19.9012 15.3275 19.9289 15.3122 19.9838
15.2818L19.9857 15.2809L20.3472 15.0805C20.9488 14.7472 21.2501 14.5801
21.4689 14.3427C21.6625 14.1327 21.8085 13.8839 21.8978 13.6126C21.9981
13.3077 21.9973 12.9658 21.9958 12.2861L21.9945 11.7119C21.9929 11.0287
21.9921 10.6874 21.891 10.3828C21.8015 10.1133 21.6555 9.86561 21.463
9.65685C21.2457 9.42111 20.9475 9.25526 20.3517 8.92378L20.3499 8.92293Z"↵
174. stroke-width="2" stroke-linecap="round" stroke-
linejoin="round"></path>↵
175. <path↵
176. d="M8.00033 12C8.00033 14.2091 9.79119 16 12.0003
16C14.2095 16 16.0003 14.2091 16.0003 12C16.0003 9.79082 14.2095 7.99996
12.0003 7.99996C9.79119 7.99996 8.00033 9.79082 8.00033 12Z"↵
177. stroke-width="2" stroke-linecap="round" stroke-
linejoin="round"></path>↵
178. </g>↵
179. </g>↵
180. </g>↵
181. </svg>↵
182. Admin Options↵
183. </a>↵
184. ↵
185. <a href="http://127.0.0.1:8000/logout"
class="block px-4 py-2 text-gray-700 hover:bg-gray-100">↵
186. <svg class="w-4 h-4 mr-2 inline-block" fill="none"
stroke="currentColor" viewBox="0 0 24 24">↵
187. <path stroke-linecap="round" stroke-linejoin="round"
stroke-width="2"↵
188. d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0
01-3-3V7a3 3 0 013-3h4a3 3 0 013 3v1" />↵
189. </svg>↵
190. Logout↵
191. </a>↵
192. </div>↵
193. </div>↵
194. </div>↵
195. </header>↵
196. ↵
197. <div class="flex pt-12 ml-0 md:ml-48">↵
198. <!-- Mobile Menu Button -->↵
199. <button id="mobile-menu-button"↵
200. class="md:hidden fixed bottom-4 right-4 z-50 bg-pastelBlue text-
[#F4F2ED] p-3 rounded-full shadow-lg transition-transform duration-300">↵
201. <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0
0 24 24">↵
202. <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="2" d="M4 6h16M4 12h16m-7 6h7" />↵
203. </svg>↵
204. </button>↵
205. ↵
206. <!-- Left Sidebar -->↵
207. <aside id="left-sidebar"↵
208. class=" [&::-webkit-scrollbar]:hidden text-[#3C3D37] text-lg fixed
inset-y-0 left-0 w-48 bg-[#F4F2ED] border-r-2 border-black z-40 overflow-
y-auto max-h-screen transform -translate-x-full md:translate-x-0
transition-transform duration-300 ease-in-out">↵
209. <nav class="divide-y-2 divide-black">↵
210. <!-- Primary Links -->↵
211. <div class="pt-14 pb-2">↵

```

```
212.     <div class="*:*:underline-effect *:px-4 *:py-1 flex flex-col
text-xl ml-2">
213.         <a href="http://127.0.0.1:8000/home" class=" mr-auto">
214.             <span class="">home</span>
215.         </a>
216.         <a href="http://127.0.0.1:8000/global" class="">
217.             <span class="">global</span>
218.         </a>
219.         <a href="http://127.0.0.1:8000/recent" class="">
220.             <span class="">recent</span>
221.         </a>
222.     </div>
223. </div>
224.
225.
226.     <div class="py-4">
227.         <h3 class="px-4 font-light text-gray-600 mb-1">recent</h3>
228.         <div class="space-y-1 *:transition-colors *:pl-4">
229.             <a href="/hub/2"
230.                 class="flex items-center space-x-2 px-4 py-2 hover:bg-
[#3C3D37] hover:text-[#F4F2ED]">
231.                 
234.                 <span class="break-all text-sm">h/Superheroes</span>
235.             </a>
236.         </div>
237.     </div>
238.
239.     <div class="pt-4">
240.         <h3 class="px-4 font-light text-gray-600 mb-1">hubs</h3>
241.         <div class="space-y-1 *:transition-colors *:pl-4">
242.             <a href="/hub/1"
243.                 class="flex items-center space-x-2 px-4 py-2 hover:bg-
[#3C3D37] hover:text-[#F4F2ED]">
244.                 
247.                 <span class="break-all text-sm">h/AnimeFans</span>
248.             </a>
249.             <a href="/hub/2"
250.                 class="flex items-center space-x-2 px-4 py-2 hover:bg-
[#3C3D37] hover:text-[#F4F2ED]">
251.                 
254.                 <span class="break-all text-sm">h/Superheroes</span>
255.             </a>
256.             <a href="/hub/3"
257.                 class="flex items-center space-x-2 px-4 py-2 hover:bg-
[#3C3D37] hover:text-[#F4F2ED]">
258.                 
261.                 <span class="break-all text-sm">h/Mythology</span>
262.             </a>
263.             <a href="/hub/16"
264.                 class="flex items-center space-x-2 px-4 py-2 hover:bg-
[#3C3D37] hover:text-[#F4F2ED]">
265.                 
268.                 <span class="break-all text-sm">h/MovieBuffs</span>
269.             </a>
270.             <a href="/hub/23">
```

```

272.         class="flex items-center space-x-2 px-4 py-2 hover:bg-
[ #3C3D37 ] hover:text-[ #F4F2ED ]">
273.         ↵
274.         
276.         <span class="break-all text-sm">h/PetLovers</span>
277.     </a>
278.     </div>
279.     <a href="http://127.0.0.1:8000/hubs/create"
class="flex items-center space-x-2 px-4 py-2 hover:bg-
280. [ #3C3D37 ] hover:text-[ #F4F2ED ] ">
281.     <span class="">+ create hub</span>
282. </a>
283. </div>
284. <!-- Info Section -->
285. <div class="py-4">
286.     <h3 class="px-4 font-light text-gray-600 mb-1">info</h3>
287.     <div class="*: *:underline-effect *:px-4 *:py-1 flex flex-col
text-xl ml-2">
288.         <a href="http://127.0.0.1:8000/about-us" class="">
289.             <span class="">about us</span>
290.         </a>
291.         <a href="http://127.0.0.1:8000/bestof" class="">
292.             <span class="">best of</span>
293.         </a>
294.         <a href="http://127.0.0.1:8000/all-hubs" class="">
295.             <span class="">hubs</span>
296.         </a>
297.     </div>
298. </div>
299. </nav>
300. </aside>
301. ↵
302. ↵
303. <!-- Main Content -->
304. <main class="flex-1">
305.     ↵
306.     <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black
bg-opacity-50 flex items-center justify-center">
307.         <div class="relative bg-white p-6 rounded shadow-lg w-96">
308.             <form id="reportForm" method="POST" action="">
309.                 <input type="hidden" name=" token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
310.                 <fieldset>
311.                     <legend class="sr-only">Submit a Report</legend>
312.                     ↵
313.                     <h2 id="reportTitle" class="text-xl font-semibold mb-
4">Report</h2>
314.                     ↵
315.                     <label for="reason" class="block mb-2 text-sm font-
medium">Reason for Reporting:</label>
316.                     <textarea ↵
317.                         id="reason" ↵
318.                         name="reason" ↵
319.                         rows="4" ↵
320.                         class="w-full border border-gray-300 rounded p-2" ↵
321.                         placeholder="Write your reason here..." ↵
322.                         required></textarea>
323.                     ↵
324.                     <input type="hidden" id="report_type" name="report_type">
325.                     <input type="hidden" id="reported_id" name="reported_id"
value="1">
326.                     ↵
327.                     <div class="mt-4 flex justify-end gap-2">
328.                         <button ↵
329.                             type="button" ↵
330.                             class="px-4 py-2 bg-gray-200 text-gray-700 rounded
hover:bg-gray-300">
331.                             onclick="document.getElementById('reportModal').classList.add('hidden')">

```

```

332.         Cancel↵
333.     </button>↵
334. <button ↵
335.     type="submit" ↵
336.     class="px-4 py-2 bg-red-500 text-white rounded
hover:bg-red-600">↵
337.         Submit Report↵
338.     </button>↵
339. </div>↵
340. </fieldset>↵
341. </form>↵
342. </div>↵
343. </div>↵
344. ↵
345.     <section id="content">↵
346.         <div class="font-grotesk flex items-center bg-pastelGreen
px-8 py-4 divide-y-2 divide-black border-b-2 border-black">↵
347.             <div class="text-center py-6 mr-8 animate-fadeIn">↵
348.                 <h1 class="tracking-tighter font-medium text-6xl py-6 text-
white mb-4">Welcome to <span class = "font-bold">whatsUp</span>!</h1>↵
349.                 <p class= "text-zinc-50 font-light">This is a
<strong>collaborative</strong> platform where we share
<em>interesting</em> stories.</p>↵
350.                 <p class= "text-zinc-50 font-light">Our platform is designed
to bring you the most engaging and diverse stories from around the world.
We believe in the power of community-driven content to connect people and
foster meaningful discussions.</p>↵
351.             </div>↵
352.         </div>↵
353. ↵
354.     <section class="py-20 relative overflow-hidden">↵
355.         <div class="absolute top-0 left-0 w-full h-full opacity-20
pointer-events-none">↵
356.             <div class="absolute top-0 right-0 w-96 h-96 bg-[#C4DBB6]
rounded-full mix-blend-multiply filter blur-3xl"></div>↵
357.             <div class="absolute bottom-0 left-0 w-80 h-80 bg-[#B0D0F0]
rounded-full mix-blend-multiply filter blur-3xl"></div>↵
358.         </div>↵
359. ↵
360.         <div class="container mx-auto px-8 relative z-10">↵
361.             <div class="text-center mb-16">↵
362.                 <h2 class="tracking-tighter font-medium text-6xl py-6 bg-
clip-text text-transparent bg-pastelGreen">↵
363.                     Our Core Values↵
364.                 </h2>↵
365.                 <p class=" text-[#555555] font-light max-w-2xl mx-auto">↵
366.                     Creating a platform that nurtures creativity,
collaboration, and meaningful connections.↵
367.                 </p>↵
368.             </div>↵
369. ↵
370.             <div class="grid md:grid-cols-3 gap-10">↵
371.                 <div class=" backdrop-blur-lg shadow-2xl rounded-2xl p-8
border border-black transform hover:scale-105 hover:rotate-3 transition-
all duration-300 group">↵
372.                     <div class="bg-gradient-to-br from-pastelGreen to-
[#4CAF50] rounded-full w-20 h-20 flex items-center justify-center mb-6 mx-
auto shadow-lg group-hover:animate-spin-slow">↵
373.                         <svg xmlns="http://www.w3.org/2000/svg" class="h-
12 w-12 text-white" viewBox="0 0 24 24" fill="currentColor">↵
374.                             <path fill-rule="evenodd" d="M12 2.25c-5.385
0-9.75 4.365-9.75 9.75s4.365 9.75 9.75 9.75 4.365 9.75-4.365 9.75S17.385
2.25 12 2.25zM9.75 9.51a2.25 2.25 0 013.828-1.351 7.75 0 001.06-1.06
3.75 3.75 0 00-6.38 2.25c0 1.626 1.067 3 2.572 3.572l.096.034a.75 0
00.496-1.415l-.096-.034a1.5 1.5 0 01-.572-1.207c0-.603.333-1.168.876-
1.454zm4.474 2.736a.75 0 00-1.06-1.06 3.75 3.75 0 101.76 5.585.75 0
10-1.258-.813 2.25 2.25 0 11-.176-3.512.75 0 001.06 0z" clip-
rule="evenodd" />↵
375.                             </svg>↵
376.                         </div>↵

```

```

377.         <h3 class="text-3xl tracking-tighter font-medium text-
center text-pastelGreen mb-4">Community-Driven</h3>↵
378.         <p class="text-center text-[#555555] font-light
leading-relaxed">↵
379.             Create connections through diverse hubs, share
stories, and engage in transformative discussions that inspire and unite.↵
380.         </p>↵
381.     </div>↵
382. ↵
383.     <div class=" backdrop-blur-lg shadow-2xl rounded-2xl p-8
border border-black transform hover:scale-105 hover:-rotate-3 transition-
all duration-300 group">↵
384.         <div class="bg-gradient-to-br from-pastelBlue to-
[#1E88E5] rounded-full w-20 h-20 flex items-center justify-center mb-6 mx-
auto shadow-lg group-hover:animate-pulse">↵
385.             <svg xmlns="http://www.w3.org/2000/svg" class="h-
12 w-12 text-white" viewBox="0 0 24 24" fill="currentColor">↵
386.                 <path d="M6 12a.75.75 0 01-.75-.75v-7.5a.75.75
0 011.5 0v7.5A.75.75 0 012 12a.75.75 0 01-.75-.75v-4.5a.75.75 0
011.5 0v4.5A.75.75 0 012 12a.75.75 0 01-.75-.75v-1.5a.75.75 0
011.5 0v1.5A.75.75 0 012 12a.75.75 0 01-.75-.75v-10.5a.75.75 0
011.5 0v10.5A.75.75 0 012 12a.75.75 0 01-.75-.75v3.75a.75.75 0
011.5 0v7.5A.75.75 0 012 12a.75.75 0 01-.75-.75v-4.5a.75.75 0 011.5
0v4.5A.75.75 0 012 12a.75.75 0 01-.75-.75v-7.5a.75.75 0 011.5
0v7.5A.75.75 0 012 12" />↵
387.             </svg>↵
388.         </div>↵
389.         <h3 class="text-3xl tracking-tighter font-medium text-
center text-pastelBlue mb-4">Open Collaboration</h3>↵
390.         <p class="text-center text-[#555555] font-light
leading-relaxed">↵
391.             Break down barriers and empower everyone to
create, share, and participate in an inclusive digital ecosystem.↵
392.         </p>↵
393.     </div>↵
394. ↵
395.     <div class=" backdrop-blur-lg shadow-2xl rounded-2xl p-8
border border-black transform hover:scale-105 hover:rotate-3 transition-
all duration-300 group">↵
396.         <div class="bg-gradient-to-br from-pastelRed to-
[#FF9800] rounded-full w-20 h-20 flex items-center justify-center mb-6 mx-
auto shadow-lg group-hover:animate-bounce">↵
397.             <svg xmlns="http://www.w3.org/2000/svg" class="h-
12 w-12 text-white" viewBox="0 0 24 24" fill="currentColor">↵
398.                 <path fill-rule="evenodd" d="M4.804
21.644A6.707 6.707 0 006 21.75a6.721 6.721 0 003.583-1.029c.774.565
1.659.92 2.417 1.13V18c-1.682-.387-3-1.419-3-2.5a2.5 2.5 0 011.844-
2.425l1.223-.463a6 6 0 00-1.181-2.107A4.98 4.98 0 0012 6.5a4.98 0 00-
3.117 1.145A6 6 0 007.7 9.965l-1.222-.463A2.5 2.5 0 016 11.5c0 1.08-1.318
2.113-3 2.5v2.25c.767-.21 1.652-.565 2.417-1.13A6.721 6.721 0 009
21.75c.734 0 1.606-.211 2.25-.64V20.25a2.25 2.25 0 012.25-2.25h1.5a2.25
2.25 0 012.25 2.25v.86a6.707 6.707 0 002.25.64 6.721 6.721 0 003.583-
1.029c.774.565 1.659.92 2.417 1.13V18c-1.682-.387-3-1.419-3-2.5a2.5 2.5 0
011.844-2.425l1.223-.463a6 6 0 00-1.181-2.107A4.98 4.98 0 0012 6.5a4.98
4.98 0 00-3.117 1.145A6 6 0 007.7 9.965l-1.222-.463A2.5 2.5 0 016 11.5c0
1.08-1.318 2.113-3 2.5v2.25c.767-.21 1.652-.565 2.417-1.13z" clip-
rule="evenodd" />↵
399.             </svg>↵
400.         </div>↵
401.         <h3 class="text-3xl tracking-tighter font-medium text-
center text-pastelRed mb-4">Transparent Interaction</h3>↵
402.         <p class="text-center text-[#555555] font-light
leading-relaxed">↵
403.             Foster an environment of openness, respect, and
constructive dialogue where every voice is heard and valued.↵
404.         </p>↵
405.     </div>↵
406. </div>↵
407. </div>↵
408. </section>↵
409. ↵

```



```

410. <section class="border-b-2 border-t-2 border-black py-20 px-8">↵
411. <div class="container mx-auto">↵
412.   <div class="text-center mb-16">↵
413.     <h2 class="font-medium text-6xl text-black mb-6">↵
414.       Discover WhatsUp Features↵
415.     </h2>↵
416.     <p class="text-[#555555] font-light max-w-2xl mx-auto text-
417.       xl">↵
418.       Explore the powerful tools that make WhatsUp your ultimate
419.       storytelling and community platform.↵
420.     </p>↵
421.   </div>↵
422.   <div class="grid grid-cols-1 md:grid-cols-2 gap-8">↵
423.     <div class="border-2 border-black p-6">↵
424.       <h3 class="text-3xl font-medium text-black mb-4">↵
425.         News Discovery↵
426.       </h3>↵
427.       <p class="text-[#555555] font-light leading-relaxed mb-
428.         6">↵
429.         Instantly fetch trending news with rich preview
430.         thumbnails. Explore curated content from diverse sources at your
431.         fingertips.↵
432.       </p>↵
433.       <div class="max-w-screen-xl mx-auto p-5 sm:p-10 md:p-16
434.         relative bg-white border-2 border-black">↵
435.         <div class="grid grid-cols-1 sm:grid-cols-9 gap-10">↵
436.           <div class="sm:col-span-6 lg:col-span-5">↵
437.             <a href="#">↵
438.               <div class="h-56 bg-cover text-center
439.                 overflow-hidden">↵
440.                   style="background-image:
441.                     url('https://tailwindcss.com/img/card-left.jpg')">↵
442.                     title="Woman holding a mug">↵
443.                   </div>↵
444.                 </a>↵
445.               <div
446.                 class="mt-3 bg-white rounded-b lg:rounded-
447.                 b-none lg:rounded-r flex flex-col justify-between leading-normal">↵
448.                 <div class="lg:pl-16">↵
449.                   <a href="#"
450.                     class="text-xs text-indigo-600
451.                     uppercase font-medium mb-3 flex items-center hover:text-gray-900
452.                     transition duration-500 ease-in-out">↵
453.                     Fashion↵
454.                   </a>↵
455.                   <a href="#"
456.                     class="text-gray-900 font-medium
457.                     tracking-tight mb-2 hover:text-indigo-600 transition duration-500 ease-in-
458.                     out">The↵
459.                     perfect summer sweater! </a>↵
460.                   <p class="text-gray-700 text-xs mt-
461.                     2">↵
462.                     Discover the latest trends and stories
463.                     from around the globe. Stay informed and engaged with our curated content,
464.                     ↵
465.                     designed to bring you the most
466.                     relevant and exciting news. Join our community and be part of the
467.                     conversation.↵
468.                   </p>↵
469.                 </div>↵
470.               </div>↵
471.             </div>↵
472.           </div>↵
473.           <div class="sm:col-span-6 lg:col-span-4">↵
474.             <div class="flex items-start mb-3 pb-3">↵
475.               <a href="#" class="inline-block mr-3">↵
476.                 <div class="w-20 h-20 bg-cover bg-
477.                 center">↵

```



```

461.         style="background-
image:url(https://media.gettyimages.com/photos/cristiano-ronaldo-of-
juventus-fc-looks-dejected-during-the-uefa-of-picture-id1227967060?
k=6&m=1227967060&s=612x612&w=0&h=cMSMlRyI6YAzcE_C2KgHGRLeV
ojHYoUhIvhwPBYv8f4=);">
462.         </div>
463.     </a>
464.     <div class="text-sm">
465.         <p class="text-gray-600 text-xs">Aug
18</p>
466.         <a href="#" class="text-gray-900 font-
medium tracking-tight hover:text-indigo-600 leading-none">Cristiano
Ronaldo
467.             of Juventus FC looks dejected
during the...</a>
468.     </div>
469. </div>
470. <div class="flex items-start mb-3 pb-3">
471.     <a href="#" class="inline-block mr-3">
472.         <div class="w-20 h-20 bg-cover bg-
center">
473.             style="background-
image:url(https://media.gettyimages.com/photos/lionel-messi-and-marcandre-
ter-stegen-of-fc-barcelona-waits-in-the-picture-id1266763488?
k=6&m=1266763488&s=612x612&w=0&h=8vxz9HfQVfrff5N7d1lBVxtLa
mRQGK3J3lyHkUuuIiw=);">
474.             </div>
475.         </a>
476.         <div class="text-sm w-2/3">
477.             <p class="text-gray-600 text-xs">Jan
18</p>
478.             <a href="#" class="text-gray-900 font-
medium tracking-tight hover:text-indigo-600 leading-none">Barcelona v
Bayern
479.                 Munich </a>
480.         </div>
481.     </div>
482.     <div class="flex items-start mb-3 pb-3">
483.         <a href="#" class="inline-block mr-3">
484.             <div class="w-20 h-20 bg-cover bg-
center">
485.                 style="background-
image:url(https://media.gettyimages.com/photos/cristiano-ronaldo-of-
juventus-fc-looks-dejected-during-the-uefa-of-picture-id1227967060?
k=6&m=1227967060&s=612x612&w=0&h=cMSMlRyI6YAzcE_C2KgHGRLeV
ojHYoUhIvhwPBYv8f4=);">
486.                 </div>
487.             </a>
488.             <div class="text-sm">
489.                 <p class="text-gray-600 text-xs">Aug
18</p>
490.                 <a href="#" class="text-gray-900 font-
medium tracking-tight hover:text-indigo-600 leading-none">Cristiano
Ronaldo
491.                     of Juventus FC looks dejected
during the...</a>
492.             </div>
493.         </div>
494.         <div class="flex items-start">
495.             <a href="#" class="inline-block mr-3">
496.                 <div class="w-20 h-20 bg-cover bg-
center">
497.                     style="background-
image:url(https://media.gettyimages.com/photos/lionel-messi-of-fc-
barcelona-looks-dejected-following-his-teams-in-picture-id1266341828?
k=6&m=1266341828&s=612x612&w=0&h=FZi-
bSrIl0EE01780h79GsbBYPqZo2l3aaCxoktWADY=);">
498.                     </div>
499.                 </a>
500.                 <div class="text-sm w-2/3">

```

```

501.         <p class="text-gray-600 text-xs">July
23</p>
502.         <a href="#" class="text-gray-900 font-
medium tracking-tight hover:text-indigo-600 leading-none">Barcelona v
Bayern
503.         Munich - UEFA Champions League
</a>
504.     </div>
505. </div>
506. </div>
507. </div>
508. </div>
509. </div>
510.
511. <!-- Community Connections -->
512. <div class="border-2 border-black p-6">
513.     <h3 class="text-3xl font-medium text-black mb-4">
Community Connections
514.     </h3>
515.     <p class="text-[#555555] font-light leading-relaxed mb-
516. 6">
Create and join interest-based communities. Find your
517. tribe, share passions, and expand your digital network.
</p>
518. <!-- Reddit-like Community Threads -->
519. <div class="border-2 border-black p-4 mb-4 bg-gray-50">
520.     <div class="flex items-center space-x-4 p-4 rounded-md
521. mb-4">

<div>
524.     <h4 class="text-xl font-semibold text-gray-
525. 800">h\Global Economy Discussions</h4>
<p class="text-sm text-gray-600">A space to
526. talk about the world's financial situation and its future...</p>
<div class="flex items-center space-x-4 mt-
527. 4">
<button class="mt-2 px-4 py-1 text-sm
528. rounded-full hover:opacity-80 transition-colors
bg-black text-[#F4F2ED]">follow +
529. </button>
<span class="text-gray-600">1.2k
530. followers</span>
</div>
531. </div>
532. </div>
533. </div>
534. </div>
535. </div>
536.
537. <!-- Interactive Discussions -->
538. <div class="border-2 border-black md:col-span-2 p-6">
539.     <h3 class="text-3xl font-medium text-black mb-4">
Interactive Discussions
540.     </h3>
541.     <p class="text-[#555555] font-light leading-relaxed mb-
542. 6">
Engage deeply with rich commenting tools. Share
543. insights, ask questions, and connect with like-minded individuals.
</p>
544. <section class="">
545.     <div class="container px-0 mx-auto sm:px-5">
546.
547.     <div
548.         class="flex-col w-full py-4 mx-auto bg-white
border-b-2 border-r-2 border-gray-200 sm:px-4 sm:py-4 md:px-4 sm:rounded-
549. lg sm:shadow-sm md:w-2/3">
<div class="flex flex-row">
550.

```

```

551.         ↵
553.         <div class="flex-col mt-1">↵
554.             <div class="flex items-center flex-1
px-4 font-bold leading-tight">Noob master↵
555.                 <span class="ml-2 text-xs font-
normal text-gray-500">2 weeks ago</span>↵
556.             </div>↵
557.             <div class="flex-1 px-2 ml-2 text-sm
font-medium leading-loose text-gray-600">Wow!!! how was created this
website?↵
558.             </div>↵
559.             <button class="inline-flex items-
center px-1 pt-2 ml-1 flex-column">↵
560.                 <svg class="h-6" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">↵
561.                     <path d="M21,21H3L12,3Z"
/>↵
562.                     </svg>↵
563.                 <p> 22</p>↵
564.                 <svg class="h-6 rotate-180" viewBox="0
0 24 24" xmlns="http://www.w3.org/2000/svg">↵
565.                     <path d="M21,21H3L12,3Z"
/>↵
566.                     </svg>↵
567.                 </button>↵
568.                 <button class="inline-flex items-
center px-1 -ml-1 flex-column">↵
569.                     <svg↵
570.                         class="cursor-pointer ml-4 h-5
min-w-5 transition-all ease-out group-hover/wrapper:fill-[#F4F2ED] group-
hover/wrapper:fill-blue-400"↵
571.                         viewBox="0 0 48 48"
xmlns="http://www.w3.org/2000/svg">↵
572.                             <g id="Layer_2" data-name="Layer
2">↵
573.                                 <g id="invisible_box" data-
name="invisible_box">↵
574.                                     <rect width="48" height="48"
fill="none" />↵
575.                                     <rect width="48" height="48"
fill="none" />↵
576.                                 </g>↵
577.                                 <g id="icons_Q2" data-name="icons
Q2">↵
578.                                     <path↵
579.                                         d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↵
580.                                     </g>↵
581.                                 </g>↵
582.                             </svg>↵
583.                         </button>↵
584.                     </div>↵
585.                 </div>↵
586.                 <hr class="my-2 ml-16 border-gray-200">↵
587.                 <div class="flex flex-row pt-1 md-10 md:ml-
16">↵
588.                     ↵
590.                     <div class="flex-col mt-1">↵

```

```

591. <div class="flex items-center flex-1
px-4 font-bold leading-tight">Emily<
592. <span class="ml-2 text-xs font-
normal text-gray-500">5 days ago</span>
593. </div>
594. <div class="flex-1 px-2 ml-2 text-sm
font-medium leading-loose text-gray-600">I love this! Can you
595. share the code?
596. </div>
597. <button class="inline-flex items-
center px-1 pt-2 ml-1 flex-column">
598. <svg class="h-6" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">
599. <path d="M21,21H3L12,3Z"
/>
600. </svg>
601. <p> 10</p>
602. <svg class="h-6 rotate-180" viewBox="0
0 24 24" xmlns="http://www.w3.org/2000/svg">
603. <path d="M21,21H3L12,3Z"
/>
604. </svg>
605. </button>
606. <button class="inline-flex items-
center px-1 -ml-1 flex-column">
607. <svg
class="cursor-pointer ml-4 h-5
608. min-w-5 transition-all ease-out group-
hover/wrapper:fill-[#F4F2ED]
group-hover/wrapper:fill-blue-400"
609. viewBox="0 0 48 48"
xmlns="http://www.w3.org/2000/svg">
610. <g id="Layer_2" data-name="Layer
2">
611. <g id="invisible_box" data-
name="invisible box">
612. <rect width="48" height="48"
fill="none" />
613. <rect width="48" height="48"
fill="none" />
614. </g>
615. <g id="icons_Q2" data-name="icons
Q2">
616. <path
617. d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
0,0,0,2-2V6a2,2,0,0,0-2-2Z" />
618. </g>
619. </g>
620. </svg>
621. </button>
622. </div>
623. </div>
624. </div>
625.
626. <div
627. class="flex-col w-full py-4 mx-auto mt-3 bg-
white border-b-2 border-r-2 border-gray-200 sm:px-4 sm:py-4 md:px-4
sm:rounded-lg sm:shadow-sm md:w-2/3">
628. <div class="flex flex-row md-10">
629. 
631. <div class="flex-col mt-1">
632. <div class="flex items-center flex-1
px-4 font-bold leading-tight">Anonymous
633. <span class="ml-2 text-xs font-
normal text-gray-500">3 days ago</span>

```

```

634.                                     </div>↵
635.                                     <div class="flex-1 px-2 ml-2 text-sm
font-medium leading-loose text-gray-600">This website is so cool!↵
636.                                     </div>↵
637.                                     <button class="inline-flex items-
center px-1 pt-2 ml-1 flex-column">↵
638.                                     <svg class="h-6" viewBox="0 0 24 24"
xmlns="http://www.w3.org/2000/svg">↵
639.                                     <path d="M21,21H3L12,3Z"
/>↵
640.                                     </svg>↵
641.                                     <p> 9</p>↵
642.                                     <svg class="h-6 rotate-180" viewBox="0
0 24 24" xmlns="http://www.w3.org/2000/svg">↵
643.                                     <path d="M21,21H3L12,3Z"
/>↵
644.                                     </svg>↵
645.                                     </button>↵
646.                                     <button class="inline-flex ">↵
647.                                     <svg↵
648.                                     class="cursor-pointer ml-4 h-5
min-w-5 transition-all ease-out group-hover/wrapper:fill-[#F4F2ED]
group-hover/wrapper:fill-blue-400">↵
649.                                     viewBox="0 0 48 48"
xmlns="http://www.w3.org/2000/svg">↵
650.                                     <g id="Layer_2" data-name="Layer
2">↵
651.                                     <g id="invisible_box" data-
name="invisible_box">↵
652.                                     <rect width="48" height="48"
fill="none" />↵
653.                                     <rect width="48" height="48"
fill="none" />↵
654.                                     </g>↵
655.                                     <g id="icons_Q2" data-name="icons
Q2">↵
656.                                     <path↵
657.                                     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
0,0,0,2-2V6a2,2,0,0,0,0-2-2Z" />↵
658.                                     </g>↵
659.                                     </g>↵
660.                                     </svg>↵
661.                                     </button>↵
662.                                     </div>↵
663.                                     </div>↵
664.                                     </div>↵
665. ↵
666.                                     </div>↵
667.                                     </section>↵
668.                               </div>↵
669.                               </div>↵
670.                               </div>↵
671. </section>↵
672.   <div class="bg-pastelBlue py-16 px-8 animate-fadeInUp divide-y-2
divide-black border-b-2 border-black">↵
673.     <div class="container mx-auto py-4">↵
674.       <h2 class=" py-4 mb-8 text-center tracking-tighter font-medium
text-6xl">Markdown: Your Commenting Companion</h2>↵
675.       ↵
676.       <div class="grid md:grid-cols-2 gap-8">↵
677.         <div class="bg-white rounded-lg shadow-lg p-6 transform
hover:scale-105 transition-transform">↵
678.           <h3 class="text-2xl tracking-tighter font-medium mb-
4">Quick Markdown Syntax</h3>↵
679.           <table class="w-full">↵
680.             <tr class="border-b">↵
681.               <td class="py-2 font-mono">`*italic*`</td>↵
682.               <td class="py-2"><em>italic</em></td>↵
683.             </tr>↵
684.             <tr class="border-b">↵

```

```

685.         <td class="py-2 font-mono">`**bold**`</td>↵
686.         <td class="py-2"><strong>bold</strong></td>↵
687.     </tr>↵
688.     <tr class="border-b">↵
689.         <td class="py-2 font-mono">`# Heading 1`</td>↵
690.         <td class="py-2 text-3xl font-bold">Heading
1</td>↵
691.     </tr>↵
692.     <tr class="border-b">↵
693.         <td class="py-2 font-mono">`[Link]
(https://example.com)`</td>↵
694.         <td class="py-2 text-[#4793AF]">Link</td>↵
695.     </tr>↵
696.     <tr>↵
697.         <td class="py-2 font-mono">`>
Blockquote`</td>↵
698.         <td class="py-2 italic border-l-4 border-
[#4793AF] pl-4">Blockquote</td>↵
699.     </tr>↵
700. </table>↵
701. </div>↵
702. ↵
703.     <div class="bg-white rounded-lg shadow-lg p-6 transform
hover:scale-105 transition-transform">↵
704.         <h3 class="text-2xl tracking-tighter font-medium mb-
4">Live Preview Magic</h3>↵
705.         <p class="mb-4 font-light">As you type your comment,
watch the magic happen in real-time:</p>↵
706.         ↵
707.         <div class="bg-gray-100 p-4 rounded-lg mb-4">↵
708.             <div class="flex mb-4">↵
709.                 <div class="w-1/2 pr-2">↵
710.                     <h4 class="font-semibold mb-2">Markdown
Input</h4>↵
711.                     <textarea class="w-full h-40 p-2 border
rounded font-mono text-sm" placeholder="Type your markdown here..."> ↵
712.                         # Welcome to Hubs!↵
713.                         This is a **collaborative** platform
where we share *interesting* stories.↵
714.                         > Community drives innovation.↵
715.                         Learn More](#)↵
716.                     </textarea>↵
717.                 </div>↵
718.                 ↵
719.                 <div class="w-1/2 pl-2">↵
720.                     <h4 class="font-semibold mb-2">Live
Preview</h4>↵
721.                     <div id="markdown-preview" class="h-40 p-2
border rounded overflow-auto prose">↵
722.                         <h2>Welcome to Hubs!</h2>↵
723.                         <p>This is a
<strong>collaborative</strong> platform where we share
<em>interesting</em> stories.</p>↵
724.                         <blockquote>Community drives
innovation.</blockquote>↵
725.                         <p><a href="#">Learn More</a></p>↵
726.                     </div>↵
727.                 </div>↵
728.                 </div>↵
729.                 <p class="text-sm text-gray-600 font-light">Your
formatting appears instantly, making commenting a breeze!</p>↵
730.             </div>↵
731.         </div>↵
732.     </div>↵
733. </div>↵
734. </div>↵
735. <section class="py-16">↵
736.     <div class="container mx-auto px-4">↵
737.         <h2 class="tracking-tighter font-medium text-6xl mb-12 text-
center text-gray-800 animate-fadeIn py-8">
Meet the Team↵
738.     </div>↵

```



```
739.         </h2>↵
740.         <div class=" font-light grid gap-8 sm:grid-cols-2 lg:grid-
741. cols-4 animate-fadeInUp">↵
742.             <div class="text-center hover:shadow-lg p-4 rounded-lg bg-
white transition-shadow flex flex-col items-center min-h-[280px]">↵
743.                 ↵
744.                 <h3 class="text-xl tracking-tighter font-medium text-
gray-800">Diana Nunes</h3>↵
745.                 <p class="text-gray-600">up20228247</p>↵
746.             </div>↵
747.             <div class="text-center hover:shadow-lg p-4 rounded-lg bg-
white transition-shadow flex flex-col items-center min-h-[280px]">↵
748.                 ↵
749.                 <h3 class="text-xl tracking-tighter font-medium text-
gray-800">Teresa Mascarenhas</h3>↵
750.                 <p class="text-gray-600">up202206828</p>↵
751.             </div>↵
752.             <div class="text-center hover:shadow-lg p-4 rounded-lg bg-
white transition-shadow flex flex-col items-center min-h-[280px]">↵
753.                 ↵
754.                 <h3 class="text-xl tracking-tighter font-medium text-
gray-800">Tiago Monteiro</h3>↵
755.                 <p class="text-gray-600">up202108391</p>↵
756.             </div>↵
757.             <div class="text-center hover:shadow-lg p-4 rounded-lg bg-
white transition-shadow flex flex-col items-center min-h-[280px]">↵
758.                 ↵
759.                 <h3 class="text-xl tracking-tighter font-medium text-
gray-800">Vasco Costa</h3>↵
760.                 <p class="text-gray-600">up202109923</p>↵
761.             </div>↵
762.         </div>↵
763.     </section>↵
764. ↵
765. ↵
766.     </section>↵
767. </main>↵
768. ↵
769.     <!-- Right Sidebar -->↵
770.     </div>↵
771. </div>↵
772. </body>↵
773. ↵
774. </html>
```

Used the HTML parser.

Total execution time 35 milliseconds.

