Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 22, column 75; to line 22, column 150

></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" /></head
```

```
2. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 147, column 13; to line 148, column 66

<image structure = 148, column 66

</td>

class="size-7 rounded-full object-cover mr-2" />e
```

3. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 147, column 13; to line 148, column 66

<img src="http://127.0.0.1:8000/images/user59.jpg"
class="size-7 rounded-full object-cover mr-2" />

class="size-7 rounded-full object-cover mr-2" />

class="size-7 rounded-full object-cover mr-2" />

interacts badly with interacts badly with unquoted attribute values.

4. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 155, column 17; to line 156, column 67

<img src="http://127.0.0.1:8000/images/user59.jpg"
class="size-10 rounded-full object-cover mr-2" />

class="size-10 rounded-full object-cover mr-2" /
class="size-10 rounded-full object-cover mr-2" /-

5. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 155, column 17; to line 156, column 67

class="size-10 rounded-full object-cover mr-2" />

7. Error Bad value for attribute action on element form: Must be non-empty.

From line 301, column 9; to line 301, column 54

>= <form id="reportForm" method="POST" action="">==

8. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 302, column 13; to line 302, column 115

<input type="hidden" name="_token"

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

value="off">

va

9. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

```
From line 349, column 11; to line 350, column 72
                <img src="http://127.0.0.1:8000/images/hub9.jpg"↔</pre>
    class="size-8 rounded-full object-cover ring-2 ring-white">↔
    Error Duplicate ID reportModal.
10.
    From line 375, column 17; to line 375, column 128
                <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">↩
     Warning The first occurrence of ID reportModal was here.
11.
    From line 299, column 9; to line 299, column 120
               <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
    bg-opacity-50 flex items-center justify-center">↩
     Error Duplicate ID report Form.
12.
    From line 377, column 9; to line 377, column 54
                <form id="reportForm" method="POST" action="">←
     Warning The first occurrence of ID reportForm was here.
13.
    From line 301, column 9; to line 301, column 54
               <form id="reportForm" method="POST" action="">↔
    Error Bad value for attribute action on element form: Must be non-empty.
14.
    From line 377, column 9; to line 377, column 54
                <form id="reportForm" method="POST" action="">₽
     ب<
     Error An input element with a type attribute whose value is hidden must
15.
    not have an autocomplete attribute whose value is on or off.
    From line 378, column 13; to line 378, column 115
                <input type="hidden" name="_token"</pre>
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
     Error Duplicate ID reportTitle.
16.
    From line 382, column 17; to line 382, column 72
                <h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
     Warning The first occurrence of ID reportTitle was here.
17.
    From line 306, column 17; to line 306, column 72
```

```
<h2 id="reportTitle" class="text-xl font-semibold mb-4">Report
```

```
Error Duplicate ID reason.
18.
    From line 385, column 17; to line 391, column 29
                                                   id="reason" ↔
                <textarea ↩
                                            rows="4" ↔
    name="reason" ₽
    class="w-full border border-gray-300 rounded p-2" ←
19.
     Warning The first occurrence of ID reason was here.
    From line 309, column 17; to line 315, column 29
                                                   id="reason" ←
                <textarea ↩
                                            rows="4" ↔
    name="reason" ←
    class="w-full border border-gray-300 rounded p-2" ←
     Error Duplicate ID report_type.
20.
    From line 393, column 17; to line 393, column 73
                <input type="hidden" id="report_type"</pre>
    name="report type">↩
     Warning The first occurrence of ID report_type was here.
21.
    From line 317, column 17; to line 317, column 73
                <input type="hidden" id="report_type" name="report_type">↩
     Error Duplicate ID reported id.
22.
    From line 394, column 17; to line 394, column 84
                <input type="hidden" id="reported id" name="reported id"</pre>
    value="79">↔
     Warning | The first occurrence of ID | reported | id | was here.
23.
    From line 318, column 17; to line 318, column 83
                <input type="hidden" id="reported_id" name="reported_id"</pre>
    value="1">↩↩
     Error An img element must have an alt attribute, except under certain
24.
    conditions. For details, consult guidance on providing text alternatives for
    <u>images</u>.
```

From line 534, column 17; to line 535, column 52

```
<img src="http://127.0.0.1:8000/images/user59.jpg"↩
class="size-8 rounded-full object-cover ">↩
```

25. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with</u> <u>unquoted attribute values</u>.

From line 542, column 5; to line 542, column 106

```
p-4">\stackrel{\frown}{=} <input type="radio" name="toggle" id="editor-write-toggle-thread" class="hidden peer/write" checked />\stackrel{\frown}{=} <
```

26. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
From line 548, column 5; to line 548, column 102
```

```
bel>\stackrel{\smile}{\sim} <input type="radio" name="toggle" id="editor-preview-toggle-thread" class="hidden peer/preview" />\stackrel{\smile}{\sim} <
```

27. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

28. Error Element div not allowed as child of element summary in this context. (Suppressing further errors from this subtree.)

```
From line 597, column 9; to line 597, column 39
```

```
>↩ <div class="px-2 text-sm mb-5">↩
```

Contexts in which element div may be used:

Where <u>flow content</u> is expected.

As a child of a dl element.

Content model for element summary:

Phrasing content, optionally intermixed with heading content.

29. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 618, column 15; to line 618, column 117

<input type="hidden" name="_token"

value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">

```
Warning Article lacks heading. Consider using h2 \frac{1}{2} h6 elements to add
30.
    identifying headings to all articles.
    From line 626, column 15; to line 627, column 188
                <article data-text="markdown"↔
                                                            class="font-vollkorn
    max-w-full prose prose-a:text-[#4793AF]/[.80] hover:prose-a:text-
     [#4793AF]/[1] ml-1 prose-blockquote:my-2 prose-code:my-4 prose-
     Error Duplicate ID Layer_2.
31.
    From line 665, column 13; to line 665, column 48
                <g id="Layer 2" data-name="Layer 2">↔
     Warning The first occurrence of ID Layer_2 was here.
32.
    From line 467, column 13; to line 467, column 48
               <q id="Layer 2" data-name="Layer 2">↔
     Error Duplicate ID invisible box.
33.
    From line 666, column 15; to line 666, column 62
                <g id="invisible box" data-name="invisible box">↩
34.
     Warning The first occurrence of ID invisible box was here.
    From line 468, column 15; to line 468, column 62
               <g id="invisible_box" data-name="invisible box">←
     Error Duplicate ID icons Q2.
35.
    From line 670, column 15; to line 670, column 52
                <g id="icons Q2" data-name="icons Q2">↩
     Warning The first occurrence of ID icons 02 was here.
36.
    From line 472, column 15; to line 472, column 52
               <g id="icons Q2" data-name="icons Q2">↔
37.
     Info Trailing slash on void elements has no effect and interacts badly with
    unquoted attribute values.
    From line 682, column 5; to line 682, column 103
               <input type="radio" name="toggle" id="editor-write-toggle-109"</pre>
    class="hidden peer/write" checked />↩
```

```
38.
     Info Trailing slash on void elements has no effect and interacts badly with
    unquoted attribute values.
    From line 688, column 5; to line 688, column 99
                <input type="radio" name="toggle" id="editor-preview-toggle-</pre>
    bel>٠٠٠
     109" class="hidden peer/preview" />↩
     Error Attribute name not allowed on element div at this point.
39.
     From line 718, column 7; to line 718, column 40
                 <div class="ml-12" name="replies">↔
    Attributes for element <u>div</u>:
       Global attributes
40.
     Error End tag | div | seen, but there were open elements.
     From line 732, column 1; to line 732, column 6
       </div>↩</div>↩<scr
     Error Unclosed element section.
41.
    From line 338, column 9; to line 338, column 30
                 <section id="content">↩
     دد
42.
     Error Unclosed element main.
    From line 297, column 7; to line 297, column 27
                 <main class="flex-1">₽
     Error Stray end tag section.
43.
     From line 762, column 9; to line 762, column 18
                 </section>↩
     Error Stray end tag main.
44.
     From line 763, column 7; to line 763, column 13
                 </main>↩↩
     on>↩
     Error Stray end tag | div |.
45.
     From line 767, column 3; to line 767, column 8
      </div>← </div>←</bod
```

Document checking completed.

Source

```
2. <!DOCTYPE html>↔
 3. <html lang="en" class="h-full">
 4. ↔
 5. <head>
      <meta charset="utf-8">₽
 6.
      <meta name="viewport" content="width=device-width, initial-scale=1">↔
 7.
      <meta name="csrf-token"</pre>
 8.
    content="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh">↔
 9.
      <title>WhatsUP</title>↔
      <script defer src="http://127.0.0.1:8000/js/app.js"></script>↔
<link rel="preconnect" href="https://fonts.googleapis.com">↔
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↔
10.
11.
12.
13.
      link↔
         href="https://fonts.googleapis.com/css2?
14.
    family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
    sz, wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
    0..900;1,400..900&display=swap"↔
         rel="stylesheet">
15.
16. ↔
      <link rel="apple-touch-icon" sizes="180x180"</pre>
17.
    href="http://127.0.0.1:8000/images/apple-touch-icon.png">↔
      <link rel="icon" type="image/png" sizes="32x32</pre>
18.
    href="http://127.0.0.1:8000/images/favicon-32x32.png">↔
    <link rel="icon" type="image/png" sizes="16x16"
href="http://127.0.0.1:8000/images/favicon-16x16.png">→
19.
20. ↩
21.
      <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
22.
    <link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"</pre>
    /></head>↩
23. ←
24. <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk ">↔
25.
      <div class="min-h-screen flex flex-col">↔
26.
         <!-- Top Header -->₽
27.
           class="flex items-center justify-between h-12 border-b-2 border-
28.
    black fixed top-0 left-0 right-0 z-50 bg-[#F4F2ED]">↔
29.
           <!-- Logo Section -->↔
           <div class="w-32 md:w-48 bg-pastelGreen h-full flex items-center</pre>
30.
    border-r-2 border-black">↩
             <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-</pre>
31.
    bold text-4xl tracking-tight">↔
<span class="block md:hidden">w.UP</span>↔
32.
                <span class="hidden md:block">whatsUP</span>↔
33.
34.
             </a>→
35.
           </div>↩
           <!-- Search Section -->
<div class="flex-1 bg-pastelRed h-full flex items-center pl-2 md:pl-
36.
37.
    4 relative">↩
38.
              <svg class="w-5 h-5 text-[#F4F2ED]/80" fill="none"</pre>
    stroke="currentColor" viewBox="0 0 24 24">←
                <path stroke-linecap="round" stroke-linejoin="round" stroke-</pre>
39.
    width="2"↔
40.
                  d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />↔
41.
             </sva>↔
    <input id="search-input" type="text" placeholder="search"
class="w-full bg-transparent border-none text-[#F4F2ED]
placeholder-[#F4F2ED] px-2 md:px-3 py-2 focus:outline-none ">→
42.
43.
44.
             <!-- Enhanced Search Results Dropdown -->↔
45.
             <div id="search-results"↔
46.
                class="absolute left-2 md:left-4 right-2 md:right-4 top-full mt-
47.
    2 bg-[#F4F2ED] backdrop-blur-sm rounded-xl shadow-2xl border-2 border-
    black overflow-hidden transform opacity-0 scale-95 transition-all
    duration-200 ease-out pointer-events-none z-50 max-w-full md:max-w-
    [calc(100%-16rem)]">↔
48.
                <!-- Communities Section -->↔
```

```
<div class="border-b border-gray-200 bg-gradient-to-r from-red-</pre>
49.
   50 to-blue-50">↔
               <div class="p-4">↔
50.
51.
                 <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
   items-center gap-2">↩
   <svg class="w-4 h-4 text-gray-500" fill="none"
stroke="currentColor" viewBox="0 0 24 24">↔
52.
                     <path stroke-linecap="round" stroke-linejoin="round"</pre>
53.
   stroke-width="2"↩
                       d="M7 2014-16m2 1614-16M6 9h14M4 15h14" />↔
54.
55.
                   </svq>↩
56.
                   Communities↩
57.
                 </h3>↔
58.
                 <div↩
                   class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
59.
   scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
                   <div class="p-3 rounded-lg hover:bg-gray-50 transition-</pre>
60.
   colors duration-200 cursor-pointer">↔
                     <div class="flex items-center gap-2">←
61.
                       <div class="w-2 h-2 rounded-full bg-green-500"></div>↩
62.
                       <span class="text-sm text-gray-700"></span>↔
63.
64.
                     </div>↩
65.
                   </div>↩
66.
                 </div>↩
67.
               </div>↩
68.
             </div>↔
69.
70.
             <!-- Posts Section -->↩
             <div class="border-b border-gray-200 bg-gradient-to-r from-blue-</pre>
71.
   50 to-green-50">↔
72.
               <div class="p-4">↔
                 <h3 class="text-sm font-semibold text-gray-700 mb-3 flex
73.
   items-center gap-2">↩
                   <svg class="w-4 h-4 text-gray-500" fill="none"
74.
   stroke="currentColor" viewBox="0 0 24 24">↔
                     <path stroke-linecap="round" stroke-linejoin="round"</pre>
75.
   stroke-width="2"↔
                       d="M19 11H5m14 0a2 2 0 012 2v6a2 2 0 01-2 2H5a2 2 0
76.
   01-2-2v-6a2 2 0 012-2m14 0V9a2 2 0 00-2-2M5 11V9a2 2 0 012-2m0 0V5a2 2 0
   012-2h6a2 2 0 012 2v2M7 7h10" />↩
77.
                   </svq>↩
78.
                   Posts↩
79.
                 </h3>↔
80.
                 <div↩
                   class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
81.
   scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
82.
                   <!-- Example post result item -->↔
                   <div class="p-3 rounded-lg hover:bg-gray-50 transition-</pre>
83.
   colors duration-200 cursor-pointer">↔
84.
                     <span class="text-sm text-gray-700"></span>↔
85.
                   </div>↩
86.
                 </div>↩
87.
               </div>↩
             </div>↔
88.
89. ↔
90.
             <!-- Users Section -->↩
             91.
92.
93.
   items-center gap-2">↔
   94.
                     <path stroke-linecap="round" stroke-linejoin="round"</pre>
95.
   stroke-width="2"↔
96.
                       d="M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-
   2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0
   3 3 0 016 0zm6 3a2 2 0 11-4 0 2 2 0 014 0zM7 10a2 2 0 11-4 0 2 2 0 014 0z"
   />↩
97.
                   </svq>↩
98.
                   Users↩
```

```
99.
                   </h3>↔
100.
                   <div↩
101.
                      class="space-y-2 max-h-48 overflow-y-auto scrollbar-thin
    scrollbar-thumb-gray-300 scrollbar-track-transparent">↔
                      <div class="p-3 rounded-lg hover:bg-gray-50 transition-</pre>
102.
    colors duration-200 cursor-pointer">↩
103.
                        <div class="flex items-center gap-3">↔
                          <div class="w-6 h-6 rounded-full bg-blue-500"></div>↔
104.
                          <span class="text-sm text-gray-700"></span>↔
105.
106.
                        </div>↔
107.
                      </div>↩
108.
                   </div>↩
                 </div>↩
109.
110.
               </div>↔
             </div>↩
111.
112.
           </div>↔
113. ↩
114. ↔
           <!-- Right Section -->↔
115.
           <div class="bg-pastelBlue h-full w-32 md:w-64 flex items-center</pre>
116.
    117.
118.
    hover:rotate-Ĭ80 transition-all"↔
                 xmlns="http://www.w3.org/2000/svg" viewBox="0 0 455 455"
119.
    xml:space="preserve">↩
120.
                 <polygon←
    points="455,212.5 242.5,212.5 242.5,0 212.5,0 212.5,212.5 0,212.5 0,242.5 212.5,242.5 212.5,455 242.5,455 242.5,242.5 455,242.5" />↩
121.
122.
               </svg>↩
123.
             </a>↩
124. ↔
125.
             <a href="http://127.0.0.1:8000/notifications?2"↔
               class="text-[#3C3D37] hover:text-[#3C3D37] transition-colors
126.
    hidden md:block relative">↩
127.
128.
                          <div class="absolute -top-2 -right-2">←
129.
                 <div class="absolute w-5 h-5 bg-pastelRed rounded-full</pre>
    animate-ping opacity-75"></div>↔
130.
131.
                   class="relative bg-pastelRed text-white text-[10px] font-
132.
    bold rounded-full w-5 h-5 flex items-center justify-center px-1">→
133.
                   3↔
134.
                 </div>↩
135.
               </div>↩
136.
               <svq class="w-6 h-6 hover:fill-pastelYellow fill-transparent</pre>
137.
     transition-colors" stroke="currentColor"↔
                 viewBox="0 0 24 24">↩
138.
                 <path stroke-linecap="round" stroke-linejoin="round" stroke-
139.
    width="1.5"↔
140.
                   d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002
    6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0
     .538-.214 1.055-.595 1.436L4 17h5m6 0v1a3 3 0 11-6 0v-1m6 0H9" />↔
141.
               </svq>↩
142.
             </a>↩
143.
             <div class="relative">↔
144.
               <a href="#" class="relative fill-transparent text-[#3C3D37]</pre>
145.
    hover:text-[#3C3D37]/80 transition-colors"↔
146.
                 id="profileIcon">↩
                 <img src="http://127.0.0.1:8000/images/user59.jpg"
</pre>
147.
148.
                        class="size-7 rounded-full object-cover mr-2" />↩
149.
               <div id="dropdownMenu"↔
150.
                 class="absolute right-0 mt-4 bg-white border border-gray-200
151.
    w-48 rounded-lg shadow-lg hidden z-50">↔
152.
                 <a href="http://127.0.0.1:8000/users/2/profile"↔
                    class="block py-2 text-gray-700 hover:bg-gray-100 border-b
153.
    border-gray-200">↩
```

```
19.5995 15.5074 19.8744 15.3435C19.9012 15.3275 19.9289 15.3122 19.9838
     15.2818L19.9857 15.2809L20.3472 15.0805C20.9488 14.7472 21.2501 14.5801 21.4689 14.3427C21.6625 14.1327 21.8085 13.8839 21.8978 13.6126C21.9981 13.3077 21.9973 12.9658 21.9958 12.2861L21.9945 11.7119C21.9929 11.0287 21.9921 10.6874 21.891 10.3828C21.8015 10.1133 21.6555 9.86561 21.463 9.65685C21.2457 9.42111 20.9475 9.25526 20.3517 8.92378L20.3499 8.92293Z"

stroke-width="2" stroke-linecap="round" stroke-linecap="round" stroke-
174.
      linejoin="round"></path>←
175.
                                   <path↩
                                     d="M8.00033 12C8.00033 14.2091 9.79119 16 12.0003
176.
      16C14.2095 16 16.0003 14.2091 16.0003 12C16.0003 9.79082 14.2095 7.99996
      12.0003 7.99996C9.79119 7.99996 8.00033 9.79082 8.00033 12Z"

stroke-width="2" stroke-linecap="round" stroke-
177.
      lineioin="round"></path>↔
178.
                                </q>↩
179.
                              </g>ب
                           </q>ٽ
180.
181.
                        </svq>٠
                        Admin Options↔
182.
183.
                      </a>↩
184.
                                     <a href="http://127.0.0.1:8000/logout"
185.
      class="block px-4 py-2 text-gray-700 hover:bg-gray-100">←
      186.
                           <path stroke-linecap="round" stroke-linejoin="round"</pre>
187.
      stroke-width="2"←
188.
                              d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0
      01-3-3V7a3 3 0 013-3h4a3 3 0 013 3v1" />↔
189.
                        </svg>↩
190.
                        Logout↩
191.
                      </a>⊷
192.
                   </div>↩
193.
                </div>↩
194.
                        </div>↔
195.
           </header>↩
196. ↔
197.
           <div class="flex pt-12 ml-0 md:ml-48">←
198.
              <!-- Mobile Menu Button -->↔
              <button id="mobile-menu-button"↔
199.
      class="md:hidden fixed bottom-4 right-4 z-50 bg-pastelBlue text-
[#F4F2ED] p-3 rounded-full shadow-lg transition-transform duration-300">↔
<svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0
200.
201.
      0 24 24">↔
202.
                   <path stroke-linecap="round" stroke-linejoin="round" stroke-</pre>
      width="2" d="M4 6h16M4 12h16m-7 6h7" />↔
203.
                </svq>↩
204.
              </button>↔
205. ↔
206.
             <!-- Left Sidebar -->↩
              <aside id="left-sidebar"↔
207.
                class="[&::-webkit-scrollbar]:hidden text-[#3C3D37] text-lg fixed
208.
      inset-y-0 left-0 w-48 bg-[#F4F2ED] border-r-2 border-black z-40 overflow-
      y-auto max-h-screen transform -translate-x-full md:translate-x-0
      transition-transform duration-300 ease-in-out">↩
                <nav class="divide-y-2 divide-black">↔
209.
                   <!-- Primary Links -->↔
<div class="pt-14 pb-2">↔
  <div class="*:*:underline-effect *:px-4 *:py-1 flex flex-col
210.
211.
212.
      text-xl ml-2">↩
                        <a href="http://127.0.0.1:8000/home" class=" mr-auto">\sim <span class="">home</span>\sim
213.
214.
215.
                        </a>∻
                        216.
217.
218.
                        <a href="http://127.0.0.1:8000/recent" class="">↔
219.
220.
                           <span class="">recent</span>₽
221.
                        </a>→
                      </div>↩
222.
                   </div>↔
223.
```

```
224. ↩
225.
226.
               <div class="py-4">↔
                 <h3 class="px-4 font-light text-gray-600 mb-1">recent</h3>↔
227.
228.
                 <div class="space-y-1 *:transition-colors *:pl-4">←
229.
                                </div>↔
230.
               </div>↩
231. ↩
               <div class="pt-4">↔
232.
233.
                 <h3 class="px-4 font-light text-gray-600 mb-1">hubs</h3>↔
234. ↩
                 <div class="space-y-1 *:transition-colors *:pl-4">←
235.
                                   <a href="/hub/1"↩
236.
237.
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
     [#3C3D37] hover:text-[#F4F2ED]">↔
238.
                      <imq src="http://127.0.0.1:8000/images/hub1.jpg"</pre>
239.
    alt="AnimeFans image"↔
                        člass=" h-8 w-8 rounded-full object-cover">↩
240.
241.
                      <span class="break-all text-sm">h/AnimeFans</span>↔
242.
243.
                                                  <a href="/hub/2"↔
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
244.
     [#3C3D37] hover:text-[#F4F2ED]">↔
245.
246.
                      <img src="http://127.0.0.1:8000/images/hub2.jpg"</pre>
    alt="Superheroes image"↔
                        class=" h-8 w-8 rounded-full object-cover">↔
247.
                      <span class="break-all text-sm">h/Superheroes</span>↩
248.
249.
                    </a>⊹
250.
                                                  <a href="/hub/3"↔
251.
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
     [#3C3D37] hover:text-[#F4F2ED]">↔
252.
253.
                      <img src="http://127.0.0.1:8000/images/hub3.jpg"</pre>
    alt="Mythology image"↔
254.
                        člass=" h-8 w-8 rounded-full object-cover">↔
255.
                      <span class="break-all text-sm">h/Mythology</span>↔
256.
                    </a>⊹
257.
                                                  <a href="/hub/16"↔
258.
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
     [#3C3D37] hover:text-[#F4F2ED]">←
259.
                      <imq src="http://127.0.0.1:8000/images/hub16.jpg"</pre>
260.
    alt="MovieBuffs image"↩
261.
                        class=" h-8 w-8 rounded-full object-cover">↔
262.
                      <span class="break-all text-sm">h/MovieBuffs</span>↔
263.
                    </a>↩
264.
                                                  <a href="/hub/23"↔
265.
                      class="flex items-center space-x-2 px-4 py-2 hover:bg-
     [#3C3D37] hover:text-[#F4F2ED]">←
266.
267.
                      <img src="http://127.0.0.1:8000/images/hub23.jpg"</pre>
    alt="PetLovers image"↔
                        člass=" h-8 w-8 rounded-full object-cover">↩
268.
269.
                      <span class="break-all text-sm">h/PetLovers</span>↔
270.
271.
                                                </div>↔
                 <a href="http://127.0.0.1:8000/hubs/create"

←
272.
                    class="flex items-center space-x-2 px-4 py-2 hover:bg-
273.
     [#3C3D37] hover:text-[#F4F2ED] ">↔
                    <span class="">+ create hub</span>↩
274.
275.
                 </a>∻
               </div>↔
276.
277.
               <!-- Info Section -->↔
278.
               <div class="py-4">↔
                 <h3 class="px-4 font-light text-gray-600 mb-1">info</h3>↔
279.
                 <div class="*:*:underline-effect*:px-4 *:py-1 flex flex-col</pre>
280.
    text-xl ml-2">↩
281.
                   <a href="http://127.0.0.1:8000/about-us" class="">↔
                      <span class="">about us</span>↔
282.
```

```
283.
                    </a>↩
                    <a href="http://127.0.0.1:8000/bestof" class="">↔
284.
285.
                      <span class="">best of</span>₽
286.
                    <a href="http://127.0.0.1:8000/all-hubs" class="">↔
287.
                      <span class="">hubs</span>↔
288.
289.
                    </a>↩
290.
                  </div>↩
291.
                </div>↩
292.
             </nav>↩
           </aside>↩
293.
4. ≥294
295. ←
           <!-- Main Content -->↔
296.
297.
           <main class="flex-1">

←
298.
              <div id="reportModal" class="hidden fixed inset-0 z-50 bg-black</pre>
299.
     bg-opacity-50 flex items-center justify-center">↩
         300.
301.
302.
                  <input type="hidden" name=" token"</pre>
     value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">↔
303.
                  <fieldset>₽
304.
                       <legend class="sr-only">Submit a Report</legend>↔
305. ↔
306.
                      <h2 id="reportTitle" class="text-xl font-semibold mb-
     4">Report</h2>↔
307.
308.
                      <label for="reason" class="block mb-2 text-sm font-</pre>
     medium">Reason for Reporting:</label>↩
309.
                      <textarea ₽
310.
                           id="reason" ←
                           name="reason" ↩
311.
                           rows="4" ←
312.
                           class="w-full border border-gray-300 rounded p-2" ←
313.
                           placeholder="Write your reason here..." ↔
314.
315.
                           required></textarea>↔
316. ↩
                      <input type="hidden" id="report type" name="report type">
<input type="hidden" id="reported_id" name="reported_id"</pre>
317.
318.
     value="1">↩
319. ↔
320.
                      <div class="mt-4 flex justify-end gap-2">↔
321.
                           <button ↩
322.
                                type="button" ↔
323.
                               class="px-4 py-2 bg-gray-200 text-gray-700 rounded
     hover:bg-gray-300"↔
324.
     onclick="document.getElementById('reportModal').classList.add('hidden')">↔
325.
                               Cancel↩
326.
                           </button>↩
327.
                           <button ↩
328.
                                type="submit" ↔
329.
                               class="px-4 py-2 bg-red-500 text-white rounded
     hover:bg-red-600">↔
                               Submit Report↔
330.
331.
                           </button>↩
                       </div>↩
332.
                  </fieldset>↩
333.
             </form>↩
334.
335.
         </div>↩
336. </div>↔
337. ↔
             <section id="content">→
338.
339.
340. ↔
341. <span class="hidden" id="postId">79</span>↔
342. <div class="font-grotesk divide-y-2 divide-[black]">↔
343.
       <div class=" flex flex-row bg-pastelBlue" id="post-header">↔
  <div class="px-8 py-4 w-1/2 flex flex-col grow">↔
344.
345.
```

```
12/22/24, 6:10 PM
                                 Showing results for contents of text-input area - Nu Html Checker
                                type="submit" ↔
   404.
   405.
                                class="px-4 py-2 bg-red-500 text-white rounded
        hover:bg-red-600">↩
   406.
                                Submit Report↔
   407.
                            </button>↩
                        </div>↩
   408.
   409.
                    </fieldset>↩
   410.
                </form>↩
   411.
            </div>↔
   412. </div>↔
   413.
                          </div>↩
   414. ↩
   415.
              </div>↔
              <a href="#">↩
   416.
                417.
        tracking-tight line-clamp-4 overflow-visible">The Rise of Indie Video
        Games
→
   418.
              </a>↔
   419.
   420.
              <div id="post-actions" class="flex flex-row mt-auto text-xl gap-2</pre>
        items-center">↩
   421.
                <div>↩
        422.
                  name="favorite"↔
   423.
   424.
                  onchange="toggleFavorite(79)">↔
   425.
   426.
                  <label for="favorite-79"↔
                    class="cursor-pointer peer-checked/favorite:fill-pink-500
   427.
        cursor-pointer group-hover/wrapper:hover:fill-pink-500 fill-[#3C3D37]
        428.
        xmlns="http://www.w3.org/2000/svq">↔
   429.
                      <path↩
                        d="M12 21.35l-1.45-1.32C5.4 15.36 2 12.28 2 8.5 2 5.42
   430.
        4.42 3 7.5 3c1.74 0 3.41.81 4.5 2.09C13.09 3.81 14.76 3 16.5 3 19.58 3 22
        5.42 22 8.5c0 3.78-3.4 6.86-8.55 11.54L12 21.35z" />↔
   431.
                    </svg>↩
                  </labeĺ>↩
   432.
   433.
                </div>↩
   434. ↔
   435.
                <div>↩
                  <input id="79-upvote" type="checkbox" class="hidden</pre>
   436.
        peer/upvote"↩
   437.
                     name="vote"↔
   438.
                    onclick="handleVisitor('http://127.0.0.1:8000/login')">↔
   439.
                  <label for="79-upvote"↔
                    class="peer-checked/upvote:fill-blue-400 cursor-pointer
   440.
        hover:fill-blue-400 fill-[#3C3D37] transition-all ease-out">→
                    <svg class="h-6" viewBox="0 0 24 24"</pre>
   441.
        xmlns="http://www.w3.org/2000/svg">↔
                      <path d="M21,21H3L12,3Z" />↔
   442.
   443.
                    </svg>↩
   444.
                  </label̈>↩
   445.
                </div>↩
   446.
   447. ↔
                <span class="mr-2" id="79-score">←
   448.
   449.
                  26
                            </span>↔
   450. ↔
                <div class="">↔
   451.
   452.
                  <input id="79-downvote" type="checkbox" class="hidden</pre>
        peer/downvote"↔
                     name="vote"↔
   453.
   454.
                    onclick="handleVisitor('http://127.0.0.1:8000/login')">↔
   455.
                  <label for="79-downvote"↔
   456.
                    class="cursor-pointer peer-checked/downvote:fill-red-400
        hover:fill-red-400 fill-[#3C3D37] transition-all ease-out">↔
                    <svg class="h-6 rotate-180" viewBox="0 0 24 24"</pre>
   457.
        xmlns="http://www.w3.org/2000/svg">↔
                      <path d="M21,21H3L12,3Z" />↔
   458.
```

```
459.
                  </svg>↩
460.
                </label>↩
              </div>↩
461.
462.
463. ↔
              <button data-toggle="reply-form" data-target="thread">↔
464.
                <svg class="cursor-pointer ml-4 h-5 min-w-5 hover:fill-blue-400</pre>
465.
    transition-all ease-out fill-[#3C3D37]"↔
viewBox="0 0 48 48" xmlns="http://www.w3.org/2000/svg">↔
<g id="Layer 2" data-name="Layer 2">↔
466.
467.
                    <g id="invisible_box" data-name="invisible box">↩
468.
469.
                      <rect width="48" height="48" fill="none"</pre>
                      <rect width="48" height="48" fill="none" />
470.
471.
                    <g id="icons Q2" data-name="icons Q2">↩
472.
473.
                      <path↔
474.
     d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,1.4-.6L15.2,36H42a2,2,
     0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
475.
                    476.
                  </q>~
477.
                </svg>↩
478.
              </button>↩
479. ↔
480.
              <span>2</span>↔
481. ↔
482.
     ب
483.
              <div class="ml-auto hidden text-sm lg:text-base sm:block relative</pre>
484.
     transition-all transform">↩
485.
                <span>↩
                  l hour ago by↩
486.
487.
                </span>↩
                           <div class="inline cursor-pointer group italic">
488.
     contributors↩
       <div class="transition-all absolute right-0 bottom-6 invisible group-</pre>
489.
     hover:visible hover:visible opacity-0 hover:opacity-100 group-
     hover:opacity-100 bg-[#F4F2ED] text-[#3C3D37] border border-[#3C3D37]
     rounded-md shadow-lg py-4 px-2 min-w-28">↔
490.
         →
491.
                  class="mb-1">↔
              <a href="http://127.0.0.1:8000/users/22/profile" class="underline-</pre>
492.
     effect">↩
493.
                @monica↩
494.
              </a>↔
495.
           ↩
                  class="mb-1">↔
496.
              <a href="http://127.0.0.1:8000/users/25/profile" class="underline-</pre>
497.
     effect">↩
498.
                @penny~
499.
              </a>↔
500.
           ↩
                ↩
501.
502.
       </div>↩
                               </div>↔
503. </div>
504.
           </div>↩
505.
         </div>↔
506.
       </div>↔
507.
         <div id="post-content" class="py-4 px-8 flex flex-col gap-4 flex-</pre>
508.
     none">↩
509.
         <div id="contributors-container" class="flex items-center space-x-2">↔
           <div class="flex -space-x-4 rtl:space-x-reverse items-center</pre>
510.
     transition-all" id="contributors-images">↔
511.
                       <a href="http://127.0.0.1:8000/users/22/profile"
     class="group">↩
512.
                <img src="http://127.0.0.1:8000/images/user13.jpg" alt="Monica
     Geller"↩
513.
                  class="w-10 h-10 border-2 border-white rounded-full object-
     cover ">↩
              </a>↩
514.
```

```
class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
568.
     [#4793AF]/[.80] text-white font-bold">↔
569.
         cancel↩
570. </button>↔
         <button name="submit-btn"↔
571.
             class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bq-
572.
     [#4793AF]/[.80] text-white font-bold">↔
573.
         submit↩
574.
    </button>↩
575.
       </div>↩
576.
    </div> </div>↔
577.
578.
       ب
579.
       ب
580. ↔
581.
         <div class="min-w-72">↔
582.
583.
                        <div class="relative mb-3 min-w-72 max-w-full" id="c-</pre>
584.
     109" data-id="109" data-parent-id="null">↔
585.
       <div class="flex flex-row mt-5">↔
586.
         <div class="size-8 rounded-full object-cover">↔
           <a href="">↩
587.
             <imq src="http://127.0.0.1:8000/images/user5.jpg" class="size-8</pre>
588.
     rounded-full object-cover">↩
589.
           </a>↔
590. ↔
           <a href="#c-109"↔
591.
             class="absolute top-[32px] bg-[#A6A6A6] hover:bg-[#4793AF] w-px
592.
    hover:w-0.5 h-[calc(100%-32px)] cursor-pointer"></a>↔
593.
         </div>↔
594.
         <details open class="group/details mt-2 grow">↔
595.
           <summary class="list-none">↩
596.
             <div class="px-2 text-sm mb-5">↩
597.
                <a href="http://127.0.0.1:8000/users/14/profile"
598.
    class="underline-effect">↩
599.
                 edward↩
600.
               </a>↔
601. ↔
602.
               <span>•</span>↔
               <span>1 hour ago</span>↔
603.
604.
                          <span>•</span>↔
               <span class="underline-effect cursor-pointer group-open/details-</pre>
605.
     109:before:content-['hide']">↩
606.
                 <button •
                   onclick="
                              document.getElementById('reportForm').action =
607.
     'http://127.0.0.1:8000/report';
                              document.getElementById('report type').value =
608.
     'comment report';↩
                              document.getElementById('reported id').value =
609.
     '109';↔
610.
                              document.getElementById('reportTitle').textContent
    = 'Report edward\'s comment
                                   ں; ←
611.
    document.getElementById('reportModal').classList.remove('hidden');">↔
612.
                    Report Comment↔
613.
                  </button>↩
614.
               </span>↩
615.
616.
                              <span>•</span>↔
                 <form action="http://127.0.0.1:8000/comment/109/delete"</pre>
617.
    method="POST" style="display: inline;">↔
                    <input type="hidden" name=" token"
618.
    value="9Suk64UAIzxxrs3GUlJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
    <input type="hidden" name=" method" value="PUT">
                                                                       <button
     type="submit" class="underline-effect text-red-600 hover:text-red-800
    delete-comment-button" data-comment-id="109">↔
619.
                     Delete Comment↔
                    </button>↩
620.
                 </form>↔
621.
```

```
622.
             </div>↩
623.
           </summary>↩
624.
625.
                   <article data-text="markdown"↩
626.
627.
               class="font-vollkorn max-w-full prose prose-a:text-
     [#4793AF]/[.80] hover:prose-a:text-[#4793AF]/[1] ml-1 prose-blockquote:my-
    2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔
               This article on space exploration milestones is so inspiring.
628.
    Space is the final frontier! ↔
629.
             </article>↩
630.
631.
632.
           <footer class="flex gap-x-1 items-center mt-4">←
633.
634.
               <input id="109-upvote-c" type="checkbox" class="hidden</pre>
635.
    peer/upvote">↔
               <label for="109-upvote-c"↔
636.
                 class="peer-checked/upvote:fill-blue-400 cursor-pointer
637.
    hover:fill-blue-400 transition-all ease-out">↔
                 <svg class="w-5 h-5" viewBox="0 0 24 24"</pre>
638.
    xmlns="http://www.w3.org/2000/svg">↔
                   <path d="M21,21H3L12,3Z" />↔
639.
640.
                 </svg>↩
641.
               </label>↩
642.
               <!-- Report Button -->↩
643.
644.
             </div>↩
645. ↔
646.
647.
             <span class="mr-2" id="109-score-c">←
648.
                        </span>↔
649. ↔
650.
651.
             <div>↩
               <input id="109-downvote-c" type="checkbox" class="hidden</pre>
652.
    peer/downvote">↩
653.
               <label for="109-downvote-c"↔
    class="cursor-pointer peer-checked/downvote:fill-red-400 hover:fill-red-400 transition-all ease-out">↔
654.
    655.
                   <path d="M21,21H3L12,3Z" />

656.
657.
                 </svg>↩
658.
               </label>↩
659.
             </div>↩
660. ↔
661.
             <button data-toggle="reply-form" data-target="109-editor">←
662.
    <svg class="ml-2 h-[18px] w-[18px] hover:fill-blue-400
transition-all ease-out" viewBox="0 0 48 48"
</pre>
663.
664.
                 xmlns="http://www.w3.org/2000/svg">↔
                 <g id="Laver 2" data-name="Laver 2">↩
665.
                   666.
667.
668.
669.
                   </a>→
                   <g id="icons Q2" data-name="icons Q2">↩
670.
671.
                     <path↩
672.
    d="M42,4H6A2,2,0,0,0,4,6V42a2,2,0,0,0,2,2,2,2,0,0,0,0,1.4-.6L15.2,36H42a2,2,
    0,0,0,2-2V6a2,2,0,0,0-2-2Z" />↔
673.
                   674.
                 </g>بَ
675.
               </svq>↔
676.
             </button>↔
677.
             <span>0</span>↔
678.
           </footer>↩
679. ↔
           <div id="109-editor" class="px-8 py-6 hidden">↔
680.
```

```
<div class="flex flex-row gap-4">↔
681.
         <input type="radio" name="toggle" id="editor-write-toggle-109"</pre>
682.
    class="hidden peer/write" checked />↩
         <label for="editor-write-toggle-109"↔
683.
684.
           class="underline-effect cursor-pointer peer-checked:aria-selected
    peer-checked/write:font-bold">↩
685.
           write↩
686.
         </label>↩
687.
        <input type="radio" name="toggle" id="editor-preview-toggle-109"</pre>
688.
    class="hidden peer/preview" />↩
689.
         <label for="editor-preview-toggle-109"↔
           class="underline-effect cursor-pointer peer-checked:aria-selected
690.
    peer-checked/preview:font-bold">↩
691.
           preview⇔
692.
         </label>↩
693.
      </div>↩
694. ↔
      <div class="flex flex-col mt-2" id="109-editors">↔
695.
        <!-- Textarea for Markdown Input -->↔
696.
697.
         <textarea id="editor-109-input"↔
           class="min-h-32 w-full p-4 bg-inherit focus:outline-none resize-y
698.
    font-mono text-sm border border-1 rounded-lg border-[#3C3D37]">
    </textarea>↔
699.
700.
        <!-- Markdown Preview -->↩
701.
        <div id="editor-109-preview"↔
           class="min-h-32 resize-y hidden p-4 break-words max-h-80 h-full
702.
    font-vollkorn overflow-y-auto prose-a:text-[#4793AF]/[.80] hover:prose-
    a:text-[#4793AF]/[1] border border-1 rounded-lg border-[#3C3D37] prose-
    blockquote:my-2 prose-code:my-4 prose-headings:my-4 prose-hr:my-4">↔
703.
         </div>↩
704.
      </div>↔
705.
      <div class="justify-end flex gap-4 mt-4">←
706. ↔
         <button name="cancel-btn"↔
707.
708.
             class="px-2 py-1 rounded-md bg-[#4793AF]/[.50] hover:bg-
     [#4793AF]/[.80] text-white font-bold">↔
709.
        cancel↔
710. </button>↔
    711.
712.
713.
         submit↩
714. </button>↔
715.
      </div>↩
716. </div>↔
717.
           <div class="ml-12" name="replies">₽
718.
719.
                   </div>↔
720. ↔
721.
        </details>↩
722.
723.
      </div>↩
724. </div>↔
725. ↩
726. ↩
727. ↔
728. ↩
729.
                                  </div>↔
730. ↔
731.
      </div>↩
732. </div>↔
733. ↔
734. <script>↔
735.
      function reportTopic() { →
           const authors = [22,25]; \rightleftharpoons
736.
           const form = document.getElementById('reportForm'); ↔
737.
738.
           form.reset(); ↔
739.
           authors.forEach(authorId => {↩
740.
             const input = document.createElement('input'); ←
```

function handleVisitor(loginUrl) {

Used the HTML parser.

768. </body>↔

770. </html>

769. ↔

753. ←

755. *↔* 756. *↔*

758.

754. </script>↔

757. <script>↔

Total execution time 86 milliseconds.

About this checker • Report an issue • Version: 24.11.29