

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="csrf-token" content="9Suk64UAIzxrs3GUlJ10mY81F4f3G1vC07EHGWh">
  <title>WhatsUP</title>
  <script defer src="http://127.0.0.1:8000/js/app.js"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
    href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,opsz,w
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 20, column 75; to line 20, column 150](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" />  e</h
```
- Error** Bad value `https://cdn.jsdelivr.net/npm/chart.js@^4` for attribute `src` on element `script`: Illegal character in path segment: `^` is not allowed.

[From line 158, column 7; to line 158, column 61](#)

```
4">e      <script src="https://cdn.jsdelivr.net/npm/chart.js@^4"></scri
```

3. **Error** Bad value `https://cdn.jsdelivr.net/npm/luxon@^2` for attribute `src` on element `script`: Illegal character in path segment: `^` is not allowed.

[From line 159, column 37; to line 159, column 88](#)

```
<script src="https://cdn.jsdelivr.net/npm/luxon@^2"></scri
```

4. **Error** Bad value `https://cdn.jsdelivr.net/npm/chartjs-adapter-luxon@^1` for attribute `src` on element `script`: Illegal character in path segment: `^` is not allowed.

[From line 160, column 21; to line 160, column 88](#)

```
<script src="https://cdn.jsdelivr.net/npm/chartjs-adapter-luxon@^1"></scri
```

5. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 215, column 13; to line 217, column 71](#)

```

```

7. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 243, column 13; to line 245, column 71](#)

```

```

9. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 271, column 13; to line 273, column 71](#)

```

```

11. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 299, column 13; to line 301, column 71](#)

```

```

13. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 327, column 13; to line 329, column 71](#)

```

```

15. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 40, column 11; to line 40, column 77](#)

```
<h1 class="mt-4 mb-1 font-medium tracking-tight text-xl break-
all">h/Supe
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3. <head>
4.   <meta charset="utf-8">
5.   <meta name="viewport" content="width=device-width, initial-scale=1">
6.   <meta name="csrf-token"
7.     content="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh">
8.   <title>WhatsUP</title>
9.   <script defer src="http://127.0.0.1:8000/js/app.js"></script>
10.  <link rel="preconnect" href="https://fonts.googleapis.com">
11.  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
12.  <link
13.    href="https://fonts.googleapis.com/css2?
14.    family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
15.    sz,wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
16.    0..900;1,400..900&display=swap"
17.    rel="stylesheet">
18.  <link rel="apple-touch-icon" sizes="180x180"
19.    href="http://127.0.0.1:8000/images/apple-touch-icon.png">
20.  <link rel="icon" type="image/png" sizes="32x32"
21.    href="http://127.0.0.1:8000/images/favicon-32x32.png">
22.  <link rel="icon" type="image/png" sizes="16x16"
23.    href="http://127.0.0.1:8000/images/favicon-16x16.png">
24.  <link rel="stylesheet" href="http://127.0.0.1:8000/css/app.css">
25.  <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
26.  <link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"
27.  />
28. </head>
```

```

23. ↵
24. <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk">↵
25.   <div class="flex flex-row divide-x-2 divide-black h-screen relative">↵
26.     <aside class="w-32 md:w-48 divide-y-2 divide-black flex flex-col fixed
top-0 h-screen">↵
27.       ↵
28.       <div class="w-32 md:w-48 h-12 bg-pastelGreen flex items-center">↵
29.         <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-
bold text-4xl tracking-tigh">↵
30.           <span class="block md:hidden">w.UP</span>↵
31.           <span class="hidden md:block">whatsUP</span>↵
32.         </a>↵
33.       </div>↵
34.       ↵
35.       <div class="text-lg mb-auto divide-y-2 divide-black">↵
36.         <a class="p-4 flex flex-col hover:bg-[#3C3D37] hover:text-
[#F4F2ED] transition-all group">↵
37.           href="http://127.0.0.1:8000/hub/2">↵
38.           ↵
39.           class="rounded-full h-20 w-20 mx-auto ring-2 group-hover:ring-
[#F4F2ED] ring-[#3C3D37]">↵
40.           <h1 class="mt-4 mb-1 font-medium tracking-tight text-xl break-
all">h/Superheroes</h1>↵
41.           <p class="text-sm font-light break-all tracking-tight"> All
about comic book and movie superheroes</p>↵
42.         </a>↵
43.       </div>↵
44.       <div>↵
45.         <h3 class="px-4 font-light text-gray-500 mb-2 mt-4
">manage</h3>↵
46.         <div class="*:*:underline-effect *:px-4 gap-2 flex flex-col
text-xl *:ml-2 pb-4">↵
47.           <a href="http://127.0.0.1:8000/hub/2/moderation/users">↵
48.             <span>users</span>↵
49.           </a>↵
50.           <a href="http://127.0.0.1:8000/hub/2/moderation/posts">↵
51.             <span>posts</span>↵
52.           </a>↵
53.           <a href="http://127.0.0.1:8000/hub/2/moderation/reports">↵
54.             <span>reports</span>↵
55.           </a>↵
56.         </div>↵
57.       </div>↵
58.     ↵
59.   </div>↵
60.   ↵
61.   ↵
62.   <footer class="bg-pastelBlue flex items-center justify-evenly py-
2">↵
63.     <a href="/" class="flex flex-row items-center gap-2">↵
64.       ↵
65.       <span class="underline-effect">back</span>↵
66.     </a>↵
67.     ↵
68.   ↵
69.   <div class="relative group">↵
70.     <a href="http://127.0.0.1:8000/users/2/profile">↵
71.       class="relative fill-transparent text-[#3C3D37] hover:text-
[#3C3D37]/80 transition-colors">↵
72.       <svg class="w-5 h-5" fill="none" stroke="currentColor"
viewBox="0 0 24 24">↵
73.         <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="2">↵
74.           d="M16 7a4 4 0 11-8 0 4 4 0 018 0zM12 14a7 7 0 00-7 7h14a7
7 0 00-7-7z" />↵
75.         </svg>↵
76.       </a>↵
77.     <div>↵
78.       class="absolute right-0 mt-2 w-48 bg-white border border-gray-
200 rounded-lg shadow-lg opacity-0 group-hover:opacity-100 transition-

```

```

opacity duration-200">↵
79.         <!-- Changed to direct link instead of form -->↵
80.         <a href="http://127.0.0.1:8000/logout" class="block px-4 py-2
text-gray-700 hover:bg-gray-100">↵
81.             Logout↵
82.         </a>↵
83.     </div>↵
84. </div>↵
85. </footer>↵
86. </aside>↵
87. ↵
88.     <!-- Content Area -->↵
89.     <main class="ml-32 md:ml-48 w-full overflow-y-auto ">↵
90.         <div class="divide-y-2 divide-black w-full">↵
91.             ↵
92. <div class="flex flex-col md:flex-row md:divide-x-2 md:divide-y-0 divide-
y-2 divide-black">↵
93.     <div class="flex flex-col w-[50%] divide-y-2 divide-black ">↵
94.         <div class="flex flex-row p-4 h-full">↵
95.             <h1 class=" tracking-tight font-medium text-5xl">users <span↵
96.                 class="text-2xl tracking-normal opacity-60">manage</span>↵
97.             </h1>↵
98.             <span class="ml-auto text-sm tracking-normal opacity-60 mt-auto">Dec
99. 9, 2024 ->↵
100.             Dec 22, 2024</span>↵
101.         </div>↵
102.         <div class="grid grid-cols-3">↵
103.             <div class="px-4 py-4 bg-pastelRed border-black border-r-2 flex
flex-col">↵
104.                 <div class="text-2xl text-[#F4F2ED]/[.8] mb-auto">active
users</div>↵
105.                 <div class="text-6xl font-bold tracking-tighter text-[#F4F2ED] mb-
auto">37</div>↵
106.                 ↵
107.             </div>↵
108.             <div class="px-4 py-4 bg-pastelYellow border-black border-r-2 flex
flex-col">↵
109.                 <div class="text-2xl text-[#3C3D37]/[.8] mb-
auto">moderators</div>↵
110.                 <div class="text-6xl font-bold tracking-tighter text-[#3C3D37] mb-
auto"> 3 </div>↵
111.                 ↵
112.             </div>↵
113.             <div class="px-4 py-4 bg-pastelGreen flex flex-col">↵
114.                 <div class="text-2xl text-[#F4F2ED]/[.8] mb-auto">followers</div>↵
115.                 <div class="text-6xl font-bold tracking-tighter text-[#F4F2ED]"> 5
</div>↵
116.             </div>↵
117.         </div>↵
118.         ↵
119.     </div>↵
120.     ↵
121.     ↵
122.     <div class="min-h-12 flex items-center pl-2 md:pl-4 relative border-b-
2 border-black bg-pastelBlue peer">↵
123.         <svg class="w-5 h-5 text-[#F4F2ED]/80" fill="none"
stroke="currentColor" viewBox="0 0 24 24">↵
124.             <path stroke-linecap="round" stroke-linejoin="round" stroke-
width="2"↵
125.                 d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />↵
126.             </svg>↵
127.             <input id="search-input" type="text" placeholder="search"↵
128.                 class="w-full bg-transparent border-none text-[#F4F2ED]
placeholder-[#F4F2ED] px-2 md:px-3 py-2 focus:outline-none ">↵
129.             ↵
130.             <input type="checkbox" name="filters" id="filters" class="hidden">↵
131.             <label for="filters" class="cursor-pointer">↵
132.                 <svg class="w-5 h-5 mr-4 fill-[#F4F2ED]/80"
xmlns="http://www.w3.org/2000/svg">↵
133.                 <g id="SVGRepo_bgCarrier" stroke-width="0"></g>↵

```

```

134.         <g id="SVGRepo_tracerCarrier" stroke-linecap="round" stroke-
linejoin="round"></g>
135.         <g id="SVGRepo_iconCarrier">
136.             <path d="M0 3H16V1H0V3Z"></path>
137.             <path d="M2 7H14V5H2V7Z"></path>
138.             <path d="M4 11H12V9H4V11Z"></path>
139.             <path d="M10 15H6V13H10V15Z"></path>
140.         </g>
141.     </svg>
142. </label>
143. </div>
144. <div id="filters-section" class="peer-has-[:checked]:flex hidden
font-normal items-center">
145.     <select id="moderator-filter"
146.         class="bg-transparent px-4 focus:outline-none py-2 border-r-2
border-black appearance-none">
147.         <option value="" class="font-light">Moderator Status</option>
148.         <option value="moderator" class="font-bold">Moderator</option>
149.         <option value="normal" class="font-bold">Normal</option>
150.     </select>
151.
152. </div>
153.
154. </div>
155.
156. <div class="w-[50%]">
157.     <div class="w-[600px] mx-auto p-4">
158.         <script src="https://cdn.jsdelivr.net/npm/chart.js@4"></script>
159.         <script
src="https://cdn.jsdelivr.net/npm/luxon@2"></script>
160.         <script src="https://cdn.jsdelivr.net/npm/chartjs-
adapter-luxon@1"></script>
161.         <script
src="https://cdn.jsdelivr.net/npm/numeral@2.0.6/numeral.min.js"></script>
162.         <canvas id="activeUsersChart" width="400" height="200">
163.         <script>
164.             (function() {
165.                 var init = function() {
166.                     "use strict";
167.                     var ctx = document.getElementById("activeUsersChart");
168.                     window.activeUsersChart = new Chart(ctx, {
169.                         type: 'line',
170.                         data: {
171.                             labels: ["2024-12-09", "2024-12-10", "2024-12-
11", "2024-12-12", "2024-12-13", "2024-12-14", "2024-12-15", "2024-12-
16", "2024-12-17", "2024-12-18", "2024-12-19", "2024-12-20", "2024-12-
21", "2024-12-22"],
172.                             datasets: [{
173.                                 "label": "Active
Users", "backgroundColor": "rgba(75, 192, 192, 0.2)", "borderColor": "rgba(75,
192, 192, 1)", "pointBorderColor": "rgba(75, 192, 192,
1)", "pointBackgroundColor": "rgba(75, 192, 192,
1)", "pointHoverBackgroundColor": "#fff", "pointHoverBorderColor": "rgba(75,
192, 192, 1)", "data": [0,0,0,0,0,0,0,0,0,0,0,0,0,37], "fill": false}
174.                             ],
175.                             options: {
176.                                 "scales": {
177.                                     "y": {
178.                                         "beginAtZero": true,
179.                                         "ticks": {
180.                                             "stepSize": 1
181.                                         }
182.                                     },
183.                                     "x": {
184.                                         "type": "time",
185.                                         "time": {
186.                                             "unit": "day"
187.                                         }
188.                                     }
189.                                 }
190.                             }
191.                         }
192.                     });
193.                     if (document.readyState !== 'loading') {
194.                         init();
195.                     } else {
196.                         document.addEventListener("DOMContentLoaded", init);
197.                     }
198.                 })();
199.             </script>
200.         </div>
201.     </div>
202.
203. </div>

```



```

190. <div>↵
191.   <table↵
192.     class="min-w-[1000px] w-full bg-white border-2 border-black/10
rounded-lg overflow-hidden transition-all duration-300 hover:border-
black/30 p-6">↵
193.     <thead class="bg-gray-100">↵
194.       <tr>↵
195.         <th↵
196.           class="cursor-pointer px-4 py-3 text-left text-xs font-medium
text-gray-500 uppercase tracking-wider hover:bg-gray-200"↵
197.           data-type="number">ID</th>↵
198.         <th↵
199.           class="cursor-pointer px-4 py-3 text-left text-xs font-medium
text-gray-500 uppercase tracking-wider hover:bg-gray-200"↵
200.           data-type="string">Handle</th>↵
201.         <th↵
202.           class="cursor-pointer px-4 py-3 text-left text-xs font-medium
text-gray-500 uppercase tracking-wider hover:bg-gray-200"↵
203.           data-type="string">Name</th>↵
204.         <th class="px-4 py-3 text-left text-xs font-medium text-gray-500
uppercase tracking-wider hover:bg-gray-200">↵
205.           moderator</th>↵
206.         <th class="px-4 py-3 text-left text-xs font-medium text-gray-500
uppercase tracking-wider hover:bg-gray-200">↵
207.           Remove follow</th>↵
208.       </tr>↵
209.     </thead>↵
210.     <tbody class="divide-y divide-gray-200">↵
211.       <tr class="hover:bg-gray-50 transition-colors">↵
212.         <td class="px-4 py-4 whitespace-nowrap" data-sort>2</td>↵
213.         <td class="px-4 py-4">↵
214.           <a class="flex items-center"
href="http://127.0.0.1:8000/users/2/profile">↵
215.             ↵
218.             <span class="break-all" data-sort>@tiago_admin</span>↵
219.           </a>↵
220.         </td>↵
221.         <td class="px-4 py-4 break-all" data-sort>↵
222.           Tiago Monteiro↵
223.         </td>↵
224.         <td class="px-4 py-4" data-moderator>↵
225.           <input id="admin-checkbox-2" type="checkbox" class="w-4 h-4
accent-blue-500"↵
226.             checked                onclick="toggleModerator(2, 2 ,
this.checked)"↵
227.             >↵
228.           </td>↵
229.         ↵
230.         <td class="px-4 py-4">↵
231.           <form action="http://127.0.0.1:8000/users/2/2/remove_follower"↵
232.             method="POST" onsubmit="return confirm('Are you sure you want
to make this user unfollow the community?')">↵
233.             <input type="hidden" name="token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">↵
234.             <button
type="submit" class="px-2 py-1 rounded-md bg-red-500/[.80] hover:bg-red-
500 text-white font-bold">↵
235.               Unfollow↵
236.             </button>↵
237.           </form>↵
238.         </td>↵
239.       </tr>↵
240.       <tr class="hover:bg-gray-50 transition-colors">↵
241.         <td class="px-4 py-4 whitespace-nowrap" data-sort>3</td>↵
242.         <td class="px-4 py-4">↵
243.           <a class="flex items-center"
href="http://127.0.0.1:8000/users/3/profile">↵

```



```

243.         
244.         onerror="this.onerror=null;this.src='https://www.redditstatic.com/avatars/
defaults/v2/avatar default 3.png';"
245.         class="max-w-full rounded-full size-9 mr-3 object-cover">
246.         <span class="break-all" data-sort>@vasco_admin</span>
247.         </a>
248.     </td>
249.     <td class="px-4 py-4 break-all" data-sort>
250.         Vasco Costa
251.     </td>
252.     <td class="px-4 py-4" data-moderator>
253.         <input id="admin-checkbox-3" type="checkbox" class="w-4 h-4
accent-blue-500"
254.             checked          onclick="toggleModerator(3, 2 ,
this.checked)"
255.             >
256.         </td>
257.     <td class="px-4 py-4">
258.         <form action="http://127.0.0.1:8000/users/3/2/remove_follower"
259.             method="POST" onsubmit="return confirm('Are you sure you want
260. to make this user unfollow the community?')">
261.             <input type="hidden" name="token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">
<button
type="submit" class="px-2 py-1 rounded-md bg-red-500/[.80] hover:bg-red-
500 text-white font-bold">
262.                 Unfollow
263.             </button>
264.         </form>
265.     </td>
266. </tr>
267.     <tr class="hover:bg-gray-50 transition-colors">
268.         <td class="px-4 py-4 whitespace-nowrap" data-sort>5</td>
269.         <td class="px-4 py-4">
270.             <a class="flex items-center"
href="http://127.0.0.1:8000/users/5/profile">
271.                 
272.                 onerror="this.onerror=null;this.src='https://www.redditstatic.com/avatars/
defaults/v2/avatar default 3.png';"
273.                 class="max-w-full rounded-full size-9 mr-3 object-cover">
274.                 <span class="break-all" data-sort>@diana_admin</span>
275.                 </a>
276.         </td>
277.         <td class="px-4 py-4 break-all" data-sort>
278.             Diana Nunes
279.         </td>
280.         <td class="px-4 py-4" data-moderator>
281.             <input id="admin-checkbox-5" type="checkbox" class="w-4 h-4
accent-blue-500"
282.                 onclick="toggleModerator(5, 2 , this.checked)"
283.                 >
284.             </td>
285.         <td class="px-4 py-4">
286.             <form action="http://127.0.0.1:8000/users/5/2/remove_follower"
287.                 method="POST" onsubmit="return confirm('Are you sure you want
288. to make this user unfollow the community?')">
289.                 <input type="hidden" name="token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">
<button
type="submit" class="px-2 py-1 rounded-md bg-red-500/[.80] hover:bg-red-
500 text-white font-bold">
290.                     Unfollow
291.                 </button>
292.             </form>
293.         </td>
294.     </tr>
295.     <tr class="hover:bg-gray-50 transition-colors">

```

```

296.         <td class="px-4 py-4 whitespace-nowrap" data-sort>6</td>↵
297.         <td class="px-4 py-4">↵
298.             <a class="flex items-center"
href="http://127.0.0.1:8000/users/6/profile">↵
299.                 ↵
302.                     <span class="break-all" data-sort>@dattebayo</span>↵
303.                 </a>↵
304.             </td>↵
305.         <td class="px-4 py-4 break-all" data-sort>↵
306.             Naruto Uzumaki↵
307.         </td>↵
308.         <td class="px-4 py-4" data-moderator>↵
309.             <input id="admin-checkbox-6" type="checkbox" class="w-4 h-4
accent-blue-500"↵
310.                 onclick="toggleModerator(6, 2 , this.checked)"↵
311.             >↵
312.         </td>↵
313.     ↵
314.         <td class="px-4 py-4">↵
315.             <form action="http://127.0.0.1:8000/users/6/2/remove_follower"↵
316.                 method="POST" onsubmit="return confirm('Are you sure you want
to make this user unfollow the community?')">↵
317.                 <input type="hidden" name=" token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">↵
<button
type="submit" class="px-2 py-1 rounded-md bg-red-500/[.80] hover:bg-red-
500 text-white font-bold">↵
318.                     Unfollow↵
319.                 </button>↵
320.             </form>↵
321.         </td>↵
322.     </tr>↵
323.     <tr class="hover:bg-gray-50 transition-colors">↵
324.         <td class="px-4 py-4 whitespace-nowrap" data-sort>7</td>↵
325.         <td class="px-4 py-4">↵
326.             <a class="flex items-center"
href="http://127.0.0.1:8000/users/7/profile">↵
327.                 ↵
330.                     <span class="break-all" data-sort>@saiyan_warrior</span>↵
331.                 </a>↵
332.             </td>↵
333.         <td class="px-4 py-4 break-all" data-sort>↵
334.             Goku Son↵
335.         </td>↵
336.         <td class="px-4 py-4" data-moderator>↵
337.             <input id="admin-checkbox-7" type="checkbox" class="w-4 h-4
accent-blue-500"↵
338.                 checked                onclick="toggleModerator(7, 2 ,
this.checked)"↵
339.             >↵
340.         </td>↵
341.     ↵
342.         <td class="px-4 py-4">↵
343.             <form action="http://127.0.0.1:8000/users/7/2/remove_follower"↵
344.                 method="POST" onsubmit="return confirm('Are you sure you want
to make this user unfollow the community?')">↵
345.                 <input type="hidden" name=" token"
value="9Suk64UAIzxxrs3GULJ10mY81F4f3G1vC07EHGWh" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">↵
<button
type="submit" class="px-2 py-1 rounded-md bg-red-500/[.80] hover:bg-red-
500 text-white font-bold">↵
346.                     Unfollow↵
347.                 </button>↵

```

```
348.         </form>↵
349.     </td>↵
350. </tr>↵
351. </tbody>↵
352. </table>↵
353. </div>↵
354. ↵
355.     </div>↵
356. </main>↵
357. </div>↵
358. ↵
359. ↵
360. </body>
```

Used the HTML parser.

Total execution time 13 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.11.29