# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ⌄] ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="csrf-token" content="9Suk64UAIzxxrs3GUlJ1OmY81F4f3G1vCO7EHGWh">
  <title>WhatsUP</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
    href="https://fonts.googleapis.com/css2?
family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,opsz,w
ght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,400..900;1
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

   [From line 19, column 75; to line 19, column 150](#)

   ```
   ></script><link rel="stylesheet"
   href="http://127.0.0.1:5173/resources/css/app.css" />  ↵
   ```

2. **Error** **Bad value** `https://cdn.jsdelivr.net/npm/chart.js@^4` **for attribute** `src` **on element** `script`**: Illegal character in path segment:** `^` **is not allowed.**

   [From line 102, column 7; to line 102, column 61](#)

   ```
   o">↵        <script src="https://cdn.jsdelivr.net/npm/chart.js@^4"></scri
   ```

3.   **Error**   **Bad value** `https://cdn.jsdelivr.net/npm/luxon@^2` **for attribute** `src` **on element** [`script`]: **Illegal character in path segment:** `^` **is not allowed.**

From line 103, column 37; to line 103, column 88

```
            <script src="https://cdn.jsdelivr.net/npm/luxon@^2"></scri
```

4.   **Error**   **Bad value** `https://cdn.jsdelivr.net/npm/chartjs-adapter-luxon@^1` **for attribute** `src` **on element** [`script`]: **Illegal character in path segment:** `^` **is not allowed.**

From line 104, column 21; to line 104, column 88

```
            <script src="https://cdn.jsdelivr.net/npm/chartjs-adapter-luxon@^1"></scri
```

5.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 189, column 7; to line 189, column 88

```
e">↵       <img src="http://127.0.0.1:8000/images/user37.jpg" class="rounded-full h-12 w-12">↵
```

6.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 197, column 7; to line 197, column 88

```
e">↵       <img src="http://127.0.0.1:8000/images/user82.jpg" class="rounded-full h-12 w-12">↵
```

7.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 205, column 7; to line 205, column 88

```
e">↵       <img src="http://127.0.0.1:8000/images/user28.jpg" class="rounded-full h-12 w-12">↵
```

8.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 213, column 7; to line 213, column 88

```
e">↵         <img src="http://127.0.0.1:8000/images/user60.jpg"
class="rounded-full h-12 w-12">↵
```

9. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 221, column 7; to line 221, column 88

```
e">↵         <img src="http://127.0.0.1:8000/images/user55.jpg"
class="rounded-full h-12 w-12">↵
```

10. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 238, column 7; to line 238, column 87

```
6">↵         <img src="http://127.0.0.1:8000/images/hub16.jpg"
class="rounded-full h-12 w-12">↵
```

11. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 247, column 7; to line 247, column 87

```
2">↵         <img src="http://127.0.0.1:8000/images/hub12.jpg"
class="rounded-full h-12 w-12">↵
```

12. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 256, column 7; to line 256, column 86

```
3">↵         <img src="http://127.0.0.1:8000/images/hub3.jpg"
class="rounded-full h-12 w-12">↵
```

13. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 265, column 7; to line 265, column 86

```
5">↵         <img src="http://127.0.0.1:8000/images/hub5.jpg"
class="rounded-full h-12 w-12">↵
```

14. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 274, column 7; to line 274, column 86

```
9">↵        <img src="http://127.0.0.1:8000/images/hub9.jpg"
class="rounded-full h-12 w-12">↵
```

15. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 320, column 7; to line 320, column 87

```
e">↵        <img src="http://127.0.0.1:8000/images/user6.jpg"
class="rounded-full h-12 w-12">↵
```

16. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 330, column 7; to line 330, column 88

```
e">↵        <img src="http://127.0.0.1:8000/images/user10.jpg"
class="rounded-full h-12 w-12">↵
```

17. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 340, column 7; to line 340, column 88

```
e">↵        <img src="http://127.0.0.1:8000/images/user31.jpg"
class="rounded-full h-12 w-12">↵
```

18. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 350, column 7; to line 350, column 88

```
e">↵        <img src="http://127.0.0.1:8000/images/user36.jpg"
class="rounded-full h-12 w-12">↵
```

19. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for**

images.

From line 360, column 7; to line 360, column 88

```
e">↵          <img src="http://127.0.0.1:8000/images/user27.jpg"
class="rounded-full h-12 w-12">↵
```

Document checking completed.

Source

```
 1. ↵
 2. <!DOCTYPE html>↵
 3. <html lang="en">↵
 4. ↵
 5. <head>↵
 6.   <meta charset="utf-8">↵
 7.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
 8.   <meta name="csrf-token"
      content="9Suk64UAIzxxrs3GUlJ1OmY81F4f3G1vCO7EHGWh">↵
 9.   <title>WhatsUP</title>↵
10.   <link rel="preconnect" href="https://fonts.googleapis.com">↵
11.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
12.   <link↵
13.     href="https://fonts.googleapis.com/css2?
      family=Hanken+Grotesk:ital,wght@0,100..900;1,100..900&family=Inter:ital,op
      sz,wght@0,14..32,100..900;1,14..32,100..900&family=Vollkorn:ital,wght@0,40
      0..900;1,400..900&display=swap"↵
14.     rel="stylesheet">↵
15.   <link rel="apple-touch-icon" sizes="180x180"
      href="http://127.0.0.1:8000/images/apple-touch-icon.png">↵
16.   <link rel="icon" type="image/png" sizes="32x32"
      href="http://127.0.0.1:8000/images/favicon-32x32.png">↵
17.   <link rel="icon" type="image/png" sizes="16x16"
      href="http://127.0.0.1:8000/images/favicon-16x16.png">↵
18.   <link rel="stylesheet" href=http://127.0.0.1:8000/css/app.css>↵
19.   <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
      <link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css"
      />  ↵
20. ↵
21.   <script defer src="http://127.0.0.1:8000/js/app.js"></script>↵
22. ↵
23. </head>↵
24. ↵
25. ↵
26. <body class="bg-[#F4F2ED] text-[#3C3D37] font-grotesk">↵
27.   <div class="flex flex-row divide-x-2 divide-black h-screen relative">↵
28.     <aside class="w-32 md:w-48 divide-y-2 divide-black flex flex-col fixed
      top-0 h-screen">↵
29.         ↵
30.       <div class="w-32 md:w-48 h-12 bg-pastelGreen flex items-center">↵
31.         <a href="http://127.0.0.1:8000" class="m-auto text-[#F4F2ED] font-
      bold text-4xl tracking-tigh">↵
32.           <span class="block md:hidden">w.UP</span>↵
33.           <span class="hidden md:block">whatsUP</span>↵
34.         </a>↵
35.       </div>↵
36.         ↵
37.       <div class="text-lg mb-auto divide-y-2 divide-black">↵
38.         <div class="p-4">↵
39.           <h3 class="font-light text-gray-500 mb-2">admin</h3>↵
40.           <a href="http://127.0.0.1:8000/admin" class="underline-effect
      ml-2">overview</a>↵
41.         </div>↵
42.         <div>↵
```

43.   <h3 class="px-4 font-light text-gray-500 mb-2 mt-4
    ">manage</h3>↵
44.   <div class="*:*:underline-effect *:px-4 gap-2 flex flex-col
    text-xl *:ml-2 pb-4">↵
45.   ↵
46.   users↵
47.   ↵
48.   ↵
49.   hubs↵
50.   ↵
51.   ↵
52.   posts↵
53.   ↵
54.   ↵
55.   reports↵
56.   ↵
57.   </div>↵
58.   </div>↵
59. ↵
60.   </div>↵
61.   ↵
62. ↵
63.   <footer class="bg-pastelBlue flex items-center justify-evenly py-
    2">↵
64.   ↵
65.   ↵
66.   back↵
67.   ↵
68.   ↵
69. ↵
70.   <div class="relative group">↵
71.   <a href="http://127.0.0.1:8000/users/2/profile"↵
72.   class="relative fill-transparent text-[#3C3D37] hover:text-
    [#3C3D37]/80 transition-colors">↵
73.   <svg class="w-5 h-5" fill="none" stroke="currentColor"
    viewBox="0 0 24 24">↵
74.   <path stroke-linecap="round" stroke-linejoin="round" stroke-
    width="2"↵
75.   d="M16 7a4 4 0 11-8 0 4 4 0 018 0zM12 14a7 7 0 00-7 7h14a7
    7 0 00-7-7z" />↵
76.   </svg>↵
77.   ↵
78.   <div↵
79.   class="absolute right-0 mt-2 w-48 bg-white border border-gray-
    200 rounded-lg shadow-lg opacity-0 group-hover:opacity-100 transition-
    opacity duration-200">↵
80.   <!-- Changed to direct link instead of form -->↵
81.   <a href="http://127.0.0.1:8000/logout" class="block px-4 py-2
    text-gray-700 hover:bg-gray-100">↵
82.   Logout↵
83.   ↵
84.   </div>↵
85.   </div>↵
86.   </footer>↵
87.   </aside>↵
88. ↵
89.   <!-- Content Area -->↵
90.   <main class="ml-32 md:ml-48 w-full overflow-y-auto ">↵
91.   <div class="divide-y-2 divide-black w-full">↵
92.   ↵
93. <div class="flex flex-row p-4">↵
94.   <h1 class="font-medium text-5xl tracking-tighter">whatsUP manage↵
95.   </h1>↵
96.   Dec 9,
    2024 ->↵
97.   Dec 22, 2024↵
98. </div>↵
99. <div class="grid grid-cols-4 border-b-2 border-black ">↵
100.   <div class="p-4 col-span-2 border-b-2 border-black border-r-2 flex
    items-center justify-center">↵

```
101.        <div class="w-[90%] mx-auto">↵
102.        <script src="https://cdn.jsdelivr.net/npm/chart.js@^4"></script>↵
103.                                    <script
      src="https://cdn.jsdelivr.net/npm/luxon@^2"></script>↵
104.                    <script src="https://cdn.jsdelivr.net/npm/chartjs-
      adapter-luxon@^1"></script>↵
105.                                    <script
      src="https://cdn.jsdelivr.net/npm/numeral@2.0.6/numeral.min.js"></script>↵
106.                              ↵
107. <canvas id="newUsersChart" width="400" height="200">↵
108.        <script>↵
109.            (function() {↵
110.                var init = function() {↵
111.                    "use strict";↵
112.                    var ctx = document.getElementById("newUsersChart");↵
113.                    window.newUsersChart = new Chart(ctx, {↵
114.                        type: 'line',↵
115.                        data: {↵
116.                            labels: ["2024-12-09","2024-12-10","2024-12-
      11","2024-12-12","2024-12-13","2024-12-14","2024-12-15","2024-12-
      16","2024-12-17","2024-12-18","2024-12-19","2024-12-20","2024-12-
      21","2024-12-22"],↵
117.                            datasets: [{"label":"New
      Users","backgroundColor":"rgba(75, 192, 192, 0.2)","borderColor":"rgba(75,
      192, 192, 1)","pointBorderColor":"rgba(75, 192, 192,
      1)","pointBackgroundColor":"rgba(75, 192, 192,
      1)","pointHoverBackgroundColor":"#fff","pointHoverBorderColor":"rgba(75,
      192, 192, 1)","data":[0,0,0,0,0,0,0,0,0,0,0,0,0,100],"fill":false}]↵
118.                        },↵
119.                        options: {"scales":{"y":{"beginAtZero":true,"ticks":
      {"stepSize":1}},"x":{"type":"time","time":{"unit":"day"}}}}↵
120.                    });↵
121.                };↵
122.        ↵
123.                if (document.readyState !== 'loading') {↵
124.                    init();↵
125.                } else {↵
126.                    document.addEventListener("DOMContentLoaded", init);↵
127.                }↵
128.            })();↵
129.        </script>↵
130. </canvas>       </div>↵
131.    </div>↵
132.    <div class="p-4 col-span-2 border-b-2 border-black flex items-center
      justify-center">↵
133.        <div class="w-[90%] mx-auto">↵
134.          <canvas id="postsComboChart" width="400" height="200">↵
135.        <script>↵
136.            (function() {↵
137.                var init = function() {↵
138.                    "use strict";↵
139.                    var ctx = document.getElementById("postsComboChart");↵
140.                    window.postsComboChart = new Chart(ctx, {↵
141.                        type: 'bar',↵
142.                        data: {↵
143.                            labels: ["2024-12-09","2024-12-10","2024-12-
      11","2024-12-12","2024-12-13","2024-12-14","2024-12-15","2024-12-
      16","2024-12-17","2024-12-18","2024-12-19","2024-12-20","2024-12-
      21","2024-12-22"],↵
144.                            datasets:
      [{"type":"bar","label":"News","backgroundColor":"rgba(255, 99, 132,
      0.5)","borderColor":"rgba(255, 99, 132, 1)","data":
      [0,0,0,0,0,0,0,0,0,0,0,0,0,55]},
      {"type":"bar","label":"Topics","backgroundColor":"rgba(54, 162, 235,
      0.5)","borderColor":"rgba(54, 162, 235, 1)","data":
      [0,0,0,0,0,0,0,0,0,0,0,0,0,70]},{"type":"line","label":"Total
      Posts","backgroundColor":"rgba(75, 192, 192, 0.5)","borderColor":"rgba(75,
      192, 192, 1)","fill":false,"data":[0,0,0,0,0,0,0,0,0,0,0,0,0,125]}]↵
145.                        },↵
146.                        options: {"scales":{"y":{"beginAtZero":true,"ticks":
      {"stepSize":1}},"x":{"type":"time","time":{"unit":"day"}}}}↵
```

```
147.                    });↵
148.                };↵
149.        ↵
150.                if (document.readyState !== 'loading') {↵
151.                    init();↵
152.                } else {↵
153.                    document.addEventListener("DOMContentLoaded", init);↵
154.                }↵
155.            })();↵
156.        </script>↵
157. </canvas>      </div>↵
158.    </div>↵
159. ↵
160.    <div class="px-4 py-4  border-black border-r-2 flex flex-col hover:bg-
     [#3C3D37] hover:text-[#F4F2ED] transition-all text-[#3C3D37]">↵
161.        <div class="text-2xl opacity-80 mb-auto ">new posts</div>↵
162.        <div class="text-6xl font-bold tracking-tighter  mb-auto">125</div>↵
163.        <div class="text-lg opacity-80 tracking-tight mb-auto">125 total posts
     </div>↵
164.    </div>↵
165.    <div class="px-4 py-4  border-black border-r-2 flex flex-col hover:bg-
     [#3C3D37] hover:text-[#F4F2ED] transition-all text-[#3C3D37]">↵
166.        <div class="text-2xl opacity-80 mb-auto">active users</div>↵
167.        <div class="text-6xl font-bold tracking-tighter mb-auto">98</div>↵
168.        <div class="text-lg tracking-tight opacity-80 mb-auto">100 total users
     </div>↵
169.    </div>↵
170.    <div class="px-4 py-4  border-black border-r-2 flex flex-col hover:bg-
     [#3C3D37] hover:text-[#F4F2ED] transition-all text-[#3C3D37]">↵
171.        <div class="text-2xl opacity-80 mb-auto">active hubs</div>↵
172.        <div class="text-6xl font-bold tracking-tighter mb-auto"> 65 </div>↵
173.        <div class="text-lg tracking-tight opacity-80 mb-auto">102 total hubs
     </div>↵
174. ↵
175.    </div>↵
176.    <div class="px-4 py-4   flex flex-col hover:bg-[#3C3D37] hover:text-
     [#F4F2ED] transition-all text-[#3C3D37]">↵
177.        <div class="text-2xl opacity-80 mb-auto">pending reports</div>↵
178.        <div class="text-6xl font-bold tracking-tighter mb-auto"> 69 </div>↵
179.    </div>↵
180. ↵
181.    <div class="flex flex-col *:grow col-span-2 border-black border-r-2
     border-t-2">↵
182.        <header↵
183.        class="pl-4 pr-2 py-4 w-full font-bold text-4xl bg-pastelBlue flex
     flex-row border-b-2 border-black max-h-20 min-h-20">↵
184.        top users <a href=" http://127.0.0.1:8000/admin/users "↵
185.          class="ml-auto mt-auto text-sm text-[#3C3D37]/[.8] font-
     light">manage</a>↵
186.        </header>↵
187.            <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-
     [#3C3D37] hover:text-[#F4F2ED] transition-colors"↵
188.        href="http://127.0.0.1:8000/users/46/profile">↵
189.        <img src="http://127.0.0.1:8000/images/user37.jpg" class="rounded-
     full h-12 w-12">↵
190.        <div class="break-all flex flex-col" data-sort>↵
191.          <span class="font-medium text-xl">Katniss Everdeen</span>↵
192.          <span class="text-[#3C3D37]/[.6] group-hover:text-
     [#F4F2ED]/[.6]">@katniss</span>↵
193.        </div>↵
194.      </a>↵
195.            <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-
     [#3C3D37] hover:text-[#F4F2ED] transition-colors"↵
196.        href="http://127.0.0.1:8000/users/82/profile">↵
197.        <img src="http://127.0.0.1:8000/images/user82.jpg" class="rounded-
     full h-12 w-12">↵
198.        <div class="break-all flex flex-col" data-sort>↵
199.          <span class="font-medium text-xl">The Professor</span>↵
200.          <span class="text-[#3C3D37]/[.6] group-hover:text-
     [#F4F2ED]/[.6]">@professor</span>↵
201.        </div>↵
```

```
202.        </a>↵
203.          <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-
      [#3C3D37] hover:text-[#F4F2ED] transition-colors"↵
204.          href="http://127.0.0.1:8000/users/37/profile">↵
205.          <img src="http://127.0.0.1:8000/images/user28.jpg" class="rounded-
      full h-12 w-12">↵
206.          <div class="break-all flex flex-col" data-sort>↵
207.            <span class="font-medium text-xl">Bella Swan</span>↵
208.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@bella</span>↵
209.          </div>↵
210.        </a>↵
211.          <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-
      [#3C3D37] hover:text-[#F4F2ED] transition-colors"↵
212.          href="http://127.0.0.1:8000/users/3/profile">↵
213.          <img src="http://127.0.0.1:8000/images/user60.jpg" class="rounded-
      full h-12 w-12">↵
214.          <div class="break-all flex flex-col" data-sort>↵
215.            <span class="font-medium text-xl">Vasco Costa</span>↵
216.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@vasco_admin</span>↵
217.          </div>↵
218.        </a>↵
219.          <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-
      [#3C3D37] hover:text-[#F4F2ED] transition-colors"↵
220.          href="http://127.0.0.1:8000/users/10/profile">↵
221.          <img src="http://127.0.0.1:8000/images/user55.jpg" class="rounded-
      full h-12 w-12">↵
222.          <div class="break-all flex flex-col" data-sort>↵
223.            <span class="font-medium text-xl">Peter Parker</span>↵
224.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@spidey</span>↵
225.          </div>↵
226.        </a>↵
227.        </div>↵
228. ↵
229.   <div class="flex flex-col *:grow col-span-2 border-t-2 border-black">↵
230.      <header↵
231.        class="pl-4 pr-2 py-4 w-full font-bold text-4xl bg-pastelRed flex
      flex-row border-b-2 border-black max-h-20 min-h-20">↵
232.        top hubs <a href=" http://127.0.0.1:8000/admin/hubs "↵
233.          class="ml-auto mt-auto text-sm text-[#3C3D37]/[.8] font-
      light">manage</a>↵
234.      </header>↵
235.        ↵
236.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
237.          href="http://127.0.0.1:8000/hub/16">↵
238.          <img src="http://127.0.0.1:8000/images/hub16.jpg" class="rounded-
      full h-12 w-12">↵
239.          <div class="break-all flex flex-col" data-sort>↵
240.            <span class="font-medium text-xl">h/MovieBuffs</span>↵
241.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">Discuss films and series.</span>↵
242.          </div>↵
243.        </a>↵
244.        ↵
245.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
246.          href="http://127.0.0.1:8000/hub/12">↵
247.          <img src="http://127.0.0.1:8000/images/hub12.jpg" class="rounded-
      full h-12 w-12">↵
248.          <div class="break-all flex flex-col" data-sort>↵
249.            <span class="font-medium text-xl">h/BookLovers</span>↵
250.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">A community for book lovers.</span>↵
251.          </div>↵
252.        </a>↵
253.        ↵
254.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
```

```
255.        href="http://127.0.0.1:8000/hub/3">↵
256.        <img src="http://127.0.0.1:8000/images/hub3.jpg" class="rounded-full
     h-12 w-12">↵
257.        <div class="break-all flex flex-col" data-sort>↵
258.          <span class="font-medium text-xl">h/Mythology</span>↵
259.          <span class="text-[#3C3D37]/[.6] group-hover:text-
     [#F4F2ED]/[.6]">Exploring myths and legends from around the world</span>↵
260.        </div>↵
261.      </a>↵
262.      ↵
263.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
     hover:text-[#F4F2ED] transition-colors"↵
264.        href="http://127.0.0.1:8000/hub/5">↵
265.        <img src="http://127.0.0.1:8000/images/hub5.jpg" class="rounded-full
     h-12 w-12">↵
266.        <div class="break-all flex flex-col" data-sort>↵
267.          <span class="font-medium text-xl">h/AnimeTheories</span>↵
268.          <span class="text-[#3C3D37]/[.6] group-hover:text-
     [#F4F2ED]/[.6]">Deep dive into anime plot theories and discussions</span>↵
269.        </div>↵
270.      </a>↵
271.      ↵
272.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
     hover:text-[#F4F2ED] transition-colors"↵
273.        href="http://127.0.0.1:8000/hub/9">↵
274.        <img src="http://127.0.0.1:8000/images/hub9.jpg" class="rounded-full
     h-12 w-12">↵
275.        <div class="break-all flex flex-col" data-sort>↵
276.          <span class="font-medium text-xl">h/GamingWorld</span>↵
277.          <span class="text-[#3C3D37]/[.6] group-hover:text-
     [#F4F2ED]/[.6]">Video game discussions and reviews</span>↵
278.        </div>↵
279.      </a>↵
280.        </div>↵
281. ↵
282.   <div class="p-4  border-t-2 border-black border-r-2 flex flex-col gap-4
     col-span-2">↵
283.     <span class="text-2xl text-[#3C3D37]/[.8]">suspended users</span>↵
284.     <div class="w-[50%] mx-auto">↵
285.       <canvas id="userStatusChart" width="400" height="400">↵
286.       <script>↵
287.         (function() {↵
288.             var init = function() {↵
289.                 "use strict";↵
290.                 var ctx = document.getElementById("userStatusChart");↵
291.                 window.userStatusChart = new Chart(ctx, {↵
292.                     type: 'pie',↵
293.                     data: {↵
294.                         labels: ["Suspended Users","Normal Users"],↵
295.                         datasets: [{"data":[1,99],"backgroundColor":
     ["#C96868","#7EACB5"]}]↵
296.                     },↵
297.                     options: {"responsive":true,"plugins":{"legend":
     {"display":false}}}↵
298.                 });↵
299.             };↵
300.      ↵
301.             if (document.readyState !== 'loading') {↵
302.                 init();↵
303.             } else {↵
304.                 document.addEventListener("DOMContentLoaded", init);↵
305.             }↵
306.         })();↵
307.       </script>↵
308. </canvas>      </div>↵
309.      ↵
310.   </div>↵
311. ↵
312.   <div class="col-span-2 border-t-2 border-black">↵
313.     <header class="pl-4 pr-2 py-4 w-full font-bold text-4xl bg-pastelGreen
     flex flex-row border-b-2 border-black ">↵
```

```
314.        most reported users <a href=" http://127.0.0.1:8000/admin/reports "↵
315.          class="ml-auto mt-auto text-sm text-[#3C3D37]/[.8] font-
      light">manage</a>↵
316.      </header>↵
317.        ↵
318.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
319.          href="http://127.0.0.1:8000/users/15/profile">↵
320.          <img src="http://127.0.0.1:8000/images/user6.jpg" class="rounded-
      full h-12 w-12">↵
321.          <div class="break-all flex flex-col" data-sort>↵
322.            <span class="font-medium text-xl">Fiona Gallagher</span>↵
323.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@fiona</span>↵
324.          </div>↵
325.          <span class="ml-auto mr-8">3 reports</span>↵
326.      </a>↵
327.        ↵
328.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
329.          href="http://127.0.0.1:8000/users/19/profile">↵
330.          <img src="http://127.0.0.1:8000/images/user10.jpg" class="rounded-
      full h-12 w-12">↵
331.          <div class="break-all flex flex-col" data-sort>↵
332.            <span class="font-medium text-xl">Jack Sparrow</span>↵
333.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@jack</span>↵
334.          </div>↵
335.          <span class="ml-auto mr-8">3 reports</span>↵
336.      </a>↵
337.        ↵
338.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
339.          href="http://127.0.0.1:8000/users/40/profile">↵
340.          <img src="http://127.0.0.1:8000/images/user31.jpg" class="rounded-
      full h-12 w-12">↵
341.          <div class="break-all flex flex-col" data-sort>↵
342.            <span class="font-medium text-xl">Elliot Alderson</span>↵
343.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@elliot</span>↵
344.          </div>↵
345.          <span class="ml-auto mr-8">3 reports</span>↵
346.      </a>↵
347.        ↵
348.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
349.          href="http://127.0.0.1:8000/users/45/profile">↵
350.          <img src="http://127.0.0.1:8000/images/user36.jpg" class="rounded-
      full h-12 w-12">↵
351.          <div class="break-all flex flex-col" data-sort>↵
352.            <span class="font-medium text-xl">Jules Winnfield</span>↵
353.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@jules</span>↵
354.          </div>↵
355.          <span class="ml-auto mr-8">3 reports</span>↵
356.      </a>↵
357.        ↵
358.      <a class="flex items-center gap-4 p-2 pl-8 group hover:bg-[#3C3D37]
      hover:text-[#F4F2ED] transition-colors"↵
359.          href="http://127.0.0.1:8000/users/36/profile">↵
360.          <img src="http://127.0.0.1:8000/images/user27.jpg" class="rounded-
      full h-12 w-12">↵
361.          <div class="break-all flex flex-col" data-sort>↵
362.            <span class="font-medium text-xl">Albus Dumbledore</span>↵
363.            <span class="text-[#3C3D37]/[.6] group-hover:text-
      [#F4F2ED]/[.6]">@albus</span>↵
364.          </div>↵
365.          <span class="ml-auto mr-8">3 reports</span>↵
366.      </a>↵
367.        </div>↵
368. ↵
```

```
369.  </div>↵
370.  ↵
371.          </div>↵
372.      </main>↵
373.    </div>↵
374.  ↵
375.  ↵
376.  </body>
```

Used the HTML parser.

Total execution time 11 milliseconds.

About this checker • Report an issue • Version: 24.11.29