#### REGISTER, LOGIN, AND LOGOUT FROM HTML FORM

#### IN VIEWS.PY

```
from django.shortcuts import render,redirect
from django.contrib.auth.models import User
from django.contrib.auth import authenticate,login,logout
from becomarketing.models import *
from django.contrib import messages
# Create your views here.
def user_login(request):
 if request.method == "POST":
    username= request.POST.get('username')
    password= request.POST.get('password')
    user = authenticate(username=username,password=password)
    if user is not None:
      login(request,user)
      return redirect('home')
    messages.success(request, "username or password is incorrect")
    return redirect('user_login')
  return render(request, 'account/login.html')
def user_register(request):
 if request.method == "POST":
    username = request.POST.get('username')
    email = request.POST.get('email')
    password = request.POST.get('password')
    confirm_password = request.POST.get('confirm_password')
    phone_field = request.POST.get('phone_field')
#HIZI AUTHENTICATIONS SIO ZA LAZIMA
    if password == confirm_password:
      if User.objects.filter(username=username).exists():
        messages.success(request,"username Already exit")
        return redirect('user_register')
      else:
        if User.objects.filter(email=email).exists():
           messages.success(request, "email Already exit")
           return redirect('user_register')
```

```
else:
           #ONGEWEZA KUJA MOJA KWA MOJA HAPA
User.objects.create_user(username=username,email=email,password=password)
           user.save()
           data = Customer(user = user,phone_field=phone_field)
           data.save()
           our_user = authenticate(username=username,password=password)
           if our_user is not None:
             login(request,user)
             return redirect('home')
             #MPKA HAPA THEN UKAMALIZA
    else:
      messages.success(request,"Passwords did not match")
      return redirect('user_register')
  return render(request, account/register.html')
def user_logout(request):
  logout(request)
  return redirect('user_login')
  return render(request, account/logout.html')
```

# URLS.PY OF THE APPLICATION

```
from django.urls import path
from .import views

urlpatterns = [

path('user_login', views.user_login, name="user_login"),
 path('user_register', views.user_register, name="user_register"),
 path('user_logout', views.user_logout, name="user_logout"),
```

#### **TEMPLATES**

## REGISTER.HTML

```
{% extends 'becomarketing/base.html' %}
{% load static %}
```



```
{% block title %}register here{% endblock %}
{% block content %}
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <style>
    input{
      padding: 5px;
      border-radius: 10px;
      margin-bottom: 30px;
      width: 8cm;
  </style>
</head>
<body>
 <div class="container-fluid">
  <div class="row">
  <div class="col-md-4">
   <div class="photo">
    <imq src="{% static 'becomarketing/images/w.jpeq' %}" alt="" style="width: 500px;">
  </div><!--mwisho wa column 4-->
  </div>
 <div class="col-md-6">
 <div style="text-align: center;margin-top: 100px;background-color: lightblue;">
  <h1 style="font-family: bold;">MarryDesigner</h1>
<form action="" method="POST">
 {% csrf_token %}
<label>UserName</label><br>
<input type="text" name="username" required><br>
<label>Email</label><br>
```

```
<input type="email" name="email" required><br>
<label>Password</label><br>
<input type="password" name="password" required><br>
<label>Confirm Password</label><br>
<input type="password" name="confirm_password" required><br>
<label>Phone</label><br>
<input type="text" name="phone_field" required><br>
{% if messages %}
{% for message in messages %}
 <div style="margin-top:5rem;" class="alert alert-{{ message.tags }} alert-dismissible fade show"</pre>
role="alert">
  <h3 style="color: red;font-size: 12px;font-weight: bold;font-family: bold;"> {{message}}</h3>
  <button type="button" class="close" data-dismiss="alert" aria-label="Close">
   <span aria-hidden="true">&times;</span>
  </button>
 </div>
{% endfor %}
{% endif %}
<button type="submit">Register</button>
</form>
</div><!--mwisho wa column ya width 6-->
</div><!--mwisho wa row-->
</div><!--mwisho wa column-->
  <script src={% static 'becomarketing/"js/wow.min.js' %}"></script><script src="js/jquery-</pre>
1.12.0.min.js"></script>
<script src="{% static 'becomarketing/js/bootstrap.min.js' %}"></script>
</body>
{% endblock %}
```

## LOGIN.HTML

```
{% extends 'becomarketing/base.html' %}
{% load static %}
{% block title %}login here{% endblock %}

{% block content %}

<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <style>
    input{
      padding: 5px;
      border-radius: 10px;
      margin-bottom: 30px;
      width: 8cm;
  </style>
</head>
<body>
 <div class="container-fluid">
  <div class="row">
  <div class="col-md-4">
   <div class="photo">
    <img src="{% static 'becomarketing/images/w.jpeg' %}" alt="" style="width: 500px;">
  </div><!--mwisho wa column 4-->
 <div class="col-md-6">
 <div style="text-align: center;margin-top: 5px;background-color: lightblue;">
  <h1 style="font-family: bold;">MarryDesigner</h1>
<form action="" method="POST">
 {% csrf_token %}
<label>UserName</label><br>
<input type="text" name="username" required><br>
<label>Password</label><br>
<input type="text" name="password" required><br>
{% if messages %}
{% for message in messages %}
 <div style="margin-top:5rem;" class="alert alert-{{ message.tags }} alert-dismissible fade show"</pre>
role="alert">
```

```
<h3 style="color: red;font-weight: bold;font-family: bold;font-size: 12px;"> {{message}}</h3>
  <button type="button" class="close" data-dismiss="alert" aria-label="Close">
   <span aria-hidden="true">&times;</span>
  </button>
 </div>
{% endfor %}
{% endif %}
<button type="submit">Login</button>
</form>
</div>
</div><!--mwisho wa column ya width 6-->
</div><!--mwisho wa row-->
</div><!--mwisho wa column-->
 <script src={% static 'becomarketing/"js/wow.min.js' %}"></script><script src="js/jquery-</pre>
1.12.0.min.js"></script>
<script src="{% static 'becomarketing/js/bootstrap.min.js' %}"></script>
</body>
{% endblock %}
```

KWA SABABU NIMETUMIA HTMLFORM HAIHITAJI FILE LA FORMS.PY