WEBBY VOICER

Figma + Rive design handoff

Dub Mode public beta / desktop + phone

Purpose. Design every user-facing beta flow and its states in Figma. Supply optional Rive motion assets with a documented app-facing contract. The current web UI is a functional placeholder; its styling and layout do not constrain the design.

Product	Independent, free browser dubbing game; no account.
Release	Dub Mode, anonymous multiplayer, pack market, local import, video export.
Later	Classic Mode and creator submissions are outside this handoff.
Evidence	A supplied 1:15 Dub pack with 22 lines, two roles, icon, subtitle, line images, mixed OGG/MP3 audio, backing track, and OGV video imports and plays locally.

Version 1.0 / 03 October 2026

Contents

1 Design boundary and product rules 1

2 Information architecture 1

3 Core interaction flows 2

3.1 Solo pack and recording . . . 2

3.2 Anonymous room . . . 2

4 Page contracts: discovery and solo play 3

5 Page contracts: multiplayer 4

6 Component library contract 5

7 Responsive, content, and accessibility checks 6

8 Rive architecture 7

9 Rive motion and fallback rules 7

10 Rive source, CLI, and integration acceptance 8

11 Figma delivery package and acceptance 8

References 8

1 Design boundary and product rules


Design principle: Make dubbing feel playful and social while leaving the current line, recording state, and next action unmistakable. Optimize for a first-time player on a phone and a host managing eight performers on desktop.

Account	None. A stage name exists only in a room.
Pack sources	Players can import a legacy Dub ZIP or folder. Market cards always link to the original GameBanana page. No creator submissions and no category exclusion at launch. A mirror is offered only when creator or license permission exists.
Compatibility	A pack can contain an OGV video, voice clips, timestamps, backing audio, icon, subtitle, and per-line images. Some browsers must convert OGV locally before playback/export.
Room	Six-character code; up to eight performers plus spectators. Host can assign/reassign roles, lock joins, choose one-line turns or simultaneous recording, and enable reactions/voting. Voting defaults off.
Privacy	No live microphone broadcast. Only submitted takes are heard by others. Shared pack and takes are automatically removed when the room ends or expires.
Result	Dub Mode has no automatic score. Finished scene has captions and creator credit. Performers see export; spectators watch without an export control.

Out of scope: sign-in, paid pack checkout, public pack submission, automatic score, live voice chat, or a built-in GameBanana file mirror without permission.

2 Information architecture

Page IDs are stable design labels, not required URL paths. A page may become a route, full-screen view, or overlay if its flow remains clear.




Navigation requirements

- From P01, import/demo, join code, and pack market are visible without opening a menu.
- P03 presents two clear branches: rehearse alone or host with this pack.
- A joined room keeps its code, phase, connection state, and exit path visible.
- P09 explains media deletion and expiry; it must not suggest that a deleted room can be restored.


3 Core interaction flows

3.1 Solo pack and recording



Timing rule: line timestamps can overlap. The timeline is chronological, but the UI must not assume each line has a unique whole-second slot.

3.2 Anonymous room



Browser audio fallback: synchronized showcase playback may require a tap on some browsers. Design a visible Tap to start playback overlay while preserving the shared countdown.

4 Page contracts: discovery and solo play

Every page needs a desktop frame and a phone frame. Variants in the States row are mandatory unless marked optional.

P01 Start

Content	Brand; short Dub Mode explanation; Try demo; Import ZIP; Choose folder; six-character join field; Pack market entry; independent-project attribution.
Actions	Import starts local validation. Join opens P05 with code prefilled. Market opens P02. Try demo loads the bundled synthetic pack.
States	Default; import busy; invalid/missing ZIP; invalid room code.

Phone: one clear primary action, then alternatives. Keep import and join above long promotional copy. Explain that pack files stay local during solo rehearsal and are shared temporarily only if the player hosts a room.

P02 Pack market

Content	Starter picks and latest GameBanana listings; card image, title, creator, source attribution, category/mature label when supplied; original source link; pagination.
Actions	Open the original GameBanana page in a new tab. The player downloads there, returns, and imports ZIP on P01.
States	Loading skeleton; populated; empty page; external API error; long title; missing image.

Rules: never hide a listing by category. Do not imply one-click in-app download where no authorized mirror exists. Every card has a visible Open source page action.

P03 Pack ready and compatibility

Content	Pack icon (1:1), title, subtitle if present, creator, line count, cast, scene duration, original video preview, conversion status.
Actions	Rehearse alone (P04) or host room (P05). If OGV is unsupported, start on-device conversion.
States	Video ready; conversion required; downloading converter; converting with progress; conversion failed; optional artwork absent.

Phone: conversion progress must survive scrolling and explain that large scenes can take minutes. Do not promise MP4: export format depends on browser support. Show a plain fallback when optional icon or subtitle is absent.

P04 Solo rehearsal

Content	Reference video (16:9), line list with number/time/character/caption/status, selected line image, original audio, record timer/level, saved take playback, retake, mixed-scene play, export, subtitles and credits.
Actions	Select a line; hear original; record one line; stop/save; compare and retake; repeat; play or export finished scene.
States	No take; mic permission request; mic blocked; recording; saved; retaking; playback; rendering; download complete; media error.

Phone: keep selected line and record action together. The 22-line list can collapse into a drawer or stepper but must allow jumping to any line. Never truncate the selected caption; list rows may clamp with an accessible full-text path. Retake must not discard the previous take until a new take is saved.

5 Page contracts: multiplayer

P05 Create or join room

Content Stage name; create/join context; six-character code on join; performer/spectator choice for joining; pack summary on create; no-account note.

Actions Create a room from an imported pack; join an existing room; return to start.

States Idle; opening; invalid code; full or locked room; room unavailable; reconnecting.

Rules: the host joins as a performer. A spectator does not claim roles or export. Keep the room code readable, copyable, and distinguish similar characters.

P06 Room lobby

Content Room code and invite link; pack title/creator; participant list with online state; role claims; host assignment controls; host settings for lock, turns/simultaneous, reactions, voting; start action.

Actions Performer claims an open role. Host assigns/reassigns roles, changes settings, starts recording, or ends room.

States Host; performer; spectator; waiting for pack; open/claimed role; disconnected player; locked room; start blocked.

Rules: at most eight performers. Reactions optional; voting off by default. The setting owner is visibly the host. Spectators see the cast but have no assignment control. Ending the room explains automatic server-media deletion.

P07 Room recording

Content Phase/connection/turn indicator; current line and reference frame; assigned-role context; original audio; local take preview; record, retake, submit; submitted-take list; host advance/showcase controls.

Actions In turn mode, work on the current line. In simultaneous mode, choose among assigned lines. Submit a take to make it audible to others.

States My turn; waiting; simultaneous; local unsent take; submitted; revised take; disconnected; mic blocked; spectator.

Rules: never suggest that a live microphone is audible to the room. Use distinct labels for saved on this device and submitted to room. Host can advance one-line turns. Spectators can see progress and listen to submitted takes only.

P08 Group showcase

Content Countdown, 16:9 finished video, captions, creator credit, player controls, optional reactions, optional voting, performer export/progress.

Actions Start together; tap to play if autoplay is blocked; react/vote only when enabled; performers download while room is open.

States Waiting; countdown; playing; paused/manual-start; finished; export/rendering; download complete; spectator.

Rules: no automatic score. Spectators do not see export. Reactions and vote are separate optional controls. A hidden optional feature leaves no dead space in the layout.

P09 Ended room and recovery

Content Clear reason: host ended, inactivity expiry, room unavailable, or lost connection; media-deletion explanation; return to start action.

Actions Return to P01 or retry a transient connection.

States Ended; expired; reconnecting; unrecoverable error.

Rules: do not imply that a room can be restored after its pack and takes were deleted. Do not silently discard a locally saved unsent take while the room is temporarily reconnecting.

6 Component library contract

Use Figma Auto Layout, variables, and named variants. Suggested naming is a handoff convention, not a visual style requirement.

Family / name	Required variants	Content and behavior
C/Button	primary, secondary, quiet, danger; default, hover, focus, disabled, busy	Text label remains visible; icon optional; touch target comfortably usable on phone.
C/TextField	default, focus, error, disabled	Join code is uppercase, six characters; stage name allows long text; error is adjacent text, not color alone.
C/PackCard	image/missing image; starter/latest; mature label; long title	Title, creator, original-source action; image is not the only clickable area.
C/PackHeader	icon/none; subtitle/none; compact/full	Title, creator, roles, lines, duration, solo/host actions.
C/Import	ZIP/folder/demo; idle, reading, invalid, ready	Drop zone optional; file picker still available; validation explains missing files.
C/Conversion	needed, downloading, converting, ready, error	Progress value and status text; retry path; keep-tab-open guidance.
C/LineRow	unrecorded, selected, saved, submitted, waiting, error	Number, timestamp, role, caption; long copy; overlapping timestamps; status conveyed by text/icon and color.
C/LineDetail	image/none; caption long/short; own/other role	Full caption and character, original audio, line image, recording context.
C/Recorder	idle, permission, recording, saved, retake, failed	Record/stop action, timer, optional mic level, local take player, submit separate from save.
C/MediaPlayer	original, mixed, showcase; loading, playing, blocked, error	Browser video controls or accessible custom controls; captions/credit treatment; portrait phone fit.
C/Participant	host, performer, spectator; online/offline; assigned/unassigned	Stage name, presence, role, host marker; no account avatar dependency.
C/RoleSlot	open, claimed, assigned, locked	Role name, owner, claim or host selector; spectators read only.
C/RoomCode	displayed, copied, share failed	Six-character code, copy invite link, feedback.
C/HostOption	enabled/disabled; turns/simultaneous	Lock, recording mode, reactions, voting; visible current setting.
C/ReactionVote	enabled/hidden; voted/unvoted	Four reaction choices currently; one favorite performer vote when enabled.
C/Status	info, success, warning, error, reconnecting	Clear text and action; suitable for live-region announcement.
C/Dialog	end room, permission help, retry	Primary/destructive action and escape path; no surprise deletion.

Suggested Figma hierarchy: 00 Brief / 01 Foundations / 02 Components / 03 Desktop flows / 04 Phone flows / 05 Rive contracts / 06 Prototype. Name frames `P04/Solo/Phone/Recording` and variants `C/Recorder/State=Saved`. Supply one canonical component, then instances in frames.

7 Responsive, content, and accessibility checks

Frame widths

Deliver 1440 px desktop and 390 px phone for every page. Add a 768 px tablet layout for P04, P06, P07, and P08 because these have split panels. Check a 320 px phone minimum.

Layout

Desktop may use stage + line list columns. Phone uses one primary task at a time; room identity and recording action remain visible without horizontal scrolling. Keep media at 16:9 with a contained fallback.

Content fixture

Use the supplied pack only as a local reference: 1:15, 22 lines, two roles, long captions, overlapping timestamps, optional icon/subtitle/line images. Also draw a missing-artwork pack and a pack with many roles. Do not copy copyrighted art into distributable UI assets.

Tokens

Provide semantic colors (canvas, surface, text, muted, accent, focus, success, warning, danger), type styles, spacing scale, radius, elevation/border, icon size, motion duration, and breakpoint decisions.

Accessibility


Target WCAG 2.2 AA: normal text contrast at least 4.5:1, large text at least 3:1, visible keyboard focus, labeled controls, and a 24 by 24 CSS-pixel minimum pointer target (larger is preferable on phones). Give status with text as well as color. Honor reduced motion.

Copy

Use record, stop and save, retake, and submit to room distinctly. Avoid upload for solo takes. Explain source links, local conversion, microphone permission, and room deletion in plain language.

8 Rive architecture

Rive supplies visual feedback. React and the room service own pack data, recording, timers, permissions, submission, export, and navigation. A missing or paused animation must never block the player.



Use data-binding view model properties for new assets. Rive documents legacy state-machine inputs as deprecated for future work. Each asset still includes one artboard and a named state machine to control motion. The names below are proposed integration contracts; change them only by updating this document and implementation together.

Asset / placement	Artboard / view model	Properties sent by app	States
`record-indicator.riv` Solo + room recorder	`RecordIndicator` / `RecordIndicatorVM`	`phase` enum; `level` number in 0..1. Level may be 0 when no meter exists.	idle, arming, recording, saved, error
`pack-progress.riv` Import + conversion	`PackProgress` / `PackProgressVM`	`phase` enum; `progress` number in 0..1; `indeterminate` boolean when no total exists.	importing, converting, ready, error
`room-presence.riv` Lobby + recording	`RoomPresence` / `RoomPresenceVM`	`phase` enum. Visual must not imply a stranger can hear live audio.	joining, connected, reconnecting, offline
`showcase-cue.riv` Showcase	`ShowcaseCue` / `ShowcaseCueVM`	`phase` enum; `secondsRemaining` number, 0..5.	waiting, countdown, playing, paused, finished
`reaction-burst.riv` Showcase only	`ReactionBurst` / `ReactionBurstVM`	`kind` enum: clap, laugh, heart, fire; `burst` trigger.	idle, burst

Keep these out of Rive: readable captions, creator/source credit, room code, buttons, file picker, forms, video playback, export progress text, and essential error messages. They stay in HTML for accessibility, localization, and resilience.

9 Rive motion and fallback rules

- Document each artboard's size and maximum rendered size in Figma. Suggested slots: 24–48 px for status, 80–160 px for progress, and a bounded overlay for reactions.
- One-shot feedback (saved, ready, burst) settles quickly; loops (recording, reconnecting) remain subtle. Motion must not obscure captions or controls.
- Provide a still PNG/SVG and reduced-motion frame for every asset. With reduced motion, use the still frame or a quiet state change rather than a continuous loop.
- Design an error state and a no-Rive fallback. The real text label remains beside the visual; animation never serves as the only status indicator.
- Reaction bursts appear only when enabled by the host. The showcase works with reactions and voting disabled.

10 Rive source, CLI, and integration acceptance

Rive is an optional enhancement. Complete the Figma screens and components first; begin with the room countdown and recorder assets if motion work starts. For each chosen asset, deliver the editable Rive project (Editor source or RML project directory), runtime `.riv`, still fallback, and a manifest with artboard, view model, state machine, property names/types, intended slots, and timing. Do not upload or publish to a Rive workspace as part of this handoff without a separate account decision.

Local CLI checks once assets exist
par `rive <project-dir> -verify`
par `rive inspect <project-dir> -json`
par `rive <project-dir> -screenshot=preview.png`
par `rive <project-dir> -test`
par `rive <project-dir> -once` builds an unsigned `.riv` for local review. Verify intended states visually in the browser as well as through CLI output.

Rive's current CLI documentation says `-publish` creates a signed asset, requires login, and may watermark output unless the file is bound to an eligible paid workspace. Keep this as a release decision, not a design dependency.

11 Figma delivery package and acceptance

Deliverables

1. Figma file with foundations, reusable components, desktop/phone flows, key variants, and an interactive prototype from P01 through P08. Include P09 recovery branches.
2. Exportable logo/icon artwork, original component icons, and named pack-art placeholders. Keep supplied film stills out of product branding and distributable demo assets.
3. For any chosen Rive assets: source projects, `.riv` files, still fallbacks, and a manifest matching the contract in this document.
4. Short decision notes for deliberately changed page order, mobile navigation, permission copy, room status, source attribution, or animation naming.

Design review checklist

- A first-time player can import or join from P01 without guessing which action is primary.
- Market cards visibly identify the original source and never imply unauthorized rehosting.
- A long 22-line pack remains navigable on 390 px and 320 px screens.
- Saving a take locally and submitting it to the room are visually distinct.
- Host, performer, and spectator controls differ correctly in lobby, recording, and showcase.
- Conversion, blocked autoplay, microphone denial, disconnect, expired room, and missing art have designed states.
- Voting defaults off, reactions can be off, and Dub Mode has no score.
- Every Rive visual has a static fallback and no essential text or control inside it.

References

Product scope: `WEBBY_VOICER_PLAN.md` in this project.
Rive CLI overview: https://rive.app/docs/cli/overview
Rive CLI command reference: https://rive.app/docs/cli/reference/commands
Rive data binding migration: https://rive.app/docs/editor/data-binding/migration-guide
W3C WCAG 2.2: https://www.w3.org/TR/WCAG22/
W3C text contrast: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum.html
W3C target size: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum